



# Manuale utente di Calibre

*Release 8.7.0*

**Kovid Goyal**

**luglio 18, 2025**



---

## Indice

---

|   |            |
|---|------------|
| <b>1 L'interfaccia grafica</b>                            | <b>3</b>   |
| <b>2 Aggiunta del tuo sito di notizie preferito</b>       | <b>33</b>  |
| <b>3 Il Lettore E-book</b>                                | <b>53</b>  |
| <b>4 Conversione E-book</b>                               | <b>61</b>  |
| <b>5 Modifica degli e-book</b>                            | <b>79</b>  |
| <b>6 Il Server dei Contenuti di Calibre</b>               | <b>111</b> |
| <b>7 Comparazione degli e-book</b>                        | <b>119</b> |
| <b>8 Modifica dei metadati degli e-book</b>               | <b>123</b> |
| <b>9 Domande frequenti</b>                                | <b>127</b> |
| <b>10 Guide</b>   | <b>151</b> |
| <b>11 Lo schema degli URL calibre://</b>                  | <b>249</b> |
| <b>12 Personalizzare calibre</b>                          | <b>253</b> |
| <b>13 Interfaccia a riga di comando</b>                   | <b>301</b> |
| <b>14 Creazione di un ambiente di sviluppo di calibre</b> | <b>341</b> |
| <b>15 Gestione dei Diritti Digitali (DRM)</b>             | <b>371</b> |
| <b>16 Glossario</b>                                       | <b>373</b> |
| <b>Indice del modulo Python</b>                           | <b>375</b> |
| <b>Indice</b>   | <b>377</b> |



calibre è un gestore di librerie in formato digitale (e-book). Può visualizzare, convertire e catalogare e-book in quasi tutti i principali formati disponibili. Può anche comunicare con svariati lettori di ebook. Può connettersi ad Internet per ottenere i metadati dei libri. Può scaricare quotidiani e convertirli in ebook per una lettura più comoda. Calibre è multipiattaforma, funziona su Linux, su Windows e macOs.

Hai appena avviato calibre. Cosa fai ora? Prima che calibre possa fare qualsiasi cosa con i tuoi e-book, deve prima sapere che esistono. Trascina e rilascia qualche file ebook in calibre, o fai clic sul pulsante «Aggiungi libri» e cerca gli ebook con cui vuoi lavorare. Una volta aggiunti i libri, saranno visibili nella pagina principale con un risultato simile a questo:

|     |                          |                  |             |     |  |
|-----|--------------------------|------------------|-------------|-----|--|
| 110 | The Trouble With Physics | Lee Smolin       | 18 Mar 2011 | 0.9 |  |
| 111 | The Wise Man's Fear      | Patrick Rothfuss | 08 Mar 2011 | 1.4 |  |
| 112 | The Heroes               | Joe Abercrombie  | 08 Mar 2011 | 1.2 |  |

Una volta ammirata a volontà la lista dei libri che hai appena aggiunto, probabilmente vorrai leggerne uno. Per farlo dovrai convertire il libro in un formato che il tuo lettore comprenda. Quando avvii calibre per la prima volta, il *Procedura guidata di benvenuto* si avvia e ti permette di impostare calibre per il tuo dispositivo di lettura. La conversione è una passeggiata. Devi solo seleziona il libro che vuoi convertire e fare clic sul pulsante «Converti libri». Ignora tutte le opzioni per il momento e fai clic su «OK». La piccola icona nell'angolo in basso a destra inizierà a girare. Una volta che ha finito di girare, il tuo libro convertito è pronto. Fai clic sul pulsante «Leggi» per leggere il libro.

Se vuoi leggere il libro sul tuo lettore, connetti il lettore al computer, aspetta che calibre lo riconosca (10-20 secondi) e poi fai clic sul pulsante «Invia al dispositivo». Una volta che l'icona smetterà di ruotare, disconnetti il lettore e inizia a leggere! Se non lo hai fatto precedentemente, calibre convertirà automaticamente il libro in un formato che il tuo lettore possa leggere.

Per avvicinarti a un utilizzo più avanzato, dai un'occhiata all'*L'interfaccia grafica* (pagina 3). Per ancora più potenza e versatilità, studia l'*Interfaccia a riga di comando* (pagina 301). Troverai utile anche l'elenco delle *Domande frequenti* (pagina 127).

Se hai ulteriori domande, o desideri discutere di calibre con altri utenti o chiedere aiuto su cose specifiche, sono disponibili [forum e altre risorse di aiuto](#)<sup>1</sup>.

## Sezioni

---

<sup>1</sup> <https://calibre-ebook.com/it/help>



# CAPITOLO 1

---

## L'interfaccia grafica

---

L'Interfaccia Grafica (*GUI*) dà accesso a tutte le funzionalità di gestione della biblioteca e di conversione degli e-book nei vari formati. Il primo passo per utilizzare calibre prevede l'aggiunta di libri alla biblioteca dal tuo disco rigido. calibre cercherà di reperire automaticamente i metadati dai libri e di aggiungerli al proprio database interno. Una volta nel database potrai effettuare alcune *Azioni* (pagina 4) su di essi, tra cui la conversione da un formato all'altro, il trasferimento su un dispositivo di lettura, la visualizzazione sul tuo computer e la modifica dei metadati. Quest'ultima azione consente, tra gli altri, la modifica di copertina, descrizione e tag. Nota che calibre crea una copia dei file che vi sono aggiunti. I file originali non vengono modificati.

L'interfaccia è divisa in diverse sezioni:

- *Azioni* (pagina 4)
- *Preferenze* (pagina 10)
- *Cataloghi* (pagina 11)
- *Cerca e riordina* (pagina 11)
- *L'interfaccia di ricerca* (pagina 12)
- *Salvare le ricerche* (pagina 17)
- *Ricerca nei contenuti di tutti i libri* (pagina 18)
- *Biblioteche virtuali* (pagina 18)
- *Marcatura temporanea dei libri* (pagina 18)
- *Estrazione dei metadati dai nomi dei file* (pagina 18)
- *Dettagli del libro* (pagina 20)
- *Navigatore dei Tag* (pagina 22)
- *Griglia delle copertine* (pagina 25)
- *Navigatore delle copertine* (pagina 26)

- *Aggiunta di note ad autori, serie, ecc.* (pagina 27)
- *Quickview* (pagina 28)
- *Lavori* (pagina 29)
- *Scorciatoie da tastiera* (pagina 29)


### 1.1 Azioni



La barra delle azioni fornisce comode scorciatoie alle funzioni più usate. Se fai clic con il tasto destro sui pulsanti, puoi eseguire varianti dell'azione predefinita. Tieni presente che la barra delle azioni apparirà leggermente diversa se hai un lettore di e-book collegato al tuo computer.

- *Aggiungi libri* (pagina 4)
- *Modifica metadati* (pagina 5)
- *Converti libri* (pagina 6)
- *Leggi* (pagina 6)
- *Invia al dispositivo* (pagina 6)
- *Scarica notizie* (pagina 7)
- *Biblioteca* (pagina 7)
- *Dispositivo* (pagina 8)
- *Salva su disco* (pagina 8)
- *Connetti/condividi* (pagina 9)
- *Rimuovi libri* (pagina 10)

#### 1.1.1 Aggiungi libri



L'azione *Aggiungi libri* ha sette varianti accessibili facendo clic con il tasto destro sul pulsante.

1. **Add books from a single folder:** Opens a file chooser dialog and allows you to specify which books in a folder should be added. This action is *context sensitive*, i.e. it depends on which *catalog* (pagina 11) you have selected. If you have selected the *Library*, books will be added to the library. If you have selected the e-book reader device, the books will be uploaded to the device, and so on.
2. **Add books from folders and sub-folders:** Allows you to choose a folder. The folder and all its sub-folders are scanned recursively, and any e-books found are added to the library. You can choose whether to have calibre add

all files present in a single folder to a single book record or multiple book records. calibre assumes that each folder contains a single book. All e-book files in a folder are assumed to be the same book in different formats. This action is the inverse of the [Save to disk](#) (pagina 8) action, i.e. you can *Save to disk*, delete the books and re-add them in single book per folder mode, with no lost information except for the date (this assumes you have not changed any of the setting for the Save to disk action).

3. **Aggiungere libri multipli da un archivio (ZIP/RAR)**: Permette di aggiungere molteplici e-book che sono immagazzinati all'interno del file ZIP o RAR selezionato. È una comoda scorciatoia che consente di evitare di decomprimere dapprima l'archivio e poi di aggiungere i libri mediante una delle due opzioni di cui sopra.
4. **Aggiungi un libro vuoto (iscrizione di un libro senza formati)**: Permette di creare un record vuoto di un libro. Questo può essere utilizzato per inserire manualmente successivamente le informazioni relative a un libro che potreste non avere ancora nella vostra raccolta.
5. **Aggiungi con ISBN**: Permette di aggiungere uno o più libri inserendo il loro codice ISBN.
6. **Aggiungi file ai record del libro selezionati**: Permette di aggiungere o di aggiornare i file associati con un libro esistente nella vostra librerie.
7. **Aggiungi file di dati alle voci di libro selezionate**: Ti permette di aggiungere un numero qualsiasi di file aggiuntivi che saranno conservati in una sottocartella data nella cartella del libro vedi [Aggiunta di file di dati a un libro](#) (pagina 126) per dettagli.
8. **Aggiungi un file vuoto ai record del libro selezionati**: Permette di aggiungere un file vuoto del formato specificato ai record del libro selezionati.

L'azione *Aggiungere libri* può leggere i metadati da una ampia varietà di formati di ebook. Inoltre, prova ad indovinare i metadati dal nome del file, vedere la sezione [Estrazione dei metadati dai nomi dei file](#) (pagina 18) per apprendere come configurare questa opzione.

Per aggiungere un formato ad un libro già esistente, è possibile fare una delle seguenti tre cose:

1. Trascina il file sul pannello dei Dettagli del Libro, sulla parte destra della finestra principale
2. Fai clic con il tasto destro sul pulsante *Aggiungi libri* e scegli *Aggiungi file ai libri selezionati*.
3. Fai clic sul pulsante *Aggiungi libri* nella zona in alto a destra della finestra *Modifica metadati*, accessibile con l'azione *Modifica metadati* (pagina 5).

### 1.1.2 Modifica metadati



L'azione *Modifica metadati* ha quattro varianti accessibili facendo clic con il tasto destro sul pulsante.

1. **Modifica i metadati individualmente**: Permette di modificare i metadati dei libri uno per uno con l'opzione di scaricare i metadati, incluse le copertine, da Internet. Vi consente inoltre di aggiungere o rimuovere formati di ebook particolari da un libro.
2. **Modifica i metadati in massa**: Permette di modificare i campi comuni dei metadati per un grande numero di libri simultaneamente. Opera su tutti i libri che avete selezionato nella [Library view](#) (pagina 11).
3. **Scarica metadati e copertine**: Scarica metadati e copertine (se disponibili) per i libri che sono selezionati nella lista dei libri.
4. **Unisci i record dei libri**: Vi da la capacità di unire i metadati ed i formati di due o più record di libri. potete scegliere di eliminare o mantenere i record che non sono stati cliccati prima.

5. **Gestisci i file di dati:** Gestisce i file di dati aggiuntivi associati ai libri selezionati.

Per maggiori dettagli vedi metadato.

### 1.1.3 Converti libri



Gli e-book possono essere convertiti da vari formati in qualunque altro formato il tuo lettore di e-book preferisca. Molti degli e-book disponibili all'acquisto sono protetti da una tecnologia *Digital Rights Management* (pagina 371) (*DRM*). calibre non convertirà questi e-book. È facile rimuovere il DRM da molti formati, ma considerati i possibili problemi legali, dovrai trovare da solo gli strumenti che ti permetteranno di liberare i tuoi libri, e poi usare calibre per convertirli.

Per la maggior parte delle persone, la conversione dovrebbe essere un semplice affare da un click. Se vuoi apprendere di più riguardo al processo di conversione, vedi conversione.


L'azione *Converti libri* ha tre varianti, accessibili facendo clic con il tasto destro sul pulsante.

1. **Converti individualmente:** Permette di specificare le opzioni per personalizzare la conversione di ognuno degli e-book selezionati.
2. **Converti in gruppo:** Permette di specificare le opzioni una volta sola per convertire un certo numero di e-book in gruppo.
3. **Creare un catalogo dei libri nella vostra libreria di calibre:** Permette di generare un elenco completo dei libri nella vostra libreria, inclusi tutti i metadati, in diversi formati quali XML, CSV, BiBTeX, EPUB e MOBI. Il catatlogo conterrà tutti i libri al momento presenti nella vista della libreria. Questo vi consente di utilizzare le funzionalità di ricerca per limitare la catalogazione dei libri. In aggiunta, se selezionate più libri utilizzando il mouse, solo quei libri saranno aggiunti al catalogo. Se generate il catalogo in un formato ebook quale EPUB, MOBI o AZW3, la prossima volta che connettete il vostro lettore di ebook il catalogo sarà automaticamente inviato al dispositivo. Per maggiori informazioni sul funzionamento del catalogo, leggete il *Creazione di cataloghi AZW3 • EPUB • MOBI* (pagina 242).

### 1.1.4 Leggi

L'azione *Leggi* visualizza il libro in un programma di lettura degli ebook. calibre ha un lettore incorporato per diversi formati di ebook. Per altri formati utilizza l'applicazione predefinita del sistema operativo. Potete configurare quali formati devono essere aperti con il lettore interno mediante *Preferenze → Interfaccia → Comportamento*. Se un libro ha più di un formato, potete leggere un particolare formato effettuando un click destro sul pulsante.

### 1.1.5 Invia al dispositivo



L'azione *Invia al dispositivo* ha otto varianti, accessibili facendo clic con il tasto destro sul pulsante.

1. **Invia alla memoria principale:** I libri selezionati sono trasferiti alla memoria principale del lettore di ebook.
2. **Invia alla scheda (A):** I libri selezionati sono trasferiti alla scheda di memoria (A) sul lettore di ebook.

3. **Invia alla scheda (B)**: I libri selezionati sono trasferiti alla scheda di memoria (B) sul lettore di ebook.
4. **Send specific format to**: The selected books are transferred to the selected storage location on the device, in the format that you specify.
5. **Espelli dispositivo**: Scollega il dispositivo da calibre.
6. **Set default send to device action**: Allows you to specify which of the options, 1 through 5 above or 7 below, will be the default action when you click the main button.
7. **Invia ed elimina dalla libreria**: I libri selezionati sono trasferiti alla posizione di archiviazione selezionata sul dispositivo e poi **eliminati** dalla Libreria.
8. **Scarica Annotazioni (sperimentale)**: Trasferisce le annotazioni che potreste avere fatto su un ebook sul vostro dispositivo ai metadati dei commenti del libro nella libreria di Calibre.

You can control the file name and folder structure of files sent to the device by setting up a template in *Preferences → Import/export → Sending books to devices*. Also see [Il linguaggio dei modelli di calibre](#) (pagina 158).

### 1.1.6 Scarica notizie



The *Fetch news* action downloads news from various websites and converts it into an e-book that can be read on your e-book reader. Normally, the newly created e-book is added to your e-book library, but if an e-book reader is connected at the time the download finishes, the news is also uploaded to the reader automatically.

The *Fetch news* action uses simple recipes (10-15 lines of code) for each news site. To learn how to create recipes for your own news sources, see [Aggiunta del tuo sito di notizie preferito](#) (pagina 33).

L'azione **Scarica novità** ha tre variazioni a cui si accede con un click destro sul pulsante.

1. **Schedule news download**: Allows you to schedule the download of your selected news sources from a list of hundreds available. Scheduling can be set individually for each news source you select and the scheduling is flexible allowing you to select specific days of the week or a frequency of days between downloads.
2. **Add a custom news source**: Allows you to create a simple recipe for downloading news from a custom news site that you wish to access. Creating the recipe can be as simple as specifying an RSS news feed URL, or you can be more prescriptive by creating Python-based code for the task. For more information, see [Aggiunta del tuo sito di notizie preferito](#) (pagina 33).
3. **Download all scheduled news sources**: Causes calibre to immediately begin downloading all news sources that you have scheduled.

### 1.1.7 Biblioteca



L'azione *Libreria* permette di creare, commutare tra, rinominare o rimuovere una libreria. calibre permette di creare quante librerie si vogliono. Potete, per esempio, creare una libreria di narrativa, una libreria di saggistica, una libreria in lingua straniera, una libreria di progetti, o qualsiasi altra struttura che si adatti alle vostre esigenze. Le librerie sono la massima struttura organizzativa all'interno di calibre. Ogni libreria ha il proprio insieme di libri, etichette, categorie e posizioni di archiviazione di base.


1. **Commuta/crea libreria:** permette di; a) connettersi a una pre-esistente libreria di calibre in una diversa posizione, b) creare una libreria vuota in una nuova posizione oppure, c) spostare la libreria corrente in una nuova specifica posizione.
2. **Commutazione veloce:** Permette di commutare tra le librerie che sono state registrate o create in calibre.
3. **Rinomina libreria:** Vi consente di rinominare una Libreria.
4. **Scegli un libro in maniera casuale:** Sceglie per voi un libro in maniera casuale nella Libreria.
5. **Rimuovi libreria:** Vi consente di annullare la registrazione di una libreria da Calibre.
6. **Esporta/importa tutti i dati di Calibre:** Vi consente di esportare i dati di calibre per la migrazione ad un nuovo computer oppure di importare i dati precedentemente esportati.
7. **<library name>:** Actions 7, 8 etc... give you immediate switch access between multiple libraries that you have created or attached to. This list contains only the 5 most frequently used libraries. For the complete list, use the Quick Switch menu.
8. **Library maintenance:** Allows you to check the current library for data consistency issues and restore the current library's database from backups.

### 1 Nota

I metadati relativi ai vostri ebook, per esempio il titolo, l'autore e le etichette, sono immagazzinati in un singolo file nella vostra cartella della libreria di calibre chiamata metadata.db. Se questo file si corrompe (un evento molto raro), potrete perdere i metadati. Per fortuna, calibre fa automaticamente il backup dei metadati per ogni singolo libro nella cartella dei libri come un file OPF. Utilizzando l'azione Ripristina Database sotto Manutenzione Libreria descritta sopra, potete ottenere che calibre ricostruisca il file metadata.db dal rispettivo file OPF per voi.

Potete copiare o spostare libri tra differenti librerie (una volta che avrete impostato più di una libreria) facendo click destro sul libro e selezionando l'azione *Copia nella libreria*.

### 1.1.8 Dispositivo



Device


The *Device* action allows you to view the books in the main memory or storage cards of your device, or to eject the device (detach it from calibre). This icon shows up automatically on the main calibre toolbar when you connect a supported device. You can click on it to see the books on your device. You can also drag and drop books from your calibre library onto the icon to transfer them to your device. Conversely, you can drag and drop books from your device onto the library icon on the toolbar to transfer books from your device to the calibre library.

### 1.1.9 Salva su disco



L'azione *Salva su disco* ha cinque varianti, accessibili facendo clic con il tasto destro sul pulsante.

1. **Salva sul disco:** Salva i libri selezionati sul disco organizzati in cartelle. La struttura della cartella ha questo aspetto:



Potete controllare il nome del file e la struttura della cartella dei file salvati su disco impostando un modello in *Preferenze → Importare/esportare → Salvare libri sul disco*. Vedere anche *Il linguaggio dei modelli di calibre* (pagina 158).

2. **Salva su disco in una singola cartella:** Salva i libri selezionati sul disco in una singola cartella.

For 1. and 2., all available formats, as well as metadata, are stored to disk for each selected book. Metadata is stored in an OPF file. Saved books can be re-imported to the library without any loss of information by using the *Add books* (pagina 4) action.

3. **Save only \*<your preferred>\* format to disk:** Saves the selected books to disk in the folder structure as shown in (1.) but only in your preferred e-book format. You can set your preferred format in *Preferences → Interface → Behaviour → Preferred output format*
4. **Save only \*<your preferred>\* format to disk in a single folder:** Saves the selected books to disk in a single folder but only in your preferred e-book format. You can set your preferred format in *Preferences → Interface → Behaviour → Preferred output format*
5. **Save single format to disk...:** Saves the selected books to disk in the folder structure as shown in (1.) but only in the format you select from the popup list.

### 1.1.10 Connetti/condividi



The *Connect/share* action allows you to manually connect to a device or folder on your computer. It also allows you to set up your calibre library for access via a web browser or email.

L'azione *Connetti/condividi* ha quattro varianti, alle quali si accede facendo un click destro sul pulsante.

1. **Connect to folder:** Allows you to connect to any folder on your computer as though it were a device and use all the facilities calibre has for devices with that folder. Useful if your device cannot be supported by calibre but is available as a USB disk.
2. **Start Content server:** Starts calibre's built-in web server. When started, your calibre library will be accessible via a web browser from the Internet (if you choose). You can configure how the web server is accessed by setting preferences at *Preferences → Sharing → Sharing over the net*
3. **Setup email based sharing of books:** Allows sharing of books and news feeds by email. After setting up email addresses for this option, calibre will send news updates and book updates to the entered email addresses. You can configure how calibre sends email by setting preferences at *Preferences → Sharing → Sharing books by email*. Once you have set up one or more email addresses, this menu entry will be replaced by menu entries to send books to the configured email addresses.

### 1.1.11 Rimuovi libri




The *Remove books* action **deletes books permanently**, so use it with care. It is *context sensitive*, i.e. it depends on which *catalog* (pagina 11) you have selected. If you have selected the *Library*, books will be removed from the library. If you have selected the e-book reader device, books will be removed from the device. To remove only a particular format for a given book use the *Modifica metadati* (pagina 5) action. Remove books also has five variations which can be accessed by doing a right-click on the button.

1. **Rimuovi libri selezionati:** Vi consente di rimuovere **permanentemente** tutti i libri che sono selezionati nell'elenco dei libri.
2. **°°Rimuovere i file di uno specifico formato dai libri selezionati...\*\*:** Permette di rimuovere **permanentemente** file ebook di uno specifico formato dai libri che sono selezionati nella lista dei libri.
3. **Remove all formats from selected books, except...:** Allows you to **permanently** remove e-book files of any format except a specified format from books that are selected in the book list.
4. **Remove all formats from selected books:** Allows you to **permanently** remove all e-book files from books that are selected in the book list. Only the metadata will remain.
5. **Rimuovi le copertine dai libri selezionati:** Vi consente di rimuovere **permanentemente** i file di immagine delle copertine dai libri selezionati nella lista dei libri.
6. **Remove matching books from device:** Allows you to remove e-book files from a connected device that match the books that are selected in the book list.
7. **Ripristina eliminati di recente:** Vi consente di annullare la rimozione di libri o formati.

#### Nota

Note that when you use *Remove books* to delete books from your calibre library, the book record is deleted, but the books are temporarily stored, for a few days, in a trash folder. You can undo the delete by right clicking the *Remove books* button and choosing to *Restore recently deleted books*.

## 1.2 Preferenze



The *Preferences* action allows you to change the way various aspects of calibre work. It has four variations, accessed by doing a right-click on the button.

1. **Preferenze:** Vi consente di modificare il modo in cui vari aspetti di Calibre funzionano. Anche cliccando il pulsante si esegue questa azione.
2. Esegui il **Wizard di benvenuto:** Ti permette di avviare il *Wizard di benvenuto*, apparso la prima volta che hai avviato calibre.
3. **Ottieni plugin per migliorare calibre:** Apre una nuova finestra che mostra i plugin per calibre. Questi plugin sono sviluppati da terze parti per ampliare le funzionalità di calibre.

4. **Restart in debug mode:** Allows you to enable a debugging mode that can assist the calibre developers in solving problems you encounter with the program. For most users this should remain disabled unless instructed by a developer to enable it.

## 1.3 Cataloghi



Un *catalogo* è una raccolta di libri. Calibre può gestire due differenti tipi di cataloghi:

1. **Libreria:** Questa è una raccolta di libri immagazzinata nella vostra libreria di Calibre sul vostro computer.
2. **Dispositivo:** Questa è una raccolta di libri immagazzinata nel vostro lettore di ebook. Sarà resa disponibile quando connettete il lettore al vostro computer.

Many operations, such as adding books, deleting, viewing, etc., are context sensitive. So, for example, if you click the **View** button when you have the **Device** catalog selected, calibre will open the files on the device to view. If you have the **Library** catalog selected, files in your calibre library will be opened instead.

## 1.4 Cerca e riordina

 A screenshot of the Calibre search and sorting interface. At the top, there is a search bar with a magnifying glass icon and a clear button. Below the search bar is a table with 12 rows of book metadata. The columns are: Title, Author(s), Size (MB), Date, Rating, Publisher, Tags, and Series. The table shows various books by William Shakespeare, Leo Tolstoy, and George R.R. Martin, along with their respective details like file size, publication date, and ratings. The "Series" column for the last two books shows "Song of Ice and Fire [4]" and "The Sandman [11]" respectively.
 

|    | Title  | Author(s)           | Size (MB) | Date        | Rating | Publisher                      | Tags                        | Series                   |
|----|--|---------------------|-----------|-------------|--------|--------------------------------|-----------------------------|--------------------------|
| 1  | The Complete Works of William Shakespeare            | William Shakespeare | 2.4       | 02 Jan 2007 | ★★★★★  | manybooks.net                  |                             |                          |
| 2  | Stalky and Co.                                       | Rudyard Kipling     | 0.2       | 19 Jan 2007 | ★★★★★  | manybooks.net                  |                             |                          |
| 3  | The Comedies of William Shakespeare                  | William Shakespeare | 2.1       | 15 Mar 2007 | ★★★★★  |                                |                             |                          |
| 4  | The Histories of William Shakespeare                 | William Shakespeare | 1.5       | 15 Mar 2007 | ★★★★★  |                                | england, historical fiction |                          |
| 5  | The Tragedies of William Shakespeare                 | William Shakespeare | 1.6       | 15 Mar 2007 | ★★★★★  |                                |                             |                          |
| 6  | War and Peace  | Leo Tolstoy         | 3.1       | 22 Aug 2007 | ★★★★★  | gutenberg.org                  | classic                     |                          |
| 7  | Anna Karenina  | Leo Tolstoy         | 1.9       | 22 Aug 2007 | ★★★★★  | gutenberg.org                  | classic                     |                          |
| 8  | Guns, germs, and steel: the fates of human societies | Jared Diamond       | 0.4       | 29 Nov 2007 | ★★★★★  | New York : W.W. Norton, c1997. |                             |                          |
| 9  | A Game of Thrones                                    | George R. R. Martin | 1.3       | 23 Jan 2007 | ★★★★   |                                | fantasy                     |                          |
| 10 | A Clash of Kings                                     | George R. R. Martin | 1.4       | 25 Jan 2007 | ★★★★   |                                | fantasy                     |                          |
| 11 | A Storm of Swords                                    | George R. R. Martin | 1.9       | 27 Jan 2007 | ★★★★   |                                | fantasy                     |                          |
| 12 | A Feast for Crows                                    | George R. R. Martin | 1.7       | 29 Jan 2007 | ★★★★   |                                | fantasy                     | Song of Ice and Fire [4] |
|    | Don Quixote  | Jacqueline Farov    | 0.0       | 00 May 2007 | ★★★★   |                                | fantasy                     | The Sandman [11]         |

La sezione Cerca e Riordina vi consente di compiere diverse poderose azioni sulla vostra collezione di libri.

- You can sort them by title, author, date, rating, etc. by clicking on the column titles. You can also sub-sort, i.e. sort on multiple columns. For example, if you click on the title column and then the author column, the book will be sorted by author and then all the entries for the same author will be sorted by title.
- You can search for a particular book or set of books using the Search bar. More on that below.
- You can quickly and conveniently edit metadata by selecting the entry you want changed in the list and pressing the **E** key.

- You can perform *Azioni* (pagina 4) on sets of books. To select multiple books you can either:
  - Keep the `Ctrl` key pressed and click on the books you want selected.
  - Keep the `Shift` key pressed and click on the starting and ending book of a range of books you want selected.
- You can configure which fields you want displayed by using the *Preferenze* (pagina 10) dialog.
- To perform complex multiple column based sub-sorting add the *Sort by* tool to a toolbar via *Preferences → Toolbars & menus*.

## 1.5 L'interfaccia di ricerca

Potete ricercare tutti i metadati del libro inserendo i termini della ricerca nella Barra di ricerca. Ad esempio:

```
Asimov Foundation format:lrf
```

This will match all books in your library that have `Asimov` and `Foundation` in their metadata and are available in the `LRF` format. Some more examples:

```
author:Asimov and not series:Foundation  
title:"The Ring" or "This book is about a ring"  
format:epub publisher:feedbooks.com
```

### Ricerca tipi

There are four search kinds: *contains*, *equality*, *regular expression* (see [regular expressions<sup>2</sup>](#)), and *character variant*. You choose the search kind with a prefix character.

#### "Contains" searches

Searches with no prefix character are *contains* and are by default case insensitive. An item matches if the search string appears anywhere in the indicated metadata. You can make *contains* searches case sensitive by checking the option *Case sensitive searching* in *Preferences / Searching*. If the search option *Unaccented characters match accented characters and punctuation is ignored* is checked then a character will match all its variants (e.g., `e` matches `é`, `è`, `ê`, and `ë`) and all punctuation and whitespace are ignored. For example, if the *Unaccented characters match ...* option is checked then given the two book titles:

1. Big, Bothéred, and Bad
2. Big Bummer

then these searches find:

- `title:"er"` matches both ("e" matches both "é" and "e").
- `title:"g "` matches both because spaces are ignored.
- `title:"g, "` matches both because the comma is ignored.
- `title:"gb"` matches both because " " is ignored in book 1 and spaces are ignored in book 2.
- `title:"g b"` matches both because comma and space are ignored.
- `title:"db"` matches #1 because the space in "and Bad" is ignored.
- `title:", "` matches both (it actually matches all books) because commas are ignored.

If the *Unaccented characters match ...* option is not checked then character variants, punctuation, and spacing are all significant.

---

<sup>2</sup> [https://en.wikipedia.org/wiki/Regular\\_expression](https://en.wikipedia.org/wiki/Regular_expression)

You can set only one of the search options *Case sensitive searching* and *Unaccented characters match accented characters and punctuation is ignored*.

#### *“Equality” searches*

Equality searches are indicated by prefixing the search string with an equals sign (=). For example, the query `tag: "=science"` will match *science*, but not *science fiction* or *hard science*. Character variants are significant: é doesn't match e.

Two variants of equality searches are used for hierarchical items (e.g., A.B.C): hierarchical prefix searches and hierarchical component searches. The first, indicated by a single period after the equals (=.) matches the initial parts of a hierarchical item. The second, indicated by two periods after the equals (=..) matches an internal name in the hierarchical item. Examples, using the tag `History.Military.WWII` as the value:

- `tags: "=.History" : True`. History is a prefix of the tag.
- `tags: "=.History.Military" : True`. History.Military is a prefix of the tag.
- `tags: "=.History.Military.WWII" : True`. History.Military.WWII is a prefix of the tag, albeit an improper one.
- `tags: "=.Military" : False`. Military is not a prefix of the tag.
- `tags: "=.WWII" : False`. WWII is not a prefix of the tag.
- `tags: "=..History" : True`. The hierarchy contains the value History.
- `tags: "=..Military" : True`. The hierarchy contains the value Military.
- `tags: "=..WWII" : True`. The hierarchy contains the value WWII.
- `tags: "=..Military.WWII" : False`. The .. search looks for single values.

#### *“Regular expression” searches*

Regular expression searches are indicated by prefixing the search string with a tilde (~). Any Python-compatible regular expression<sup>3</sup> can be used. Backslashes used to escape special characters in regular expressions must be doubled because single backslashes will be removed during query parsing. For example, to match a literal parenthesis you must enter \\( or alternatively use *super-quotes* (see below). Regular expression searches are “contains” searches unless the expression is anchored. Character variants are significant: ~e doesn't match é.

#### *“Character variant” searches*

Character variant searches are indicated by prefixing the search string with a caret (^). This search is similar to the *contains* search (above) except that:

- letter case is always ignored.
- character variants always match each other.
- punteggiatura e spazi vuoti sono sempre significativi.

The search options *Unaccented characters match accented characters and punctuation is ignored* and *Case sensitive searching* are ignored. They have no effect on this search's behavior.

The following compares this search to a contains search assuming the *Unaccented characters match...* option is checked (see above) given the same two book titles:

1. Big, Bothéred, and Bad
2. Big Bummer

then these character variant searches find:

- `title: "^g"` corrisponde ad entrambe (“e” corrisponde ad entrambe “é” ed “e”)

---

<sup>3</sup> <https://docs.python.org/library/re.html>

- `title:"^g"` corrisponde a entrambi
- `title:"^g "` corrisponde a #2 perché lo spazio è significativo
- `title:"^g,"` corrisponde a #1 perché la virgola è significativa
- `title:"^gb"` non corrisponde a niente perché lo spazio e la virgola sono significativi
- `title:"^g b"` corrisponde a #2 perché la virgola è significativa
- `title:"^db"` non corrisponde a nulla
- `title:"^, "` corrisponde a #1 (invece di tutti i libri) perché la virgola è significativa

### Sintassi per le Espressioni di Ricerca

A *search expression* is a sequence of *search terms* optionally separated by the operators `and` and `or`. If two search terms occur without a separating operator, `and` is assumed. The `and` operator has priority over the `or` operator; for example the expression `a or b and c` is the same as `a or (b and c)`. You can use parenthesis to change the priority; for example `(a or b) and c` to make the `or` evaluate before the `and`. You can use the operator `not` to negate (invert) the result of evaluating a search expression. Examples:

- `not tag:foo` ricerca tutti i libri che non contengono l'etichetta `foo`
- `not (author:Asimov or author:Weber)` ricerca tutti i libri non scritti da Asimov o Weber.

The above examples show examples of *search terms*. A basic *search term* is a sequence of characters not including spaces, quotes ("), backslashes (\), or parentheses (( )). It can be optionally preceded by a column name specifier: the *lookup name* of a column followed by a colon (:), for example `author:Asimov`. If a search term must contain a space then the entire term must be enclosed in quotes, as in `title:"The Ring"`. If the search term must contain quotes then they must be *escaped* with backslashes. For example, to search for a series named *The «Ball» and The «Chain»*, use:

```
series:"The \"Ball\" and The \"Chain\""
```

If you need an actual backslash, something that happens frequently in *regular expression* searches, use two of them (\\\).

It is sometimes hard to get all the escapes right so the result is what you want, especially in *regular expression* and *template* searches. In these cases use the *super-quote*: """sequence of characters""". Super-quoted characters are used unchanged: no escape processing is done.

### Più informazioni

To search for a string that begins with an equals, tilde, or caret; prefix the string with a backslash.

Enclose search strings with quotes (») if the string contains parenthesis or spaces. For example, to find books with the tag `Science Fiction` you must search for `tag:="science fiction"`. If you search for `tag:=science fiction` you will find all books with the tag `science` and the word `fiction` in any metadata.

You can build advanced search queries easily using the *Advanced search dialog* accessed by clicking the button



on the left of the search box.

Available fields for searching are: `tag`, `title`, `author`, `publisher`, `series`, `series_index`, `rating`, `cover`, `comments`, `format`, `identifiers`, `date`, `pubdate`, `search`, `size`, `vl` and custom columns. If a device is plugged in, the `ondevice` field becomes available, when searching the calibre library view. To find the search name (actually called the *lookup name*) for a custom column, hover your mouse over the column header in the library view.

### Date

La sintassi per ricercare per date è:

```
pubdate:>2000-1 Will find all books published after Jan, 2000
date:<=2000-1-3 Will find all books added to calibre before 3 Jan, 2000
pubdate:=2009 Will find all books published in 2009
```

If the date is ambiguous then the current locale is used for date comparison. For example, in an mm/dd/yyyy locale 2/1/2009 is interpreted as 1 Feb 2009. In a dd/mm/yyyy locale it is interpreted as 2 Jan 2009. Some special date strings are available. The string `today` translates to today's date, whatever it is. The strings `yesterday` and `thismonth` (or the translated equivalent in the current language) also work. In addition, the string `daysago` (also translated) can be used to compare to a date some number of days ago. For example:

```
date:>10daysago
date:<=45daysago
```

Per evitare potenziali problemi con le stringhe tradotte quando si utilizza una versione di calibre non in lingua inglese, le stringhe `_today`, `_yesterday`, `_thismonth`, e `_daysago` sono sempre disponibili. Esse non sono tradotte.

#### *Ricercando date e valori numerici con confronti relazionali*

Dates and numeric fields support the relational operators = (equals), > (greater than), >= (greater than or equal to), < (less than), <= (less than or equal to), and != (not equal to). Rating fields are considered to be numeric. For example, the search `rating:>=3` will find all books rated 3 or higher.

Potete ricercare per libri che hanno un formato di una certa dimensione come questo:

- `size:>1.1M` troverà libri di un formato più grande di 1.1 MB
- `size:<=1K` troverà libri con un formato inferiore o uguale a 1 KB

You can search for the number of items in multiple-valued fields such as tags using the character # then using the same syntax as numeric fields. For example, to find all books with more than 4 tags use `tags:#>4`. To find all books with exactly 10 tags use `tags:#=10`.

#### *Indici di serie*

Series indices are searchable. For the standard series, the search name is `series_index`. For custom series columns, use the column search name followed by `_index`. For example, to search the indices for a custom series column named `#my_series`, you would use the search name `#my_series_index`. Series indices are numbers, so you can use the relational operators described above.

#### *Ricerche salvate*

The special field `search` is used for [saved searches](#) (pagina 17). If you save a search with the name «My spouse's books» you can enter `search:"My spouse's books"` in the Search bar to reuse the saved search. More about saving searches below.

#### *Librerie virtuali*

The special field `vl` is used to search for books in a Virtual library. For example, `vl:Read` will find all the books in the *Read* Virtual library. The search `vl:Read` and `vl:"Science Fiction"` will find all the books that are in both the *Read* and *Science Fiction* virtual libraries. The value following `vl:` must be the name of a Virtual library. If the Virtual library name contains spaces then surround it with quotes.

#### *Se un campo ha un valore*

Potete ricercare per l'assenza o la presenza di un valore per un campo usando «vero» e «falso». Per esempio:

- `cover:false` trova tutti i libri senza una copertina
- `series:true` trova tutti i libri che sono in una serie
- `series:false` trova tutti i libri che non sono in una serie
- `comments:false` trova tutti i libri con una nota vuota

- `formats:false` finds all books with no book files (empty records)

### Colonne personalizzate si/no

Searching Yes/no custom columns for `false`, `empty`, or `blank` will find all books with undefined values in the column. Searching for `true` will find all books that do not have undefined values in the column. Searching for `yes` or `checked` will find all books with `Yes` in the column. Searching for `no` or `unchecked` will find all books with `No` in the column. Note that the words `yes`, `no`, `blank`, `empty`, `checked` and `unchecked` are translated; you can use either the current language's equivalent word or the English word. The words `true` and `false` and the special values `_yes`, `_no`, and `_empty` are not translated.

### Identificatori

Identifiers (e.g., ISBN, DOI, LCCN, etc.) use an extended syntax. An identifier has the form `type:value`, as in `isbn:123456789`. The extended syntax permits you to specify independently the type and value to search for. Both the type and the value parts of the query can use any of the *search kinds* (pagina 12). Examples:

- `identifiers:true` troverà libri con qualsiasi identificatore
- `identifiers:false` troverà libri senza identificatori
- `identifiers:123` ricercheranno libri di qualsiasi genere avente un valore contenente `123`.
- `identifiers:=123456789` will search for books with any type having a value equal to `123456789`.
- `identifiers:=isbn:` and `identifiers:isbn:true` will find books with a type equal to ISBN having any value
- `identifiers:=isbn:false` will find books with no type equal to ISBN.
- `identifiers:=isbn:123` will find books with a type equal to ISBN having a value containing `123`.
- `identifiers:=isbn:=123456789` will find books with a type equal to ISBN having a value equal to `123456789`.
- `identifiers:i:1` will find books with a type containing an `i` having a value containing a `1`.

### Categorie visible in the Tag browser

The search `in_tag_browser:true` finds all books that are in categories (tags, authors, etc.) currently shown in the *Tag browser*. This is useful if you set the two preferences *Preferences* → *Look & feel* → *Tag browser* → *Hide empty categories* and *Find shows all items that match*. With those two preferences set, doing a *Find* in the *Tag browser* shows only categories containing items matched by the *Find*. Then, the search `in_tag_browser:true` additionally finds books with these categories / items. You can easily run this search by pressing the key `Ctrl+Alt+Shift+F` or clicking the configure button in the *Tag browser* and choosing the *Show only books that have visible categories* entry.

### ricerca utilizzando modelli

You can search using a template in *Il linguaggio dei modelli di calibre* (pagina 158) instead of a metadata field. To do so you enter a template, a search type, and the value to search for. The syntax is:

```
template: (the template) #@#: (search type) : (the value)
```

The `template` is any valid calibre template language template. The `search type` must be one of `t` (text search), `d` (date search), `n` (numeric search), or `b` (set/not set (boolean)). The `value` is whatever you want, and can use the *search kinds* (pagina 12) described above for the various search types. You must quote the entire search string if there are spaces anywhere in it.

Esempi:

- `template:"program: connected_device_name('main')#@#:t:kindle"` – is true when the kindle device is connected.

- template:"program: select(formats\_sizes(), 'EPUB')#@#:n:>1000000" – finds books with EPUB files larger than 1 MB.
- template:"program: select(formats\_modtimes('iso'), 'EPUB')#@#:d:>10daysago" – finds books with EPUB files newer than 10 days ago.
- template="""program: book\_count('tags:^' & \$series & '^', 0) != 0#@#:n:1"" – finds all books containing the series name in the tags. This example uses super-quoting because the template uses both single quotes (') and double quotes ("") when constructing the search expression.

You can build template search queries easily using the *Advanced search dialog* accessed by clicking the button .

You can test templates on specific books using the calibre *Template tester*, which can be added to the toolbars or menus via *Preferences → Toolbars & menus*. It can also be assigned a keyboard shortcut via *Preferences → Shortcuts*.

#### *Finestra di ricerca avanzata*





Fig. 1: *Finestra di ricerca avanzata*

## 1.6 Salvare le ricerche

calibre allows you to save a frequently used search under a special name and then reuse that search with a single click. To do this, create your search either by typing it in the Search bar or using the Tag browser. Then type the name you would like to give to the search in the Saved Searches box next to the Search bar. Click the plus icon next to the saved searches box to save the search.

Now you can access your saved search in the Tag browser under *Saved searches*. A single click will allow you to reuse any arbitrarily complex search easily, without needing to re-create it.

## 1.7 Ricerca nei contenuti di tutti i libri



calibre può *facoltativamente* indicizzare i contenuti dei libri della biblioteca, in modo permettere la ricerca istantanea di parole dentro ciascuno dei libri. Per usare questa funzionalità clicca sul pulsante *FT* (Full Text) al margine sinistro della barra di ricerca.

Then, enable indexing for the current library. Once indexing is complete you can search all the text in the full library. When you add new books to the library, they will be automatically indexed in the background. This search allows you to quickly find all books that contain a word or combination of words. You can even search for words that occur near other words, as shown in the examples in the search popup window. Note that this search tool will find only one occurrence of the search query in a particular book, not list every occurrence, for that it is best to search inside the book using the calibre *E-book viewer*.

You can re-index an individual book by right clicking on the *Book details panel* in calibre and choosing *Re-index this book for full text searching*.

## 1.8 Biblioteche virtuali

A *Virtual library* is a way to pretend that your calibre library has only a few books instead of its full collection. This is an excellent way to partition your large collection of books into smaller, manageable chunks. To learn how to create and use Virtual libraries, see the tutorial: [Biblioteche Virtuali](#) (pagina 246).

## 1.9 Marcatura temporanea dei libri

You can temporarily mark arbitrary sets of books. Marked books will have a pin on them and can be found with the search `marked:true`. To mark a book press `Ctrl+M` or go to *Preferences → Toolbars & menus* and add the *Mark books* button to the main toolbar.

Potete contrassegnare i libri con una specifica etichetta di testo effettuando un click destro sul pulsante *Contrassegna libri* e selezionando *Contrassegna libri con etichetta di testo*. I libri contrassegnati con un'etichetta di testo possono essere trovati successivamente utilizzando la ricerca `marked:"=the-text-you-entered"`.

## 1.10 Estrazione dei metadati dai nomi dei file

Normalmente, calibre legge i metadati dall'interno del file del libro. Tuttavia, può essere invece configurato per leggere i metadati dal nome del file, per mezzo di *Preferenze → Importazione/esportazione → Aggiungere libri → Leggi i metadati dal contenuto del file*.

You can also control how metadata is read from the filename using regular expressions (see [Tutto sull'utilizzo delle espressioni regolari in calibre](#) (pagina 212)). In the *Adding books* section of the configuration dialog, you can specify a regular expression that calibre will use to try and guess metadata from the names of e-book files that you add to the library. The default regular expression is:

```
title - author
```

that is, it assumes that all characters up to the first – are the title of the book and subsequent characters are the author of the book. For example, the filename:


```
Foundation and Earth - Isaac Asimov.txt
```

Sarà interpretato avere il titolo: Fondazione e Terra e autore: Isaac Asimov

 **Suggerimento**

Se il nome del file non contiene il trattino, l'espressione regolare di cui sopra fallirà.

## 1.11 Dettagli del libro



**Authors:** [Oscar Wilde](#)

**Formats:** EPUB

**Ids:** [9781580495806](#)

**Tags:** lit 101 homework

**Path:** [Click to open](#)

### SUMMARY:

This Prestwick House Literary Touchstone Edition includes a glossary and reader's notes to help the modern reader appreciate Wilde's wry wit and elaborate plot twists. Oscar Wilde's madcap farce about mistaken identities, secret engagements, and lovers? entanglements still delights readers

The Book details display shows the cover and all the metadata for the currently selected book. It can be hidden via the

*Layout* button in the lower right corner of the main calibre window. The author names shown in the Book details panel are click-able, they will by default take you to the Wikipedia page for the author. This can be customized by right clicking on the author name and selecting *Manage this author*.

Similarly, if you download metadata for the book, the Book details panel will automatically show you links pointing to the web pages for the book on Amazon, WorldCat, etc. from where the metadata was downloaded.

You can right click on individual e-book formats in the Book details panel to delete them, compare them to their original versions, save them to disk, open them with an external program, etc.


You can change the cover of the book by simply drag and dropping an image onto the Book details panel. If you wish to edit the cover image in an external program, simply right click on it and choose *Open with*.

You can also add e-book files to the current book by drag and dropping the files onto the Book details panel.

Double clicking the Book details panel will open it up in a separate popup window.

Finally, you can customize exactly what information is displayed in the Book details panel via *Prefrences → Interface → Look & feel → Book details*.

## 1.12 Navigatore dei Tag



The Tag browser allows you to easily browse your collection by Author/Tags/Series/etc. If you click on any item in the Tag browser, for example the author name Isaac Asimov, then the list of books to the right is restricted to showing books by that author. You can click on category names as well. For example, clicking on «Series» will show you all books in any series.

The first click on an item will restrict the list of books to those that contain or match the item. Continuing the above example, clicking on Isaac Asimov will show books by that author. Clicking again on the item will change what is shown, depending on whether the item has children (see sub-categories and hierarchical items below). Continuing the Isaac Asimov example, clicking again on Isaac Asimov will restrict the list of books to those not by Isaac Asimov. A third click will remove the restriction, showing all books. If you hold down the `Ctrl` or `Shift` keys and click on multiple items, then restrictions based on multiple items are created. For example you could hold `Ctrl` and click on the tags History and Europe for finding books on European history. The Tag browser works by constructing search expressions that are automatically entered into the Search bar. Looking at what the Tag browser generates is a good way to learn how to construct basic search expressions.

Items in the Tag browser have their icons partially colored. The amount of color depends on the average rating of the

books in that category. So for example if the books by Isaac Asimov have an average of four stars, the icon for Isaac Asimov in the Tag browser will be 4/5th colored. You can hover your mouse over the icon to see the average rating.

The outer-level items in the *Tag browser*, such as Authors and Series, are called categories. You can create your own categories, called *User categories*, which are useful for organizing items. For example, you can use the *User categories editor* (click the *Configure* button at the lower-left of the *Tag browser* and choose *Manage authors, tags, etc → User categories*) to create a User category called `Favorite Authors`, then put the items for your favorites into the category. User categories can have sub-categories. For example, the User category `Favorites.Authors` is a sub-category of `Favorites`. You might also have `Favorites.Series`, in which case there will be two sub-categories under `Favorites`. Sub-categories can be created by right-clicking on a User category, choosing *Add sub-category to...*, and entering the sub-category name; or by using the *User categories editor* by entering names like the `Favorites` example above.

**You can search User categories in the same way as built-in categories, by clicking on them. There are four different searches cycled through by clicking:**

1. «everything matching an item in the category» indicated by a single green plus sign.
2. «everything matching an item in the category or its sub-categories» indicated by two green plus signs.
3. «everything not matching an item in the category» shown by a single red minus sign.
4. «everything not matching an item in the category or its sub-categories» shown by two red minus signs.

It is also possible to create hierarchies inside some of the text categories such as tags, series, and custom columns. These hierarchies show with the small triangle, permitting the sub-items to be hidden. To use hierarchies of items in a category, you must first go to *Preferences → Interface → Look & feel* and enter the category name(s) into the «Categories with hierarchical items» field. Once this is done, items in that category that contain periods will be shown using the small triangle. For example, assume you create a custom column called «Genre» and indicate that it contains hierarchical items. Once done, items such as `Mystery.Thriller` and `Mystery.English` will display as `Mystery` with the small triangle next to it. Clicking on the triangle will show `Thriller` and `English` as sub-items. See [Managing subgroups of books, for example «genre»](#) (pagina 151) for more information.

Hierarchical items (items with children) use the same four “click-on” searches as User categories. Items that do not have children use two of the searches: «everything matching» and «everything not matching».

You can drag and drop items in the Tag browser onto User categories to add them to that category. If the source is a User category, holding the `Shift` key while dragging will move the item to the new category. You can also drag and drop books from the book list onto items in the Tag browser; dropping a book on an item causes that item to be automatically applied to the dropped books. For example, dragging a book onto Isaac Asimov will set the author of that book to Isaac Asimov. Dropping it onto the tag History will add the tag History to the book’s tags.

You can easily find any item in the Tag browser by clicking the search button at the lower-right corner. In addition, you can right click on any item and choose one of several operations. Some examples are to hide it, rename it, or open a «Manage x» dialog that allows you to manage items of that kind. For example, the *Manage authors* dialog allows you to rename authors and control how their names are sorted.

You can control how items are sorted in the Tag browser via the *Configure* button at the lower-left of the Tag browser. You can choose to sort by name, average rating or popularity (popularity is the number of books with an item in your library; for example, the popularity of Isaac Asimov is the number of books in your library by Isaac Asimov).

You can use your own icons for categories and values in categories. To change the icon for a category, right-click on the category (the outer-level item) and choose *Change (category name) category icon*. A dialog will open where you can pick an image to be used as the icon. To restore the icon to its default choose *Restore (category name) default icon*.

To choose icons for values in categories, right-click on a value then choose *Manage icon for (value name)*. You will see a list of choices:

- *Choose an icon for this value but not its children*. A dialog will open where you choose an icon for the value. Children of that value will not inherit that icon.
- *Choose an icon for this value and its children*. A dialog will open where you choose an icon for the value. Any children that don’t have their own specified icon will inherit this icon.

- *Use the existing icon for this value but not its children.* This option is offered if the value already has an icon that is inherited by the value's children. Selecting it will make the icon apply to the value but not its children.
- *Use the existing icon for this value and its children.* This option is offered if the value already has an icon that is not inherited by the value's children. Selecting it will make the icon apply to the value and its children.
- *Use the default icon for this value.* This option is offered if the item has an icon. It removes the icon from the value and any children inheriting the icon. The default icon is what is specified below.
- *Reset all value icons to the default icon.* This option removes all item value icons for the category. It does not remove a template if one exists. There is no undo.
- *Use/edit a template to choose the default value icon.* This option permits you to provide a calibre template that returns the name of an icon file to be used as a default icon. The template can use two variables:
  - `category`: the lookup name of the category, for example `authors`, `series`, `#mycolumn`.
  - `value`: the value of the item within the category.
  - `count`: the number of books with this value. If the value is part of a hierarchy then the count includes the children.
  - `avg_rating`: the average rating for books with this value. If the value is part of a hierarchy then the average includes the children.

Book metadata such as title is not available. Template database functions such as `book_count` (pagina 195) and `book_values` (pagina 195) will work, but the performance might not be acceptable. The following template functions will work in the GUI but won't work in the content server: `connected_device_name` (pagina 187), `connected_device_uuid` (pagina 187), `current_virtual_library_name` (pagina 188), `is_marked` (pagina 189), and `virtual_libraries` (pagina 190).

In the GUI, Python templates have full access to the calibre database. In the content server, Python templates have access to new API (see [API documentation for the database interface<sup>4</sup>](#)) but not the old API (LibraryDatabase).

For example, this template specifies that any value in the clicked-on category beginning with *History* will have an icon named `flower.png`:

```
program:  
if substr($value, 0, 7) == 'History' then 'flower.png' fi
```

If a template returns the empty string (' ') then the category icon will be used. If the template returns a file name that doesn't exist then no icon is displayed.

- *Use the category icon as the default.* This option specifies that the icon used for the category should be used for any value that doesn't otherwise have an icon. Selecting this option removes any template icon specification.


The icon is chosen using the following hierarchy:

1. The icon specified for the value, if it exists.
2. The icon specified for a parent node found by walking up the tree, if one exists.
3. The icon from a template, if a template exists and it returns a non-empty string.
4. The default category icon, which always exists.

Icons are per-user, not per-library, stored in the calibre configuration folder. Icons for item values are stored in the `tb_icons` subfolder. Icons used by templates are in the `template_icons` subfolder of `tb_icons`.

<sup>4</sup> [https://manual.calibre-ebook.com/db\\_api.html](https://manual.calibre-ebook.com/db_api.html)

## 1.13 Griglia delle copertine



You can have calibre display a grid of book covers instead of a list of books, if you prefer to browse your collection by covers instead. The *Cover grid* is activated by clicking the *Layout* button in the bottom right corner of the main calibre window. You can customize the cover sizes and the background of the *Cover grid* via *Preferences* → *Interface* → *Look & feel* → *Cover grid*. You can even have calibre display any specified field under the covers, such as title or authors or rating or a custom column of your own devising.

## 1.14 Navigatore delle copertine



In addition to the *Cover grid* described above, you can also have calibre display covers in the single row. This is activated via the *Layout* button in the lower right corner of the main window. In *Preferences → Interface → Look & feel → Cover browser* you can change the number of covers displayed, and even have the *Cover browser* display itself in a separate popup window.

## 1.15 Aggiunta di note ad autori, serie, ecc.

### William Shakespeare



William Shakespeare (baptised 26 April 1564) was an English poet and playwright, widely regarded as the greatest writer in the English language and the world's pre-eminent dramatist. He is often called England's national poet and the "Bard of Avon" (or simply "The Bard"). His surviving works consist of 38 plays, 154 sonnets, two long narrative poems, and several other poems. His plays have been translated into every major living language, and are performed more often than those of any other playwright.

Shakespeare was born and raised in Stratford-upon-Avon. Scholars believe that he died on his fifty-second birthday, coinciding with St George's Day.


At the age of 18 he married Anne Hathaway, who bore him three children: Susanna, and twins Hamnet and Judith. Between 1585 and 1592 he began a successful career in London as an actor, writer, and part owner of the playing company the Lord Chamberlain's Men, later known as the King's Men.




Edit



Find books



Copy URL



Close

You can add notes for an author/series/tag/publisher/etc. to your calibre library. To do so right click on the author name in the *Tag browser* on the left or the *Book details* panel on the right and choose *Create note* or *Edit note*.

A simple popup window will allow you to enter your notes using basic formatting and supporting links and images. Once a note for an author is created, it can be viewed easily from the *Book details* panel by clicking the little pencil icon next to the author name.

You can search through all the notes in your library using the *Browse notes* tool by pressing **Ctrl+Shift+N** or adding it to the toolbar via *Preferences → Toolbars & menus*.

## 1.16 Quickview

Sometimes you want to select a book and quickly get a list of books with the same value in some category (authors, tags, publisher, series, etc.) as the currently selected book, but without changing the current view of the library. You can do this with Quickview. Quickview opens either a second window or a panel in the book list showing the list of books matching the value of interest. For example, assume you want to see a list of all the books with the one or more of the authors of the currently-selected book. Click in the author cell you are interested in and press the “Q” key or click the *Quickview* icon in the *Layout* section of the calibre window. A window or panel will open with all the authors for that book on the left, and all the books by the selected author on the right.

**Some example Quickview usages: quickly seeing what other books:**

- have some tag(s) applied to the currently selected book,
- sono nelle stesse serie come il libro corrente
- have the same values in a custom column as the current book
- sono scritti da uno degli stessi autori del libro corrente
- share values in a custom column

There are two choices for where the Quickview information appears:

1. It can open «undocked»: on top of the calibre window and will stay open until you explicitly close it.
2. It can open «docked»: as a panel in the book list section of the calibre main window.

You can move the window from docked to undocked as desired using the «Dock/Undock» button.

The Quickview panel can be left open permanently, in which case it follows movements on the book list. For example, if you click in the calibre library view on a category column (tags, series, publisher, authors, etc.) for a book, the Quickview window contents will change to show you in the left-hand side panel the values in that category for the selected book (e.g., the tags for that book). The first item in that list will be selected, and Quickview will show you on the right-hand side panel all the books in your library that use that value. Click on an different value in the left-hand panel to see the books with that different value.

Double-click on a book in the Quickview window to select that book in the library view. This will also change the items display in the QuickView window (the left-hand panel) to show the items in the newly-selected book.


Shift- or Ctrl- double-click on a book in the Quickview window to open the edit metadata dialog on that book in the calibre window. The edited book will be Quickview’ed when you close the edit metadata dialog.

You can see if a column can be Quickview’ed by hovering your mouse over the column heading and looking at the tooltip for that heading. You can also know by right-clicking on the column heading to see if the «Quickview» option is shown in the menu, in which case choosing that Quickview option is equivalent to pressing “Q” in the current cell.

Options (in *Preferences → Look & feel → Quickview*):

- Respect (or not) the current Virtual library. If checked then Quickview shows only books in the current Virtual library. Default: respect Virtual libraries
- Change the Quickview window contents when the column is changed on the book list using the cursor keys. Default: don’t follow changes made with cursor keys
- Change the column being «quickview’ed» when a cell in the Quickview window is double-clicked. Otherwise the book is changed but the column being examined is not. Default: change the column
- Change the column being «quickview’ed» to the current column when the return key is pressed in the Quickview panel. Otherwise the book is changed but the column being examined is not. Default: change the column
- Scegliere quali colonne vengono visualizzate nella finestra/pannello Quickview.

## 1.17 Lavori



The Jobs panel shows the number of currently running jobs. Jobs are tasks that run in a separate process. They include converting e-books and talking to your reader device. You can click on the jobs panel to access the list of jobs. Once a job has completed you can see a detailed log from that job by double-clicking it in the list. This is useful to debug jobs that may not have completed successfully.

## 1.18 Scorciatoie da tastiera

calibre has several keyboard shortcuts to save you time and mouse movement. These shortcuts are active in the book list view (when you're not editing the details of a particular book), and most of them affect the title you have selected. The calibre E-book viewer [has its own shortcuts](#) (pagina 57) which can be customised in the viewer *Preferences*.

### Nota

Nota: le scorciatoie da tastiera di calibre non richiedono un tasto modificatore (Command, Option, Control, etc.), a meno che non sia specificamente indicato. Sarà necessario premere solo il tasto della lettera, ad esempio E per modificare.

Tabella 1: Keyboard shortcuts for the main calibre program

| Scor-<br>ciatoia<br>da ta-<br>stiera | Azione   |
|--------------------------------------|--|
| F2                                   | Edit the metadata of the currently selected field in the book list.<br>(In-<br>vio in<br>ma-<br>cos) |
| A                                    | Aggiungi libri   |
| Shift+A                              | Aggiungere formati ai libri selezionati  |
| C                                    | Convertire i libri selezionati   |
| D                                    | Invia al dispositivo   |
| Del                                  | Rimuovi i libri selezionati  |
| E                                    | Modifica i metadati dei libri selezionati  |
| G                                    | Ottieni libri  |
| I                                    | Mostra i dettagli del libro  |
| K                                    | Modifica indice  |
| M                                    | Unisci i record selezionati  |
| Alt+M                                | Unisci i record selezionati, mantenendo gli originali  |
| O                                    | Apri cartella contenente   |
| P                                    | Pulisci libri  |
| S                                    | Salva su disco   |
| T                                    | Modifica libro   |
| V                                    | Leggi  |
| Shift+V                              | Visualizza l'ultimo libro letto  |

continues on next page

Tabella 1 – continua dalla pagina precedente

|         |   |
|---------|---|
| Scor-   | Azione  |
| ciatoia |   |
| da ta-  |   |
| stiera  |   |
| Alt+V/  | Leggi un formato specifico  |
| Cmd+V   |   |
| in      |   |
| macOS   |   |
| Alt+Shi | Mostra/nascondi l'elenco dei lavori   |
| Alt+Shi | Mostra/nascondi il Navigatore delle copertine   |
| Alt+Shi | Mostra/nascondi il pannello Dettagli libro  |
| Alt+Shi | Mostra/nascondi il Navigatore dei Tag   |
| Alt+Shi | Mostra/nascondi la Griglia delle copertine  |
| Alt+A   | Mostra libri dello stesso autore del libro corrente   |
| Alt+T   | Mostra libri con gli stessi tag del libro corrente  |
| Alt+P   | Mostra libri dello stesso editore del libro corrente  |
| Alt+Shi | Mostra libri della stessa serie del libro corrente  |
| / ,     | Posiziona il cursore nella Barra di Ricerca   |
| Ctrl+F  |   |
| Shift+C | Apri la finestra di Ricerca Avanzata  |
| Shift+A | Mostra/nascondi la Barra di Ricerca   |
| Esc     | Cancella la ricerca corrente  |
| Shift+E | Attiva l'elenco dei libri   |
| Ctrl+Es | Abbandona la Biblioteca virtuale  |
| Alt+Esc | Cancella la restrizione aggiuntiva  |
| Ctrl+*  | Crea una Biblioteca Virtuale temporanea basata sulla ricerca corrente   |
| Ctrl+Ri | Seleziona la scheda di Biblioteca Virtuale successiva   |
| Ctrl+Le | Seleziona la scheda di Biblioteca Virtuale precedente   |
| N op-   | Trova il libro successivo che corrisponde alla ricerca corrente (funziona solo se l'evidenziazione dei risultati pure è attivata nelle preferenze di ricerca) |
| F3      |   |
| Shift+N | Trova il libro precedente che corrisponde alla ricerca corrente (funziona solo se l'evidenziazione dei risultati op- è attivata nelle preferenze di ricerca)  |
| pure    |   |
| Shift+F |   |
| Ctrl+D  | Scarica metadati e copertine  |
| Ctrl+R  | Riavvia calibre   |
| Ctrl+Sh | Riavvia calibre in modalità debug   |
| Shift+C | Aggiungi libri vuoti a calibre  |
| Ctrl+M  | Marca/rimuovi marcatura dai libri selezionati   |
| Ctrl+/  | Apri la finestra di ricerca nei contenuti di tutti i libri della biblioteca   |
| o       |   |
| Ctrl+Al |   |
| Q       | Apri il pannello Quickview per visualizzare i libri con serie/tag/ecc. collegati  |
| Shift+C | Sposta il focus sul pannello Quickview  |
| Shift+S | Esegui una ricerca nel pannello Quickview   |
| F5      | Riapplica l'ordinamento corrente  |
| Ctrl+Q  | Esci da calibre   |
| X       | Attiva/disattiva lo scorrimento automatico dell'elenco dei libri  |
| Ctrl+Al | Restrict the displayed books to only those books that are in a category currently displayed in the <i>Tag browser</i>   |

continues on next page

Tabella 1 – continua dalla pagina precedente

| Scor-<br>ciatoia<br>da ta-<br>stiera | Azione   |
|--------------------------------------|--|
| B                                    | Browse annotations (highlights and bookmarks) made in the calibre E-book viewer for all books in the library |
| Ctrl+Ma                              | Browse notes associated with authors/series/tags/etc.  |
| Alt+Shi                              | Toggle the layout between wide and narrow views  |



# CAPITOLO 2

## Aggiunta del tuo sito di notizie preferito

calibre ha un sistema potente, flessibile e facile da usare per scaricare notizie da Internet e convertirle in un e-book. Ciò che segue ti mostrerà, usando degli esempi, come ottenere notizie da vari siti web.

Per poter utilizzare questo sistema con cognizione di causa, segui gli esempi nell'ordine elencato qui sotto:

- *Recupero completamente automatico* (pagina 33)
  - *Il blog di calibre* (pagina 34)
  - *bbc.co.uk* (pagina 35)
- *Personalizzazione del processo di recupero* (pagina 35)
  - *Uso della versione di stampa di bbc.co.uk* (pagina 35)
  - *Sostituire gli stili dell'articolo* (pagina 36)
  - *Rifinitura dei contenuti* (pagina 37)
  - *Un caso reale* (pagina 37)
- *Suggerimenti per lo sviluppo di nuove ricette* (pagina 40)
- *Ulteriori approfondimenti* (pagina 41)
- *Documentazione API* (pagina 41)

### 2.1 Recupero completamente automatico


Se la tua fonte di notizie è abbastanza semplice, calibre potrebbe essere in grado di utilizzarla in modo completamente automatico, e tutto ciò che dovrai fare è fornire l'URL. calibre raccoglie tutte le informazioni necessarie a scaricare una fonte di notizie in una *ricetta*. Per portare a conoscenza di calibre una fonte di notizie, devi creare una *ricetta* per essa. Vediamo alcuni esempi:

## 2.1.1 Il blog di calibre

Il blog di calibre è una raccolta di post che descrivono molte utili funzionalità di calibre in un modo semplice e accessibile ai nuovi utenti di calibre. Per poter scaricare questo blog in un e-book, ci affidiamo al feed [RSS](#) del blog:

<http://blog.calibre-ebook.com/feeds/posts/default>

Ho ottenuto l'URL dell'RSS cercando sotto a «Iscriviti a» in fondo alla pagina del blog e scegliendo *Post → Atom*. Per fare in modo che calibre scarichi i feed e li converte in un e-book, devi fare clic con il tasto destro del mouse sul pulsante *Scarica notizie*, poi sulla voce del menu *Aggiungi una fonte di notizie personalizzata* e infine sul pulsante *Nuova ricetta*. Dovrebbe aprirsi una finestra simile a quella mostrata qui sotto.



Per prima cosa inserisci **Blog di calibre** nel campo *Titolo ricetta*. Questo sarà il titolo dell'e-book creato dagli articoli dei feed qui sopra.

I due campi successivi (*Articolo più vecchio* and *Numero massimo di articoli*) ti permettono di controllare quanti (e quali) articoli debbano essere scaricati da ciascun feed, e non hanno bisogno di spiegazioni.

Per aggiungere i feed alla ricetta, inserisci titolo e URL del feed e fai clic sul pulsante *Aggiungi feed*. Una volta aggiunto il feed, basta fare clic sul pulsante *Salva* e avrai finito! Chiudi la finestra.

Per provare la tua nuova *ricetta*, fai clic sul pulsante *Scarica notizie* e nel sottomenu *Fonti di notizie personalizzate su Blog di calibre*. Dopo qualche minuto un nuovo e-book con i contenuti del blog apparirà nella vista principale della biblioteca (se il tuo lettore è connesso, apparirà nel lettore invece che nella biblioteca). Selezionalo e usa il pulsante *Leggi* per leggerlo!

Il motivo per cui tutto ha funzionato così bene e con così poco sforzo richiesto è che il blog mette a disposizione feed *RSS di contenuto*, ovverosia, il contenuto dell'articolo è incluso nel feed stesso. Per la maggior parte delle fonti di notizie organizzate in questo modo, con feed *di contenuto*, non è richiesto alcuno sforzo per convertirle in e-book. Ora daremo uno sguardo a una fonte di notizie che non fornisce feed di contenuto. In questi feed l'articolo completo è in una pagina web, mentre il feed contiene solo un collegamento alla pagina web con un breve riassunto dell'articolo.

## 2.1.2 bbc.co.uk

Proviamo con i seguenti due feed della *BBC*:

1. News Front Page: [https://newsrss.bbc.co.uk/rss/newsonline\\_world\\_edition/front\\_page/rss.xml](https://newsrss.bbc.co.uk/rss/newsonline_world_edition/front_page/rss.xml)
2. Science/Nature: [https://newsrss.bbc.co.uk/rss/newsonline\\_world\\_edition/science/nature/rss.xml](https://newsrss.bbc.co.uk/rss/newsonline_world_edition/science/nature/rss.xml)

Segui la procedura descritta poco fa in *Il blog di calibre* (pagina 34) per creare una ricetta per *The BBC* (utilizzando i feed qui sopra). Se diamo un'occhiata all'e-book scaricato, vediamo che calibre ha fatto un lavoro più che dignitoso nell'estrarrre solamente i contenuti che ti interessano dalla pagina di ciascun articolo. Tuttavia, il processo di estrazione non è perfetto. A volte si porta dietro contenuti indesiderati come menu e aiuti di navigazione o rimuove contenuti che avrebbero dovuto essere lasciati intatti, come i titoli degli articoli. Per ottenere una perfetta estrazione dei contenuti, dovremo personalizzare il processo di recupero, come descritto nella sezione successiva.

## 2.2 Personalizzazione del processo di recupero

Se vuoi perfezionare il processo di scaricamento, o scaricare il contenuto di un sito web particolarmente complesso, puoi fare uso di tutta la potenza e flessibilità del sistema delle *ricetta*. Per fare ciò, devi solo fare clic sul pulsante *Passa alla modalità avanzata* nella finestra *Aggiungi fonti di notizie personalizzate*.

La personalizzazione più semplice, e spesso anche la più efficace, è quella di usare la versione di stampa degli articoli online. La versione di stampa ha spesso molti meno fronzoli, e si adatta molto meglio ad essere convertita in un e-book. Proviamo a utilizzare la versione di stampa degli articoli della *BBC*.

### 2.2.1 Uso della versione di stampa di bbc.co.uk

Il primo passo è dare un'occhiata all'e-book che abbiamo scaricato poco fa dalla *bbc.co.uk* (pagina 35). In fondo ad ogni articolo nell'e-book c'è una piccola nota che ti dice da dove l'articolo in questione è stato scaricato. Copia e incolla quell'URL nel browser. Ora, nella pagina dell'articolo, cerca un collegamento che indichi la «Printable version». Fai clic per vedere la versione di stampa dell'articolo. Ha un aspetto decisamente migliore! Ora confronta i due URL. Nel mio caso erano:

#### URL articolo

<https://news.bbc.co.uk/2/hi/science/nature/7312016.stm>

#### URL versione di stampa

<https://newsvote.bbc.co.uk/mpapps/pagetools/print/news.bbc.co.uk/2/hi/science/nature/7312016.stm>

Sembra quindi che, per ottenere la versione di stampa, dobbiamo anteporre ad ogni URL di articolo ciò che segue:

`newsvote.bbc.co.uk/mpapps/pagetools/print/`

Ora nella *Modalità avanzata* della finestra *Fonti di notizie personalizzate*, dovrresti vedere qualcosa di simile a questo (ricorda di selezionare la ricetta *The BBC* prima di passare alla modalità avanzata):

Recipe source code (python)

```
class AdvancedUserRecipe1206418393(BasicNewsRecipe):
    title          = u'The BBC'
    oldest_article = 7
    max_articles_per_feed = 100

    feeds          = [(u'News Front Page', u'http://newsrss.bbc.co.uk/rss/news'onlin
```

Puoi vedere che i campi della *Modalità base* sono stati tradotti in codice Python in un modo chiaro e trasparente. Dobbiamo aggiungere istruzioni a questa ricetta perché utilizzi la versione di stampa degli articoli. Tutto ciò che serve è aggiungere le seguenti due righe:

```
def print_version(self, url):
    return url.replace('https://', 'https://newsvote.bbc.co.uk/mpapps/pagetools/print/'
→')
```

Stiamo usando Python, perciò i rientri sono importanti. Dopo aver aggiunto le righe, il risultato dovrebbe essere:

Recipe source code (python)

```
class AdvancedUserRecipe1206418393(BasicNewsRecipe):
    title          = u'The BBC'
    oldest_article = 7
    max_articles_per_feed = 100

    feeds          = [(u'News Front Page', u'http://newsrss.bbc.co.uk/rss/news'onlin

    def print_version(self, url):
        return url.replace('http://', 'http://newsvote.bbc.co.uk/mpapps/pagetools/p
```

Qui `def print_version(self, url)` definisce un *metodo* che viene chiamato da calibre per ogni articolo. `url` è l'URL dell'articolo originale. Quello che `print_version` fa è prendere quell'`url` e sostituirlo con il nuovo URL che rimanda alla versione di stampa dell'articolo. Per conoscere meglio Python<sup>5</sup> vedi il tutorial<sup>6</sup>.

Ora fai clic sul pulsante *Aggiungi/aggiorna ricetta* e i tuoi cambiamenti saranno salvati. Riscarica l'e-book. Dovresti ottenere un e-book molto migliore. Uno dei problemi della nuova versione è che i caratteri della versione di stampa sono troppo piccoli. Questo problema è automaticamente risolto durante la conversione in e-book, ma anche dopo questo processo, la dimensione dei caratteri dei menu e della barra di navigazione diventa troppo grande rispetto al testo dell'articolo. Per ovviare a questo nuovo problema, ci serviranno delle personalizzazioni aggiuntive, che vediamo nella prossima sezione.

## 2.2.2 Sostituire gli stili dell'articolo

Nella sezione precedente abbiamo visto che la dimensione dei caratteri negli articoli della *BBC* in versione di stampa era troppo piccola. Nella maggior parte dei siti web, *BBC* inclusa, questa dimensione è impostata tramite fogli di stile *CSS*. Possiamo disabilitare lo scaricamento di tali fogli di stile aggiungendo la riga:

<sup>5</sup> <https://www.python.org>

<sup>6</sup> <https://docs.python.org/tutorial/>

```
no_stylesheets = True
```

La ricetta è ora diventata:

Recipe source code (python) —

```
class AdvancedUserRecipe1206419520(BasicNewsRecipe):
    title          = u'The BBC'
    oldest_article = 7
    max_articles_per_feed = 100
    no_stylesheets = True

    feeds          = [(u'News Front Page', u'http://newsrss.bbc.co.uk/rss/newsongli...')

    def print_version(self, url):
        return url.replace('http://', 'http://newsvote.bbc.co.uk/mpapps/pagetools/')
```

La nuova versione ha un aspetto più che accettabile. Se sei un perfezionista vorrai leggere la prossima sezione, che si occupa della modifica effettiva del contenuto scaricato.

### 2.2.3 Rifinitura dei contenuti

calibre può far uso di abilità molto potenti e flessibili per quanto riguarda la manipolazione del contenuto scaricato. Per mostrarne un paio ritorniamo alla nostra vecchia conoscenza, la ricetta per *The BBC* (pagina 37). Osservando il codice sorgente (*HTML*) di un paio di articoli (versione di stampa), notiamo che hanno un più di pagina privo di informazioni utili, racchiuso in

```
<div class="footer">
...
</div>
```

Questo più di pagina essere rimosso aggiungendo:

```
remove_tags     = [dict(name='div', attrs={'class':'footer'})]
```

alla ricetta. Come ultima cosa, sostituiamo parte del *CSS* che avevamo disabilitato in precedenza con il nostro *CSS*, adatto alla conversione in e-book:

```
extra_css      = '.headline {font-size: x-large;} \n .fact { padding-top: 10pt }'
```

Con queste aggiunte, la nostra ricetta ha raggiunto una qualità ottimale.

Questa *ricetta* è solo la punta dell'iceberg della potenza di calibre. Per esplorare una parte maggiore delle capacità di calibre, nella prossima sezione esamineremo un caso reale più complesso.

### 2.2.4 Un caso reale

Un esempio reale ragionevolmente complesso che presenta una parte maggiore dell'API di BasicNewsRecipe è la *ricetta* per il *New York Times*

```
import string, re
from calibre import strftime
from calibre.web.feeds.recipes import BasicNewsRecipe
```

(continues on next page)

(continua dalla pagina precedente)

```
from calibre.ebooks.BeautifulSoup import BeautifulSoup

class NYTimes(BasicNewsRecipe):

    title      = 'The New York Times'
    __author__ = 'Kovid Goyal'
    description = 'Daily news from the New York Times'
    timefmt = ' [%a, %d %b, %Y]'
    needs_subscription = True
    remove_tags_before = dict(id='article')
    remove_tags_after = dict(id='article')
    remove_tags = [dict(attrs={'class':['articleTools', 'post-tools', 'side_tool',
    ↪'nextArticleLink clearfix']}), dict(id=['footer', 'toolsRight', 'articleInline', 'navigation',
    ↪'archive', 'side_search', 'blog_sidebar', 'side_tool', 'side_index']), dict(name=['script', 'noscript', 'style'])]
    encoding = 'cp1252'
    no_stylesheets = True
    extra_css = 'h1 {font: sans-serif large;}\n.byline {font:monospace;}'

    def get_browser(self):
        br = BasicNewsRecipe.get_browser(self)
        if self.username is not None and self.password is not None:
            br.open('https://www.nytimes.com/auth/login')
            br.select_form(name='login')
            br['USERID'] = self.username
            br['PASSWORD'] = self.password
            br.submit()
        return br

    def parse_index(self):
        soup = self.index_to_soup('https://www.nytimes.com/pages/todayspaper/index.
        ↪html')

        def feed_title(div):
            return ''.join(div.findAll(text=True, recursive=False)).strip()

        articles = {}
        key = None
        ans = []
        for div in soup.findAll(True,
            attrs={'class':['section-headline', 'story', 'story headline']}):
            if ''.join(div['class']) == 'section-headline':
                key = string.capwords(feed_title(div))
                articles[key] = []
                ans.append(key)

            elif ''.join(div['class']) in ['story', 'story headline']:
                a = div.find('a', href=True)
                if not a:
                    continue
                else:
```

(continues on next page)

(continua dalla pagina precedente)

```

url = re.sub(r'\?.*', '', a['href'])
url += '?pagewanted=all'
title = self.tag_to_string(a, use_alt=True).strip()
description = ''
pubdate = strftime('%a, %d %b')
summary = div.find(True, attrs={'class':'summary'})
if summary:
    description = self.tag_to_string(summary, use_alt=False)

feed = key if key is not None else 'Uncategorized'
if feed not in articles:
    articles[feed] = []
if not 'podcasts' in url:
    articles[feed].append(
        dict(title=title, url=url, date=pubdate,
             description=description,
             content=''))
ans = self.sort_index_by(ans, {'The Front Page':-1, 'Dining In, Dining Out':1,
→ 'Obituaries':2})
ans = [(key, articles[key]) for key in ans if key in articles]
return ans

def preprocess_html(self, soup):
    refresh = soup.find('meta', {'http-equiv':'refresh'})
    if refresh is None:
        return soup
    content = refresh.get('content').partition('=')[2]
    raw = self.browser.open('https://www.nytimes.com'+content).read()
    return BeautifulSoup(raw.decode('cp1252', 'replace'))

```

Ci sono parecchie nuove caratteristiche in questa *ricetta*. Come prima cosa abbiamo:

```
timefmt = '[%a, %d %b, %Y]'
```

Questa riga fa in modo che la data mostrata nella prima pagina dell'e-book creato sia nel formato Giorno, Numero\_Giorno Mese, Anno. Vedi *timefmt* (pagina 51).

Segue un gruppo di direttive atte a ripulire l'"HTML" scaricato:

```

remove_tags_before = dict(name='h1')
remove_tags_after = dict(id='footer')
remove_tags = ...

```

Queste direttive rimuovono tutto ciò che precede il primo tag <h1> e tutto ciò che segue il primo tag con id footer. Vedi *remove\_tags* (pagina 50), *remove\_tags\_before* (pagina 50), *remove\_tags\_after* (pagina 50).

La prossima caratteristica interessante è:

```

needs_subscription = True
...
def get_browser(self):
    ...

```

`needs_subscription = True` dice a calibre che questa ricetta ha bisogno di un nome utente e di una password per poter accedere al contenuto. La conseguenza è che calibre chiederà un nome utente e una password ogni volta che provi a usare questa ricetta. Il codice in `calibre.web.feeds.news.BasicNewsRecipe.get_browser()` (pagina 43) è quello che effettua effettivamente l'accesso al sito del NYT. Una volta dentro, calibre utilizzerà la stessa istanza del browser, connessa al sito, per recuperare tutto il contenuto. Vedi [mechanize](#)<sup>7</sup> per comprendere il codice di `get_browser`.

La prossima nuova caratteristica è il metodo `calibre.web.feeds.news.BasicNewsRecipe.parse_index()` (pagina 44). Il suo compito è di andare su <https://www.nytimes.com/pages/todayspaper/index.html> e recuperare l'elenco di articoli che appaiono nel quotidiano *del giorno*. Sebbene più complessa del semplice uso di `RSS`, la ricetta crea un e-book che si avvicina moltissimo al quotidiano di quel giorno. `parse_index` fa un uso importante di `BeautifulSoup`<sup>8</sup> per elaborare la pagina web del giornale. Puoi anche usare altri parser più moderni se BeautifulSoup non ti piace. In calibre sono inclusi `lxml`<sup>9</sup> e `html5lib`<sup>10</sup>, che sono i parser raccomandati. Per usarli, sostituisci la chiamata a `index_to_soup()` con ciò che segue:

```
raw = self.index_to_soup(url, raw=True)
# For html5lib
import html5lib
root = html5lib.parse(raw, namespaceHTMLElements=False, treebuilder='lxml')
# For the lxml html 4 parser
from lxml import html
root = html.fromstring(raw)
```

L'ultima nuova caratteristica è il metodo `calibre.web.feeds.news.BasicNewsRecipe.preprocess_html()` (pagina 45). Può essere usato per eseguire trasformazioni arbitrarie su tutte le pagine HTML scaricate. Qui viene impiegato per aggirare le pubblicità che il nytimes ti mostra prima di ogni articolo.

## 2.3 Suggerimenti per lo sviluppo di nuove ricette

Il modo migliore per sviluppare nuove ricette è utilizzare l'interfaccia da linea di comando. Crea la ricetta utilizzando il tuo editor Python preferito e salvala in un file, ad esempio `myrecipe.recipe`. L'estensione `.recipe` è necessaria. Puoi scaricare del contenuto con questa ricetta usando il comando:

```
ebook-convert myrecipe.recipe .epub --test -vv --debug-pipeline debug
```

Il comando `ebook-convert` scaricherà tutte le pagine web e le salverà nel file EPUB `myrecipe.epub`. L'opzione `-vv` fa in modo che `ebook-convert` restituisca parecchie informazioni su quello che sta facendo. L'opzione `ebook-convert-recipe-input --test` limita lo scaricamento a un paio di articoli, da due feed al massimo. In più, `ebook-convert` porrà l'HTML scaricato nella cartella `debug/input`, dove `debug` è la cartella che hai specificato nell'opzione `ebook-convert --debug-pipeline` (pagina 332).

Una volta completato lo scaricamento, puoi guardare l'HTML scaricato aprendo il file `debug/input/index.html` in un browser. Una volta verificato che lo scaricamento e la pre-elaborazione stiano avvenendo correttamente, puoi generare e-book in diversi formati come mostrato di seguito:

```
ebook-convert myrecipe.recipe myrecipe.epub
ebook-convert myrecipe.recipe myrecipe.mobi
...
```

Se sei soddisfatto della tua ricetta e ritieni che ci sia abbastanza richiesta da giustificarne l'inclusione nel novero delle ricette integrate, pubblica la tua ricetta nel [forum delle ricette di calibre](#)<sup>11</sup> per condividerla con altri utenti di calibre.

<sup>7</sup> <https://mechanize.readthedocs.io/en/latest/>

<sup>8</sup> <https://www.crummy.com/software/BeautifulSoup/bs4/doc/>

<sup>9</sup> <https://lxml.de/>

<sup>10</sup> <https://github.com/html5lib/html5lib-python>

<sup>11</sup> <https://www.mobiteread.com/forums/forumdisplay.php?f=228>

**Nota**

In macOS, gli strumenti da linea di comando si trovano dentro il bundle di calibre, per esempio, se hai installato calibre in /Applications gli strumenti si trovano in /Applications/calibre.app/Contents/MacOS/.

**Vedi anche****ebook-convert** (pagina 323)

L'interfaccia da linea di comando per tutte le conversioni di e-book.

## 2.4 Ulteriori approfondimenti

Per saperne di più sulla produzione di ricette avanzate usando alcune delle funzioni disponibili in `BasicNewsRecipe`, consulta le fonti seguenti:

**Documentazione API** (pagina 41)

Documentazione della classe `BasicNewsRecipe` e di tutti i suoi metodi e campi importanti.

**BasicNewsRecipe**<sup>12</sup>

Il codice sorgente di `BasicNewsRecipe`

**Ricette integrate**<sup>13</sup>

Il codice sorgente per le ricette integrate in calibre

**Il forum delle ricette di calibre** <<https://www.mobiledread.com/forums/forumdisplay.php?f=228>>

Qui si trovano parecchi esperti scrittori di ricette per calibre.

## 2.5 Documentazione API

### 2.5.1 Documentazione API per le ricette

L'API per scrivere ricette è definita dalla classe: `BasicNewsRecipe`

```
class calibre.web.feeds.news.BasicNewsRecipe(options, log, progress_reporter)
```

Base class that contains logic needed in all recipes. By overriding progressively more of the functionality in this class, you can make progressively more customized/powerful recipes. For a tutorial introduction to creating recipes, see [Aggiunta del tuo sito di notizie preferito](#) (pagina 33).

```
classmethod adeify_images(soup)
```

If your recipe when converted to EPUB has problems with images when viewed in Adobe Digital Editions, call this method from within `postprocess_html()` (pagina 45).

```
classmethod image_url_processor(baseurl, url)
```

Perform some processing on image urls (perhaps removing size restrictions for dynamically generated images, etc.) and return the processed URL. Return None or an empty string to skip fetching the image.

```
classmethod print_version(url)
```

Take a `url` pointing to the webpage with article content and return the `URL` pointing to the print version of the article. By default does nothing. For example:

<sup>12</sup> <https://github.com/kovidgoyal/calibre/blob/master/src/calibre/web/feeds/news.py>

<sup>13</sup> <https://github.com/kovidgoyal/calibre/tree/master/recipes>

```
def print_version(self, url):
    return url + '?&pagewanted=print'
```

**classmethod tag\_to\_string(tag, use\_alt=True, normalize\_whitespace=True)**

Convenience method to take a BeautifulSoup<sup>14</sup> Tag and extract the text from it recursively, including any CDATA sections and alt tag attributes. Return a possibly empty Unicode string.

*use\_alt*: If *True* try to use the alt attribute for tags that don't have any textual content

*tag*: BeautifulSoup<sup>15</sup> Tag

**abort\_article(msg=None)**

Call this method inside any of the preprocess methods to abort the download for the current article. Useful to skip articles that contain inappropriate content, such as pure video articles.

**abort\_recipe\_processing(msg)**

Causes the recipe download system to abort the download of this recipe, displaying a simple feedback message to the user.

**add\_toc\_thumbnail(article, src)**

Call this from populate\_article\_metadata with the src attribute of an <img> tag from the article that is appropriate for use as the thumbnail representing the article in the Table of Contents. Whether the thumbnail is actually used is device dependent (currently only used by the Kindles). Note that the referenced image must be one that was successfully downloaded, otherwise it will be ignored.

**canonicalize\_internal\_url(url, is\_link=True)**

Return a set of canonical representations of *url*. The default implementation uses just the server hostname and path of the URL, ignoring any query parameters, fragments, etc. The canonical representations must be unique across all URLs for this news source. If they are not, then internal links may be resolved incorrectly.

**Parametri**

*is\_link* – Is True if the URL is coming from an internal link in an HTML file. False if the URL is the URL used to download an article.

**cleanup()**

Called after all articles have been download. Use it to do any cleanup like logging out of subscription sites, etc.

**clone\_browser(br)**

Clone the browser *br*. Cloned browsers are used for multi-threaded downloads, since mechanize is not thread safe. The default cloning routines should capture most browser customization, but if you do something exotic in your recipe, you should override this method in your recipe and clone manually.

Cloned browser instances use the same, thread-safe CookieJar by default, unless you have customized cookie handling.

**default\_cover(cover\_file)**

Crea una copertina generica per le ricette che non hanno una copertina

**download()**

Download and pre-process all articles from the feeds in this recipe. This method should be called only once on a particular Recipe instance. Calling it more than once will lead to undefined behavior. :return: Path to index.html

**extract\_readable\_article(html, url)**

Extracts main article content from “html”, cleans up and returns as a (article\_html, extracted\_title) tuple. Based on the original readability algorithm by Arc90.

**get\_article\_url(***article***)**

Override in a subclass to customize extraction of the *URL* that points to the content for each article. Return the article URL. It is called with *article*, an object representing a parsed article from a feed. See [feedparser](#)<sup>16</sup>. By default it looks for the original link (for feeds syndicated via a service like FeedBurner or Pheedo) and if found, returns that or else returns *article.link*<sup>17</sup>.

**get\_browser(\*args, \*\*kwargs)**

Return a browser instance used to fetch documents from the web. By default it returns a [mechanize](#)<sup>18</sup> browser instance that supports cookies, ignores robots.txt, handles refreshes and has a random common user agent.

To customize the browser override this method in your sub-class as:

```
def get_browser(self, *a, **kw):
    br = super().get_browser(*a, **kw)
    # Add some headers
    br.addheaders += [
        ('My-Header', 'one'),
        ('My-Header2', 'two'),
    ]
    # Set some cookies
    br.set_cookie('name', 'value')
    br.set_cookie('name2', 'value2', domain='mydomain.com')
    # Make a POST request with some data
    br.open('https://someurl.com', {'username': 'def', 'password': 'pwd'}).
    ↪read()
    # Do a login via a simple web form (only supported with mechanize-
    ↪browsers)
    if self.username is not None and self.password is not None:
        br.open('https://www.nytimes.com/auth/login')
        br.select_form(name='login')
        br['USERID'] = self.username
        br['PASSWORD'] = self.password
        br.submit()
    return br
```

**get\_cover\_url()**

Return a *URL* to the cover image for this issue or *None*. By default it returns the value of the member *self.cover\_url* which is normally *None*. If you want your recipe to download a cover for the e-book override this method in your subclass, or set the member variable *self.cover\_url* before this method is called.

**get\_extra\_css()**

By default returns *self.extra\_css*. Override if you want to programmatically generate the extra\_css.

**get\_feeds()**

Return a list of *RSS* feeds to fetch for this profile. Each element of the list must be a 2-element tuple of the form (title, url). If title is *None* or an empty string, the title from the feed is used. This method is useful if your recipe needs to do some processing to figure out the list of feeds to download. If so, override in your subclass.

**get\_masthead\_title()**

Override in subclass to use something other than the recipe title

**get\_masthead\_url()**

Return a *URL* to the masthead image for this issue or *None*. By default it returns the value of the member *self.masthead\_url* which is normally *None*. If you want your recipe to download a masthead for the e-book

override this method in your subclass, or set the member variable `self.masthead_url` before this method is called. Masthead images are used in Kindle MOBI files.

**`get_obfuscated_article(url)`**

If you set `articles_are_obfuscated` this method is called with every article URL. It should return the path to a file on the filesystem that contains the article HTML. That file is processed by the recursive HTML fetching engine, so it can contain links to pages/images on the web. Alternately, you can return a dictionary of the form: `{"data": <HTML data>, "url": <the resolved URL of the article>}`. This avoids needing to create temporary files. The `url` key in the dictionary is useful if the effective URL of the article is different from the URL passed into this method, for example, because of redirects. It can be omitted if the URL is unchanged.

This method is typically useful for sites that try to make it difficult to access article content automatically.

**`get_url_specific_delay(url)`**

Return the delay in seconds before downloading this URL. If you want to programmatically determine the delay for the specified URL, override this method in your subclass, returning `self.delay` by default for URLs you do not want to affect.

**Ritorna**

A floating point number, the delay in seconds.

**`index_to_soup(url_or_raw, raw=False, as_tree=False, save_raw=None)`**

Convenience method that takes an URL to the index page and returns a `BeautifulSoup`<sup>19</sup> of it.

`url_or_raw`: Either a URL or the downloaded index page as a string

**`is_link_wanted(url, tag)`**

Return True if the link should be followed or False otherwise. By default, raises `NotImplementedError` which causes the downloader to ignore it.

**Parametri**

- `url` – L'URL da seguire
- `tag` – The tag from which the URL was derived

**`parse_feeds()`**

Create a list of articles from the list of feeds returned by `BasicNewsRecipe.get_feeds()` (pagina 43). Return a list of `Feed` objects.

**`parse_index()`**

This method should be implemented in recipes that parse a website instead of feeds to generate a list of articles. Typical uses are for news sources that have a «Print Edition» webpage that lists all the articles in the current print edition. If this function is implemented, it will be used in preference to `BasicNewsRecipe.parse_feeds()` (pagina 44).

It must return a list. Each element of the list must be a 2-element tuple of the form `('feed title', list of articles)`.

Each list of articles must contain dictionaries of the form:

```
{  
    'title' : article title,  
    'url' : URL of print version,  
    'date' : The publication date of the article as a string,  
    'description' : A summary of the article  
    'content' : The full article (can be an empty string). Obsolete  
               do not use, instead save the content to a temporary  
               file and pass a file:///path/to/temp/file.html as
```

(continues on next page)

(continua dalla pagina precedente)

```
    the URL.  
}
```

For an example, see the recipe for downloading *The Atlantic*. In addition, you can add “author” for the author of the article.

If you want to abort processing for some reason and have calibre show the user a simple message instead of an error, call `abort_recipe_processing()` (pagina 42).

#### **populate\_article\_metadata(article, soup, first)**

Called when each HTML page belonging to article is downloaded. Intended to be used to get article metadata like author/summary/etc. from the parsed HTML (soup).

##### **Parametri**

- **article** – A object of class `calibre.web.feeds.Article`. If you change the summary, remember to also change the `text_summary`
- **soup** – Parsed HTML belonging to this article
- **first** – True iff the parsed HTML is the first page of the article.

#### **postprocess\_book(oeb, opts, log)**

Run any needed post processing on the parsed downloaded e-book.

##### **Parametri**

- **oeb** – Un oggetto OEBBook
- **opts** – Opzioni di conversione

#### **postprocess\_html(soup, first\_fetch)**

This method is called with the source of each downloaded `HTML` file, after it is parsed for links and images. It can be used to do arbitrarily powerful post-processing on the `HTML`. It should return `soup` after processing it.

##### **Parametri**

- **soup** – A `BeautifulSoup20` instance containing the downloaded `HTML`.
- **first\_fetch** – Vero se questa è la prima pagina di un articolo.

#### **preprocess\_html(soup)**

This method is called with the source of each downloaded `HTML` file, before it is parsed for links and images. It is called after the cleanup as specified by `remove_tags` etc. It can be used to do arbitrarily powerful pre-processing on the `HTML`. It should return `soup` after processing it.

`soup`: A `BeautifulSoup21` instance containing the downloaded `HTML`.

#### **preprocess\_image(img\_data, image\_url)**

Perform some processing on downloaded image data. This is called on the raw data before any resizing is done. Must return the processed raw data. Return None to skip the image.

#### **preprocess\_raw\_html(raw\_html, url)**

This method is called with the source of each downloaded `HTML` file, before it is parsed into an object tree. `raw_html` is a unicode string representing the raw HTML downloaded from the web. `url` is the URL from which the HTML was downloaded.

Note that this method acts *before* `preprocess_regexps`.

This method must return the processed `raw_html` as a unicode object.

**publication\_date()**

Use this method to set the date when this issue was published. Defaults to the moment of download. Must return a `datetime.datetime` object.

**skip\_ad\_pages(*soup*)**

This method is called with the source of each downloaded *HTML* file, before any of the cleanup attributes like `remove_tags`, `keep_only_tags` are applied. Note that `preprocess_regexps` will have already been applied. It is meant to allow the recipe to skip ad pages. If the soup represents an ad page, return the *HTML* of the real page. Otherwise return None.

*soup*: A `BeautifulSoup22` instance containing the downloaded *HTML*.

**sort\_index\_by(*index*, *weights*)**

Convenience method to sort the titles in *index* according to *weights*. *index* is sorted in place. Returns *index*.

*index*: A list of titles.

*weights*: A dictionary that maps weights to titles. If any titles in *index* are not in *weights*, they are assumed to have a weight of 0.

**articles\_are\_obfuscated = False**

Set to True and implement `get_obfuscated_article()` (pagina 44) to handle websites that try to make it difficult to scrape content.

**auto\_cleanup = False**

Automatically extract all the text from downloaded article pages. Uses the algorithms from the readability project. Setting this to True, means that you do not have to worry about cleaning up the downloaded *HTML* manually (though manual cleanup will always be superior).

**auto\_cleanup\_keep = None**

Specify elements that the auto cleanup algorithm should never remove. The syntax is a XPath expression. For example:

```
auto_cleanup_keep = '//div[@id="article-image"]' will keep all divs with
                     id="article-image"
auto_cleanup_keep = '//*[@class="important"]' will keep all elements
                     with class="important"
auto_cleanup_keep = '//div[@id="article-image"]//span[@class="important"]'
                     will keep all divs with id="article-image" and spans
                     with class="important"
```

**browser\_type = 'mechanize'**

The simulated browser engine to use when downloading from servers. The default is to use the Python mechanize browser engine, which supports logging in. However, if you don't need logging in, consider changing this to either "webengine" which uses an actual Chromium browser to do the network requests or "qt" which uses the Qt Networking backend. Both "webengine" and "qt" support HTTP/2, which mechanize does not and are thus harder to fingerprint for bot protection services.

**center\_navbar = True**

If True the navigation bar is center aligned, otherwise it is left aligned

**compress\_news\_images = False**

Set this to False to ignore all scaling and compression parameters and pass images through unmodified. If True and the other compression parameters are left at their default values, images will be scaled to fit in the screen dimensions set by the output profile and compressed to size at most  $(w * h)/16$  where  $w$   $x$   $h$  are the scaled image dimensions.

**compress\_news\_images\_auto\_size = 16**

The factor used when auto compressing JPEG images. If set to None, auto compression is disabled. Otherwise, the images will be reduced in size to  $(w * h)/\text{compress\_news\_images\_auto\_size}$  bytes if possible by reducing the quality level, where  $w \times h$  are the image dimensions in pixels. The minimum JPEG quality will be 5/100 so it is possible this constraint will not be met. This parameter can be overridden by the parameter `compress_news_images_max_size` which provides a fixed maximum size for images. Note that if you enable `scale_news_images_to_device` then the image will first be scaled and then its quality lowered until its size is less than  $(w * h)/\text{factor}$  where  $w$  and  $h$  are now the *scaled* image dimensions. In other words, this compression happens after scaling.

**compress\_news\_images\_max\_size = None**

Set JPEG quality so images do not exceed the size given (in KBytes). If set, this parameter overrides auto compression via `compress_news_images_auto_size`. The minimum JPEG quality will be 5/100 so it is possible this constraint will not be met.

**conversion\_options = {}**

Recipe specific options to control the conversion of the downloaded content into an e-book. These will override any user or plugin specified values, so only use if absolutely necessary. For example:

```
conversion_options = {
    'base_font_size' : 16,
    'linearize_tables' : True,
}
```

**cover\_margins = (0, 0, '#ffffff')**

By default, the cover image returned by `get_cover_url()` will be used as the cover for the periodical. Overriding this in your recipe instructs calibre to render the downloaded cover into a frame whose width and height are expressed as a percentage of the downloaded cover. `cover_margins = (10, 15, "#ffffff")` pads the cover with a white margin 10px on the left and right, 15px on the top and bottom. Color names are defined [here<sup>23</sup>](#). Note that for some reason, white does not always work in Windows. Use #ffffff instead

**delay = 0**

The default delay between consecutive downloads in seconds. The argument may be a floating point number to indicate a more precise time. See [`get\_url\_specific\_delay\(\)`](#) (pagina 44) to implement per URL delays.

**description = ''**

A couple of lines that describe the content this recipe downloads. This will be used primarily in a GUI that presents a list of recipes.

**encoding = None**

Specify an override encoding for sites that have an incorrect charset specification. The most common being specifying latin1 and using cp1252. If None, try to detect the encoding. If it is a callable, the callable is called with two arguments: The recipe object and the source to be decoded. It must return the decoded source.

**extra\_css = None**

Specify any extra [CSS](#) that should be added to downloaded [HTML](#) files. It will be inserted into `<style>` tags, just before the closing `</head>` tag thereby overriding all [CSS](#) except that which is declared using the `style` attribute on individual [HTML](#) tags. Note that if you want to programmatically generate the `extra_css` override the [`get\_extra\_css\(\)`](#) (pagina 43) method instead. For example:

```
extra_css = '.heading { font: serif x-large }'
```

**feeds = None**

List of feeds to download. Can be either `[url1, url2, ...]` or `[('title1', url1), ('title2', url2), ...]`

**filter\_regexps = []**

List of regular expressions that determines which links to ignore. If empty it is ignored. Used only if `is_link_wanted` is not implemented. For example:

```
filter_regexps = [r'ads\.doubleclick\.net']
```

rimuoverà tutti gli URL che hanno al loro interno `ads.doubleclick.net`.

Only one of `BasicNewsRecipe.match_regexps` (pagina 48) or `BasicNewsRecipe.filter_regexps` (pagina 48) should be defined.

**handle\_gzip = True**

Set to False if you do not want to use gzipped transfers with the mechanize browser. Note that some old servers flake out with gzip.

**ignore\_duplicate\_articles = None**

Ignore duplicates of articles that are present in more than one section. A duplicate article is an article that has the same title and/or URL. To ignore articles with the same title, set this to:

```
ignore_duplicate_articles = {'title'}
```

To use URLs instead, set it to:

```
ignore_duplicate_articles = {'url'}
```

To match on title or URL, set it to:

```
ignore_duplicate_articles = {'title', 'url'}
```

**keep\_only\_tags = []**

Keep only the specified tags and their children. For the format for specifying a tag see `BasicNewsRecipe.remove_tags` (pagina 50). If this list is not empty, then the `<body>` tag will be emptied and re-filled with the tags that match the entries in this list. For example:

```
keep_only_tags = [dict(id=['content', 'heading'])]
```

will keep only tags that have an `id` attribute of «`content`» or «`heading`».

**language = 'und'**

The language that the news is in. Must be an ISO-639 code either two or three characters long

**masthead\_url = None**

By default, calibre will use a default image for the masthead (Kindle only). Override this in your recipe to provide a URL to use as a masthead.

**match\_regexps = []**

List of regular expressions that determines which links to follow. If empty, it is ignored. Used only if `is_link_wanted` is not implemented. For example:

```
match_regexps = [r'page=[0-9]+']
```

will match all URLs that have `page=some number` in them.

Only one of `BasicNewsRecipe.match_regexps` (pagina 48) or `BasicNewsRecipe.filter_regexps` (pagina 48) should be defined.

```
max_articles_per_feed = 100
```

Maximum number of articles to download from each feed. This is primarily useful for feeds that don't have article dates. For most feeds, you should use `BasicNewsRecipe.oldest_article` (pagina 49)

```
needs_subscription = False
```

If True the GUI will ask the user for a username and password to use while downloading. If set to «optional» the use of a username and password becomes optional

```
no_stylesheets = False
```

Convenient flag to disable loading of stylesheets for websites that have overly complex stylesheets unsuitable for conversion to e-book formats. If True stylesheets are not downloaded and processed

```
oldest_article = 7.0
```

L'articolo più datato da scaricare da questa fonte di notizie. In giorni.

```
preprocess_regexps = []
```

List of `regexp` substitution rules to run on the downloaded `HTML`. Each element of the list should be a two element tuple. The first element of the tuple should be a compiled regular expression and the second a callable that takes a single match object and returns a string to replace the match. For example:

```
preprocess_regexps = [
    (re.compile(r'.*</body>', re.DOTALL|re.IGNORECASE),
     lambda match: '</body>'),
]
```

will remove everything from `<!--Article ends here-->` to `</body>`.

```
publication_type = 'unknown'
```

Publication type Set to newspaper, magazine or blog. If set to None, no publication type metadata will be written to the opf file.

```
recipe_disabled = None
```

Set to a non empty string to disable this recipe. The string will be used as the disabled message

```
recipe_specific_options = None
```

Specify options specific to this recipe. These will be available for the user to customize in the Advanced tab of the Fetch News dialog or at the ebook-convert command line. The options are specified as a dictionary mapping option name to metadata about the option. For example:

```
recipe_specific_options = {
    'edition_date': {
        'short': 'The issue date to download',
        'long': 'Specify a date in the format YYYY-mm-dd to download the issue corresponding to that date',
        'default': 'current',
    }
}
```

When the recipe is run, `self.recipe_specific_options` will be a dict mapping option name to the option value specified by the user. When the option is unspecified by the user, it will have the value specified by “default”. If no default is specified, the option will not be in the dict at all, when unspecified by the user.

```
recursions = 0
```

Number of levels of links to follow on article webpages

**remove\_attributes = []**

List of attributes to remove from all tags. For example:

```
remove_attributes = ['style', 'font']
```

**remove\_empty\_feeds = False**

If True empty feeds are removed from the output. This option has no effect if parse\_index is overridden in the sub class. It is meant only for recipes that return a list of feeds using *feeds* or *get\_feeds()* (pagina 43). It is also used if you use the ignore\_duplicate\_articles option.

**remove\_javascript = True**

Convenient flag to strip all JavaScript tags from the downloaded HTML

**remove\_tags = []**

List of tags to be removed. Specified tags are removed from downloaded HTML. A tag is specified as a dictionary of the form:

```
{
    name      : 'tag name',    #e.g. 'div'
    attrs     : a dictionary, #e.g. {'class': 'advertisement'}
```

All keys are optional. For a full explanation of the search criteria, see [Beautiful Soup<sup>24</sup>](#). A common example:

```
remove_tags = [dict(name='div', class_='advert')]
```

This will remove all *<div class=>advert</div>* tags and all their children from the downloaded *HTML*.

**remove\_tags\_after = None**

Remove all tags that occur after the specified tag. For the format for specifying a tag see [BasicNewsRecipe.remove\\_tags](#) (pagina 50). For example:

```
remove_tags_after = [dict(id='content')]
```

will remove all tags after the first element with *id=>content*.

**remove\_tags\_before = None**

Remove all tags that occur before the specified tag. For the format for specifying a tag see [BasicNewsRecipe.remove\\_tags](#) (pagina 50). For example:

```
remove_tags_before = dict(id='content')
```

will remove all tags before the first element with *id=>content*.

**requires\_version = (0, 6, 0)**

Versione minima di calibre per utilizzare questa ricetta

**resolve\_internal\_links = False**

If set to True then links in downloaded articles that point to other downloaded articles are changed to point to the downloaded copy of the article rather than its original web URL. If you set this to True, you might also need to implement *canonicalize\_internal\_url()* (pagina 42) to work with the URL scheme of your particular website.

**reverse\_article\_order = False**

Inverte l'ordine degli articoli in ogni fonte

**scale\_news\_images = None**

Maximum dimensions (w,h) to scale images to. If `scale_news_images_to_device` is True this is set to the device screen dimensions set by the output profile unless there is no profile set, in which case it is left at whatever value it has been assigned (default None).

**scale\_news\_images\_to\_device = True**

Rescale images to fit in the device screen dimensions set by the output profile. Ignored if no output profile is set.

**simultaneous\_downloads = 5**

Number of simultaneous downloads. Set to 1 if the server is picky. Automatically reduced to 1 if `BasicNewsRecipe.delay` (pagina 47) > 0

**summary\_length = 500**

Numero massimo di caratteri nella descrizione breve

```
template_css = '\n .article_date {\n color: gray; font-family: monospace;\n }\n\n .article_description {\n text-indent: 0pt;\n }\n\n a.article {\n font-weight: bold; text-align:left;\n }\n\n a.feed {\n font-weight: bold;\n }\n\n .calibre_navbar {\n font-family:monospace;\n }'
```

The CSS that is used to style the templates, i.e., the navigation bars and the Tables of Contents. Rather than overriding this variable, you should use `extra_css` in your recipe to customize look and feel.

**timefmt = ' [%a, %d %b %Y]'**

The format string for the date shown on the first page. By default: Day\_Name, Day\_Number Month\_Name Year

**timeout = 120.0**

Timeout for fetching files from server in seconds

**title = 'Sorgente di notizie sconosciuta'**

The title to use for the e-book

**use\_embedded\_content = None**

Normally we try to guess if a feed has full articles embedded in it based on the length of the embedded content. If `None`, then the default guessing is used. If `True` then we always assume the feed has embedded content and if `False` we always assume the feed does not have embedded content.

---

<sup>14</sup> <https://www.crummy.com/software/BeautifulSoup/bs4/doc/>

<sup>15</sup> <https://www.crummy.com/software/BeautifulSoup/bs4/doc/>

<sup>16</sup> <https://pythonhosted.org/feedparser/>

<sup>17</sup> <https://pythonhosted.org/feedparser/reference-entry-link.html>

<sup>18</sup> <https://mechanize.readthedocs.io/en/latest/>

<sup>19</sup> <https://www.crummy.com/software/BeautifulSoup/bs4/doc>

<sup>20</sup> <https://www.crummy.com/software/BeautifulSoup/bs4/doc>

<sup>21</sup> <https://www.crummy.com/software/BeautifulSoup/bs4/doc>

<sup>22</sup> <https://www.crummy.com/software/BeautifulSoup/bs4/doc>

<sup>23</sup> <https://www.imagemagick.org/script/color.php>

<sup>24</sup> <https://www.crummy.com/software/BeautifulSoup/bs4/doc/#searching-the-tree>



# CAPITOLO 3

---

## Il Lettore E-book

---

calibre include un lettore di e-book che può visualizzare tutti i principali formati di libro digitale. Il Lettore E-book è altamente personalizzabile e ha molte funzionalità avanzate.

- *Avviare il Lettore E-book* (pagina 54)
- *Navigazione dentro un e-book* (pagina 54)
- *Evidenziazione del testo* (pagina 55)
- *Lettura ad alta voce* (pagina 55)
- *Cercando il testo* (pagina 55)
- *Seguire i collegamenti usando solo la tastiera* (pagina 56)
- *Personalizzare la grafica della tua esperienza di lettura* (pagina 56)
- *Consultazione del dizionario* (pagina 56)
- *Copiare testo e immagini* (pagina 57)
- *Ingrandimento delle immagini* (pagina 57)
- *Sincronizzazione con un'edizione cartacea del libro corrente* (pagina 57)
- *Scorciatoie da tastiera* (pagina 57)
- *Contenuto non adattabile* (pagina 60)
- *Progettazione del proprio libro in modo che si comporti bene con il lettore e-book di calibre* (pagina 60)

## **3.1 Avviare il Lettore E-book**

Puoi visualizzare ognuno dei libri nella tua biblioteca di calibre selezionando il libro e premendo il pulsante *Leggi*. Ciò farà aprire il libro nel Lettore E-book. Puoi anche avviare il Lettore E-book senza passare da calibre usando il Menu Start su Windows. Su macOS, puoi agganciarlo alla dock e avviarlo da lì. Su Linux puoi usare il suo lanciatore nei menu della scrivania o eseguire il comando **ebook-viewer**.

## **3.2 Navigazione dentro un e-book**

Puoi «girare pagina» in un libro in questi modi:

- Il clic sul margine sinistro o su quello destro della pagina con il mouse
- Premendo i tasti spacebar, page up, page down o le frecce
- Su uno schermo tattile toccando il testo o scorrendo a destra e sinistra

Puoi accedere ai controlli del lettore in questi modi:

- Facendo clic con il tasto destro sul testo
- Premendo i tasti Esc o Menu
- Su uno schermo tattile toccando la parte (1/3) superiore dello schermo

Il lettore ha due modalità, «pagine» e «flusso». In modalità Pagine il contenuto del libro è presentato in pagine, in modo simile a un libro cartaceo. In modalità Flusso il testo è presentato in modo continuo, come in un browser web. Puoi cambiare modalità usando le *Preferenze* del lettore sotto *Impaginazione* o premendo il tasto Ctrl+M.

### **3.2.1 Segnalibri**

Quando sei nel bel mezzo di un libro e chiudi il Lettore E-book, si ricorderà dove hai smesso di leggere e ci ritornerà la prossima volta che apri il libro. Puoi creare segnalibri anche usando il pulsante *Segnalibri* nei controlli del Lettore E-book o premendo Ctrl+B. Quando visualizzi libri in formato EPUB, questi segnalibri sono salvati proprio dentro il file EPUB stesso. Puoi aggiungere segnalibri e poi inviare il file a un amico. Quando aprirà il file, sarà in grado di vedere i tuoi segnalibri. Puoi disattivare questo comportamento nella sezione *Varie* delle impostazioni del lettore.

### **3.2.2 Indice**

Se il libro che stai leggendo include un Indice, puoi accedervi premendo il pulsante *Indice*. Questo aprirà una lista di sezioni del libro. Puoi fare clic su ciascuna di esse per saltare a quella porzione del libro.

### **3.2.3 Navigare in base alla collocazione**

Gli e-book, a differenza dei libri cartacei, non hanno un concetto di pagina. Puoi riferirti a collocazioni precise dentro agli e-book usando la funzionalità *Vai a → Collocazione* nei controlli del lettore.

Puoi usare queste informazioni di collocazione per riferirti senza ambiguità a parti di libri quando ne parli con amici o li citi in altri lavori. Puoi inserire queste collocazioni in *Vai a → Collocazione* nei controlli del lettore.

C'è un URL che puoi copiare negli appunti e incollare in altri programmi o documenti. Il clic su questo URL aprirà il libro nel lettore di e-book di calibre alla collocazione corrente.

Se clicci su collegamenti dentro all'e-book che portano a parti differenti del libro, come a una nota di chiusura, puoi usare i pulsanti *Avanti* e *Indietro* nell'angolo in alto a sinistra dei controlli del lettore. Questi pulsanti si comportano proprio come in un browser web.

### 3.2.4 Modalità riferimento

calibre ha anche una molto utile *Modalità riferimento*. Puoi attivarla facendo clic sul pulsante *Modalità riferimento* nei controlli del lettore. Una volta fatto, ogni paragrafo avrà un numero univoco mostrato al suo inizio, composto dai numeri di sezione e di paragrafo.

Puoi usare questo numero per riferirti senza ambiguità a parti di libri quando ne parli con amici o li citi in altri lavori. Puoi inserire questi numeri nella funzione *Vai a* per navigare alla posizione di un particolare riferimento.

## 3.3 Evidenziazione del testo

Quando selezioni del testo nel lettore, compare una piccola barra di fianco alla selezione. Puoi fare clic sul pulsante *Evidenzia* in quella barra per creare un'evidenziazione. Puoi aggiungere note e cambiare il colore dell'evidenziazione. Su uno schermo tattile, tieni premuto a lungo su una parola per selezionarla e mostrare la barra. Una volta in modalità evidenziazione puoi modificare la selezione usando cursori funzionali anche per il tocco. Trascina i cursori ai margini superiori o inferiori per scorrere durante la selezione. Puoi anche usare *Maiusc+clic* o *clic destro* per estendere la selezione, utile in particolare per selezioni multi pagina.

Puoi usare il pulsante *Evidenziazioni* nei controlli del lettore per mostrare un pannello separato con un elenco di tutte le evidenziazioni del libro, ordinate per capitolo.

Puoi navigare *tutte le evidenziazioni* della tua biblioteca di calibre facendo clic con il tasto destro sul pulsante *Visualizza* e scegliendo *Naviga annotazioni*.

Infine, se usi il server dei contenuti di calibre nel lettore del browser, puoi fare in modo che il lettore sincronizzi le sue annotazioni con il lettore del browser andando in *Preferenze → Varie* nelle preferenze del lettore e inserendo il nome utente del lettore del server dei contenuti con cui sincronizzare. Usa il carattere speciale \* per sincronizzare con utenti anonimi.

## 3.4 Lettura ad alta voce

Il lettore può leggere il testo dei libri ad alta voce. Per usare questa funzione devi semplicemente fare clic sul pulsante *Leggi ad alta voce* nei controlli del lettore per cominciare a leggere il testo del libro ad alta voce. La parola o frase che viene letta in un dato momento è evidenziata. La voce è sintetizzata dal testo usando o il motore neurale di sintesi vocale *Piper*<sup>25</sup> o i servizi di sintesi vocale del tuo sistema operativo. Puoi cambiare il sistema sottostante e la voce usata facendo clic sull'icona della rotellina nella barra che viene mostrata quando *Leggi ad alta voce* è attivo.

Puoi anche leggere ad alta voce i passaggi evidenziati aggiungendo il pulsante *Leggi ad alta voce* alla barra di selezione nelle preferenze del lettore sotto *Selezione*.

### Nota

Il supporto alla sintesi vocale nei browser è decisamente carente e pieno di problemi quindi il buon funzionamento della *Lettura ad alta voce* nel lettore del browser dipenderà da quanto bene il browser supporta la sintesi vocale.

## 3.5 Cercado il testo

Il lettore ha delle potenti capacità di ricerca. Premi *Ctrl+F* o accedi ai controlli del lettore e clicca cerca. La più semplice forma di ricerca e quella di cercare per qualsiasi testo che inserisci nella casella testo. I diversi moduli di ricerca sono scelti nel riquadro modalità di ricerca sottostante la casella di ricerca. Le modalità disponibili sono:

1. *Contains* - La modalità predefinita più semplice. Il testo inserito nell'a casella di ricerca è cercato ovunque. Tutta la punteggiatura, accenti e spazi sono ignorati. Per esempio, la ricerca *Pen* restituira tutti i termini seguenti: *penal*,

<sup>25</sup> <https://github.com/rhasspy/piper>

pen a, pen.a and Peña. Se selezioni la casella *Case sensitive*, allora accenti, spazi e punteggiatura non sono più ignorati.

2. *guilabel:Whole words* - Cerca tra tutte le parole. Per esempio, la ricerca pena restituirà la parola Peña ma non la parola Penal. Come per *Contains*, con le ricerche sopracitate, accenti a punteggiatura sono ignorate a meno che la *Case sensitive* sia attivata.
3. *Nearby words* - Cerca intere parole che sono vicine tra di loro. Quindi, per esempio la ricerca calibre cool restituirà risultati dove le parole calibre e "cool" si trovano all'interno di sessanta caratteri tra di loro. Per cambiare il numero di caratteri aggiungi il nuovo numero alla fine della lista di parole. Per esempio, calibre cool awesome 120 restituirà risultati dove le tre parole si trovano all'interno di 120 caratteri tra loro. Nota che punteggiatura e accenti sono *not* ignorate da queste ricerche.
4. *Regex* - Interpreta il testo di ricerca come una *espressione regolare*. Per saperne di più su espressioni regolari, vedi, :doc:`the tutorial` .

## 3.6 Seguire i collegamenti usando solo la tastiera

Il lettore di e-book ha una *Modalità suggerimenti* che permette di fare clic sui collegamenti nel testo senza usare il mouse. Premi il tasto Alt+F e tutti i collegamenti nella schermata attuale saranno evidenziati con un numero o una lettera soprastanti. Premi la lettera sulla tua tastiera per fare clic sul collegamento. Premere il tasto Esc terminerà la *Modalità suggerimenti* senza selezionare alcun collegamento.

Se ci sono più di 35 collegamenti nella schermata, alcuni di essi avranno più di una lettera, nel qual caso dovrà premere la prima e la seconda lettera, o la prima seguita da Invio per attivare. Puoi anche usare il tasto Backspace per annullare un errore di digitazione.

## 3.7 Personalizzare la grafica della tua esperienza di lettura

Puoi cambiare al volo la dimensione dei caratteri usando *Dimensione carattere* nei controlli del lettore oppure Ctrl++ e Ctrl+-, oppure tenendo premuto il tasto Ctrl e usando la rotellina del mouse.

I colori possono essere cambiati nella sezione *Colori* delle preferenze del lettore.

Puoi cambiare il numero di pagine mostrate sullo schermo, come anche i margini di pagina in *Impaginazione* nelle preferenze del lettore.

Puoi mostrare intestazioni e più di pagina personalizzati come il tempo di lettura rimanente, il titolo del capitolo corrente, la posizione nel libro, ecc. attraverso la sezione *Intestazioni e più di pagina* delle preferenze del lettore.

Personalizzazioni più avanzate possono essere ottenute attraverso le impostazioni degli *Stili*. Qui puoi specificare un'immagine di sfondo da mostrare sotto al testo, e anche un foglio di stile da impostare che sarà applicato ad ogni libro. Usandolo puoi fare cose come cambiare gli stili di paragrafo, la giustificazione del testo, ecc. Per esempi di fogli di stile personalizzati usati dagli utenti di calibre, visita [i forum](#)<sup>26</sup>.

## 3.8 Consultazione del dizionario

Puoi ricercare il significato delle parole nel libro attuale facendo doppio clic o tenendo premuto sulla parola che vuoi cercare, e facendo clic poi sul pulsante di consultazione che assomiglia a una biblioteca.

<sup>26</sup> <https://www.mobiteread.com/forums/showthread.php?t=51500>

## 3.9 Copiare testo e immagini

Puoi selezionare testo e immagini trascinando il contenuto con il mouse e poi facendo clic con il tasto destro e selezionando *Copia* per copiare negli appunti. Il materiale copiato può essere incollato in un'altra applicazione come testo e immagini semplici.

## 3.10 Ingrandimento delle immagini

Puoi ingrandire un'immagine per mostrarla a dimensione intera in una finestra separata o facendo doppio clic, o toccando a lungo su di essa. Puoi anche fare clic con il tasto destro del mouse e scegliere *Visualizza immagine*.

## 3.11 Sincronizzazione con un'edizione cartacea del libro corrente

Alcuni e-book con edizioni cartacee corrispondenti includono metadati che marcano l'inizio di ciascuna pagina cartacea. Per tali e-book, il lettore ti permette di saltare a una pagina specifica dell'edizione cartacea attraverso il pulsante *Vai a* nei controlli del lettore. Puoi anche mostrare optionalmente la pagina cartacea corrispondente alla posizione corrente nelle intestazioni o nei piedi di pagina del libro attraverso le impostazioni del lettore, aggiungendo *Pagine dell'edizione cartacea* all'intestazione o al piede di pagina.

## 3.12 Scorciatoie da tastiera

Il lettore fa uso di numerose scorciatoie da tastiera, come il resto di calibre. Possono essere personalizzate nelle *Preferenze* del lettore. Le scorciatoie predefinite sono elencate qui sotto:

Tabella 1: Scorciatoie da tastiera per il lettore e-book di calibre

| Scorciatoia | Azione  |
|-------------|---|
| Home,       | Scorri fino all'inizio del file corrente in un libro con più file                         |
| Ctrl+Fr     |   |
| Ctrl+Fr     |   |
| Ctrl+Hc     | Scorri fino all'inizio del libro  |
| Ctrl+Fi     | Scorri alla fine del libro  |
| Fine,       | Scorri fino alla fine del file corrente in un libro con più file                          |
| Ctrl+Fr     |   |
| Ctrl+Fr     |   |
| FrecchiaSu  | Scorri all'indietro, in modo fluido in modalità Flusso e per schermate in modalità Pagine |
| Frecchia-   | Scorri in avanti, in modo fluido in modalità Flusso e per schermate in modalità Pagine    |
| Giù         |   |
| Frecchia-   | Scorri piano verso sinistra in modalità Flusso e di una pagina in modalità Pagine         |
| Sinistra    |   |

continues on next page

**Tabella 1 – continua dalla pagina precedente**

|         |   |
|---------|---|
| Scor-   | Azione  |
| ciatoia |   |
| da ta-  |   |
| stiera  |   |
| Frec-   | Scorri piano verso destra in modalità Flusso e di una pagina in modalità Pagine |
| cia-    |   |
| De-     |   |
| stra    |   |
| PagSu,  | Scorri indietro per schermate   |
| Maiu-   |   |
| sc+Spaz |   |
| PaginaG | Scorri avanti per schermate   |
| Spa-    |   |
| zio     |   |
| Ctrl+Pa | Scorri alla sezione precedente  |
| Ctrl+Pa | Scorri alla prossima sezione  |
| Alt+Fre | Indietro  |
| Alt+Fre | Avanti  |
| Ctrl+T  | Mostra/Nascondi indice  |
| Ctrl+S  | Lettura ad alta voce  |
| Alt+P   | Cambia velocemente impostazioni creando e spostandoti tra <i>profili</i>        |
| Alt+f   | Apri link con la tastiera   |
| Ctrl+C  | Copia negli appunti   |
| Alt+C   | Copia la collocazione corrente negli appunti                                    |
| Ctrl+Ma | Copia la collocazione corrente come URL calibre:// negli appunti                |
| /,      | Avvia la ricerca  |
| Ctrl+f, |   |
| Cmd+f   |   |
| F3,     | Trova successivo  |
| Invio   |   |
| Maiu-   | Trova precedente  |
| sc+F3,  |   |
| Maiu-   |   |
| sc+Invi |   |
| Ctrl+Pi | Aumenta la dimensione dei caratteri   |
| Me-     |   |
| ta+Più  |   |
| Ctrl+Me | Riduci la dimensione dei caratteri  |
| Me-     |   |
| ta+Menc |   |
| Ctrl+0  | Ripristina dimensione predefinita dei caratteri                                 |
| Ctrl+]  | Aumenta il numero di pagine per schermata                                       |
| Ctrl+[  | Diminuisci il numero di pagine per schermata                                    |
| Ctrl+A1 | Rendi automatico il numero di pagine per schermata                              |
| F11,    | Schermo intero  |
| Ctrl+Ma |   |
| Ctrl+M  | Passa tra le modalità di presentazione del testo Pagine e Flusso                |
| Ctrl+W  | Mostra/nasconde la barra di scorrimento   |
| Ctrl+X  | Attiva/disattiva la modalità Riferimento  |
| Ctrl+B  | Mostra/nasconde i segnalibri  |

continues on next page

Tabella 1 – continua dalla pagina precedente

|         |   |
|---------|---|
| Scor-   | Azione  |
| ciatoia |   |
| da ta-  |   |
| stiera  |   |
| Ctrl+Al | Nuovo segnalibro  |
| Ctrl+N, | Mostra i metadati del libro                               |
| Ctrl+E  |   |
| Ctrl+Al | Ricarica libro  |
| Ctrl+Al |   |
| Ctrl+Ma | Sposta di una parola avanti la selezione corrente         |
| Ctrl+Ma | Sposta di una parola indietro la selezione corrente       |
| Maiu-   | Sposta di un carattere avanti la selezione corrente       |
| sc+Frec |   |
| Maiu-   | Sposta di un carattere indietro la selezione corrente     |
| sc+Frec |   |
| Maiu-   | Avanza di una linea la selezione corrente                 |
| sc+Frec |   |
| Maiu-   | Estendi la selezione corrente fino all'inizio della linea |
| sc+Home |   |
| Maiu-   | Estendi la selezione corrente fino alla fine della linea  |
| sc+Fine |   |
| Ctrl+A  | Seleziona tutto   |
| Maiu-   | Arretra di una linea la selezione corrente                |
| sc+Frec |   |
| Ctrl+Ma | Avanza di un paragrafo la selezione corrente              |
| Ctrl+Ma | Arretra di un paragrafo la selezione corrente             |
| Esc,    | Mostra i controlli del lettore E-book                     |
| Menu    |   |
| Ctrl+Vi | Mostra le preferenze del lettore di E-Book                |
| Ctrl+Es |   |
| Me-     |   |
| ta+Esc, |   |
| Me-     |   |
| ta+Virg |   |
| Ctrl+G, | Vai a una specifica collocazione o posizione del libro    |
| ;       |   |
| :       |   |
| Ctrl+Sp | Attiva/disattiva auto scorrimento                         |
| Alt+Fre | Accelera auto scorrimento                                 |
| Alt+Fre | Rallenta auto scorrimento                                 |
| Ctrl+I  | Mostra/nasconde l'Ispettore                               |
| Ctrl+L  | Mostra/nasconde il pannello di ricerca parole             |
| Ctrl+Q  | Esci  |
| (Cmd+Q  |   |
| su ma-  |   |
| COS)    |   |
| Ctrl+P  | Stampa libro in PDF                                       |
| Ctrl+F1 | Mostra/nasconde la barra degli strumenti                  |

continues on next page

Tabella 1 – continua dalla pagina precedente

|         |  |
|---------|--|
| Scor-   | Azione                                     |
| ciatoia |  |
| da ta-  |  |
| stiera  |  |
| Ctrl+H  | Mostra/nascondi il pannello evidenziazioni |
| Ctrl+D  | Modifica questo libro                      |

### 3.13 Contenuto non adattabile

Alcuni libri hanno del contenuto molto largo che non può essere spezzato ai confini della pagina, come le tabelle o i tag <pre>. In casi del genere, dovresti usare il lettore in *modalità flusso* premendo Ctrl+M per leggere questo contenuto. Alternativamente, puoi anche aggiungere il seguente CSS alla sezione *Stili* delle preferenze del lettore, per forzare il lettore a spezzare le linee di testo nei tag <pre> tags:

```
code, pre { white-space: pre-wrap }
```

### 3.14 Progettazione del proprio libro in modo che si comporti bene con il lettore e-book di calibre

Il lettore e-book di calibre imposterà la classe `is-calibre-viewer` nell'elemento root. Quindi puoi scrivere regole CSS che si applichino solo ad esso. In più, il lettore imposterà le classi seguenti all'elemento `body`:

`body.calibre-viewer-dark-colors`

Impostata quando un tema scuro è utilizzato

`body.calibre-viewer-light-colors`

Impostata quando un tema chiaro è utilizzato

`body.calibre-viewer-paginated`

Impostata quando il lettore è in modalità Pagine

`body.calibre-viewer-scrolling`

Impostata quando il lettore è in modalità Flusso (non impaginato)

`body.calibre-footnote-container`

Impostata quando è mostrata una nota a comparsa

Infine, puoi usare i colori dello schema colori di calibre per mezzo delle variabili CSS<sup>27</sup>. Il lettore e-book di calibre definisce le seguenti variabili: `--calibre-viewer-background-color`, `--calibre-viewer-foreground-color` e optionalmente `--calibre-viewer-link-color` nei temi che definiscono un colore per i collegamenti.

---

<sup>27</sup> [https://developer.mozilla.org/en-US/docs/Web/CSS/Using\\_CSS\\_custom\\_properties](https://developer.mozilla.org/en-US/docs/Web/CSS/Using_CSS_custom_properties)

# CAPITOLO 4


---

## Conversione E-book

---

Calibre ha un sistema di conversione progettato per essere molto semplice, generalmente basta aggiungere un e-book ed il sistema farà di tutto per generare un risultato più fedele possibile all'originale. Calibre accetta vari formati in ingresso ma alcuni sono più adatti di altri alla conversione, se hai questo tipo di file e desideri un maggior controllo sul risultato finale, Calibre dispone di molte opzioni per ottimizzare il processo. Ricorda che il sistema di conversione non può sostituire un editor di e-book dedicato. Per creare un e-book ti suggerisco di convertirlo prima in EPUB o AZW3 e quindi usare la funzione :guilabel:"Modifica Libro" per ottenere l'aspetto migliore, utilizza il file così generato per ottenere altri formati in Calibre.

Questo documento farà riferimento alle impostazioni che si trovano nella finestra di dialogo «Converti Libro» come nella foto qui sotto. Tutte le impostazioni sono disponibili anche da riga di comando come descritto su “ebook-convert”. In Calibre puoi ottenere aiuto tenendo il puntatore del mouse sopra ogni singola voce, si aprirà una finestra che descrive l'impostazione.




### Contenuti

- [Introduzione](#) (pagina 63)
- [Aspetto](#) (pagina 64)
- [Impostazioni di pagina](#) (pagina 67)
- [Elaborazione euristica](#) (pagina 67)
- [Cerca e sostituisci](#) (pagina 69)
- [Rilevazione struttura](#) (pagina 69)
- [Indice](#) (pagina 70)
- [Usare immagini come titolo di capitolo nella conversione di documenti sorgente HTML](#) (pagina 72)
- [Usare gli attributi dei tag per fornire il testo delle voci dell'Indice](#) (pagina 72)
- [Come vengono impostate e salvate le opzioni di conversione](#) (pagina 72)
- [Suggerimenti per formati specifici](#) (pagina 73)

## 4.1 Introduzione

La prima cosa da comprendere è che la conversione è concepita come un sistema a cascata che schematicamente si presenta così:



Il formato in ingresso viene inizialmente convertito in XHTML dall' *Input plugin* appropriato. Questo HTML è quindi *trasformato*. Nell'ultima fase l'XHTML elaborato viene convertito nel formato di uscita desiderato dall' *Output plugin* specifico. Alcuni formati in ingresso si convertono meglio di altri e questo può incidere notevolmente sui risultati, una lista dei migliori formati di input è disponibile *qui* (pagina 128).

Tutto il lavoro si svolge nella fase di modifica dell' XHTML in uscita. Ci sono varie operazioni da fare, ad esempio si possono inserire i metadata del libro come pagina iniziale, riconoscere l'intestazione dei capitoli e creare automaticamente una tavola dei contenuti «TOC», regolare la grandezza del font in modo proporzionale, ecc... E' importante

ricordare che tutte le operazioni di modifica vengono effettuate dall’*“Input plugin* sull’ XHTML e non sul file d’origine. Per fare un esempio: se chiedi a Calibre di convertire un RTF in EPUB, questi convertirà prima l’RTF in XHTML internamente e quindi, dopo aver applicato le modifiche desiderate, verrà creato l’EPUB tramite l’*“Output plugin* generando automaticamente i metadata, la TOC ecc..



You can see this process in action by using the debug option . Just specify the path to a folder for the

debug output. During conversion, calibre will place the XHTML generated by the various stages of the conversion pipeline in different sub-folders. The four sub-folders are:

Tabella 1: Fasi del processo di conversione

| Car-tella           | Descrizione  |
|---------------------|--|
| input               | Contiene l’HTML in uscita prodotto dal Plugin di Input. Usala per il debug del Plugin di Input.  |
| par-sed             | Il risultato di pre-elaborazione e conversione in XHTML del risultato del Plugin di Input. Usalo per il debug del rilevamento struttura.   |
| struc-<br>ture      | Dopo il rilevamento della struttura ma prima dell’appiattimento del CSS e della conversione della dimensione carattere. Usala per il debug di dimensione carattere e trasformazioni CSS. |
| pro-<br>ces-<br>sed | Appena prima che l’e-book sia passato al Plugin di Output. Usala per il debug di quest’ultimo passo.   |

If you want to edit the input document a little before having calibre convert it, the best thing to do is edit the files in the `input` sub-folder, then zip it up, and use the ZIP file as the input format for subsequent conversions. To do this use the *Edit meta information* dialog to add the ZIP file as a format for the book and then, in the top left corner of the conversion dialog, select ZIP as the input format.

This document will deal mainly with the various transforms that operate on the intermediate XHTML and how to control them. At the end are some tips specific to each input/output format.

## 4.2 Aspetto

### Contenuti

- *Caratteri* (pagina 65)
- *Testo* (pagina 65)
- *Disposizione* (pagina 66)
- *Stile* (pagina 66)
- *Trasforma stili* (pagina 67)
- *Trasforma HTML* (pagina 67)

This group of options controls various aspects of the look and feel of the converted e-book.

## 4.2.1 Caratteri

One of the nicest features of the e-reading experience is the ability to easily adjust font sizes to suit individual needs and lighting conditions. calibre has sophisticated algorithms to ensure that all the books it outputs have a consistent font sizes, no matter what font sizes are specified in the input document.

The base font size of a document is the most common font size in that document, i.e., the size of the bulk of text in that document. When you specify a *Base font size*, calibre automatically rescales all font sizes in the document proportionately, so that the most common font size becomes the specified base font size and other font sizes are rescaled appropriately. By choosing a larger base font size, you can make the fonts in the document larger and vice versa. When you set the base font size, for best results, you should also set the font size key.

Normally, calibre will automatically choose a base font size appropriate to the output profile you have chosen (see [Impostazioni di pagina](#) (pagina 67)). However, you can override this here in case the default is not suitable for you.

The *Font size key* option lets you control how non-base font sizes are rescaled. The font rescaling algorithm works using a font size key, which is simply a comma-separated list of font sizes. The font size key tells calibre how many «steps» bigger or smaller a given font size should be compared to the base font size. The idea is that there should be a limited number of font sizes in a document. For example, one size for the body text, a couple of sizes for different levels of headings and a couple of sizes for super/sub scripts and footnotes. The font size key allows calibre to compartmentalize the font sizes in the input documents into separate «bins» corresponding to the different logical font sizes.

Illustriamo con un esempio. Supponiamo che il documento di partenza che stiamo convertendo sia stato prodotto da una persona con una vista eccellente e che abbia una dimensione base dei caratteri di 8pt. Ciò significa che la maggior parte del testo del documento ha una dimensione di 8pt, mentre le intestazioni sono leggermente più grandi (ad esempio 10 e 12pt) e le note a piè di pagina sono leggermente più piccole (6pt). Ora, se utilizziamo le seguenti impostazioni:

```
Base font size : 12pt
Font size key  : 7, 8, 10, 12, 14, 16, 18, 20
```

Il documento di output avrà una dimensione di base di 12pt, titoli di 14 e 16pt e note a piè di pagina di 8pt. Supponiamo ora di voler far risaltare maggiormente il titolo più grande e di rendere un po' più grandi anche le note a piè di pagina. Per ottenere questo risultato, l'opzione del font deve essere cambiata in:

```
New font size key : 7, 9, 12, 14, 18, 20, 22
```

I titoli più grandi diventeranno ora di 18pt, mentre le note a piè di pagina diventeranno di 9pt. È possibile giocare con queste impostazioni per cercare di capire quale sia quella ottimale per voi utilizzando la procedura guidata di ridimensionamento dei caratteri, a cui si accede facendo clic sul piccolo pulsante accanto all'impostazione *Tasto dimensione carattere*.

È inoltre possibile disattivare tutti i ridimensionamenti delle dimensioni dei caratteri durante la conversione, se si desidera conservare le dimensioni dei caratteri nel documento di input.

A related setting is *Line height*. Line height controls the vertical height of lines. By default, (a line height of 0), no manipulation of line heights is performed. If you specify a non-default value, line heights will be set in all locations that don't specify their own line heights. However, this is something of a blunt weapon and should be used sparingly. If you want to adjust the line heights for some section of the input, it's better to use the [Extra CSS](#) (pagina 66).

In this section you can also tell calibre to embed any referenced fonts into the book. This will allow the fonts to work on reader devices even if they are not available on the device.

## 4.2.2 Testo

Text can be either justified or not. Justified text has extra spaces between words to give a smooth right margin. Some people prefer justified text, others do not. Normally, calibre will preserve the justification in the original document. If you want to override it you can use the *Text justification* option in this section.

You can also tell calibre to *Smart punctuation* which will replace plain quotes, dashes and ellipses with their typographically correct alternatives. Note that this algorithm is not perfect so it is worth reviewing the results. The reverse, namely, *Unsmarted punctuation* is also available.

Finally, there is *Input character encoding*. Older documents sometimes don't specify their character encoding. When converted, this can result in non-English characters or special characters like smart quotes being corrupted. calibre tries to auto-detect the character encoding of the source document, but it does not always succeed. You can force it to assume a particular character encoding by using this setting. *cp1252* is a common encoding for documents produced using Windows software. You should also read [Come posso convertire il mio file contenente caratteri non inglesi o virgolette intelligenti?](#) (pagina 128) for more on encoding issues.

### 4.2.3 Disposizione

Normally, paragraphs in XHTML are rendered with a blank line between them and no leading text indent. calibre has a couple of options to control this. *Remove spacing between paragraphs* forcefully ensure that all paragraphs have no inter paragraph spacing. It also sets the text indent to 1.5em (can be changed) to mark the start of every paragraph. *Insert blank line* does the opposite, guaranteeing that there is exactly one blank line between each pair of paragraphs. Both these options are very comprehensive, removing spacing, or inserting it for *all* paragraphs (technically <p> and <div> tags). This is so that you can just set the option and be sure that it performs as advertised, irrespective of how messy the input file is. The one exception is when the input file uses hard line breaks to implement inter-paragraph spacing.

If you want to remove the spacing between all paragraphs, except a select few, don't use these options. Instead add the following CSS code to [Extra CSS](#) (pagina 66):

```
p, div { margin: 0pt; border: 0pt; text-indent: 1.5em }
.spacious { margin-bottom: 1em; text-indent: 0pt; }
```

Then, in your source document, mark the paragraphs that need spacing with *class=>»spacious»*. If your input document is not in HTML, use the Debug option, described in the Introduction to get HTML (use the *input* sub-folder).

Another useful options is *Linearize tables*. Some badly designed documents use tables to control the layout of text on the page. When converted these documents often have text that runs off the page and other artifacts. This option will extract the content from the tables and present it in a linear fashion. Note that this option linearizes *all* tables, so only use it if you are sure the input document does not use tables for legitimate purposes, like presenting tabular information.

### 4.2.4 Stile

The *Extra CSS* option allows you to specify arbitrary CSS that will be applied to all HTML files in the input. This CSS is applied with very high priority and so should override most CSS present in the **input document** itself. You can use this setting to fine tune the presentation/layout of your document. For example, if you want all paragraphs of class *endnote* to be right aligned, just add:

```
.endnote { text-align: right }
```

o se si vuole cambiare l'indentazione di tutti i paragrafi:

```
p { text-indent: 5mm; }
```

*Extra CSS* è un'opzione molto potente, ma è necessario conoscere il funzionamento dei CSS per poterla utilizzare al meglio. Si può usare l'opzione pipeline di debug descritta sopra per vedere quali CSS sono presenti nel documento di input.

A simpler option is to use *Filter style information*. This allows you to remove all CSS properties of the specified types from the document. For example, you can use it to remove all colors or fonts.

## 4.2.5 Trasforma stili

This is the most powerful styling related facility. You can use it to define rules that change styles based on various conditions. For example you can use it to change all green colors to blue, or remove all bold styling from the text or color all headings a certain color, etc.

## 4.2.6 Trasforma HTML

Similar to transform styles, but allows you to make changes to the HTML content of the book. You can replace one tag with another, add classes or other attributes to tags based on their content, etc.

## 4.3 Impostazioni di pagina

The *Page setup* options are for controlling screen layout, like margins and screen sizes. There are options to setup page margins, which will be used by the output plugin, if the selected output format supports page margins. In addition, you should choose an Input profile and an output profile. Both sets of profiles basically deal with how to interpret measurements in the input/output documents, screen sizes and default font rescaling keys.

If you know that the file you are converting was intended to be used on a particular device/software platform, choose the corresponding input profile, otherwise just choose the default input profile. If you know the files you are producing are meant for a particular device type, choose the corresponding output profile. Otherwise, choose one of the Generic output profiles. If you are converting to MOBI or AZW3 then you will almost always want to choose one of the Kindle output profiles. Otherwise, your best bet for modern E-book reading devices is to choose the *Generic e-ink HD* output profile.

The output profile also controls the screen size. This will cause, for example, images to be auto-resized to be fit to the screen in some output formats. So choose a profile of a device that has a screen size similar to your device.

## 4.4 Elaborazione euristica

Heuristic processing provides a variety of functions which can be used to try and detect and correct common problems in poorly formatted input documents. Use these functions if your input document suffers from poor formatting. Because these functions rely on common patterns, be aware that in some cases an option may lead to worse results, so use with care. As an example, several of these options will remove all non-breaking-space entities, or may include false positive matches relating to the function.

### *Abilita l'elaborazione euristica*

This option activates calibre's *Heuristic processing* stage of the conversion pipeline. This must be enabled in order for various sub-functions to be applied

### *Unwrap lines*

Enabling this option will cause calibre to attempt to detect and correct hard line breaks that exist within a document using punctuation clues and line length. calibre will first attempt to detect whether hard line breaks exist, if they do not appear to exist calibre will not attempt to unwrap lines. The line-unwrap factor can be reduced if you want to "force" calibre to unwrap lines.

### *Line-unwrap factor*

This option controls the algorithm calibre uses to remove hard line breaks. For example, if the value of this option is 0.4, that means calibre will remove hard line breaks from the end of lines whose lengths are less than the length of 40% of all lines in the document. If your document only has a few line breaks which need correction, then this value should be reduced to somewhere between 0.1 and 0.2.

### *Rileva e qualifica titoli e sottotitoli di capitolo non formattati*

If your document does not have chapter headings and titles formatted differently from the rest of the text, calibre can use this option to attempt to detect them and surround them with heading tags. `<h2>` tags are used for chapter headings; `<h3>` tags are used for any titles that are detected.

This function will not create a TOC, but in many cases it will cause calibre's default chapter detection settings to correctly detect chapters and build a TOC. Adjust the XPath under Structure detection if a TOC is not automatically created. If there are no other headings used in the document then setting «//h:h2» under Structure detection would be the easiest way to create a TOC for the document.

Le intestazioni inserite non sono formattate, per applicare la formattazione, utilizzare l'opzione *Extra CSS* nelle impostazioni di conversione Look and Feel. Per esempio, per centrare i tag di intestazione, usare il seguente:

```
h2, h3 { text-align: center }
```

#### ***Renumber sequences of <h1> or <h2> tags***

Some publishers format chapter headings using multiple `<h1>` or `<h2>` tags sequentially. calibre's default conversion settings will cause such titles to be split into two pieces. This option will re-number the heading tags to prevent splitting.

#### ***Elimina le righe vuote tra i paragrafi***

This option will cause calibre to analyze blank lines included within the document. If every paragraph is interleaved with a blank line, then calibre will remove all those blank paragraphs. Sequences of multiple blank lines will be considered scene breaks and retained as a single paragraph. This option differs from the *Remove paragraph spacing* option under *Look and Feel* in that it actually modifies the HTML content, while the other option modifies the document styles. This option can also remove paragraphs which were inserted using calibre's *Insert blank line* option.

#### ***Assicurati che i salti di scena siano formattati in modo coerente***

With this option calibre will attempt to detect common scene-break markers and ensure that they are center aligned. "Soft" scene break markers, i.e. scene breaks only defined by extra white space, are styled to ensure that they will not be displayed in conjunction with page breaks.

#### ***Sostituisci i salti di scena***

If this option is configured then calibre will replace scene break markers it finds with the replacement text specified by the user. Please note that some ornamental characters may not be supported across all reading devices.

In general you should avoid using HTML tags, calibre will discard any tags and use pre-defined markup. `<hr />` tags, i.e. horizontal rules, and `<img>` tags are exceptions. Horizontal rules can optionally be specified with styles, if you choose to add your own style be sure to include the "width" setting, otherwise the style information will be discarded. Image tags can be used, but calibre does not provide the ability to add the image during conversion, this must be done after the fact using the "Edit book" feature.

#### ***Example image tag (place the image within an "Images" folder inside the EPUB after conversion):***

```
<img style=> width:10%> src=>../Images/scenebreak.png </>
```

#### ***Esempio di regola orizzontale con stili:***

```
<hr style=> width:20%;padding-top: 1px; border-top: 2px ridge black; border-bottom: 2px groove black;></>
```

#### ***Rimuovi trattini superflui***

calibre will analyze all hyphenated content in the document when this option is enabled. The document itself is used as a dictionary for analysis. This allows calibre to accurately remove hyphens for any words in the document in any language, along with made-up and obscure scientific words. The primary drawback is words appearing only a single time in the document will not be changed. Analysis happens in two passes, the first pass analyzes line endings. Lines are only unwrapped if the word exists with or without a hyphen in the document. The second pass analyzes all hyphenated words throughout the document, hyphens are removed if the word exists elsewhere in the document without a match.

#### ***Applica il corsivo a parole e schemi comuni***

When enabled, calibre will look for common words and patterns that denote italics and italicize them. Examples are common text conventions such as ~word~ or phrases that should generally be italicized, e.g. latin phrases like "etc." or "et cetera".

### Sostituisci i rientri forzati con rientri CSS

Alcuni documenti seguono una convenzione che costruisce i rientri usando spazi unificatori (che non vanno a capo). Quando questa opzione è abilitata calibre proverà a rilevare questa formattazione e a convertirla in un rientro CSS del 3%.

## 4.5 Cerca e sostituisci

Queste opzioni sono utili soprattutto per la conversione di documenti PDF o per le conversioni OCR, ma possono anche essere utilizzate per risolvere molti problemi specifici del documento. Ad esempio, alcune conversioni possono lasciare intestazioni e più di pagina nel testo. Queste opzioni utilizzano espressioni regolari per cercare di individuare intestazioni, più di pagina o altro testo arbitrario e rimuoverlo o sostituirlo. Ricordate che operano sull'XHTML intermedio prodotto dalla pipeline di conversione. È disponibile una procedura guidata che consente di personalizzare le espressioni regolari per il documento. Fare clic sulla bacchetta magica accanto alla casella di espressione e fare clic sul pulsante "Prova" dopo aver composto l'espressione di ricerca. Le corrispondenze corrette saranno evidenziate in Giallo.

The search works by using a Python regular expression. All matched text is simply removed from the document or replaced using the replacement pattern. The replacement pattern is optional, if left blank then text matching the search pattern will be deleted from the document. You can learn more about regular expressions and their syntax at [Tutto sull'utilizzo delle espressioni regolari in calibre](#) (pagina 212).

## 4.6 Rilevazione struttura

Structure detection involves calibre trying its best to detect structural elements in the input document, when they are not properly specified. For example, chapters, page breaks, headers, footers, etc. As you can imagine, this process varies widely from book to book. Fortunately, calibre has very powerful options to control this. With power comes complexity, but if once you take the time to learn the complexity, you will find it well worth the effort.

### 4.6.1 Capitoli e interruzioni di pagina

calibre has two sets of options for *chapter detection* and *inserting page breaks*. This can sometimes be slightly confusing, as by default, calibre will insert page breaks before detected chapters as well as the locations detected by the page breaks option. The reason for this is that there are often location where page breaks should be inserted that are not chapter boundaries. Also, detected chapters can be optionally inserted into the auto generated Table of Contents.

calibre uses *XPath*, a powerful language to allow the user to specify chapter boundaries/page breaks. XPath can seem a little daunting to use at first, fortunately, there is a [XPath tutorial](#) (pagina 156) in the User Manual. Remember that Structure detection operates on the intermediate XHTML produced by the conversion pipeline. Use the debug option described in the [Introduzione](#) (pagina 63) to figure out the appropriate settings for your book. There is also a button for a XPath wizard to help with the generation of simple XPath expressions.

By default, calibre uses the following expression for detecting chapters:

```
//*[((name()='h1' or name()='h2') and re:test(., 'chapter|book|section|part\s+', 'i
~')) or @class = 'chapter']
```

This expression is rather complex, because it tries to handle a number of common cases simultaneously. What it means is that calibre will assume chapters start at either *<h1>* or *<h2>* tags that have any of the words (*chapter*, *book*, *section* or *part*) in them or that have the *class=>chapter</i>* attribute.

A related option is *Chapter mark*, which allows you to control what calibre does when it detects a chapter. By default, it will insert a page break before the chapter. You can have it insert a ruled line instead of, or in addition to the page break. You can also have it do nothing.

L'impostazione predefinita per il rilevamento delle interruzioni di pagina è:

```
///* [name () = 'h1' or name () = 'h2']
```

which means that calibre will insert page breaks before every `<h1>` and `<h2>` tag by default.

### Nota

Le espressioni predefinite possono cambiare a seconda del formato di input che si sta convertendo.

## 4.6.2 Altro

In questa sezione sono presenti altre opzioni.

### *Insert metadata as page at start of book*

One of the great things about calibre is that it allows you to maintain very complete metadata about all of your books, for example, a rating, tags, comments, etc. This option will create a single page with all this metadata and insert it into the converted e-book, typically just after the cover. Think of it as a way to create your own customised book jacket.

### *Rimuovi la prima immagine*

Sometimes, the source document you are converting includes the cover as part of the book, instead of as a separate cover. If you also specify a cover in calibre, then the converted book will have two covers. This option will simply remove the first image from the source document, thereby ensuring that the converted book has only one cover, the one specified in calibre.

## 4.7 Indice

When the input document has a Table of Contents in its metadata, calibre will just use that. However, a number of older formats either do not support a metadata based Table of Contents, or individual documents do not have one. In these cases, the options in this section can help you automatically generate a Table of Contents in the converted e-book, based on the actual content in the input document.

### Nota

Using these options can be a little challenging to get exactly right. If you prefer creating/editing the Table of Contents by hand, convert to the EPUB or AZW3 formats and select the checkbox at the bottom of the Table of Contents section of the conversion dialog that says *Manually fine-tune the Table of Contents after conversion*. This will launch the ToC Editor tool after the conversion. It allows you to create entries in the Table of Contents by simply clicking the place in the book where you want the entry to point. You can also use the ToC Editor by itself, without doing a conversion. Go to *Preferences → Interface → Toolbars* and add the *ToC Editor* to the main toolbar. Then just select the book you want to edit and click the *ToC Editor* button.

The first option is *Force use of auto-generated Table of Contents*. By checking this option you can have calibre override any Table of Contents found in the metadata of the input document with the auto generated one.

The default way that the creation of the auto generated Table of Contents works is that, calibre will first try to add any detected chapters to the generated table of contents. You can learn how to customize the detection of chapters in the *Rilevazione struttura* (pagina 69) section above. If you do not want to include detected chapters in the generated table of contents, check the *Do not add detected chapters* option.

If less than the *Chapter threshold* number of chapters were detected, calibre will then add any hyperlinks it finds in the input document to the Table of Contents. This often works well: many input documents include a hyperlinked Table of Contents right at the start. The *Number of links* option can be used to control this behavior. If set to zero, no links are added. If set to a number greater than zero, at most that number of links is added.

calibre will automatically filter duplicates from the generated Table of Contents. However, if there are some additional undesirable entries, you can filter them using the *TOC Filter* option. This is a regular expression that will match the title of entries in the generated table of contents. Whenever a match is found, it will be removed. For example, to remove all entries titles «Next» or «Previous» use:

[Next](#) | [Previous](#)

Le opzioni *Level 1,2,3 TOC* consentono di creare un sofisticato indice multilivello. Sono espressioni XPath che corrispondono a tag nell'XHTML intermedio prodotto dalla pipeline di conversione. Si veda [Introduzione](#) (pagina 63) per sapere come accedere a questo XHTML. Leggere anche [Guida di XPath](#) (pagina 156), per imparare a costruire le espressioni XPath. Accanto a ogni opzione c'è un pulsante che lancia una procedura guidata per aiutare a creare le espressioni XPath di base. Il semplice esempio che segue illustra l'uso di queste opzioni.

Supponiamo di avere un documento di input che risulta in XHTML come questo:

```
<html xmlns="http://www.w3.org/1999/xhtml">
  <head>
    <title>Sample document</title>
  </head>
  <body>
    <h1>Chapter 1</h1>
    ...
    <h2>Section 1.1</h2>
    ...
    <h2>Section 1.2</h2>
    ...
    <h1>Chapter 2</h1>
    ...
    <h2>Section 2.1</h2>
    ...
  </body>
</html>
```

Quindi, impostiamo le opzioni come:

```
Level 1 TOC : //h:h1
Level 2 TOC : //h:h2
```

Si otterrà così un indice a due livelli, generato automaticamente, che avrà l'aspetto di:

```
Chapter 1
  Section 1.1
  Section 1.2
Chapter 2
  Section 2.1
```

### ⚠️ Avvertimento

Not all output formats support a multi level Table of Contents. You should first try with EPUB output. If that works, then try your format of choice.

## 4.8 Usare immagini come titolo di capitolo nella conversione di documenti sorgente HTML

Suppose you want to use an image as your chapter title, but still want calibre to be able to automatically generate a Table of Contents for you from the chapter titles. Use the following HTML markup to achieve this:

```
<html>
  <body>
    <h2>Chapter 1</h2>
    <p>chapter 1 text...</p>
    <h2 title="Chapter 2"></h2>
    <p>chapter 2 text...</p>
  </body>
</html>
```

Set the *Level 1 TOC* setting to `//h:h2`. Then, for chapter two, calibre will take the title from the value of the `title` attribute on the `<h2>` tag, since the tag has no text.

## 4.9 Usare gli attributi dei tag per fornire il testo delle voci dell'Indice

If you have particularly long chapter titles and want shortened versions in the Table of Contents, you can use the `title` attribute to achieve this, for example:

```
<html>
  <body>
    <h2 title="Chapter 1">Chapter 1: Some very long title</h2>
    <p>chapter 1 text...</p>
    <h2 title="Chapter 2">Chapter 2: Some other very long title</h2>
    <p>chapter 2 text...</p>
  </body>
</html>
```

Set the *Level 1 TOC* setting to `//h:h2/@title`. Then calibre will take the title from the value of the `title` attribute on the `<h2>` tags, instead of using the text inside the tag. Note the trailing `@title` on the XPath expression, you can use this form to tell calibre to get the text from any attribute you like.

## 4.10 Come vengono impostate e salvate le opzioni di conversione

There are two places where conversion options can be set in calibre. The first is in Preferences->Conversion. These settings are the defaults for the conversion options. Whenever you try to convert a new book, the settings set here will be used by default.

You can also change settings in the conversion dialog for each book conversion. When you convert a book, calibre remembers the settings you used for that book, so that if you convert it again, the saved settings for the individual book will take precedence over the defaults set in *Preferences*. You can restore the individual settings to defaults by using the *Restore defaults* button in the individual book conversion dialog. You can remove the saved settings for a group of books by selecting all the books and then clicking the *Edit metadata* button to bring up the bulk metadata edit dialog, near the bottom of the dialog is an option to remove stored conversion settings.

When you bulk convert a set of books, settings are taken in the following order (last one wins):

- From the defaults set in Preferences->Conversion

- From the saved conversion settings for each book being converted (if any). This can be turned off by the option in the top left corner of the Bulk conversion dialog.
- From the settings set in the Bulk conversion dialog

Note that the final settings for each book in a Bulk conversion will be saved and re-used if the book is converted again. Since the highest priority in Bulk Conversion is given to the settings in the Bulk conversion dialog, these will override any book specific settings. So you should only bulk convert books together that need similar settings. The exceptions are metadata and input format specific settings. Since the Bulk conversion dialog does not have settings for these two categories, they will be taken from book specific settings (if any) or the defaults.

#### Nota

You can see the actual settings used during any conversion by clicking the rotating icon in the lower right corner and then double clicking the individual conversion job. This will bring up a conversion log that will contain the actual settings used, near the top.

## 4.11 Suggerimenti per formati specifici

Here you will find tips specific to the conversion of particular formats. Options specific to particular format, whether input or output are available in the conversion dialog under their own section, for example *TXT input* or *EPUB output*.

### 4.11.1 Conversione di documenti Microsoft Word

calibre can automatically convert .docx files created by Microsoft Word 2007 and newer. Just add the file to calibre and click convert.

#### Nota

There is a [demo .docx file<sup>28</sup>](#) that demonstrates the capabilities of the calibre conversion engine. Just download it and convert it to EPUB or AZW3 to see what calibre can do.

calibre will automatically generate a Table of Contents based on headings if you mark your headings with the Heading 1, Heading 2, etc. styles in Microsoft Word. Open the output e-book in the calibre E-book viewer and click the *Table of Contents* button to view the generated Table of Contents.

#### Vecchi file .doc

For older .doc files, you can save the document as HTML with Microsoft Word and then convert the resulting HTML file with calibre. When saving as HTML, be sure to use the «Save as Web Page, Filtered» option as this will produce clean HTML that will convert well. Note that Word produces really messy HTML, converting it can take a long time, so be patient. If you have a newer version of Word available, you can directly save it as .docx as well.

Un'altra alternativa è quella di usare il programma gratuito LibreOffice. Apri il tuo file .doc in LibreOffice e salvalo come .docx, che può essere convertito direttamente in calibre.

### 4.11.2 Conversione di documenti TXT

TXT documents have no well defined way to specify formatting like bold, italics, etc, or document structure like paragraphs, headings, sections and so on, but there are a variety of conventions commonly used. By default calibre attempts automatic detection of the correct formatting and markup based on those conventions.

<sup>28</sup> <https://calibre-ebook.com/downloads/demos/demo.docx>

TXT input supports a number of options to differentiate how paragraphs are detected.

### **Paragraph style: Auto**

Analyzes the text file and attempts to automatically determine how paragraphs are defined. This option will generally work fine, if you achieve undesirable results try one of the manual options.

### **Paragraph style: Block**

Assumes one or more blank lines are a paragraph boundary:

```
This is the first.
```

```
This is the  
second paragraph.
```

### **Paragraph style: Single**

Assume che ogni riga sia un paragrafo:

```
This is the first.
```

```
This is the second.
```

```
This is the third.
```

### **Paragraph style: Print**

Assumes that every paragraph starts with an indent (either a tab or 2+ spaces). Paragraphs end when the next line that starts with an indent is reached:

```
This is the  
first.
```

```
    This is the second.
```

```
        This is the  
third.
```

### **Paragraph style: Unformatted**

Assumes that the document has no formatting, but does use hard line breaks. Punctuation and median line length are used to attempt to re-create paragraphs.

### **Formatting style: Auto**

Attempts to detect the type of formatting markup being used. If no markup is used then heuristic formatting will be applied.

### **Formatting style: Heuristic**

Analyzes the document for common chapter headings, scene breaks, and italicized words and applies the appropriate HTML markup during conversion.

### **Formatting style: Markdown**

calibre also supports running TXT input through a transformation preprocessor known as Markdown. Markdown allows for basic formatting to be added to TXT documents, such as bold, italics, section headings, tables, lists, a Table of Contents, etc. Marking chapter headings with a leading # and setting the chapter XPath detection expression to «/h:h1» is the easiest way to have a proper table of contents generated from a TXT document. You can learn more about the Markdown syntax at [daringfireball<sup>29</sup>](https://daringfireball.net/projects/markdown/syntax).

### **Formatting style: None**

Applies no special formatting to the text, the document is converted to HTML with no other changes.

---

<sup>29</sup> <https://daringfireball.net/projects/markdown/syntax>

### 4.11.3 Conversione di documenti PDF

PDF documents are one of the worst formats to convert from. They are a fixed page size and text placement format. Meaning, it is very difficult to determine where one paragraph ends and another begins. calibre will try to unwrap paragraphs using a configurable, *Line un-wrapping factor*. This is a scale used to determine the length at which a line should be unwrapped. Valid values are a decimal between 0 and 1. The default is 0.45, just under the median line length. Lower this value to include more text in the unwrapping. Increase to include less. You can adjust this value in the conversion settings under *PDF Input*.

Also, they often have headers and footers as part of the document that will become included with the text. Use the *Search and replace* panel to remove headers and footers to mitigate this issue. If the headers and footers are not removed from the text it can throw off the paragraph unwrapping. To learn how to use the header and footer removal options, read [Tutto sull'utilizzo delle espressioni regolari in calibre](#) (pagina 212).

Some limitations of PDF input are:

- Complex, multi-column, and image based documents are not supported.
- Neanche l'estrazione di immagini vettoriali e tavole da dentro il documento è supportata.
- Some PDFs use special glyphs to represent ll or ff or fi, etc. Conversion of these may or may not work depending on just how they are represented internally in the PDF.
- Links and Tables of Contents are not supported
- PDFs that use embedded non-Unicode fonts to represent non-English characters will result in garbled output for those characters
- Some PDFs are made up of photographs of the page with OCRed text behind them. In such cases calibre uses the OCRed text, which can be very different from what you see when you view the PDF file
- PDFs that are used to display complex text, like right to left languages and math typesetting will not convert correctly

To re-iterate **PDF is a really, really bad** format to use as input. If you absolutely must use PDF, then be prepared for an output ranging anywhere from decent to unusable, depending on the input PDF.

### 4.11.4 Collezioni di fumetti

A comic book collection is a .cbc file. A .cbc file is a ZIP file that contains other CBZ/CBR files. In addition the .cbc file must contain a simple text file called comics.txt, encoded in UTF-8. The comics.txt file must contain a list of the comics files inside the .cbc file, in the form filename:title, as shown below:

```
one.cbz:Chapter One
two.cbz:Chapter Two
three.cbz:Chapter Three
```

Il file .cbc conterrà:

```
comics.txt
one.cbz
two.cbz
three.cbz
```

calibre will automatically convert this .cbc file into a e-book with a Table of Contents pointing to each entry in comics.txt.

#### **4.11.5 Esempio di formattazione avanzata EPUB**

Various advanced formatting for EPUB files is demonstrated in this [demo file<sup>30</sup>](#). The file was created from hand coded HTML using calibre and is meant to be used as a template for your own EPUB creation efforts.

The source HTML it was created from is available [demo.zip<sup>31</sup>](#). The settings used to create the EPUB from the ZIP file are:

```
ebook-convert demo.zip .epub -vv --authors "Kovid Goyal" --language en --level1-toc '/  
→/*[@class="title"]' --disable-font-rescaling --page-breaks-before / --no-default-  
→epub-cover
```

Note that because this file explores the potential of EPUB, most of the advanced formatting is not going to work on readers less capable than calibre's built-in EPUB viewer.

#### **4.11.6 Conversione di documenti ODT**

calibre can directly convert ODT (OpenDocument Text) files. You should use styles to format your document and minimize the use of direct formatting. When inserting images into your document you need to anchor them to the paragraph, images anchored to a page will all end up in the front of the conversion.

To enable automatic detection of chapters, you need to mark them with the built-in styles called *Heading 1*, *Heading 2*, ..., *Heading 6* (*Heading 1* equates to the HTML tag `<h1>`, *Heading 2* to `<h2>`, etc). When you convert in calibre you can enter which style you used into the *Detect chapters at* box. Example:

- If you mark Chapters with style *Heading 2*, you have to set the “Detect chapters at” box to `//h:h2`
- For a nested TOC with Sections marked with *Heading 2* and the Chapters marked with *Heading 3* you need to enter `//h:h2|//h:h3`. On the Convert - TOC page set the *Level 1 TOC* box to `//h:h2` and the *Level 2 TOC* box to `//h:h3`.

Well-known document properties (Title, Keywords, Description, Creator) are recognized and calibre will use the first image (not too small, and with good aspect-ratio) as the cover image.

There is also an advanced property conversion mode, which is activated by setting the custom property `opf.metadata` (“Yes or No” type) to Yes in your ODT document (File->Properties->Custom Properties). If this property is detected by calibre, the following custom properties are recognized (`opf.authors` overrides document creator):

```
opf.title sort  
opf.authors  
opf.authors sort  
opf.publisher  
opf.pubdate  
opf.isbn  
opf.language  
opf.series  
opf.series index
```

In addition to this, you can specify the picture to use as the cover by naming it `opf.cover` (right click, Picture->Options->Name) in the ODT. If no picture with this name is found, the “smart” method is used. As the cover detection might result in double covers in certain output formats, the process will remove the paragraph (only if the only content is the cover!) from the document. But this works only with the named picture!

To disable cover detection you can set the custom property `opf.nocover` (“Yes or No” type) to Yes in advanced mode.

<sup>30</sup> <https://calibre-ebook.com/downloads/demos/demo.epub>

<sup>31</sup> <https://calibre-ebook.com/downloads/demos/demo.zip>

## 4.11.7 Conversione in PDF

The first, most important, setting to decide on when converting to PDF is the page size. By default, calibre uses a page size of «U.S. Letter». You can change this to another standard page size or a completely custom size in the *PDF Output* section of the conversion dialog. If you are generating a PDF to be used on a specific device, you can turn on the option to use the page size from the *output profile* instead. So if your output profile is set to Kindle, calibre will create a PDF with page size suitable for viewing on the small Kindle screen.

### Intestazioni e piè di pagina

You can insert arbitrary headers and footers on each page of the PDF by specifying header and footer templates. Templates are just snippets of HTML code that get rendered in the header and footer locations. For example, to display page numbers centered at the bottom of every page, in green, use the following footer template:

```
<footer><div style="margin: auto; color: green">_PAGENUM_</div></footer>
```

calibre will automatically replace `_PAGENUM_` with the current page number. You can even put different content on even and odd pages, for example the following header template will show the title on odd pages and the author on even pages:

```
<header style="justify-content: flex-end">
    <div class="even-page">_AUTHOR_</div>
    <div class="odd-page"><i>_TITLE_</i></div>
</header>
```

calibre will automatically replace `_TITLE_` and `_AUTHOR_` with the title and author of the document being converted. Setting `justify-content` to `flex-end` will cause the text to be right aligned.

You can also display text at the left and right edges and change the font size, as demonstrated with this header template:

```
<header style="justify-content: space-between; font-size: smaller">
    <div>_TITLE_</div>
    <div>_AUTHOR_</div>
</header>
```

This will display the title at the left and the author at the right, in a font size smaller than the main text.

You can also use the current section in templates, as shown below:

```
<header><div>_SECTION_</div></header>
```

`_SECTION_` is replaced by whatever the name of the current section is. These names are taken from the metadata Table of Contents in the document (the PDF Outline). If the document has no table of contents then it will be replaced by empty text. If a single PDF page has multiple sections, the first section on the page will be used. Similarly, there is a variable named `_TOP_LEVEL_SECTION_` that can be used to get the name of the current top-level section.

You can even use JavaScript inside the header and footer templates, for example, the following template will cause page numbers to start at 4 instead of 1:

```
<footer>
    <div></div>
    <script>document.currentScript.parentNode.querySelector("div").innerHTML = " " + (_
    ↵PAGENUM_ + 3)</script>
</footer>
```

In addition there are some more variables you can use in the headers and footers, documented below:

- `_TOTAL_PAGES_` - total number of pages in the PDF file, useful for implementing a progress counter, for example.

- `_TOP_LEVEL_SECTION_PAGES_` - total number of pages in the current top level section
- `_TOP_LEVEL_SECTION_PAGENUM_` - the page number of the current page within the current top level section
- `_WIDTH_PIXELS_` - the width of the header/footer area in pixels
- `_HEIGHT_PIXELS_` - the height of the header/footer area in pixels

### Nota

When adding headers and footers make sure you set the page top and bottom margins to large enough values, under the *PDF Output* section of the conversion dialog.

## Printable Table of Contents

You can also insert a printable Table of Contents at the end of the PDF that lists the page numbers for every section. This is very useful if you intend to print out the PDF to paper. If you wish to use the PDF on an electronic device, then the PDF Outline provides this functionality and is generated by default.

You can customize the look of the generated Table of contents by using the Extra CSS conversion setting under the Look & feel part of the conversion dialog. The default CSS used is listed below, simply copy it and make whatever changes you like.

```
.calibre-pdf-toc table { width: 100%% }

.calibre-pdf-toc table tr td:last-of-type { text-align: right }

.calibre-pdf-toc .level-0 {
    font-size: larger;
}

.calibre-pdf-toc .level-1 td:first-of-type { padding-left: 1.4em }
.calibre-pdf-toc .level-2 td:first-of-type { padding-left: 2.8em }
```

## Custom page margins for individual HTML files

If you are converting an EPUB or AZW3 file with multiple individual HTML files inside it and you want to change the page margins for a particular HTML file you can add the following style block to the HTML file using the calibre E-book editor:

```
<style>
@page {
    margin-left: 10pt;
    margin-right: 10pt;
    margin-top: 10pt;
    margin-bottom: 10pt;
}
</style>
```

Then, in the PDF output section of the conversion dialog, turn on the option to *Use page margins from the document being converted*. Now all pages generated from this HTML file will have 10pt margins.

# CAPITOLO 5

## Modifica degli e-book

calibre has an integrated e-book editor that can be used to edit books in the EPUB, KEPUB (Kobo) and AZW3 (Kindle) formats. The editor shows you the HTML and CSS that is used internally inside the book files, with a live preview that updates as you make changes. It also contains various automated tools to perform common cleanup and fixing tasks.

Puoi utilizzare questo editor facendo click con il tasto destro su ogni libro contenuto in calibre e selezionando *Modifica libro*.

The screenshot shows the Calibre e-book editor interface. On the left is the 'Files Browser' pane, which lists files and folders for the selected book. The main area is the 'File Preview' pane, which displays the HTML code of the book's files. A specific section of the code is highlighted, showing structural elements like `<h2>Footnotes</h2>` and `<h2>Dropcaps</h2>`. To the right of the preview pane is a 'Structural Elements' panel containing information about footnotes, endnotes, and drop caps. Below the preview pane are various toolbar icons and status bars indicating the current line number (Line: 12 / 54).

calibre 1.14 created by Kovid Goyal

File Edit Tools View Search

File Preview

**Structural Elements**

Miscellaneous structural elements you can add to your document, like footnotes, endnotes, dropcaps and the like.

**Footnotes & Endnotes**

Footnotes<sup>1</sup> and endnotes<sup>2</sup> are automatically recognized and both are converted to endnotes, with backlinks for maximum ease of use in ebook devices.

**Dropcaps**

Drop caps are used to emphasize the leading paragraph at the start of a section. In Word it is possible to specify how many lines of text a drop-cap should use. Because of limitations in ebook technology, this is not possible when converting. Instead, the converted drop cap will use font size and line height to simulate the effect as well as possible. While not as good as the original, the result is usually tolerable. This paragraph has a "D" dropcap set to occupy three lines of text with a font size of 58.5 pts. Depending on the screen width and capabilities of the device you view the book on, this dropcap can look anything from perfect to ugly.

**Links**

Two kinds of links are possible, those that refer to an external website and those that refer to locations inside the document itself. Both are supported by calibre. For example, here is a link pointing to the [calibre download](#)

### Contenuti

- *Flusso di lavoro di base* (pagina 81)
- *Il navigatore dei file* (pagina 83)
  - *La rinomina dei file* (pagina 84)
  - *L'unione dei file* (pagina 84)
  - *Cambio dell'ordine dei file di testo* (pagina 84)
  - *Marcare la copertina* (pagina 85)
  - *Eliminare i file* (pagina 85)
  - *Esportare i file* (pagina 85)
  - *Aggiunta di nuove immagini/caratteri/ecc. o creazione di nuovi file vuoti* (pagina 85)
  - *Sostituire i file* (pagina 85)
  - *Collegamento efficiente dei fogli di stile ai file HTML* (pagina 85)
- *Cerca e sostituisci* (pagina 85)
  - *Ricerche salvate* (pagina 86)
  - *Modalità funzione* (pagina 86)
  - *Ricerca senza considerare i tag HTML* (pagina 86)
- *Strumenti automatizzati* (pagina 86)
  - *Modifica dell'Indice* (pagina 86)
  - *Controllare il libro* (pagina 88)
  - *L'aggiunta di una copertina* (pagina 89)
  - *Integrazione dei caratteri referenziati* (pagina 89)
  - *Riduzione dei caratteri integrati* (pagina 89)
  - *Miglioramento della punteggiatura* (pagina 89)
  - *Transforming CSS properties* (pagina 89)
  - *Rimozione delle regole CSS non utilizzate* (pagina 89)
  - *Correzione del codice HTML* (pagina 90)
  - *Migliorare l'aspetto dei file* (pagina 90)
  - *Inserimento di un indice nel testo* (pagina 90)
  - *Impostare le semantiche* (pagina 90)
  - *Filtrare le informazioni di stile* (pagina 90)
  - *Aggiornamento dei contenuti interni del libro* (pagina 91)
- *Punti di controllo* (pagina 91)
- *Il pannello di anteprima in tempo reale* (pagina 93)
  - *Dividere i file HTML* (pagina 94)
- *Il pannello CSS Live* (pagina 95)

- *Strumenti vari* (pagina 96)
  - *La vista dell'Indice* (pagina 96)
  - *Controllo ortografico delle parole nel libro* (pagina 96)
  - *Inserimento di caratteri speciali* (pagina 97)
  - *La vista dell'ispettore del codice* (pagina 98)
  - *Controllo dei collegamenti esterni* (pagina 98)
  - *Scaricamento delle risorse esterne* (pagina 98)
  - *Organizzare i file in cartelle per tipo* (pagina 98)
  - *Importazione di file in altri formati e-book come EPUB* (pagina 98)
  - *Lo strumento Rapporti* (pagina 108)
- *Funzionalità speciali dell'editor del codice* (pagina 109)
  - *Evidenziazione della sintassi* (pagina 109)
  - *Aiuto legato al contesto* (pagina 109)
  - *Autocompletamento* (pagina 110)
  - *Frammenti* (pagina 110)

## 5.1 Flusso di lavoro di base

### Nota

Un tour video dell'Editor di e-book di calibre è disponibile [qui<sup>32</sup>](#).

When you first open a book with the Edit book tool, you will be presented with a list of files on the left. These are the individual HTML files, stylesheets, images, etc. that make up the content of the book. Simply double click on a file to start editing it. Note that if you want to do anything more sophisticated than making a few small tweaks, you will need to know [HTML Tutorial<sup>33</sup>](#) and [CSS Tutorial<sup>34</sup>](#).

As you make changes to the HTML or CSS in the editor, the changes will be previewed, live, in the preview panel to the right. When you are happy with how the changes you have made look, click the *Save* button or use *File → Save* to save your changes into the e-book.

One useful feature is *Checkpoints*. Before you embark on some ambitious set of edits, you can create a checkpoint. The checkpoint will preserve the current state of your book, then if in the future you decide you don't like the changes you have made to you can go back to the state when you created the checkpoint. To create a checkpoint, use *Edit → Create checkpoint*. Checkpoints will also be automatically created for you whenever you run any automated tool like global search and replace. The checkpointing functionality is in addition to the normal undo/redo mechanism when editing individual files. Checkpoints are needed for when changes are spread over multiple files in the book.

Questo è il flusso di lavoro di base per modificare libri – Apri un file, effettua le modifiche, visualizza l'anteprima e salva. Il resto di questo manuale illustrerà i vari strumenti e caratteristiche presenti per consentirti di effettuare operazioni specifiche in modo efficiente.


<sup>32</sup> <https://calibre-ebook.com/it/demo#tutorials>

<sup>33</sup> <https://www.w3schools.com/Html/default.asp>

<sup>34</sup> <https://www.w3schools.com/css/default.asp>



## 5.2 Il navigatore dei file



The *File browser* gives you an overview of the various files inside the book you are editing. The files are arranged by category, with text (HTML) files at the top, followed by stylesheet (CSS) files, images and so on. Simply double click on a file to start editing it. Editing is supported for HTML, CSS and image files. The order of text files is the same order that they would be displayed in, if you were reading the book. All other files are arranged alphabetically.

By hovering your mouse over an entry, you can see its size, and also, at the bottom of the screen, the full path to the file inside the book. Note that files inside e-books are compressed, so the size of the final book is not the sum of the individual file sizes.

Many files have special meaning, in the book. These will typically have an icon next to their names, indicating the special meaning. For example, in the picture to the left, you can see that the files *cover\_image.jpg* and *titlepage.xhtml* have the icon of a cover next to them, this indicates they are the book cover image and titlepage. Similarly, the *content.opf* file has a metadata icon next to it, indicating the book metadata is present in it and the *toc.ncx* file has a T icon next to it, indicating it is the Table of Contents.

È possibile svolgere diverse azioni sui singoli file, premendo con il tasto destro su di essi.

### 5.2.1 La rinomina dei file

You can rename an individual file by right clicking it and selecting *Rename*. Renaming a file automatically updates all links and references to it throughout the book. So all you have to do is provide the new name, calibre will take care of the rest.

You can also bulk rename many files at once. This is useful if you want the files to have some simple name pattern. For example you might want to rename all the HTML files to have names Chapter-1.html, Chapter-2.html and so on. Select the files you want bulk renamed by holding down the `Shift` or `Ctrl` key and clicking the files. Then right click and select *Bulk rename*. Enter a prefix and what number you would like the automatic numbering to start at, click *OK* and you are done. The bulk rename dialog also lets you rename files by the order they appear in the book instead of the order you selected them in, useful, for instance to rename all images by the order they appear.

Finally, you can bulk change the file extension for all selected files. Select multiple files, as above, and right click and choose *Change the file extension for the selected files*.

### 5.2.2 L'unione dei file

Sometimes, you may want to merge two HTML files or two CSS files together. It can sometimes be useful to have everything in a single file. Be wary, though, putting a lot of content into a single file will cause performance problems when viewing the book in a typical e-book reader.

To merge multiple files together, select them by holding the `Ctrl` key and clicking on them (make sure you only select files of one type, either all HTML files or all CSS files and so on). Then right click and select *merge*. That's all, calibre will merge the files, automatically taking care of migrating all links and references to the merged files. Note that merging files can sometimes cause text styling to change, since the individual files could have used different stylesheets.

You can also select text files and then drag and drop the text files onto another text file to merge the dropped text files into the target text file.

### 5.2.3 Cambio dell'ordine dei file di testo

You can re-arrange the order in which text (HTML) files are opened when reading the book by simply dragging and dropping them in the *File browser* or clicking on the file to move and then pressing the `Ctrl+Shift` modifiers with the `Up`, `Down`, `Home` or `End` keys. For the technically inclined, this is called re-ordering the book spine.

Note that you have to drop the items *between* other items, not on top of them, this can be a little fiddly until you get used to it. Dropping on top of another file will cause the files to be merged.

## 5.2.4 Marcare la copertina

E-books typically have a cover image. This image is indicated in the *File browser* by the icon of a brown book next to the image name. If you want to designate some other image as the cover, you can do so by right clicking on the file and choosing *Mark as cover*.

In addition, EPUB files has the concept of a *titlepage*. A title page is a HTML file that acts as the title page/cover for the book. You can mark an HTML file as the titlepage when editing EPUBs by right-clicking. Be careful that the file you mark contains only the cover information. If it contains other content, such as the first chapter, then that content will be lost if the user ever converts the EPUB file in calibre to another format. This is because when converting, calibre assumes that the marked title page contains only the cover and no other content.

## 5.2.5 Eliminare i file

You can delete files by either right clicking on them or by selecting them and pressing the Delete key. Deleting a file removes all references to the file from the OPF file, saving you that chore. However, references in other places are not removed, you can use the Check Book tool to easily find and remove/replace them.

## 5.2.6 Esportare i file

You can export a file from inside the book to somewhere else on your computer. This is useful if you want to work on the file in isolation, with specialised tools. To do this, simply right click on the file and choose *Export*.

Once you are done working on the exported file, you can re-import it into the book, by right clicking on the file again and choosing *Replace with file...* which will allow you to replace the file in the book with the previously exported file.

You can also copy files between multiple editor instances. Select the files you want to copy in the *File browser*, then right click and choose, *Copy selected files to another editor instance*. Then, in the other editor instance, right click in the *File browser* and choose *Paste file from other editor instance*.

## 5.2.7 Aggiunta di nuove immagini/caratteri/ecc. o creazione di nuovi file vuoti

You can add a new image, font, stylesheet, etc. from your computer into the book by clicking *File* → *New file*. This lets you either import a file by clicking the *Import resource file* button or create a new blank HTML file or stylesheet by simply entering the file name into the box for the new file.

You can also import multiple files into the book at once using File->Import files into book.

## 5.2.8 Sostituire i file


You can easily replace existing files in the book, by right clicking on the file and choosing replace. This will automatically update all links and references, in case the replacement file has a different name than the file being replaced.

## 5.2.9 Collegamento efficiente dei fogli di stile ai file HTML

As a convenience, you can select multiple HTML files in the File browser, right click and choose *Link stylesheets* to have calibre automatically insert the <link> tags for those stylesheets into all the selected HTML files.

## 5.3 Cerca e sostitisci

Edit book has a very powerful search and replace interface that allows you to search and replace text in the current file, across all files and even in a marked region of the current file. You can search using a normal search or using regular expressions. To learn how to use regular expressions for advanced searching, see *Tutto sull'utilizzo delle espressioni regolari in calibre* (pagina 212).



Start the search and replace via the *Search → Find/replace* menu entry (you must be editing an HTML or CSS file).

Type the text you want to find into the Find box and its replacement into the Replace box. You can click the appropriate buttons to Find the next match, replace the current match and replace all matches.

Using the drop downs at the bottom of the box, you can have the search operate over the current file, all text files, all style files or all files. You can also choose the search mode to be a normal (string) search or a regular expression search.

You can count all the matches for a search expression via *Search → Count all*. The count will run over whatever files/regions you have selected in the dropdown box.

You can also go to a specific line in the currently open editor via *Search → Go to line*.

### Nota

Remember, to harness the full power of search and replace, you will need to use regular expressions. See [Tutto sull'utilizzo delle espressioni regolari in calibre](#) (pagina 212).

### 5.3.1 Ricerche salvate

You can save frequently used search/replace expressions (including function mode expressions) and reuse them multiple times. To save a search simply right click in the Find box and select *Save current search*.

You can bring up the saved searches via *Search → Saved searches*. This will present you with a list of search and replace expressions that you can apply. You can even select multiple entries in the list by holding down the `Ctrl` key while clicking so as to run multiple search and replace expressions in a single operation.

### 5.3.2 Modalità funzione

Function mode allows you to write arbitrarily powerful Python functions that are run on every Find/replace. You can do pretty much any text manipulation you like in function mode. For more information, see [Modalità Funzione per Cerca & sostituisci nell'Editor](#) (pagina 98).

### 5.3.3 Ricerca senza considerare i tag HTML


There is also a dedicated tool for searching for text, ignoring any HTML tags in between. For example, if the book has the HTML `Empahisis` on a `<i>word</i>`, you can search for `on a word` and it will be found even though there is an `<i>` tag in the middle. Use this tool via the *Search → Search ignoring HTML markup* menu item.

## 5.4 Strumenti automatizzati

Edit book has various tools to help with common tasks. These are accessed via the *Tools* menu.

### 5.4.1 Modifica dell'Indice


There is a dedicated tool to ease editing of the Table of Contents. Launch it with *Tools → Table of Contents → Edit Table of Contents*.



The Edit Table of Contents tool shows you the current Table of Contents (if any) on the left. Simply double click on any entry to change its text. You can also re-arrange entries by drag and drop or by using the buttons to the right.


For books that do not have a pre-existing Table of Contents, the tool gives you various options to auto-generate a Table of Contents from the text. You can generate from the headings in the document, from links, from individual files and so on.

You can edit individual entries by clicking on them and then clicking the *Change the location this entry points to* button. This will open up a mini-preview of the book, simply move the mouse cursor over the book view panel, and click where you want the entry to point to. A thick green line will show you the location. Click OK once you are happy with the location.



## 5.4.2 Controllare il libro

The *Check book* tool searches your book for problems that could prevent it working as intended on actual reader devices. Activate it via *Tools* → *Check book*.



Any problems found are reported in a nice, easy to use list. Clicking any entry in the list shows you some help about that error as well as giving you the option to auto-fix that error, if the error can be fixed automatically. You can also double click the error to open the location of the error in an editor, so you can fix it yourself.

Some of the checks performed are:

- Malformed HTML markup. Any HTML markup that does not parse as well-formed XML is reported. Correcting it will ensure that your markup works as intended in all contexts. calibre can also auto-fix these errors, but auto-fixing can sometimes have unexpected effects, so use with care. As always, a checkpoint is created before auto-fixing so you can easily revert all changes. Auto-fixing works by parsing the markup using the HTML5 algorithm, which is highly fault tolerant and then converting to well formed XML.

- Malformed or unknown CSS styles. Any CSS that is not valid or that has properties not defined in the CSS 2.1 standard (plus a few from CSS 3) are reported. CSS is checked in all stylesheets, inline style attributes and `<style>` tags in HTML files.
- Broken links. Links that point to files inside the book that are missing are reported.
- Unreferenced files. Files in the book that are not referenced by any other file or are not in the spine are reported.
- Various common problems in OPF files such as duplicate spine or manifest items, broken idrefs or meta cover tags, missing required sections and so on.
- Various compatibility checks for known problems that can cause the book to malfunction on reader devices.

### 5.4.3 L'aggiunta di una copertina

You can easily add a cover to the book via *Tools → Add cover*. This allows you to either choose an existing image in the book as the cover or import a new image into the book and make it the cover. When editing EPUB files, the HTML wrapper for the cover is automatically generated. If an existing cover in the book is found, it is replaced. The tool also automatically takes care of correctly marking the cover files as covers in the OPF.

### 5.4.4 Integrazione dei caratteri referenziati

Accessed via *Tools → Embed reference fonts*, this tool finds all fonts referenced in the book and if they are not already embedded, searches your computer for them and embeds them into the book, if found. Please make sure that you have the necessary copyrights for embedding commercially licensed fonts, before doing this.

### 5.4.5 Riduzione dei caratteri integrati

Accessed via *Tools → Subset embedded fonts*, this tool reduces all the fonts in the book to only contain glyphs for the text actually present in the book. This commonly reduces the size of the font files by ~ 50%. However, be aware that once the fonts are subset, if you add new text whose characters are not previously present in the subset font, the font will not work for the new text. So do this only as the last step in your workflow.

### 5.4.6 Miglioramento della punteggiatura

Convert plain text dashes, ellipsis, quotes, multiple hyphens, etc. into their typographically correct equivalents. Note that the algorithm can sometimes generate incorrect results, especially when single quotes at the start of contractions are involved. Accessed via *Tools → Smarten punctuation*.

### 5.4.7 Transforming CSS properties

Create rules to transform the styling of the book. For example, create a rule to convert all red text to green or to double the font size of all text in the book or make text of a certain font family italic, etc.

Creating the rules is simple, the rules follow a natural language format, that looks like:

- If the property *color* is *red* change it to *green*
- If the property *font-size* is *any value* multiply the value by 2

Accessed via *Tools → Transform styles*.

### 5.4.8 Rimozione delle regole CSS non utilizzate

Remove all unused CSS rules from stylesheets and `<style>` tags. Some books created from production templates can have a large number of extra CSS rules that don't match any actual content. These extra rules can slow down readers that need to process them all. Accessed via *Tools → Remove unused CSS*.

## **5.4.9 Correzione del codice HTML**

This tool simply converts HTML that cannot be parsed as XML into well-formed XML. It is very common in e-books to have non-well-formed XML, so this tool simply automates the process of fixing such HTML. The tool works by parsing the HTML using the HTML5 algorithm (the algorithm used in all modern browsers) and then converting the result into XML. Be aware that auto-fixing can sometimes have counter-intuitive results. If you prefer, you can use the Check Book tool discussed above to find and manually correct problems in the HTML. Accessed via *Tools → Fix HTML*.

## **5.4.10 Migliorare l'aspetto dei file**

This tool is used to auto-format all HTML and CSS files so that they «look pretty». The code is auto-indented so that it lines up nicely, blank lines are inserted where appropriate and so on. Note that beautifying also auto-fixes broken HTML/CSS. Therefore, if you don't want any auto-fixing to be performed, first use the Check Book tool to correct all problems and only then run beautify. Accessed via *Tools → Beautify all files*.

### **Nota**

In HTML any text can have significant whitespace, via the CSS white-space directive. Therefore, beautification could potentially change the rendering of the HTML. To avoid this as far as possible, the beautify algorithm only beautifies block level tags that contain other block level tags. So, for example, text inside a `<p>` tag will not have its whitespace changed. But a `<body>` tag that contains only other `<p>` and `<div>` tags will be beautified. This can sometimes mean that a particular file will not be affected by beautify as it has no suitable block level tags. In such cases you can try different beautification tools, that are less careful, for example: [HTML Tidy<sup>35</sup>](#).

## **5.4.11 Inserimento di un indice nel testo**

Normally in e-books, the Table of Contents is separate from the main text and is typically accessed via a special Table of Contents button/menu in the e-book reading device. You can also have calibre automatically generate an *inline* Table of Contents that becomes part of the text of the book. It is generated based on the currently defined Table of Contents.

If you use this tool multiple times, each invocation will cause the previously created inline Table of Contents to be replaced. The tool can be accessed via *Tools → Table of Contents → Insert inline Table of Contents*.

## **5.4.12 Impostare le semantiche**

This tool is used to set *semantics* in EPUB files. Semantics are simply, links in the OPF file that identify certain locations in the book as having special meaning. You can use them to identify the foreword, dedication, cover, table of contents, etc. Simply choose the type of semantic information you want to specify and then select the location in the book the link should point to. This tool can be accessed via *Tools → Set semantics*.

## **5.4.13 Filtrare le informazioni di stile**

This tool can be used to easily remove specified CSS style properties from the entire book. You can tell it what properties you want removed, for example, `color`, `background-color`, `line-height` and it will remove them from everywhere they occur — stylesheets, `<style>` tags and inline style attributes. After removing the style information, a summary of all the changes made is displayed so you can see exactly what was changed. The tool can be accessed via *Tools → Filter style information*.

---

<sup>35</sup> <https://infohound.net/tidy/>

#### 5.4.14 Aggiornamento dei contenuti interni del libro

This tool can be used to upgrade the book's internals, if possible. For instance it will upgrade EPUB 2 books to EPUB 3 books. The tool can be accessed via *Upgrade book internals*.

### 5.5 Punti di controllo

*Checkpoints* are a way to mark the current state of the book as «special». You can then go on to do whatever changes you want to the book and if you don't like the results, return to the checkpointed state. Checkpoints are automatically created every time you run any of the automated tools described in the previous section.

You can create a checkpoint via *Edit → Create checkpoint*. And go back to a previous checkpoint with *Edit → Revert to ...*

The check pointing functionality is in addition to the normal Undo/redo mechanism when editing individual files. Checkpoints are needed for when changes are spread over multiple files in the book or when you wish to be able to revert a large group of related changes as a whole.

You can see a list of available checkpoints via *View → Checkpoints*. You can compare the current state of the book to a specified checkpoint using the *Comparazione degli e-book* (pagina 119) tool – by selecting the checkpoint of interest and clicking the *Compare* button. The *Revert to* button restores the book to the selected checkpoint, undoing all changes since that checkpoint was created.



## 5.6 Il pannello di anteprima in tempo reale

The screenshot shows the Calibre real-time preview panel. At the top, it says "File Preview". The main content area displays a document with the following text:

**Inline formatting**  
Here, we demonstrate various types of inline text formatting and the use of embedded fonts.  
Here is some **bold**, *italic*, ***bold-italic***, underlined and ~~struck out~~ text. Then, we have a super<sup>script</sup> and a sub<sub>script</sub>. Now we see some red, green and blue text. Some text with a yellow highlight. Some text in a box. Some text in inverse video.

A paragraph with styled text: *subtle emphasis* followed by **strong text** and ***intense emphasis***. This paragraph uses document wide styles for styling rather than inline text properties as demonstrated in the previous paragraph — calibre can handle both with equal ease.

**Fun with fonts**  
This document has embedded the Ubuntu font family. The body text is in the Ubuntu typeface, here is some text in the Ubuntu Mono typeface, notice how every letter has the same width, even i and m. Every embedded font will automatically be embedded in the output ebook during conversion.

At the bottom of the preview panel, there is a toolbar with icons for file operations (New, Open, Save, etc.) and a search bar labeled "Search in preview".

The *File preview* gives you an overview of the various files inside. The live preview panel shows you the changes you are making live (with a second or two of delay). As you edit HTML or CSS files, the preview panel is updated automatically to reflect your changes. As you move the cursor around in the editor, the preview panel will track its location, showing you the corresponding location in the book. Clicking in the preview panel, will cause the cursor in the editor to be positioned over the element you clicked. If you click a link pointing to another file in the book, that file will be opened in the edit and the preview panel, automatically.

You can turn off the automatic syncing of position and live preview of changes – by buttons under the preview panel. The live update of the preview panel only happens when you are not actively typing in the editor, so as not to be distracting or slow you down, waiting for the preview to render.

The preview panel shows you how the text will look when viewed. However, the preview panel is not a substitute for actually testing your book on an actual reader device. It is both more, and less capable than an actual reader. It will tolerate errors and sloppy markup much better than most reader devices. It will also not show you page margins, page breaks and embedded fonts that use font name aliasing. Use the preview panel while you are working on the book, but once you are done, review it in an actual reader device or software emulator.

### Nota

The preview panel does not support embedded fonts if the name of the font inside the font file does not match the name in the CSS @font-face rule. You can use the Check Book tool to quickly find and fix any such problem fonts.

### 5.6.1 Dividere i file HTML

One, perhaps non-obvious, use of the preview panel is to split long HTML files. While viewing the file you want to split,




click the *Split mode* button under the preview panel . Then simply move your mouse to the place where you want to split the file and click. A thick green line will show you exactly where the split will happen as you move your mouse. Once you have found the location you want, simply click and the split will be performed.

Splitting the file will automatically update all links and references that pointed into the bottom half of the file and will open the newly split file in an editor.

You can also split a single HTML file at multiple locations automatically, by right clicking inside the file in the editor and choosing *Split at multiple locations*. This will allow you to easily split a large file at all heading tags or all tags having a certain class and so on.

## 5.7 Il pannello CSS Live



The *Live CSS* panel shows you all the style rules that apply to the tag you are currently editing. The name of tag, along with its line number in the editor are displayed, followed by a list of matching style rules.

It is a great way to quickly see which style rules apply to any tag. The view also has clickable links (in blue), which take you directly to the location where the style was defined, in case you wish to make any changes to the style rules. Style rules that apply directly to the tag, as well as rules that are inherited from parent tags are shown.

The panel also shows you what the finally calculated styles for the tag are. Properties in the list that are superseded by higher priority rules are shown with a line through them.

You can enable the *Live CSS* panel via *View → Live CSS*.

## 5.8 Strumenti vari


There are a few more tools that can be useful while you edit the book.

### 5.8.1 La vista dell'Indice

The Table of Contents view shows you the current table of contents in the book. Double clicking on any entry opens the place that entry points to in an editor. You can right click to edit the Table of Contents, refresh the view or expand/collapse all items. Access this view via *View → Table of Contents*.

### 5.8.2 Controllo ortografico delle parole nel libro

You can run a spelling checker via *Tools → Check spelling*.



Words are shown with the number of times they occur in the book and the language the word belongs to. Language information is taken from the books metadata and from `lang` attributes in the HTML files. This allows the spell checker to work well even with books that contain text in multiple languages. For example, in the following HTML extract, the word color will be checked using American English and the word colour using British English:

```
<div lang="en_US">color <span lang="en_GB">colour</span></div>
```

### Nota

You can double click a word to highlight the next occurrence of that word in the editor. This is useful if you wish to manually edit the word, or see what context it is in.

To change a word, simply double click one of the suggested alternative spellings on the right, or type in your own corrected spelling and click the *Change selected word to* button. This will replace all occurrences of the word in the book. You can also right click on a word in the main word list to change the word conveniently from the right click menu.

You can have the spelling checker ignore a word for the current session by clicking the *Ignore* button. You can also add a word to the user dictionary by clicking the *Add to dictionary* button. The spelling checker supports multiple user dictionaries, so you can select the dictionary you want the word added to.

You can also have the spelling checker display all the words in your book, not just the incorrectly spelled ones. This is useful to see what words are most common in your book and to run a simple search and replace on individual words.

### Nota

If you make any changes to the book by editing files while the spell check tool is open, you should click the *Refresh* button in the Spell check tool. If you do not do this and continue to use the Spell check tool, you could lose the changes you have made in the editor.

### Nota

Per escludere un singolo file dal controllo ortografico eseguito dallo strumento omonimo, puoi usare il pulsante *Escludi file* o aggiungere il seguente commento appena sotto al tag di apertura nel file:

```
<!-- calibre-no-spell-check -->
```

## Aggiunta di nuovi dizionari

The spelling checker comes with builtin dictionaries for the English and Spanish languages. You can install your own dictionaries via *Preferences → Editor → Manage spelling dictionaries*. The spell checker can use dictionaries from the LibreOffice program (in the .oxt format). You can download these dictionaries from [The LibreOffice Extensions repository<sup>36</sup>](#).

### 5.8.3 Inserimento di caratteri speciali

You can insert characters that are difficult to type by using the *Edit → Insert special character* tool. This shows you all Unicode characters, simply click on the character you want to type. If you hold `Ctrl` while clicking, the window will close itself after inserting the selected character. This tool can be used to insert special characters into the main text or into any other area of the user interface, such as the Search and replace tool.

<sup>36</sup> <https://extensions.libreoffice.org/?Tags%5B%5D=50>

Because there are a lot of characters, you can define your own *Favorite* characters, that will be shown first. Simply right click on a character to mark it as favorite. You can also right click on a character in favorites to remove it from favorites. Finally, you can re-arrange the order of characters in favorites by clicking the *Re-arrange favorites* button and then drag and dropping the characters in favorites around.

You can also directly type in special characters using the keyboard. To do this, you type the Unicode code for the character (in hexadecimal) and then press the `Alt+X` key which will convert the previously typed code into the corresponding character. For example, to type ÿ you would type ff and then `Alt+X`. To type a non-breaking space you would use a0 and then `Alt+X`, to type the horizontal ellipsis you would use 2026 and `Alt+X` and so on.

Finally, you can type in special characters by using HTML named entities. For example, typing &nbsp; will be replaced by a non breaking space when you type the semi-colon. The replacement happens only when typing the semi-colon.

### 5.8.4 La vista dell'ispettore del codice

This view shows you the HTML coding and CSS that applies to the current element of interest. You open it by right clicking a location in the preview panel and choosing *Inspect*. It allows you to see the HTML coding for that element and more importantly, the CSS styles that apply to it. You can even dynamically edit the styles and see what effect your changes have instantly. Note that editing the styles does not actually make changes to the book contents, it only allows for quick experimentation. The ability to live edit inside the Inspector is under development.

### 5.8.5 Controllo dei collegamenti esterni

You can use this tool to check all links in your book that point to external websites. The tool will try to visit every externally linked website, and if the visit fails, it will report all broken links in a convenient format for you to fix.

### 5.8.6 Scaricamento delle risorse esterne

You can use this tool to automatically download any images/stylesheets/etc. in the book that are not bundled with the book (i.e. they have URLs pointing to a location on the internet). The tool will find all such resources and automatically download them, add them to the book and replace all references to them to use the downloaded files.

### 5.8.7 Organizzare i file in cartelle per tipo

Often when editing EPUB files that you get from somewhere, you will find that the files inside the EPUB are arranged haphazardly, in different sub-folders. This tool allows you to automatically move all files into sub-folders based on their types. Access it via *Tools → Arrange into folders*. Note that this tool only changes how the files are arranged inside the EPUB, it does not change how they are displayed in the File browser.

### 5.8.8 Importazione di file in altri formati e-book come EPUB

The editor includes the ability to import files in some other e-book formats directly as a new EPUB, without going through a full conversion. This is particularly useful to directly create EPUB files from your own hand-edited HTML files. You can do this via *File → Import an HTML or DOCX file as a new book*.

#### Modalità Funzione per Cerca & sostituisci nell'Editor


The *Search & replace* tool in the editor support a *function mode*. In this mode, you can combine regular expressions (see *Tutto sull'utilizzo delle espressioni regolari in calibre* (pagina 212)) with arbitrarily powerful Python functions to do all sorts of advanced text processing.

In the standard *regexp* mode for search and replace, you specify both a regular expression to search for as well as a template that is used to replace all found matches. In function mode, instead of using a fixed template, you specify an arbitrary function, in the [Python programming language<sup>37</sup>](#). This allows you to do lots of things that are not possible with simple templates.

---

<sup>37</sup> <https://docs.python.org>

Le tecniche per usare la modalità funzione e la sintassi saranno descritte attraverso esempi, mostrandoti come creare funzioni per effettuare compiti sempre più complessi.



### Correggere automaticamente le maiuscole delle intestazioni nel documento

Qui, useremo una delle funzioni integrate nell'editor per cambiare automaticamente la casella di tutto il testo all'interno dei tag di titolo per intitolare la casella:

```
Find expression: <([Hh][1-6])[^>]+?</\1>
```

For the function, simply choose the *Title-case text (ignore tags)* builtin function. This will change titles that look like: <h1>some title</h1> to <h1>Some Title</h1>. It will work even if there are other HTML tags inside the heading tags.

### La tua prima funzione personalizzata - miglioramento dei trattini

Il vero potere della modalità funzione sta nel fatto di essere in grado di creare le tue personali funzioni per elaborare il testo in modi arbitrari. Lo strumento Punteggiatura Furba nell'editor lascia i trattini individuali da soli, in modo che tu possa usare questa funzione per sostituirl con trattini di enfasi.

Per creare una nuova funzione, fai clic semplicemente sul pulsante :guilabel:`Crea/Modifica` per creare una nuova funzione e copia il codice Python qui sotto.

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args, **kwargs):
    return match.group().replace('---', '--').replace('--', '-')
```

Every *Search & replace* custom function must have a unique name and consist of a Python function named `replace`, that accepts all the arguments shown above. For the moment, we won't worry about all the different arguments to `replace()` function. Just focus on the `match` argument. It represents a match when running a search and replace. Its full documentation is available [here](#)<sup>38</sup>. `match.group()` simply returns all the matched text and all we do is replace hyphens in that text with em-dashes, first replacing double hyphens and then single hyphens.

Usa questa funzione con l'espressione regolare di ricerca:

```
>[^<>]+<
```

And it will replace all hyphens with em-dashes, but only in actual text and not inside HTML tag definitions.

### The power of function mode - using a spelling dictionary to fix mis-hyphenated words

Often, e-books created from scans of printed books contain mis-hyphenated words – words that were split at the end of the line on the printed page. We will write a simple function to automatically find and fix such words.

```
import regex
from calibre import replace_entities
from calibre import prepare_string_for_xml
```

(continues on next page)

<sup>38</sup> <https://docs.python.org/library/re.html#match-objects>

(continua dalla pagina precedente)

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args, **kwargs):
    def replace_word(wmatch):
        # Try to remove the hyphen and replace the words if the resulting
        # hyphen free word is recognized by the dictionary
        without_hyphen = wmatch.group(1) + wmatch.group(2)
        if dictionaries.recognized(without_hyphen):
            return without_hyphen
        return wmatch.group()

        # Search for words split by a hyphen
    text = replace_entities(match.group()[1:-1]) # Handle HTML entities like &amp;
    corrected = regex.sub(r'(\w+)\s*-\s*(\w+)', replace_word, text, flags=regex.VERSION1 | regex.UNICODE)
    return '>%s<' % prepare_string_for_xml(corrected) # Put back required entities
```

Usa questa funzione con la stessa espressione di ricerca di prima, vale a dire:

```
>[^<>]+<
```

And it will magically fix all mis-hyphenated words in the text of the book. The main trick is to use one of the useful extra arguments to the replace function, `dictionaries`. This refers to the dictionaries the editor itself uses to spell check text in the book. What this function does is look for words separated by a hyphen, remove the hyphen and check if the dictionary recognizes the composite word, if it does, the original words are replaced by the hyphen free composite word.

Note that one limitation of this technique is it will only work for mono-lingual books, because, by default, `dictionaries.recognized()` uses the main language of the book.

### Numerazione automatica delle sezioni

Now we will see something a little different. Suppose your HTML file has many sections, each with a heading in an `<h2>` tag that looks like `<h2>Some text</h2>`. You can create a custom function that will automatically number these headings with consecutive section numbers, so that they look like `<h2>1. Some text</h2>`.

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args, **kwargs):
    section_number = '%d.' % number
    return match.group(1) + section_number + match.group(2)

# Ensure that when running over multiple files, the files are processed
# in the order in which they appear in the book
replace.file_order = 'spine'
```

Usala con l'espressione di ricerca:

```
(?s)(<h2[^<>]*>)(.+?</h2>)
```

Posiziona il cursore sopra il file e fai clic su *Sostituisci tutto*.

This function uses another of the useful extra arguments to `replace()`: the `number` argument. When doing a *Replace All* number is automatically incremented for every successive match.

Another new feature is the use of `replace.file_order` – setting that to 'spine' means that if this search is run on multiple HTML files, the files are processed in the order in which they appear in the book. See [Scegliere l'ordine dei file quando si usano diversi file HTML](#) (pagina 104) for details.

### Genera automaticamente un indice

Finally, let's try something a little more ambitious. Suppose your book has headings in `h1` and `h2` tags that look like `<h1 id="someid">Some Text</h1>`. We will auto-generate an HTML Table of Contents based on these headings. Create the custom function below:

```
from calibre import replace_entities
from calibre.ebooks.oeb.polish.toc import TOC, toc_to_html
from calibre.gui2.tweak_book import current_container
from calibre.ebooks.oeb.base import xml2str

def replace(match, number, file_name, metadata, dictionaries, data, functions, *args, **kwargs):
    if match is None:
        # All matches found, output the resulting Table of Contents.
        # The argument metadata is the metadata of the book being edited
        if 'toc' in data:
            toc = data['toc']
            root = TOC()
            for (file_name, tag_name, anchor, text) in toc:
                parent = root.children[-1] if tag_name == 'h2' and root.children else root
                parent.add(text, file_name, anchor)
            toc = toc_to_html(root, current_container(), 'toc.html', 'Table of Contents for ' + metadata.title, metadata.language)
            print(xml2str(toc))
        else:
            print('No headings to build ToC from found')
    else:
        # Add an entry corresponding to this match to the Table of Contents
        if 'toc' not in data:
            # The entries are stored in the data object, which will persist
            # for all invocations of this function during a 'Replace All' operation
            data['toc'] = []
            tag_name, anchor, text = match.group(1), replace_entities(match.group(2)), replace_entities(match.group(3))
            data['toc'].append((file_name, tag_name, anchor, text))
        return match.group() # We don't want to make any actual changes, so return the original matched text

# Ensure that we are called once after the last match is found so we can
# output the ToC
replace.call_after_last_match = True
# Ensure that when running over multiple files, this function is called,
# the files are processed in the order in which they appear in the book
replace.file_order = 'spine'
```

E usala con l'espressione di ricerca:

```
<(h[12]) [^<>]* id=["] ([^"]+) ["] [^<>]*> ([^<>]+)
```

Run the search on *All text files* and at the end of the search, a window will popup with «Debug output from your function» which will have the HTML Table of Contents, ready to be pasted into `toc.html`.

The function above is heavily commented, so it should be easy to follow. The key new feature is the use of another useful extra argument to the `replace()` function, the `data` object. The `data` object is a Python *dictionary* that persists between all successive invocations of `replace()` during a single *Replace All* operation.

Another new feature is the use of `call_after_last_match` – setting that to `True` on the `replace()` function means that the editor will call `replace()` one extra time after all matches have been found. For this extra call, the match object will be `None`.

This was just a demonstration to show you the power of function mode, if you really needed to generate a Table of Contents from headings in your book, you would be better off using the dedicated Table of Contents tool in *Tools → Table of Contents*.

### L'API per la modalità funzione

All function mode functions must be Python functions named `replace`, with the following signature:

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args, **kwargs):
    return a_string
```

Quando si usa la funzione cerca/sostituisci, per ogni riscontro, viene richiamata la funzione `replace()`, deve restituire la stringa sostitutiva. Se non avviene nessuna sostituzione, deve restituire `match.group()` che è la stringa originale. I vari argomenti della funzione `replace()` sono descritti qui sotto.

#### L'argomento "corrispondenza"

The `match` argument represents the currently found match. It is a Python Match object<sup>39</sup>. Its most useful method is `group()` which can be used to get the matched text corresponding to individual capture groups in the search regular expression.

#### L'argomento `number`

The `number` argument is the number of the current match. When you run *Replace All*, every successive match will cause `replace()` to be called with an increasing number. The first match has number 1.

#### L'argomento `nome_file`

This is the filename of the file in which the current match was found. When searching inside marked text, the `file_name` is empty. The `file_name` is in canonical form, a path relative to the root of the book, using / as the path separator.

#### L'argomento `metadati`

This represents the metadata of the current book, such as title, authors, language, etc. It is an object of class `calibre.ebooks.metadata.book.base.Metadata` (pagina 208). Useful attributes include, `title`, `authors` (a list of authors) and `language` (the language code).

<sup>39</sup> <https://docs.python.org/library/re.html#match-objects>

## L'argomento dizionari

This represents the collection of dictionaries used for spell checking the current book. Its most useful method is `dictionaries.recognized(word)` which will return `True` if the passed in word is recognized by the dictionary for the current book's language.

## L'argomento dati

This is a simple Python dictionary. When you run *Replace all*, every successive match will cause `replace()` to be called with the same `dictionaries` as data. You can thus use it to store arbitrary data between invocations of `replace()` during a *Replace all* operation.

## L'argomento funzioni

The `functions` argument gives you access to all other user defined functions. This is useful for code re-use. You can define utility functions in one place and re-use them in all your other functions. For example, suppose you create a function name `My Function` like this:

```
def utility():
    # do something

def replace(match, number, file_name, metadata, dictionaries, data, functions, *args,_
    **kwargs):
    ...
```

Poi, in un'altra funzione, puoi accedere alla funzione `utility()` in questo modo:

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args,_
    **kwargs):
    utility = functions['My Function']['utility']
    ...
```

You can also use the `functions` object to store persistent data, that can be re-used by other functions. For example, you could have one function that when run with *Replace All* collects some data and another function that uses it when it is run afterwards. Consider the following two functions:

```
# Function One
persistent_data = {}

def replace(match, number, file_name, metadata, dictionaries, data, functions, *args,_
    **kwargs):
    ...
    persistent_data['something'] = 'some data'

# Function Two
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args,_
    **kwargs):
    persistent_data = functions['Function One']['persistent_data']
    ...
```

## Debug delle proprie funzioni

You can debug the functions you create by using the standard `print()` function from Python. The output of `print` will be displayed in a popup window after the Find/replace has completed. You saw an example of using `print()` to output an entire table of contents above.

## Scegliere l'ordine dei file quando si usano diversi file HTML

When you run a *Replace all* on multiple HTML files, the order in which the files are processes depends on what files you have open for editing. You can force the search to process files in the order in which they appear by setting the `file_order` attribute on your function, like this:

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args,_
           **kwargs):
    ...
    replace.file_order = 'spine'
```

`file_order` accepts two values, `spine` and `spine-reverse` which cause the search to process multiple files in the order they appear in the book, either forwards or backwards, respectively.

## Having your function called an extra time after the last match is found

Sometimes, as in the auto generate table of contents example above, it is useful to have your function called an extra time after the last match is found. You can do this by setting the `call_after_last_match` attribute on your function, like this:

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args,_
           **kwargs):
    ...
    replace.call_after_last_match = True
```

## Appending the output from the function to marked text

When running search and replace on marked text, it is sometimes useful to append so text to the end of the marked text. You can do that by setting the `append_final_output_to_marked` attribute on your function (note that you also need to set `call_after_last_match`), like this:

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args,_
           **kwargs):
    ...
    return 'some text to append'

replace.call_after_last_match = True
replace.append_final_output_to_marked = True
```

## Suppressing the result dialog when performing searches on marked text

You can also suppress the result dialog (which can slow down the repeated application of a search/replace on many blocks of text) by setting the `suppress_result_dialog` attribute on your function, like this:

```
def replace(match, number, file_name, metadata, dictionaries, data, functions, *args, **kwargs):
    ...
replace.suppress_result_dialog = True
```

## Più esempi

More useful examples, contributed by calibre users, can be found in the [calibre E-book editor forum](#)<sup>40</sup>.

## Frammenti

L'editor di e-book di calibre supporta l'utilizzo dei «frammenti». Un frammento è un segmento di testo che è riutilizzato spesso o contiene parecchio testo ridondante. L'editor ti permette di inserire frammenti premendo solamente alcuni tasti. Per esempio, supponi di dover inserire molte volte dei tag link quando modifichi file HTML, puoi semplicemente scrivere <a nell'editor e premere Control+J. L'editor espanderà il testo in:

```
<a href="filename"></a>
```

Non solo, la parola `filename` sarà selezionata e il cursore posizionato su di essa, in modo che tu possa facilmente digitare il nome effettivo del file usando l'ingegnosa funzionalità di [Autocompletamento](#) (pagina 110). E una volta che hai finito di digitare il nome del file, premi di nuovo Control+J e il cursore salterà alla posizione tra i tag <a>, in modo che tu possa facilmente inserire il testo per il link.

Il sistema dei frammenti dell'editor è molto sofisticato; ci sono alcuni frammenti predefiniti e puoi crearne di nuovi che si adattino al tuo stile di modifica.

La seguente discussione sui frammenti predefiniti dovrebbe aiutare a illustrare le potenzialità del sistema dei frammenti.

### Nota

Puoi anche usare i frammenti nelle caselle di testo del pannello *Cerca e sostituisci*, tuttavia i placeholder (l'uso di Control+J per i salti di cursore) non funzioneranno.

## I frammenti predefiniti

I frammenti predefiniti sono descritti di seguito. Tieni presente che puoi sovrascriverli creando i tuoi frammenti con lo stesso testo di attivazione.

### Inserimento di un testo riempitivo [Lorem]

Il primo e più semplice frammento predefinito è utilizzato per inserire un testo riempitivo all'interno di un documento. Il testo riempitivo è preso da [De finibus bonorum et malorum](#)<sup>41</sup> un trattato filosofico di Cicerone (tradotto in inglese). Per utilizzarlo digita semplicemente «Lorem» in un file HTML e premi Control+J. Il frammento sarà automaticamente sostituito da due paragrafi di riempitivo.

La definizione di questo frammento è molto semplice, il testo di attivazione è definito come «Lorem» e lo schema è definito semplicemente come il testo che deve essere inserito. Puoi facilmente personalizzarlo perché usi il testo riempitivo che preferisci.

<sup>40</sup> <https://www.mobiteread.com/forums/showthread.php?t=237181>

<sup>41</sup> [https://en.wikipedia.org/wiki/De\\_finibus\\_bonorum\\_et\\_malorum](https://en.wikipedia.org/wiki/De_finibus_bonorum_et_malorum)

### Inserimento di un tag HTML autochiudente [<>]

Ora diamo un'occhiata a un semplice esempio del potente concetto dei *placeholder*. Supponiamo di voler inserire il tag autochiudente `<hr/>`: basta digitare `<>` e premere `Control+J`, l'editor espanderà il frammento in:

```
< | />
```

Qui il simbolo `|` rappresenta la posizione corrente del cursore. Basta digitare `hr` e premere `Control+J` per muovere il cursore dopo la chiusura del tag. Questo frammento è definito come:

```
Trigger: <>
Template: <$1/$2
```

I placeholder sono semplicemente il simbolo del dollaro (\$) seguito da un numero. Quando il frammento viene espanso premendo `Control+J` il cursore è posizionato sul primo placeholder (cioè il placeholder con il numero più basso). Quando `Control+J` viene premuto nuovamente, il cursore salta al placeholder successivo (cioè il placeholder con il numero successivo più alto).

### Inserimento di un tag HTML link [<a>]

Tutti i tag HTML link condividono la stessa struttura. Hanno un attributo `href` e del testo tra i tag di apertura e di chiusura. Un frammento per inserirli in modo più efficiente ci introdurrà a nuove funzionalità dei placeholder. Per usare questo frammento digita semplicemente «`<a>`» e premi `Control+J`. L'editor lo espanderà a:

```
<a href="filename"></a>
```

Non solo, la parola `filename` sarà selezionata e il cursore posizionato su di essa, in modo che tu possa facilmente digitare il nome effettivo del file usando l'ingegnosa funzionalità di *Autocompletamento* (pagina 110). E una volta che hai finito di digitare il nome del file, premi di nuovo `Control+J` e il cursore salterà alla posizione tra i tag `<a>`, in modo che tu possa facilmente inserire il testo per il link. Dopo aver finito di inserire il testo, premi `Control+J` ancora una volta per muovere il cursore dopo il tag di chiusura. Questo frammento è definito come:

```
Trigger: <a
Template: <a href="${1:filename}">${2*}</a>$3
```

Ci sono un paio di novità qui. Per prima cosa il placeholder `$1` è diventato più complesso: include ora del *testo predefinito* (la parola `filename`). Se un placeholder contiene del testo predefinito, il testo predefinito è sostituito per il placeholder quando il frammento viene espanso. Per di più quando salti ad un placeholder con del testo predefinito usando `Control+J`, il testo predefinito viene selezionato. In questo modo puoi usare il testo predefinito come promemoria per ricordarti di riempire parti importanti dello schema. Puoi specificare il testo predefinito per un placeholder usando la sintassi:  `${:testo predefinito}` .

L'altra nuova caratteristica è che il secondo placeholder ha un asterisco a seguire ( `${2*}` ). Questo vuol dire che il testo (eventualmente) selezionato prima dell'espansione dello schema è sostituito per il placeholder. Per vedere questa caratteristica in azione, seleziona del testo nell'editor, premi `Control+J`, digita `<a>` e premi nuovamente `Control+J`, lo schema sarà espanso a:

```
<a href="filename">whatever text you selected</a>
```

### Inserimento di un tag HTML immagine [<i>]

Questo è molto simile all'inserimento di un link HTML, come abbiamo appena visto. Ti permette di inserire rapidamente un tag `` e di saltare tra gli attributi `src` e `alt`:

```
Trigger: <i
Template: $3
```

### Inserimento di un tag HTML arbitrario [<>]

Questo ti permette di inserire un tag HTML arbitrario e completo (o di racchiudere del testo selezionato in precedenza nel tag). Per usarlo digita semplicemente <> e premi **Control+J**. L'editor lo espanderà a:

```
< | ></>
```

Digita il nome del tag, per esempio `span` e premi **Control+J**, questo porterà a:

```
<span> | </span>
```

Puoi notare che il tag di chiusura contiene già al suo interno `span`. Questo è possibile grazie a un'altra caratteristica dei placeholder, il *rispecchiamento*. Rispecchiamento significa semplicemente che se specifichi il placeholder di esempio più volte nello stesso schema, al premere di **Control+J** la seconda posizione e tutte quelle successive saranno automaticamente riempite con qualunque testo tu abbia digitato nella prima posizione. La definizione per questo frammento è:

```
Trigger: <>
Template: <$1>${2*}</$1>$3
```

Come puoi vedere, il primo placeholder (\$1) è stato specificato due volte, la seconda nel tag di chiusura, che semplicemente copierà qualunque testo tu scriva nel tag di apertura.

### Inserimento di un tag HTML arbitrario con un attributo di classe [<c>]


Questo è molto simile all'inserimento di tag arbitrari visto sopra, eccetto per il fatto che si assume che tu voglia specificare una classe per il tag:

```
Trigger: <c
Template: <$1 class="${2:classname}">${3*}</$1>$4
```

Questo ti permetterà di inserire prima il nome del tag, **Control+J**, inserire il nome della classe, premere **Control+J**, inserire i contenuti del tag e premere **Control+J** un'ultima volta per saltare al di fuori del tag. Il tag di chiusura sarà riempito automaticamente.

### Creazione di frammenti personalizzati

I frammenti sono così interessanti perché puoi crearne di tuoi per adattarli al tuo stile di modifica. Per creare frammenti personalizzati entra nell'editor e vai in *Modifica* → *Preferenze* → *Impostazioni dell'editor* → *Gestisci i frammenti*. Apparirà una finestra che ti aiuterà a creare facilmente i tuoi frammenti personalizzati. Basta fare clic sul pulsante *Aggiungi frammento* per aprire una finestra come questa:




Per prima cosa dai un nome al tuo frammento, qualcosa di descrittivo che aiuti a identificare il frammento in futuro. Dopo diché specifica il testo di attivazione: è semplicemente il testo che devi digitare nell'editor prima di premere **Control+J** per far espandere il frammento.

Ora specifica lo schema per il frammento. Dovresti cominciare con uno degli esempi visti finora e modificarlo secondo le tue necessità. Infine specifica per quali tipi di file vuoi che il frammento sia attivo. In questo modo potrai avere frammenti diversi con lo stesso testo di attivazione che diano risultati differenti a seconda del tipo di file.

Il passo successivo è quello di provare i tuoi nuovi frammenti. Usa la casella *Prova* in fondo alla finestra. Digita il testo di attivazione e premi **Control+J** per far espandere il frammento e saltare tra i placeholder.

### 5.8.9 Lo strumento Rapporti

The editor includes a nice *Reports* tool (via *Tools* → *Reports*) that shows summaries of the files, images, links, words, characters and styles used in the book. Every line in the report is hot-linked. Double clicking a line jumps to the place in the book where that item is used or defined (as appropriate). For example, in the *Links* view, you can double click entries in the *Source* column to jump to where the link is defined and entries in the *Target* column to jump to where the link points.



## 5.9 Funzionalità speciali dell'editor del codice

The calibre HTML editor is very powerful. It has many features that make editing of HTML (and CSS) easier.

### 5.9.1 Evidenziazione della sintassi

The HTML editor has very sophisticated syntax highlighting. Features include:

- The text inside bold, italic and heading tags is made bold/italic
- As you move your cursor through the HTML, the matching HTML tags are highlighted, and you can jump to the opening or closing tag with the keyboard shortcuts **Ctrl+{** and **Ctrl+}**. Similarly, you can select the contents of a tag with **Ctrl+Alt+T** or **Ctrl+Shift+T**.
- Invalid HTML is highlighted with a red underline
- Spelling errors in the text inside HTML tags and attributes such as title are highlighted. The spell checking is language aware, based on the value of the `lang` attribute of the current tag and the overall book language.
- CSS embedded inside `<style>` tags is highlighted
- Special characters that can be hard to distinguish such as non-breaking spaces, different types of hyphens, etc. are highlighted.
- Links to other files in `<a>` tags, `<img>` and `<link>` tags all have the filenames highlighted. If the filename they point to does not exist, the filename is marked with a red underline.

### 5.9.2 Aiuto legato al contesto

You can right click on an HTML tag name or a CSS property name to get help for that tag or property.

You can also hold down the **Ctrl** key and click on any filename inside a link tag to open that file in the editor automatically. Similarly, **Ctrl** clicking a class name will take you to the first style rule that matches the tag and class.

Right clicking a class name in an HTML file will allow you to rename the class, changing all occurrences of the class throughout the book and all its stylesheets.

### **5.9.3 Autocompletamento**

When editing an e-book, one of the most tedious tasks is creating links to other files inside the book, or to CSS stylesheets, or images. You have to figure out the correct filename and relative path to the file. The editor has auto-complete to make that easier.

As you type a filename, the editor automatically pops up suggestions. Simply use the `Tab` key to select the correct file name. The editor even offers suggestions for links pointing to an anchor inside another HTML file. After you type the `#` character, the editor will show you a list of all anchors in the target file, with a small snippet of text to help you choose the right anchor.

Note that unlike most other completion systems, the editor's completion system uses subsequence matching. This means that you can type just two or three letters from anywhere in the filename to complete the filename. For example, say you want the filename `../images/arrow1.png`, you can simply type `ia1` and press `Tab` to complete the filename. When searching for matches, the completion system prioritizes letters that are at the start of a word, or immediately after a path separator. Once you get used to this system, you will find it saves you a lot of time and effort.

### **5.9.4 Frammenti**

The calibre E-book editor supports *snippets*. A snippet is a piece of text that is either re-used often or contains a lot of redundant text. The editor allows you to insert a snippet with only a few key strokes. The snippets are very powerful, with many features, such as placeholders you can jump between, automatic mirroring of repeated text and so on. For more information, see [Frammenti](#) (pagina 105).

# CAPITOLO 6

## Il Server dei Contenuti di Calibre

Il *Server dei Contenuti* di calibre ti permette di accedere alle tue biblioteche di calibre e di leggerne i libri direttamente dal browser del tuo dispositivo preferito, come un telefono o un tablet. Di conseguenza, non devi installare alcuna app dedicata di lettura/gestione libri sul tuo telefono. Basta usare il browser. Il server scarica e conserva i libri che stai leggendo in una cache non in linea, così che tu possa leggerli anche quando non sei connesso ad internet.

### Contenuti

- *Accesso al server dei contenuti da altri dispositivi* (pagina 112)
  - *Accesso al server da dispositivi nella rete locale* (pagina 112)
  - *Accesso al server da qualsiasi luogo via internet* (pagina 113)
- *L'interfaccia del server* (pagina 113)
  - *L'elenco dei libri* (pagina 114)
  - *Il lettore di libri* (pagina 114)
- *Supporto dei browser* (pagina 114)
- *Abilitazione del supporto all'uso non in linea* (pagina 114)
- *Gestione degli utenti usando solamente la linea di comando* (pagina 115)
- *Integrazione del server dei contenuti di calibre dentro altri server* (pagina 115)
  - *Uso di un host virtuale completo* (pagina 115)
  - *Uso di un prefisso all'URL* (pagina 116)
- *Creazione di un servizio per il server di calibre su un sistema Linux moderno* (pagina 117)

Per avviare il server, fai clic sul pulsante *Connetti/condividi* e scegli *Avvia il server dei contenuti*. Potresti vedere un messaggio dal firewall o dall'antivirus del tuo computer chiedendoti di consentire l'accesso a `calibre.exe`. Fai clic sul pulsante

Permetti o OK. Dopodiché apri un browser (preferibilmente Chrome o Firefox) sul tuo computer e digita l'indirizzo seguente:

<http://127.0.0.1:8080>

Si aprirà una pagina nel browser con mostrate le tue biblioteche di calibre, fai clic su una qualsiasi di esse per navigare nei libri contenuti. Fai clic su un libro per vederne i metadati, insieme ai pulsanti *Leggi* e *Scarica libro*. Fai clic sul pulsante *Leggi* per iniziare a leggere il libro.

### Nota

L'indirizzo di cui sopra `http://127.0.0.1:8080` funzionerà solamente dal computer in cui calibre è in esecuzione. Per accedere al server da altri computer/telefoni/tablet/etc. ci sarà bisogno di un po" di lavoro in più, come descritto nella prossima sezione.

## 6.1 Accesso al server dei contenuti da altri dispositivi

Ci sono due tipi di accesso remoto per i dispositivi di cui avrai normalmente bisogno. Il primo e più semplice è quello da dentro la tua rete locale. Se calibre è in esecuzione su un computer della tua rete locale e i tuoi dispositivi sono connessi a quella stessa rete, dovrebbe essere molto facile accedere al server da quei dispositivi.

### 6.1.1 Accesso al server da dispositivi nella rete locale

Dopo aver avviato il server da calibre come descritto più in alto, fai di nuovo clic sul pulsante *Connetti/condividi*. Invece dell'azione *Avvia il Server dei Contenuti*, dovrresti vedere l'azione *Ferma il Server dei Contenuti*. Alla destra di questa azione verranno mostrati un indirizzo IP e un numero di porta. Avranno l'aspetto di numeri separati da punti. Per esempio:

Stop Content server [192.168.1.5, port 8080]

Questi numeri ti dicono l'indirizzo da utilizzare per connetterti al server nei tuoi dispositivi. Continuando con l'esempio qui sopra, l'indirizzo diventa:

<http://192.168.1.5:8080>

La prima parte dell'indirizzo è sempre `http://`, quella successiva è l'indirizzo IP, ovvero i numeri prima della virgola, e infine abbiamo il numero della porta, che deve essere aggiunto all'indirizzo IP dopo un carattere due punti (:). Se sei fortunato, questo dovrebbe essere tutto ciò che ti serve per accedere alle biblioteche di calibre dal tuo dispositivo. Se non è così, continua a leggere.

### Risolvere i problemi con la connessione locale

Se non sei in grado di accedere al server dal tuo dispositivo, prova a seguire questi passi:

1. Controlla che il server sia in esecuzione aprendo l'indirizzo `http://127.0.0.1:8080` in un browser in esecuzione nello stesso computer del server.
2. Controlla che il tuo firewall/antivirus stia consentendo le connessioni al tuo computer attraverso la porta 8080 e al programma calibre. Il modo più semplice per escludere che l'origine dei problemi sia il firewall/antivirus è quello di disattivarli temporaneamente entrambi, e poi provare a connettersi. Dovresti disconnetterti da internet prima di disattivare il firewall, per tenere al sicuro il tuo computer.
3. Controlla che il tuo dispositivo e il computer siano nella stessa rete. Questo significa che devono essere entrambi connessi allo stesso router wifi. In particolare, nessuno dei due deve stare usando una connessione mobile o una connessione direct-WiFi fornita dall'ISP

4. Se hai una configurazione di rete non standard, è possibile che l'indirizzo IP mostrato nel menu *Connetti/condividi* non sia corretto. Se fosse questo il caso, dovrai trovare da solo l'indirizzo IP da utilizzare. Sfortunatamente, a causa dell'infinita varietà di configurazioni di rete possibili, non esiste una procedura precisa per fare ciò.
5. Se hai impostato un nome utente e una password, prova prima a fare senza, per vedere se sono cause di problemi. Alcuni dispositivi e-ink hanno browser che non sono in grado di gestire l'autenticazione. In certi casi puoi aggirare questo problema includendo nome utente e password nell'URL, per esempio: <http://nomeutente:password@192.168.1.2:8080>.
6. Se sei bloccato puoi sempre chiedere aiuto nei [forum degli utenti di calibre](#)<sup>42</sup>.

## 6.1.2 Accesso al server da qualsiasi luogo via internet

### ⚠️ Avvertimento

Prima di cominciare dovresti abilitare la protezione con nomeutente/password per il server, altrimenti chiunque nel mondo sarà in grado di accedere ai tuoi libri. Vai su *Preferenze → Condivisione → Condivisione via rete* e abilita l'opzione *Richiedi nome utente e password per accedere al Server dei Contenuti*.

Sebbene i particolari della configurazione dell'accesso tramite internet varino a seconda della configurazione di rete e del tipo di computer che stai usando, lo schema di base è il seguente.

1. Scopri l'indirizzo IP esterno del computer sul quale verrà eseguito il server. Puoi farlo visitando il sito [What is my IP address](#)<sup>43</sup> in un browser aperto nel computer.
2. Se il computer si trova dietro a un router, abilita il port forwarding su di esso per inoltrare la porta 8080 (o qualsiasi porta tu scelga per il Server dei Contenuti di calibre) al computer.
3. Assicurati che il server di calibre sia consentito da qualunque programma firewall/antivirus tu abbia sul computer.
4. Ora dovresti essere in grado di accedere al server da ogni dispositivo connesso a internet usando l'indirizzo IP che hai trovato nel primo passaggio. Per esempio, se l'indirizzo IP che hai trovato fosse 123.123.123.123 e la porta che vuoi utilizzare per il server di calibre fosse 8080, l'indirizzo da usare sul tuo dispositivo diventerebbe: <http://123.123.123.123:8080>.
5. Facoltativamente, puoi usare un servizio come [no-ip](#)<sup>44</sup> per configurare un indirizzo facile da ricordare da usare al posto dell'indirizzo IP che hai trovato nel primo passaggio.

### 💡 Nota

Per la migliore sicurezza possibile, dovresti anche abilitare HTTPS nel Server dei Contenuti. Puoi farlo o direttamente nel server fornendo il percorso del certificato HTTPS da usare nelle opzioni avanzate di configurazione del server, oppure configurando un reverse proxy come descritto più in basso, per usare una configurazione HTTPS esistente.

## 6.2 L'interfaccia del server

L'interfaccia del server è una versione semplificata dell'interfaccia principale di calibre, ottimizzata per l'utilizzo con il tocco. La schermata iniziale ti mostra i libri che stai leggendo al momento e ti permette anche di scegliere una biblioteca di calibre da esplorare. Il server in calibre ti dà accesso a tutte le tue biblioteche e non solamente ad una, come in precedenza.

<sup>42</sup> <https://www.mobileread.com/forums/forumdisplay.php?f=166>

<sup>43</sup> <https://www.whatismyip.com/>

<sup>44</sup> <https://www.noip.com/free>

## 6.2.1 L'elenco dei libri

L'elenco dei libri sul server è una semplice griglia di copertine. Tocca su una copertina per vedere i metadati dettagliati di un libro, o per leggere il libro. Se preferisci un elenco più dettagliato, puoi cambiare la vista predefinita facendo clic sui tre puntini verticali nell'angolo in alto a destra.

L'ordinamento e la ricerca nell'elenco dei libri dovrebbero essere familiari agli utenti di calibre. Vi si può accedere facendo clic sulle rispettive icone nell'area in alto a destra. Funzionano entrambi esattamente allo stesso modo che nel programma principale di calibre. La pagina di ricerca ti permette persino di costruire chiavi di ricerca facendo clic su autori/tag/etc., esattamente come potresti fare usando il Navigatore dei Tag nel programma principale.

Una funzionalità molto amata del programma principale, le *Biblioteche virtuali*, è anch'essa presente nell'interfaccia del server. Fai clic sui tre puntini verticali nell'angolo in alto a destra per scegliere una Biblioteca virtuale.

## 6.2.2 Il lettore di libri

Puoi leggere qualsiasi libro nella tua biblioteca di calibre semplicemente toccando su di esso e poi sul pulsante *Leggi*. Il lettore è molto semplice da utilizzare. Puoi sia toccare sia scorrere per girare le pagine. Scorrere verso l'alto o verso il basso passa da un capitolo all'altro. Un tocco nel quarto più alto dello schermo ti porta ai controlli dettagliati e alle preferenze del lettore.

Se lasci il Server dei Contenuti in esecuzione, puoi anche aprire lo stesso libro su più dispositivi e si ricorderà della tua ultima posizione di lettura. Se non lo fa, puoi forzare una sincronizzazione toccando nel quarto più alto e scegliendo *Sincronizza*.

## 6.3 Supporto dei browser

Il nuovo server di calibre fa un uso importante di caratteristiche avanzate di HTML 5 e CSS 3. Richiede perciò l'utilizzo di un browser aggiornato. È stato testato su Chrome per Android e Safari per iOS, come anche su Chrome e Firefox per computer.

Il server fa in modo di utilizzare funzionalità che o sono già state standardizzate o sono in corso di standardizzazione. Per questo motivo, se al momento non funziona sul tuo browser preferito, probabilmente funzionerà una volta che il browser sarà stato aggiornato.

Se usi un browser particolarmente datato o limitato, o non ti piace eseguire codice JavaScript, puoi usare la vista *mobile* aggiungendo semplicemente `/mobile` all'indirizzo del server.

### Nota

Su iOS, Apple permette solamente un motore di browser, quindi Firefox, Chrome e Safari sono di fatto tutti lo stesso browser sotto il cofano. La nuova interfaccia del server richiede iOS 10.3.2 o più recente. Su Android, il server è stato testato per la versione 58 di Chrome o più recente.

## 6.4 Abilitazione del supporto all'uso non in linea

I produttori di browser hanno provato a forzare l'uso di SSL da parte delle persone disabilitando alcune funzionalità avanzate nei loro browser per connessioni in HTTP semplice. Una di queste è ApplicationCache, che calibre usava per il supporto all'uso non in linea. La triste conseguenza è che attualmente la modalità non in linea funziona solamente finché la scheda del browser rimane aperta. In più, in Firefox per Android, dovrai digitare `about:config`, creare una preferenza chiamata `browser.tabs.useCache` e impostarla su `true`.

## 6.5 Gestione degli utenti usando solamente la linea di comando

Il programma di calibre ha una sezione apposita nelle *Preferenze* che ti permette di gestire gli account utente per il server. Se però vuoi eseguire il solo server, e non puoi avviare il programma principale di calibre sullo stesso computer/account utente, puoi anche gestire gli utenti usando solo la linea di comando.

Puoi gestire gli account utente usando l'opzione `--manage-users` del programma a sé stante `calibre-server`. Poniamo che tu voglia conservare il database degli utenti nella cartella `/srv/calibre`, lo potrai creare eseguendo:

```
calibre-server --userdb /srv/calibre/users.sqlite --manage-users
```

Segui le indicazioni fornite per creare gli account utente, impostarne i permessi, ecc. Una volta finito, puoi eseguire il server in questo modo:

```
calibre-server --userdb /srv/calibre/users.sqlite --enable-auth
```

Userà gli account utente creati nel passaggio precedente.

## 6.6 Integrazione del server dei contenuti di calibre dentro altri server

Qui ti mostreremo come integrare il Server dei Contenuti di calibre in un altro server. La ragione più comune per fare ciò è la possibilità di usare SSL o di rendere disponibile la biblioteca di calibre come parte di un sito più esteso. La tecnica di base è quella di eseguire il server di calibre e di configurare un reverse proxy che punti ad esso dal server principale.

Si ha un reverse proxy quando il tuo server normale accetta richieste in ingresso e le passa al server di calibre. Legge poi la risposta del server di calibre e la inoltra al client. Questo significa che puoi semplicemente eseguire il server di calibre nel solito modo, senza provare ad integrarlo strettamente nel tuo server principale.

### 6.6.1 Uso di un host virtuale completo

La più semplice configurazione possibile è quella di dedicare un host virtuale completo al server di calibre. In questo caso, esegui il server di calibre in questo modo:

```
calibre-server
```

Ora configura l'hosting virtuale nel tuo server principale, per esempio per nginx:

```
http {
    client_max_body_size 64M;  # needed to upload large books
}

server {
    listen [::]:80;
    server_name myserver.example.com;

    location / {
        proxy_pass http://127.0.0.1:8080;
    }
}
```

O, per Apache:

```
LoadModule proxy_module modules/mod_proxy.so
LoadModule proxy_http_module modules/mod_proxy_http.so
```

(continues on next page)

(continua dalla pagina precedente)

```
<VirtualHost *:80>
    ServerName myserver.example.com
    AllowEncodedSlashes On
    ProxyPreserveHost On
    ProxyPass "/" "http://localhost:8080/"
</VirtualHost>
```

## 6.6.2 Uso di un prefisso all'URL

Se non vuoi dedicare un host virtuale completo a calibre, puoi fare in modo che usi un prefisso all'URL. Avvia il server di calibre in questo modo:

```
calibre-server --url-prefix /calibre --port 8080
```

Qui il parametro chiave è `--url-prefix /calibre`. Esso fa in modo che il Server dei Contenuti restituisca tutti gli URL con il prefisso `/calibre`. Per vedere come funziona, visita `http://localhost:8080/calibre` nel tuo browser. Dovresti vedere il solito sito web del Server dei Contenuti, ma adesso funzionerà sotto `/calibre`.

Con nginx, la configurazione richiesta è:

```
http {
    client_max_body_size 64M; # needed to upload large books
}

proxy_set_header X-Forwarded-For $remote_addr;
location /calibre/ {
    proxy_buffering off;
    proxy_pass http://127.0.0.1:8080$request_uri;
}
location /calibre {
    # we need a trailing slash for the Application Cache to work
    rewrite /calibre /calibre/ permanent;
}
```

Per Apache, devi prima abilitare i moduli proxy in Apache aggiungendo ciò che segue a `httpd.conf`:

```
LoadModule proxy_module modules/mod_proxy.so
LoadModule proxy_http_module modules/mod_proxy_http.so
```

La tecnica precisa per abilitare i moduli proxy varierà a seconda della tua installazione Apache. Una volta abilitati i moduli proxy, aggiungi le seguenti regole a `httpd.conf` (o se stai usando host virtuali al file conf per l'host virtuale in questione):

```
AllowEncodedSlashes On
RewriteEngine on
RewriteRule ^/calibre/(.*) http://127.0.0.1:8080/calibre/$1 [proxy]
RedirectMatch permanent ^/calibre$ /calibre/
```

Questo è tutto, sarai ora in grado di accedere al Server dei Contenuti di calibre sotto l'URL `/calibre` nel tuo server principale. Le regole di cui sopra passano tutte le richieste sotto `/calibre` al server di calibre in esecuzione alla porta 8080 e grazie all'opzione `--url-prefix` di prima, il server di calibre le gestisce in modo trasparente.

**1 Nota**

Se usi un reverse proxy, dovresti dire al Server dei Contenuti di calibre di rimanere in ascolto solo su localhost, usando --listen-on 127.0.0.1. In questo modo il server rimarrà in ascolto solo per connessioni provenienti dallo stesso computer, ovvero dal reverse proxy.

**1 Nota**

Se hai configurato SSL per il tuo server principale, dovresti dire al server di calibre di usare una basic authentication invece di una digest, perché più rapida. Per fare ciò passa l'opzione --auth-mode=basic a calibre-server.

## 6.7 Creazione di un servizio per il server di calibre su un sistema Linux moderno

Puoi facilmente creare un servizio per eseguire calibre all'avvio in un moderno (systemd<sup>45</sup>) sistema basato su Linux. Basta creare il file /etc/systemd/system/calibre-server.service con i contenuti mostrati qui sotto:

```
[Unit]
Description=calibre Content server
After=network.target

[Service]
Type=simple
User=mylinuxuser
Group=mylinuxgroup
ExecStart=/opt/calibre/calibre-server "/path/to/calibre library folder"

[Install]
WantedBy=multi-user.target
```

Cambia mylinuxuser e mylinuxgroup in qualunque utente e gruppo da cui tu voglia che il server venga eseguito. Dovrebbero essere lo stesso utente e gruppo che sono proprietari dei file nella cartella della biblioteca di calibre. Tieni presente che in generale non è una buona idea eseguire il server come root. Modifica anche il percorso della cartella della biblioteca di calibre secondo le tue necessità. Se necessario puoi aggiungere più biblioteche. Vedi l'aiuto per il comando calibre-server.

Ora esegui:

```
sudo systemctl start calibre-server
```

per avviare il server. Controlla il suo stato con:

```
sudo systemctl status calibre-server
```

Per eseguirlo all'avvio del sistema. esegui:

```
sudo systemctl enable calibre-server
```

<sup>45</sup> <https://www.freedesktop.org/wiki/Software/systemd/>

 **Nota**

Il server di calibre *non ha* bisogno di un server X in esecuzione, ma ha bisogno delle librerie di X installate, perché alcuni componenti che utilizza contengono collegamenti ad esse.

 **Nota**

Il server di calibre supporta anche l'attivazione socket di systemd, perciò, se ti serve, puoi usare anche questa opzione.

# CAPITOLO 7

---


## Comparazione degli e-book

---

calibre include uno strumento di comparazione integrato di e-book che può essere usato per visualizzare le modifiche di un e-book dopo l'editing o la conversione. Può comparare i libri nei formati EPUB e AZW3.

Per usarlo, devi o aprire il libro in *Modifica degli e-book* (pagina 79) e poi fare clic su *File → Compara con un altro libro* o usare il pannello *Dettagli del libro* (pagina 20). Se effettui una conversione da EPUB a EPUB, il file EPUB originale verrà salvato come ORIGINAL\_EPUB. Fai semplicemente clic con il tasto destro sulla voce ORIGINAL\_EPUB nel pannello Dettagli Libro e scegli *Compara con il formato EPUB*.

Lo strumento di comparazione si presenterà come nell'immagine sottostante. Mostra le differenze in testo, stili e immagini dei libri selezionati.



## 7.1 Comprendere la vista di comparazione

Come si può vedere dagli screenshot sopra, la modalità di comparazione, mostra le differenze tra due libri fianco a fianco. Vengono mostrate solo le differenze, con alcune righe di contesto attorno. Ciò permette di vedere ad occhio solo le differenze all'interno di documenti con molto contenuto come un libro.

Il testo aggiunto è indicato con uno sfondo verde, il testo rimosso con uno sfondo rosso e il testo modificato con un sfondo blu.

Il numero di linea di tutti i testi modificati viene mostrato ai lati, rendendo semplice la modifica tramite l'editor. Quando si apre lo strumento di comparazione dall'interno dell'editor, è possibile fare doppio clic su una riga del pannello di destra per andare direttamente a quella riga nell'editor.

Una tecnica utile quando si comparano i libri è dire allo strumento di comparazione di migliorare l'aspetto dei file di testo e di stile prima di calcolare le differenze. Ciò può spesso portare a differenze più pulite e più facili da seguire. Per fare ciò, fai clic sul pulsante :guilabel:`Opzioni` in basso a destra e scegli :guilabel:`Migliora l'aspetto dei file prima di compararli`.

Nota che a volte l'abbellimento può avere effetti indesiderati, in quanto può causare l'alterazione del markup non valido per renderlo valido. Puoi anche cambiare il numero di linee di contesto mostrate intorno alle differenze tramite il pulsante :guilabel:`Opzioni`.

E' possibile cercare qualsiasi testo nelle differenze tramite la barra di ricerca in basso. Bisogna specificare in quale pannello cercare, quello a *sinistra* o quello a *destra*.

## 7.2 Avvio dello strumento di comparazione

Lo strumento di comparazione è molto utile quando si hanno due versioni dello stesso libro e si vogliono vedere le differenze. Ci sono molti modi per avviare questo strumento.

### 7.2.1 Comparazione di due e-book

Apri il primo file nello strumento *Modifica degli e-book* (pagina 79). Ora fai clic su *File* → *Compara con un altro libro* e scegli il secondo file (deve essere nello stesso formato del primo). Si aprirà la vista di comparazione, con il file che viene modificato a destra e il secondo file a sinistra.

### 7.2.2 Comparazione di ORIGINAL\_FMT e FMT

Quando si esegue una conversione in calibre da un FMT a sé stesso, il file originale viene salvato come ORIGINAL\_FMT. Puoi vedere cosa è stato modificato nella conversione facendo clic con il tasto destro sulla voce ORIGINAL\_FMT nel pannello *Dettagli del libro* (pagina 20) della finestra principale di calibre e selezionando *Compara con FMT*. La vista di comparazione si aprirà con ORIGINAL\_FMT sulla sinistra e FMT sulla destra.

### 7.2.3 Compara un punto di controllo con lo stato attuale del libro mentre si edita

Lo strumento *Modifica degli e-book* (pagina 79) ha una funzione molto utile, chiamata *Punti di controllo* (pagina 91). Ciò consente di salvare lo stato corrente del libro come un *Punto di controllo* con nome, al quale è possibile ritornare se non ti piacciono le modifiche apportate dopo la sua creazione. I punti di controllo vengono inoltre creati automaticamente all'eseguirsi di varie azioni automatiche nell'editor. Puoi vedere la lista dei punti di controllo andando in *Visualizza* → *Punti di controllo* e poi usare il pulsante *Compara* per comparare lo stato del libro nel punto di controllo selezionato con lo stato corrente. Lo strumento di comparazione mostrerà il punto di controllo a sinistra e lo stato corrente a destra.



## Modifica dei metadati degli e-book

### Contenuti

- *Modifica dei metadati di un libro per volta* (pagina 123)
  - *Scaricamento dei metadati* (pagina 124)
  - *Gestione dei formati dei libri* (pagina 124)
  - *Tutto sulle copertine* (pagina 124)
- *Modifica dei metadati di più libri per volta* (pagina 124)
  - *Cerca e sostituisci* (pagina 125)
  - *Scaricamento in blocco dei metadati* (pagina 126)
- *Aggiunta di file di dati a un libro* (pagina 126)

Esistono e-book di vario tipo e dimensione, e il più delle volte i loro metadati (cose come titolo/autore/serie/editore) sono incompleti o errati. Il modo più semplice per modificare i metadati in calibre è semplicemente fare doppio clic su una voce e inserire il valore corretto. Per una modifica più avanzata usa gli strumenti di modifica dei metadati discussi di seguito.

### 8.1 Modifica dei metadati di un libro per volta

Fai clic sul libro che vuoi modificare, poi fai clic sul pulsante *Modifica metadati* o premi il tasto E. Si aprirà una finestra che ti permetterà di modificare tutti gli aspetti dei metadati. Essa possiede varie funzionalità per rendere la modifica più veloce ed efficiente. Una lista dei consigli più usati:

- Puoi fare clic sul pulsante che si trova tra titolo e autori per scambiarli automaticamente.
- Puoi fare clic sul pulsante a fianco dell'ordinamento autore per fare in modo che calibre lo compili automaticamente usando i valori di ordinamento conservati per ciascun autore. Usa la finestra *Gestisci autori* per vedere e modificare

i valori di ordinamento degli autori. Questa finestra può essere aperta facendo clic e tenendo premuto sul pulsante a fianco dell'ordinamento autore.

- Puoi fare clic sul pulsante a fianco dei tag per usare l'*"Editor dei Tag* e gestire i tag associati al libro.
- La casella degli «Id» può essere usata per inserire un ISBN (e molti altri tipi di id), avrà uno sfondo rosso se inserisci un ISBN non valido. Sarà verde se l'ISBN è valido.
- La casella di ordinamento autore sarà rossa se il valore di ordinamento autore è diverso da quello che calibre pensa che dovrebbe essere.

### 8.1.1 Scaricamento dei metadati

La più carina delle funzionalità della finestra di modifica dei metadati è la sua abilità di compilare automaticamente molti campi di metadati prendendo i metadati da vari siti web. Al momento calibre utilizza Google Libri e Amazon. Lo scaricamento dei metadati può compilare per te titolo, autore, serie, tag, valutazione, descrizione e ISBN.

Per utilizzare lo scaricamento, compila i campi titolo e autore e fai clic sul pulsante *Scarica metadati*. calibre ti mostrerà una lista di libri che più corrispondono a titolo e autore. Se inserisci prima l'ISBN, sarà usato preferenzialmente ad autore e titolo. Se nessuna corrispondenza è trovata, prova a rendere la tua ricerca un pochino meno specifica includendo solo alcune parole chiave nel titolo e solo il cognome dell'autore.

### 8.1.2 Gestione dei formati dei libri

In calibre una singola voce di libro può avere molti «formati» diversi associati ad essa. Per esempio potresti aver ottenuto le Opere Complete di Shakespeare in formato EPUB e averle in seguito convertite in MOBI per leggerle sul tuo Kindle. calibre gestisce automaticamente i formati multipli al posto tuo. Nella sezione *Formati disponibili* della finestra Modifica metadati puoi gestire questi formati. Puoi aggiungere un nuovo formato, cancellarne uno esistente e persino chiedere a calibre di prendere i metadati e la copertina per la voce del libro dai metadati in uno dei formati.

### 8.1.3 Tutto sulle copertine

Puoi chiedere a calibre di scaricare le copertine dei libri per te, purché il libro abbia un ISBN noto. In alternativa, puoi indicare un file sul tuo computer da usare come copertina. calibre può persino generare una copertina predefinita contenente i metadati di base. Puoi trascinare immagini sulla copertina per cambiarla e puoi anche fare clic con il tasto destro per copiare/incollare immagini di copertina.

In aggiunta c'è un pulsante che ritaglia automaticamente i bordi della copertina, nel caso in cui la tua copertina abbia dei bordi sgradevoli.

## 8.2 Modifica dei metadati di più libri per volta

Per prima cosa seleziona i libri che vuoi modificare tenendo premuto `Ctrl` o `Maiusc` e facendo clic su di esse. Se selezioni più di un libro, il clic sul pulsante *Modifica metadati* farà aprire la finestra di modifica dei metadati *in gruppo*. Usando questa finestra puoi impostare velocemente autore/editore/valutazione/tag/serie ecc. di un gruppo di libri allo stesso valore. Questo è particolarmente utile se hai appena importato parecchi libri con dei metadati in comune. Questa finestra è molto potente, per esempio ha una scheda *Cerca e sostituisci* che puoi usare per eseguire operazioni di gruppo sui metadati e persino copiare metadati da una colonna a un'altra.

La normale finestra di modifica metadati ha anche i pulsanti *Successivo* e *Precedente*, che puoi usare per modificare i metadati di più libri uno dopo l'altro.

## 8.2.1 Cerca e sostituisci

La finestra *Modifica metadati per più libri* ti permette di eseguire operazioni arbitrariamente potenti di ricerca e sostituzione sui libri selezionati. Per impostazione predefinita usa un semplice trova e sostituisci sul testo, ma supporta anche le *espressioni regolari*. Per più informazioni sulle espressioni regolari, vedi [Tutto sull'utilizzo delle espressioni regolari in calibre](#) (pagina 212).

Come accennato sopra, ci sono due modalità di ricerca e sostituzione: corrispondenza dei caratteri ed espressione regolare. La corrispondenza dei caratteri cercherà nel *Campo di ricerca* che sceglierai i caratteri inseriti nella casella *cerca* e sostituirà quei caratteri con quelli inseriti nella casella *sostituisci*. Ogni occorrenza dei caratteri ricercati nel campo verrà sostituita. Per esempio, immagina che il campo si cui viene effettuata la ricerca contenga *vado a casa*. Se cerchi *a* per sostituirlo con *VERSO*, il risultato sarà *vVERSOdo VERSO cVERSOSVERSO*.

Se il campo in cui stai cercando è un campo *molteplice* come per i tag, ogni tag è trattato separatamente. Per esempio, se i tuoi tag contengono *Horror*, *Paura*, l'espressione di ricerca *r*, non restituirà risultati perché l'espressione sarà prima applicata ad *Horror* e poi a *Paura*.

Se vuoi che la ricerca ignori le differenze maiuscola/minuscola, togli la spunta dalla casella *Distingui le maiuscole*.

Puoi fare in modo che calibre cambi le maiuscole del risultato (l'informazione a sostituzione avvenuta) scegliendo una delle funzioni dalla casella *Applica funzione dopo la sostituzione*. Le operazioni disponibili sono:

- *Minuscolo* – cambia tutti i caratteri nel campo in caratteri minuscoli
- *Maiuscolo* – cambia tutti i caratteri nel campo in caratteri maiuscoli
- *Iniziali maiuscole* – Rende maiuscola la prima lettera di ogni parola.

La casella *La tua prova* è fornita per farti inserire del testo per controllare che il cerca/sostituisci stia facendo ciò che vuoi. Nella maggior parte dei casi le caselle di prova dei libri saranno sufficienti, ma è possibile che ci sia un caso che vuoi controllare che non è mostrato in queste casella. Inserisci quel caso ne *La tua prova*.

La modalità espressione regolare possiede alcune differenze rispetto alla modalità caratteri, oltre (chiaramente) ad usare le espressioni regolari. La prima è che le funzioni sono applicate a parti della stringa trovata dalla stringa di ricerca, non all'intero campo. La seconda è che le funzioni sono applicate alla stringa di sostituzione, non all'intero campo.

La terza e più importante è che la stringa di sostituzione può fare riferimento a parti della stringa di ricerca usando i riferimenti inversi. Un riferimento inverso è `\n`, dove n è un numero intero che si riferisce all'n-esimo gruppo tra parentesi nell'espressione di ricerca. Per esempio, usando lo stesso esempio di prima, *vado a casa*, un'espressione di ricerca *vado (. ) (....)*, e un'espressione di sostituzione *vado \2 \1*, si otterrà come risultato *vado casa a*. Leggi il [Tutto sull'utilizzo delle espressioni regolari in calibre](#) (pagina 212) se hai bisogno di maggiori informazioni sui riferimenti inversi.

Un utile schema: immagina di voler cambiare le maiuscole di un intero campo. Il modo più facile per farlo è di usare la modalità caratteri, ma immaginiamo ulteriormente che tu voglia usare la modalità espressione regolare. L'espressione di ricerca dovrebbe essere `(^.*)$`, l'espressione di sostituzione `\1`, e il la funzione per il cambio delle maiuscole desiderato dovrebbe essere selezionata.

Per finire, nella modalità espressione regolare puoi copiare valori da un campo all'altro. Rendi semplicemente diversi i campi sorgente e di destinazione. La copia può sostituire il campo di destinazione, aggiungere un prefisso (aggiungere all'inizio) o un suffisso (aggiungere alla fine) al campo. La casella di spunta “usa virgola” dice a calibre di aggiungere (o no) una virgola tra il testo e il campo di destinazione nelle modalità prefisso e suffisso. Se la destinazione è molteplice (p. es. i tag), non puoi togliere la spunta da questa casella.

Cerca e sostituisci è effettuato dopo che tutti gli altri cambiamenti ai metadati nelle altre schede sono stati applicati. Questo può causare confusione perché le caselle di prova mostreranno l'informazione prima degli altri cambi, ma l'operazione verrà applicata dopo di essi. Se hai dubbi a proposito di quello che succederà, non effettuare cerca/sostituisci con altri cambiamenti.

## **8.2.2 Scaricamento in blocco dei metadati**

Se vuoi scaricare i metadati per più libri allo stesso tempo, fai clic con il tasto destro sul pulsante *Modifica metadati* e seleziona *Scarica metadati*. Puoi scegliere se scaricare soli i metadati, solo le copertine o entrambi.

## **8.3 Aggiunta di file di dati a un libro**

Calibre può memorizzare un numero qualsiasi di file di dati aggiuntivi associati a un libro. Possono essere copertine alternative, materiale supplementare, ecc. Non possono essere visualizzati direttamente o utilizzati come fonti di conversione. Non sono nemmeno indicizzati dal motore di ricerca Full text di calibre. Per visualizzarli/aggiungerli/eliminarli, selezionare il libro e fare clic con il tasto destro del mouse sul pulsante *Modifica metadati* e scegliere *Gestisci file di dati*. Verrà visualizzata una finestra in cui è possibile eseguire operazioni su questi file. In alternativa, è possibile fare clic con il tasto destro del mouse sul pulsante *Aggiungi libri* e scegliere *Aggiungi file di dati ai record del libro selezionati* per aggiungere più rapidamente i file di dati.

# CAPITOLO 9

## Domande frequenti

### Contenuti

- *Conversione di formato degli e-book* (pagina 127)
- *Integrazione dei dispositivi* (pagina 130)
- *Gestione della biblioteca* (pagina 137)
- *Varie* (pagina 141)

## 9.1 Conversione di formato degli e-book

### Contenuti

- *Da e verso quali formati è supportata la conversione in calibre?* (pagina 128)
- *Quali sono i migliori formati di partenza da cui convertire?* (pagina 128)
- *Ho convertito un file PDF, ma il risultato presenta vari problemi?* (pagina 128)
- *Come posso convertire il mio file contenente caratteri non inglesi o virgolette intelligenti?* (pagina 128)
- *Che succede con l'indice nei file MOBI?* (pagina 128)
- *Come posso convertire una serie di file HTML in un ordine specifico?* (pagina 129)
- *Il file EPUB che ho prodotto con calibre non è valido?* (pagina 130)
- *Come posso utilizzare alcune delle funzionalità avanzate degli strumenti di conversione?* (pagina 130)

### **9.1.1 Da e verso quali formati è supportata la conversione in calibre?**

calibre supporta la conversione di molti formati di input verso molti formati di output. È in grado di convertire qualsiasi formato di input nella seguente lista verso ogni formato di output.

*Input Formats:* AZW, AZW3, AZW4, CBZ, CBR, CB7, CBC, CHM, DJVU, DOCX, EPUB, FB2, FBZ, HTML, HTMLZ, KEPUB, LIT, LRF, MOBI, ODT, PDF, PRC, PDB, PML, RB, RTF, SNB, TCR, TXT, TXTZ

*Output Formats:* AZW3, EPUB, DOCX, FB2, HTMLZ, KEPUB, OEB, LIT, LRF, MOBI, PDB, PMLZ, RB, PDF, RTF, SNB, TCR, TXT, TXTZ, ZIP

#### **Nota**

PRC è un formato generico, calibre supporta i file PRC con intestazioni TextRead e MOBIBook. Anche PDB è un formato generico. calibre supporta i file PDB di tipo eReader, Plucker (solo in input), PML e zTxt. Il supporto a DJVU è solo per la conversione di file DJVU che contengono testo incorporato. Questi sono tipicamente generati da software OCR. I libri MOBI possono essere di due tipi: Mobi6 e KF8. calibre supporta pienamente entrambi. I file MOBI hanno spesso estensione .azw o .azw3. Sono supportati i file DOCX di Microsoft Word 2007 e successivi.

### **9.1.2 Quali sono i migliori formati di partenza da cui convertire?**

In order of decreasing preference: LIT, MOBI, AZW, EPUB, KEPUB, AZW3, FB2, FBZ, DOCX, HTML, PRC, ODT, RTF, PDB, TXT, PDF

### **9.1.3 Ho convertito un file PDF, ma il risultato presenta vari problemi?**

PDF è un formato terribile da convertire. Per una serie di problemi diversi che si incontrano per convertirlo, vedi: *Conversione di documenti PDF* (pagina 75).

### **9.1.4 Come posso convertire il mio file contenente caratteri non inglesi o virgolette intelligenti?**

Ci sono due fattori relativi a questo problema

1. La conoscenza del file sorgente: calibre prova a indovinare quale codifica di caratteri usa il tuo file sorgente, ma spesso questo è impossibile, perciò devi dirgli che codifica utilizzare. Questo può essere fatto nell'interfaccia grafica attraverso il campo *Codifica caratteri in ingresso* nella sezione *Aspetto → Testo* della finestra di conversione. Gli strumenti da linea di comando hanno l'opzione `ebook-convert-txt-input --input-encoding`.
2. Quando si aggiungono file HTML a calibre, potrebbe essere necessario indicare la codifica caratteri dei file. Per farlo vai su *Preferenze → Avanzate → Plugin → Tipo di file* e configura il plugin *HTML to ZIP* indicando la codifica caratteri dei tuoi file HTML. Ora quando aggiungerai file HTML a calibre, saranno elaborati correttamente. I file HTML da sorgenti diverse, spesso hanno codifiche diverse, perciò dovrà cambiare questa impostazione ripetutamente. Una codifica comune per molti files da internet è «cp1252» e suggerisco di provare prima questa codifica. Nota che quando si convertono file HTML, lascia vuoto il campo della codifica dei caratteri in ingresso menzionato precedentemente. Questo perché il plugin *HTML to ZIP* converte automaticamente i file HTML con la codifica standard (UTF-8).

### **9.1.5 Che succede con l'indice nei file MOBI?**

La prima cosa da notare è che la maggior parte degli e-book ha due indici. Uno è l'indice tradizionale, come quello che si trova nei libri. Questo indice è parte del contenuto principale del documento e può avere lo stile che preferisci; questo indice è chiamato «indice dei contenuti».

Poi c'è l'«indice dei metadati»: un indice che non fa parte del testo del libro e a cui si può solitamente accedere attraverso bottoni speciali su un lettore. Per esempio, nel visualizzatore di e-book di calibre, per vedere questo indice usi il pulsante Mostra indice. Questo indice non può essere formattato dal creatore del libro, come viene rappresentato è deciso dal programma di visualizzazione.

Per il formato MOBI la situazione è un po confusa. Questo perché il MOBI, unico tra i principali formati per gli e-book, *non* ha un supporto decente per l'indice dei metadati. Un libro MOBI simula la presenza di un indice dei metadati ponendo un indice *aggiuntivo* come contenuto in fondo al libro. Quando fai clic su Vai all'indice sul tuo Kindle, è a questo indice aggiuntivo che ti porta.

Now it might well seem to you that the MOBI book has two identical ToCs. Remember that one is semantically a content ToC and the other is a metadata ToC, even though both might have exactly the same entries and look the same. One can be accessed directly from the Kindle's menus, the other cannot.

When converting to MOBI, calibre detects the *metadata ToC* in the input document and generates an end-of-file ToC in the output MOBI file. You can turn this off by an option in the MOBI Output settings. You can also tell calibre whether to put it at the start or the end of the book via an option in the MOBI Output settings. Remember this ToC is semantically a *metadata ToC*, in any format other than MOBI it *cannot not be part of the text*. The fact that it is part of the text in MOBI is an accident caused by the limitations of MOBI. If you want a ToC at a particular location in your document text, create one by hand. So we strongly recommend that you leave the default as it is, i.e. with the metadata ToC at the end of the book. Also note that if you disable the generation of the end-of-file ToC the resulting MOBI file may not function correctly on a Kindle, since the Kindle's use the metadata ToC for many things, including the Page Flip feature.

If you have a hand edited ToC in the input document, you can use the ToC detection options in calibre to automatically generate the metadata ToC from it. See the conversion section of the User Manual for more details on how to use these options.

Finally, I encourage you to ditch the content ToC and only have a metadata ToC in your e-books. Metadata ToCs will give the people reading your e-books a much superior navigation experience (except on the Kindle, where they are essentially the same as a content ToC).

#### Nota

The newer AZW3 format has proper support for a metadata ToC. However, the Kindle firmware tends to malfunction if you disable the generation of the end-of-file inline ToC. So it is recommended that you leave the generated ToC alone. If you create an AZW3 file with a metadata ToC and no end-of-file generated ToC, some features on the Kindle will not work, such as the Page Flip feature.

### 9.1.6 Come posso convertire una serie di file HTML in un ordine specifico?

Per eseguire la conversione di una serie di file HTML in un ordine specifico, devi creare una tabella dei file da elaborare. Si tratta di un altro file HTML, che contiene i link a tutti gli altri file nell'ordine desiderato. Questo file è del tipo:

```
<html>
<body>
<h1>Table of Contents</h1>
<p style="text-indent:0pt">
    <a href="file1.html">First File</a><br/>
    <a href="file2.html">Second File</a><br/>
    .
    .
    .
</p>
</body>
</html>
```

Then, just add this HTML file to the GUI and use the *Convert* button to create your e-book. You can use the option in the Table of Contents section in the conversion dialog to control how the Table of Contents is generated.

### 💡 Nota

By default, when adding HTML files, calibre follows links in the files in *depth first* order. This means that if file A.html links to B.html and C.html and D.html, but B.html also links to D.html, then the files will be in the order A.html, B.html, D.html, C.html. If instead you want the order to be A.html, B.html, C.html, D.html then you must tell calibre to add your files in *breadth first* order. Do this by going to *Preferences → Advanced → Plugins → File type* and customizing the *HTML to ZIP* plugin.

### 9.1.7 Il file EPUB che ho prodotto con calibre non è valido?

Non è garantito che un EPUB prodotto da calibre sia valido. L'unica garanzia che calibre può dare è che se gli dai in pasto XHTML 1.1 + CSS 2.1 validi produrrà un EPUB valido. calibre fa del suo meglio per assicurarsi che gli EPUB che produce funzionino effettivamente su un'ampia gamma di dispositivi, un obiettivo che è incompatibile con la produzione di EPUB validi, ma che è molto più importante per la grande maggioranza degli utenti. Se ti serve uno strumento che produca sempre EPUB validi, calibre non fa per te. Questo significa che se vuoi inviare un EPUB prodotto con calibre a uno store online che usa uno strumento di controllo della validità degli EPUB, dovrà assicurarti tu stesso che l'EPUB sia valido, calibre non lo farà per te – in altre parole devi dare in pasto a calibre XHTML + CSS validi nei documenti in ingresso.

### 9.1.8 Come posso utilizzare alcune delle funzionalità avanzate degli strumenti di conversione?

Puoi cercare aiuto per ciascuna singola funzionalità dei convertitori passandoci sopra il mouse nell'interfaccia utente, o eseguendo `ebook-convert dummy.html .epub -h` in un terminale. Un buon modo per cominciare è quello di studiare il seguente file di esempio, che mostra alcune delle funzionalità avanzate [html-demo.zip<sup>46</sup>](https://calibre-ebook.com/downloads/html-demo.zip).

## 9.2 Integrazione dei dispositivi

### Contenuti

- *Quali sono i device supportati da calibre?* (pagina 131)
- *Come posso aiutare a rendere il mio dispositivo supportato in calibre?* (pagina 131)
- *Il mio dispositivo non è stato rilevato da calibre?* (pagina 131)
- *Il mio dispositivo è non standard o diverso. Cosa posso fare per collegarlo?* (pagina 132)
- *Come utilizzare calibre con il mio iPad/iPhone/iPod touch?* (pagina 132)
- *Come posso usare calibre con il mio telefono/tablet Android o con il mio Kindle Fire?* (pagina 133)
- *Posso accedere ai miei libri di calibre usando il browser del mio Kindle o di un altro dispositivo di lettura?* (pagina 134)
- *Non posso inviare email usando calibre?* (pagina 134)
- *My device is getting mounted read-only in Linux, so calibre cannot connect to it?* (pagina 135)
- *Why does calibre not support collections on the Kindle or shelves on the Nook?* (pagina 135)

<sup>46</sup> <https://calibre-ebook.com/downloads/html-demo.zip>

- *I am getting an error when I try to use calibre with my Kobo Touch/Glo/etc.?* (pagina 135)
- *Covers for books I send to my e-ink Kindle show up momentarily and then are replaced by a generic cover?* (pagina 136)
- *Covers for books sent to my Kindle ColorSoft and newer do not show up in the book list?* (pagina 136)
- *Le copertine dei miei file MOBI hanno smesso di essere mostrate in Kindle per PC/Kindle per Android/iPad ecc.* (pagina 136)
- *I transferred some books to my Kindle using calibre and they did not show up?* (pagina 137)

### 9.2.1 Quali sono i device supportati da calibre?

calibre can directly connect to all the major (and most of the minor) e-book reading devices, smartphones, tablets, etc. In addition, using the *Connect to folder* function you can use it with any e-book reader that exports itself as a USB disk. Finally, you can connect wirelessly to any device that has a web browser using the calibre Content server.

### 9.2.2 Come posso aiutare a rendere il mio dispositivo supportato in calibre?

Se il tuo dispositivo appare come disco USB nel sistema operativo, aggiungere il supporto a calibre è molto semplice. Ci servono solo alcune informazioni da parte tua:

- Una lista completa dei formati di e-book che il tuo dispositivo supporta.
- C'è una cartella speciale del dispositivo in cui tutti i file degli e-book devono essere messi? Inoltre, il dispositivo rileva i file inseriti in sottocartelle?
- Ci servono anche informazioni sul tuo dispositivo che calibre raccoglierà automaticamente. Per prima cosa, se il tuo dispositivo supporta le schede SD, inseriscile. Dopodiché connetti il dispositivo al tuo computer. Dentro calibre vai in *Preferenze → Varie* e fai clic sul pulsante «Debug del riconoscimento dispositivi». Questo produrrà delle informazioni di debug. Copiale in un file e ripeti il processo, questa volta con il dispositivo disconnesso dal computer.
- Send both the above outputs to us with the other information and we will write a device driver for your device.

Once you send us the output for a particular operating system, support for the device in that operating system will appear in the next release of calibre. To send us the output, open a bug report and attach the output to it. See [how to report bugs](#)<sup>47</sup>.

### 9.2.3 Il mio dispositivo non è stato rilevato da calibre?

Segui questi passi per trovare il problema:

- Make sure that you are connecting only a single device to your computer at a time. Do not have another calibre supported device like an iPhone/iPad etc. at the same time.
- If you are connecting an Apple iDevice (iPad, iPod Touch, iPhone), Apple no longer allows third party software to connect to their devices using a USB cable. Instead use a wireless connection, via the calibre Content server.
- Se stai collegando un Kindle del 2024 o più recente, o un dispositivo Android, e ti trovi su macOS o Linux, leggi la nota in [Con un cavo USB](#) (pagina 133).
- On macOS if you get permission errors when connecting a device to calibre, you can fix that by looking under *System Preferences > Security and Privacy > Privacy > Files and Folders*.

<sup>47</sup> <https://calibre-ebook.com/it/bugs>

- Make sure you are running the latest version of calibre (currently 8.7.0). The latest version can always be downloaded from [the calibre website<sup>48</sup>](#). You can tell what version of calibre you are currently running by looking at the bottom line of the main calibre window.
- Ensure your operating system is seeing the device. That is, the device should show up in Windows Explorer (in Windows) or Finder (in macOS).
- In calibre, go to *Preferences → Ignored Devices* and check that your device is not being ignored
- If all the above steps fail, go to *Preferences → Miscellaneous* and click *Debug device detection* with your device attached and post the output as a ticket on [the calibre bug tracker<sup>49</sup>](#).

### 9.2.4 Il mio dispositivo è non standard o diverso. Cosa posso fare per collegarlo?

In addition to the *Connect to folder* function found under the *Connect/share* button, calibre provides a User defined device plugin that can be used to connect to any USB device that shows up as a disk drive in your operating system. Note: on Windows, the device must have a drive letter for calibre to use it. See the device plugin *Preferences → Plugins → Device plugins → User defined* and *Preferences → Miscellaneous → Get information* to setup the user defined device for more information. Note that if you are using the user defined plugin for a device normally detected by a builtin calibre plugin, you must disable the builtin plugin first, so that your user defined plugin is used instead.

### 9.2.5 Come utilizzare calibre con il mio iPad/iPhone/iPod touch?

An easy way to browse your calibre collection from your Apple device is by using [\*Il Server dei Contenuti di Calibre\*](#) (pagina 111), which makes your collection available over the net. First perform the following steps in calibre

- Set the Preferred Output Format in calibre to EPUB (The output format can be set under *Preferences → Interface → Behavior*)
- Set the output profile to iPad (this will work for iPhone/iPods as well), under *Preferences → Conversion → Common options → Page setup*
- Convert the books you want to read on your iDevice to EPUB format by selecting them and clicking the *Convert* button.
- Turn on the Content server by clicking the *Connect/share* button and leave calibre running. You can also tell calibre to automatically start the Content server via *Preferences → Sharing → Sharing over the net*.

The Content server allows you to read books directly in Safari itself. In addition, there are many apps for your iDevice that can connect to the calibre Content server. Examples include: Marvin, Mapleread and iBooks itself.

#### Uso del server dei contenuti

Start the Safari browser and type in the IP address and port of the computer running the calibre server, like this:

`http://192.168.1.2:8080/`

Replace 192.168.1.2 with the local IP address of the computer running calibre. See [\*Il Server dei Contenuti di Calibre\*](#) (pagina 111) for details on running the server and finding out the right IP address to use.

You will see a list of books in Safari, tap on any book and you will be given the option to either download it, or read it in the browser itself. If you choose to download it, Safari will ask you if you want to open it with iBooks.

Many reading apps support browsing the calibre library directly via its OPDS support. In such apps you can go to the online catalog screen and add the IP address of the calibre server to browse and download books from your calibre library within the app.

<sup>48</sup> <https://calibre-ebook.com/it/download>

<sup>49</sup> <https://bugs.launchpad.net/calibre>

## 9.2.6 Come posso usare calibre con il mio telefono/tablet Android o con il mio Kindle Fire?

There are two ways that you can connect your Android device to calibre. Using a USB cable – or wirelessly, over the air. The first step to using an Android device is installing an e-book reading application on it. There are many free and paid e-book reading applications for Android: Some examples (in no particular order): [FBReader](#)<sup>50</sup>, [Moon+](#)<sup>51</sup>, [Mantano](#)<sup>52</sup>, [Aldiko](#)<sup>53</sup>, [Kindle](#)<sup>54</sup>.

### Con un cavo USB

Simply plug your device into the computer with a USB cable. calibre should automatically detect the device and then you can transfer books to it by clicking the *Send to device* button. Note that on macOS and Linux only a single program can connect to an Android device at a time, so make sure the device is not opened in the OS File manager, or the Android File Transfer utility, etc.

#### Nota

With newer Android devices, you might have to jump through a few hoops to get the connection working, as Google really does not want you to be independent of its cloud. First, unlock the screen before plugging in the USB cable. When you plugin in the USB cable you will get a popup notification. Make sure it says something like «Transferring Media files» or «MTP (Media Transfer mode)». If it does not, tap the notification, and change the mode to Media Transfer (MTP). You may need to restart calibre at this point in order for your device to be recognized. Finally, you might get a popup on the device every time calibre or the operating system actually tries to connect to it, asking for permission, tap OK.

#### Nota

With the Kindle Fire 8 or newer there is an icon that shows up when the USB cable is plugged in, showing that the device is charging. Tap that and switch the device to data transfer mode, and then start calibre, it should then be detected.

### Senza fili

calibre ha un server web integrato, il [server dei contenuti di calibre](#) (pagina 111). Rende la tua collezione di calibre disponibile via rete. Puoi navigare nella collezione dal tuo dispositivo usando un semplice browser o un'applicazione dedicata. Segui prima i seguenti passi in calibre:

- Set the *Preferred Output Format* in calibre to EPUB for normal Android devices or MOBI for Kindles (The output format can be set under *Preferences → Interface → Behavior*)
- Convert the books you want to read on your device to EPUB/MOBI format by selecting them and clicking the *Convert* button.
- Turn on the *Content server* in calibre's preferences and leave calibre running.

Now on your Android device, open the browser and browse to

<http://192.168.1.2:8080/>

Replace 192.168.1.2 with the local IP address of the computer running calibre. See [Il Server dei Contenuti di Calibre](#) (pagina 111) for details on running the server and finding out the right IP address to use.

<sup>50</sup> <https://play.google.com/store/apps/details?id=org.geometerplus.zlibrary.ui.android&hl=en>

<sup>51</sup> <https://play.google.com/store/apps/details?id=com.flyersoft.moonreader&hl=en>

<sup>52</sup> <https://play.google.com/store/apps/details?id=com.mantano.reader.android.lite&hl=en>

<sup>53</sup> <https://play.google.com/store/apps/details?id=com.alidiko.android&hl=en>

<sup>54</sup> [https://play.google.com/store/apps/details?id=com.amazon.kindle&feature=related\\_apps](https://play.google.com/store/apps/details?id=com.amazon.kindle&feature=related_apps)

You can now browse your book collection and download books from calibre to your device to open with whatever e-book reading software you have on your Android device.

Many reading apps support browsing the calibre library directly via its [OPDS](#) support. In such apps you can go to the online catalog screen and add the IP address of the calibre server to browse and download books from your calibre library within the app.

### 9.2.7 Posso accedere ai miei libri di calibre usando il browser del mio Kindle o di un altro dispositivo di lettura?

calibre has a *Content server* that exports the books in calibre as a web page. See [Il Server dei Contenuti di Calibre](#) (pagina 111) for details.

Some devices, like the Kindle (1/2/DX), do not allow you to access port 8080 (the default port on which the content server runs). In that case, change the port in the calibre Preferences to 80. (On some operating systems, you may not be able to run the server on a port number less than 1024 because of security settings. In this case the simplest solution is to adjust your router to forward requests on port 80 to port 8080).

Also some devices do not have browsers advanced enough to run the app-like interface used by the Content server. For such devices, you can simply add `/mobile` to the server URL to get a simplified, non-JavaScript interface.

### 9.2.8 Non posso inviare email usando calibre?

Because of the large amount of spam in email, sending email can be tricky, as different mail servers use different strategies to block email. The most common problem is if you are sending email directly (without a mail relay) in calibre. Many servers (for example, Amazon) block email that does not come from a well known relay. The most robust way to setup email sending in calibre is to do the following:

- Crea un account GMX gratuito su [GMX<sup>55</sup>](#).
- Go to *Preferences* → *Sharing* → *Sharing books by email* in calibre and click the *Use GMX* button and fill in the information asked for.
- Log into your GMX account on the website and enable SMTP sending (*Settings->POP3 & IMAP->Send and receive emails via external program*)
- calibre will then be able to use GMX to send the mail.
- If you are sending to your Kindle, remember to update the email preferences on your Amazon Kindle page to allow email sent from your GMX email address. Also note that Amazon does not allow email delivery of AZW3 and new style (KF8) MOBI files. Finally, Amazon recently started sending confirmation emails that you have to click on back to your GMX account before the book is actually delivered.

Even after doing this, you may have problems. One common source of problems is that some poorly designed antivirus programs block calibre from opening a connection to send email. Try adding an exclusion for calibre in your antivirus program.

#### 1 Nota

Microsoft/GMX can disable your account if you use it to send large amounts of email. So, when using these services to send mail calibre automatically restricts itself to sending one book every five minutes. If you don't mind risking your account being blocked you can reduce this wait interval by going to *Preferences* → *Advanced* → *Tweaks* in calibre.

---

<sup>55</sup> <https://www.gmx.com>

**Nota**

Google recently deliberately broke their email sending protocol (SMTP) support in an attempt to force everyone to use their web interface so they can show you more ads. They are trying to claim that SMTP is insecure, that is incorrect and simply an excuse. Use some other email provider instead.

**Nota**

Se ti preoccupa dare a calibre accesso al tuo account di posta elettronica, puoi creare un nuovo e gratuito account email con GMX o Outlook da usare solamente per calibre.

### 9.2.9 My device is getting mounted read-only in Linux, so calibre cannot connect to it?

Linux kernels mount devices read-only when their filesystems have errors. You can repair the filesystem with:

```
sudo fsck.vfat -y /dev/sdc
```

Replace /dev/sdc with the path to the device node of your device. You can find the device node of your device, which will always be under /dev by examining the output of:

```
mount
```

### 9.2.10 Why does calibre not support collections on the Kindle or shelves on the Nook?

Neither the Kindle nor the Nook provide any way to manipulate collections over a USB connection. If you really care about using collections, I would urge you to sell your Kindle/Nook and get a Kobo. Only Kobo seems to understand that life is too short to be entering collections one by one on an e-ink screen .

Note that in the case of the Kindle, there is a way to manipulate collections via USB, but it requires that the Kindle be rebooted *every time* it is disconnected from the computer, for the changes to the collections to be recognized. As such, it is unlikely that any calibre developers will ever feel motivated enough to support it. There is however, a calibre plugin that allows you to create collections on your Kindle from the calibre metadata. It is available [from here<sup>56</sup>](#).

**Nota**

Amazon have removed the ability to manipulate collections completely in their newer models, like the Kindle Touch and Kindle Fire, making even the above plugin useless, unless you root your Kindle and install custom firmware.

### 9.2.11 I am getting an error when I try to use calibre with my Kobo Touch/Glo/etc.?

The Kobo has very buggy firmware. Connecting to it has been known to fail at random. Certain combinations of motherboard, USB ports/cables/hubs can exacerbate this tendency to fail. If you are getting an error when connecting to your touch with calibre try the following, each of which has solved the problem for *some* calibre users.

- Connect the Kobo directly to your computer, not via USB Hub
- Try a different USB cable and a different USB port on your computer
- Log out of the Kobo and log in again, this causes it to rebuild the database, fixing corrupted database errors.

<sup>56</sup> <https://www.mobiteread.com/forums/showthread.php?t=244202>

- Try upgrading the firmware on your Kobo Touch to the latest
- Try resetting the Kobo (sometimes this cures the problem for a little while, but then it reappears, in which case you have to reset again and again)
- Try only putting one or two books onto the Kobo at a time and do not keep large collections on the Kobo

### **9.2.12 Covers for books I send to my e-ink Kindle show up momentarily and then are replaced by a generic cover?**

This happens because of an Amazon bug. They try to download a cover for the book from their servers and when that fails, they replace the existing cover that calibre created with a generic cover. For details see [this forum thread<sup>57</sup>](#). As of version 4.17, calibre has a workaround, where if you connect the Kindle to calibre after the covers have been destroyed by Amazon, calibre will restore them automatically. So in order to see the covers on your Kindle, you have to:

- 1) Send the book to the Kindle with calibre
- 2) Disconnect the Kindle and wait for Amazon to destroy the cover
- 3) Reconnect the Kindle to calibre

Note that this workaround only works for books sent with calibre 4.17 or later. Alternately, simply keep your Kindle in airplane mode, you don't really want Amazon knowing every book you read anyway. I encourage you to contact Amazon customer support and complain loudly about this bug. Maybe Amazon will listen.

**Nota**

Se la soluzione alternativa non funziona, assicurati che il firmware Kindle sia almeno la versione 5.12.5, rilasciata ad aprile 2020.

### **9.2.13 Covers for books sent to my Kindle ColorSoft and newer do not show up in the book list?**

Amazon deliberately broke this functionality in their ColorSoft and newer devices in order to discourage you from reading non Amazon books on their devices. See [this forum thread<sup>58</sup>](#) for details. The only known workaround is to send the books as «Personal documents» to the Kindle which will fix the covers not showing up but break other features such as Whispersync and the books will show up under «Personal documents» not «Books» on the device. To enable this in calibre go to *Preferences → Output options → MOBI output* and enable the check box that says *Enable sharing of book content*. This will cause all future books sent to the Kindle by calibre to be marked as personal documents.

### **9.2.14 Le copertine dei miei file MOBI hanno smesso di essere mostrate in Kindle per PC/Kindle per Android/iPad ecc.**

This is caused by a bug in the Amazon software. You can work around it by going to *Preferences → Conversion → Output Options → MOBI output* and setting the *Enable sharing of book content* option. If you are reconverting a previously converted book, you will also have to enable the option in the conversion dialog for that individual book (as per book conversion settings are saved and take precedence).

Note that doing this will mean that the generated MOBI will show up under personal documents instead of Books on the Kindle Fire and Amazon whispersync will not work, but the covers will. It's your choice which functionality is more important to you. I encourage you to contact Amazon and ask them to fix this bug.

The bug in Amazon's software is that when you put a MOBI file on a Kindle, unless the file is marked as a Personal document, Amazon assumes you bought the book from it and tries to download the cover thumbnail for it from its servers.

<sup>57</sup> <https://www.mobileread.com/forums/showthread.php?t=329945>

<sup>58</sup> <https://www.mobileread.com/forums/showthread.php?t=364350>

When the download fails, it refuses to fallback to the cover defined in the MOBI file. This is likely deliberate on Amazon's part to try to force authors to sell only through them. In other words, the Kindle only displays covers for books marked as Personal Documents or books bought directly from Amazon.

If you send a MOBI file to an e-ink Kindle with calibre using a USB connection, calibre works around this Amazon bug by uploading a cover thumbnail itself. However, that workaround is only possible when using a USB connection and sending with calibre. Note that if you send using email, Amazon will automatically mark the MOBI file as a Personal Document and the cover will work, but the book will show up in Personal Documents.

### 9.2.15 I transferred some books to my Kindle using calibre and they did not show up?

Books sent to the Kindle only show up on the Kindle after they have been *indexed* by the Kindle. This can take some time. If the book still does not show up after some time, then it is likely that the Kindle indexer crashed. Sometimes a particular book can cause the indexer to crash. Unfortunately, Amazon has not provided any way to deduce which book is causing a crash on the Kindle. Your only recourse is to either reset the Kindle, or delete all files from its memory using Windows Explorer (or whatever file manager you use) and then send the books to it again, one by one, until you discover the problem book. Once you have found the problem book, delete it off the Kindle and do a MOBI to MOBI or MOBI to AZW3 conversion in calibre and then send it back. This will most likely take care of the problem.

## 9.3 Gestione della biblioteca

### Contenuti

- *Dove sono archiviati i file dei libri?* (pagina 137)
- *Come gestisce calibre i nomi degli autori e l'ordinamento?* (pagina 138)
- *Why doesn't calibre let me store books in my own folder structure?* (pagina 139)
- *Why doesn't calibre have a column for foo?* (pagina 140)
- *Can I have a column showing the formats or the ISBN?* (pagina 140)
- *Come posso trasferire i miei dati di calibre da un computer a un altro?* (pagina 140)
- *The list of books in calibre is blank!* (pagina 141)
- *I am getting errors with my calibre library on a networked drive/NAS?* (pagina 141)

### 9.3.1 Dove sono archiviati i file dei libri?

When you first run calibre, it will ask you for a folder in which to store your books. Whenever you add a book to calibre, it will copy the book into that folder. Books in the folder are nicely arranged into sub-folders by Author and Title. Note that the contents of this folder are automatically managed by calibre, **do not** add any files/folders manually to this folder, as they may be automatically deleted. If you want to add a file associated to a particular book, use the top right area of *Edit metadata* dialog to do so. Then, calibre will automatically put that file into the correct folder and move it around when the title/author changes.

Metadata about the books is stored in the file `metadata.db` at the top level of the library folder. This file is a sqlite database. When backing up your library make sure you copy the entire folder and all its sub-folders.

The library folder and all its contents make up what is called a calibre library. You can have multiple such libraries. To manage the libraries, click the calibre icon on the toolbar. You can create new libraries, remove/rename existing ones and switch between libraries easily.

You can copy or move books between different libraries (once you have more than one library setup) by right clicking on a book and selecting the *Copy to library* action.

### 9.3.2 Come gestisce calibre i nomi degli autori e l'ordinamento?

Author names are complex, especially across cultures, see [this note<sup>59</sup>](#) for some of the complexities. calibre has a very flexible strategy for managing author names. The first thing to understand is that books and authors are separate entities in calibre. A book can have more than one author, and an author can have more than one book. You can manage the authors of a book by the edit metadata dialog. You can manage individual authors by right clicking on the author in the Tag browser on the left of the main calibre window and selecting *Manage authors*. Using this dialog you can change the name of an author and also how that name is sorted. This will automatically change the name of the author in all the books of that author. When a book has multiple authors, separate their names using the & character.

Now coming to author name sorting:

- When a new author is added to calibre (this happens whenever a book by a new author is added), calibre automatically computes a sort string for both the book and the author.
- Authors in the Tag browser are sorted by the sort value for the **authors**. Remember that this is different from the Author sort field for a book.
- By default, this sort algorithm assumes that the author name is in First name Last name format and generates a Last name, First name sort value.
- You can change this algorithm by going to *Preferences → Advanced → Tweaks* and setting the *author\_sort\_copy\_method* tweak.
- You can force calibre to recalculate the author sort values for every author by right clicking on any author and selecting *Manage authors*, then pushing the *Recalculate all author sort values* button. Do this after you have set the *author\_sort\_copy\_method* tweak to what you want.
- You can force calibre to recalculate the author sort values for all books by using the bulk metadata edit dialog (select all books and click edit metadata, check the *Automatically set author sort* checkbox, then press OK).
- When recalculating the author sort values for books, calibre uses the author sort values for each individual author. Therefore, ensure that the individual author sort values are correct before recalculating the books' author sort values.
- You can control whether the Tag browser display authors using their names or their sort values by setting the *categories\_use\_field\_for\_author\_name* tweak in *Preferences → Advanced → Tweaks*

Note that you can set an individual author's sort value to whatever you want using *Manage authors*. This is useful when dealing with names that calibre will not get right, such as complex multi-part names like Miguel de Cervantes Saavedra or when dealing with Asian names like Sun Tzu.

With all this flexibility, it is possible to have calibre manage your author names however you like. For example, one common request is to have calibre display author names LN, FN. To do this, and if the note below does not apply to you, then:

- Set the *author\_sort\_copy\_method* tweak to `copy` as described above.
- Restart calibre. Do not change any book metadata before doing the remaining steps.
- Change all author names to LN, FN using the *Manage authors* dialog.
- After you have changed all the authors, press the *Recalculate all author sort values* button.
- Press OK, at which point calibre will change the authors in all your books. This can take a while.

---

<sup>59</sup> <https://www.w3.org/International/questions/qa-personal-names.en.php?changelang=en>

### Nota

**When changing from FN LN to LN, FN, it is often the case that the values in author\_sort are already in LN, FN format. If this is your case, then do the following:**

- Set the `author_sort_copy_method` tweak to `copy` as described above.
- Restart calibre. Do not change any book metadata before doing the remaining steps.
- Apri la finestra Gestisci Autori. Premi il pulsante opia tutti i valori di ordinamento autore in autore.
- Check through the authors to be sure you are happy. You can still press Cancel to abandon the changes. Once you press OK, there is no undo.
- Press OK, at which point calibre will change the authors in all your books. This can take a while.

### 9.3.3 Why doesn't calibre let me store books in my own folder structure?

The whole point of calibre's library management features is that they provide a search and sort based interface for locating books that is *much* more efficient than any possible folder scheme you could come up with for your collection. Indeed, once you become comfortable using calibre's interface to find, sort and browse your collection, you won't ever feel the need to hunt through the files on your disk to find a book again. By managing books in its own folder structure of Author -> Title -> Book files, calibre is able to achieve a high level of reliability and standardization. To illustrate why a search/tagging based interface is superior to folders, consider the following. Suppose your book collection is nicely sorted into folders with the following scheme:

Genre -> Author -> Series -> ReadStatus

Now this makes it very easy to find for example all science fiction books by Isaac Asimov in the Foundation series. But suppose you want to find all unread science fiction books. There's no easy way to do this with this folder scheme, you would instead need a folder scheme that looks like:

ReadStatus -> Genre -> Author -> Series

In calibre, you would instead use tags to mark genre and read status and then just use a simple search query like `tag:scifi` and `not tag:read`. calibre even has a nice graphical interface, so you don't need to learn its search language instead you can just click on tags to include or exclude them from the search.

To those of you that claim that you need access to the filesystem, so that you can have access to your books over the network, calibre has an excellent Content server that gives you access to your calibre library over the net.

If you are worried that someday calibre will cease to be developed, leaving all your books marooned in its folder structure, explore the powerful *Save to disk* feature in calibre that lets you export all your files into a folder structure of arbitrary complexity based on their metadata.

Finally, the reason there are numbers at the end of every title folder, is for *robustness*. That number is the id number of the book record in the calibre database. The presence of the number allows you to have multiple records with the same title and author names. It is also part of what allows calibre to magically regenerate the database with all metadata if the database file gets corrupted. Given that calibre's mission is to get you to stop storing metadata in filenames and stop using the filesystem to find things, the increased robustness afforded by the id numbers is well worth the uglier folder names.

If you are still not convinced, then I'm afraid calibre is not for you. Look elsewhere for your book cataloguing needs. Just so we're clear, **this is not going to change**. Kindly do not contact us in an attempt to get us to change this.

### **9.3.4 Why doesn't calibre have a column for foo?**

calibre is designed to have columns for the most frequently and widely used fields. In addition, you can add any columns you like. Columns can be added via *Preferences → Interface → Add your own columns*. Watch the tutorial [UI Power tips<sup>60</sup>](#) to learn how to create your own columns, or read [this blog post<sup>61</sup>](#).

You can also create «virtual columns» that contain combinations of the metadata from other columns. In the add column dialog use the *Quick create* links to easily create columns to show the book ISBN or formats. You can use the powerful calibre template language to do much more with columns. For more details, see [Il linguaggio dei modelli di calibre](#) (pagina 158).

### **9.3.5 Can I have a column showing the formats or the ISBN?**

Yes, you can. Follow the instructions in the answer above for adding custom columns.

### **9.3.6 Come posso trasferire i miei dati di calibre da un computer a un altro?**

You can export all calibre data (books, settings and plugins) and then import it on another computer. First let's see how to export the data:

- Right click the calibre icon in the main calibre toolbar and select *Export/import all calibre data*. Note that if there is currently a device connected, this menu option will not be available – so, disconnect any connected devices. Then click the button labelled *Export all your calibre data*. You will see a list of all your calibre libraries. Click OK and choose an empty folder somewhere on your computer. The exported data will be saved in this folder. Simply copy this folder to your new computer and follow the instructions below to import the data.
- Install calibre on your new computer and run through the *Welcome wizard*, it does not matter what you do there, as you will be importing your old settings in the next step. You will now have an empty calibre, with just the *Getting Started* guide in your library. Once again, right click the calibre button and choose *Export/import all calibre data*. Then click the button labelled *Import previously exported data*. Select the folder with the exported data that you copied over earlier. You will now have a list of libraries you can import. Go through the list one by one, and select the new location for each library (a location is just an empty folder somewhere on your computer). Click OK. After the import completes, calibre will restart, with all your old libraries, settings and calibre plugins.

#### **1 Nota**

This import/export functionality is only available from calibre version 2.47 onwards. If you have an older version of calibre, or if you encounter problems with the import/export, you can just copy over your calibre library folder manually, as described in the next paragraph.

Simply copy the calibre library folder from the old to the new computer. You can find out what the library folder is by clicking the calibre icon in the toolbar. Choose the *Switch/create calibre library* action and you will see the path to the current calibre library.

Now on the new computer, start calibre for the first time. It will run the *Welcome wizard* asking you for the location of the calibre library. Point it to the previously copied folder. If the computer you are transferring to already has a calibre installation, then the *Welcome wizard* won't run. In that case, right-click the calibre icon in the toolbar and point it to the newly copied folder. You will now have two calibre libraries on your computer and you can switch between them by clicking the calibre icon on the toolbar. Transferring your library in this manner preserves all your metadata, tags, custom columns, etc.

<sup>60</sup> <https://calibre-ebook.com/it/demo#tutorials>

<sup>61</sup> <https://blog.calibre-ebook.com/calibre-custom-columns/>

### 9.3.7 The list of books in calibre is blank!

In order to understand why that happened, you have to understand what a calibre library is. At the most basic level, a calibre library is just a folder. Whenever you add a book to calibre, that book's files are copied into this folder (arranged into sub folders by author and title). Inside the calibre library folder, at the top level, you will see a file called metadata.db. This file is where calibre stores the metadata like title/author/rating/tags etc. for *every* book in your calibre library. The list of books that calibre displays is created by reading the contents of this metadata.db file.

There can be two reasons why calibre is showing a empty list of books:

- Your calibre library folder changed its location. This can happen if it was on an external disk and the drive letter for that disk changed. Or if you accidentally moved the folder. In this case, calibre cannot find its library and so starts up with an empty library instead. To remedy this, do a right-click on the calibre icon in the calibre toolbar and select Switch/create library. Click the little blue icon to select the new location of your calibre library and click OK. If you don't know the new location search your computer for the file `metadata.db`.
- Your `metadata.db` file was deleted/corrupted. In this case, you can ask calibre to rebuild the `metadata.db` from its backups. Right click the calibre icon in the calibre toolbar and select Library maintenance->Restore database. calibre will automatically rebuild `metadata.db`.

### 9.3.8 I am getting errors with my calibre library on a networked drive/NAS?

**Do not put your calibre library on a networked drive.**

A filesystem is a complex beast. Most network filesystems lack various filesystem features that calibre uses. Some don't support file locking, some don't support hardlinking, some are just flaky. Additionally, calibre is a single user application, if you accidentally run two copies of calibre on the same networked library, bad things will happen. Finally, different OSes impose different limitations on filesystems, so if you share your networked drive across OSes, once again, bad things *will happen*.

Consider using the calibre Content server to make your books available on other computers. Run calibre on a single computer and access it via the Content server or a Remote Desktop solution.

If you must share the actual library, use a file syncing tool like DropBox or rsync instead of a networked drive. If you are using a file-syncing tool it is **essential** that you make sure that both calibre and the file syncing tool do not try to access the calibre library at the same time. In other words, **do not** run the file syncing tool and calibre at the same time.

Even with these tools there is danger of data corruption/loss, so only do this if you are willing to live with that risk. In particular, be aware that **Google Drive** is incompatible with calibre, if you put your calibre library in Google Drive, **you will suffer data loss**. See [this thread<sup>62</sup>](#) for details.

## 9.4 Varie

### Contenuti

- *Amazon smetterà di consegnare i file MOBI?* (pagina 142)
- *I want calibre to download news from my favorite news website.* (pagina 143)
- *Perché il nome calibre?* (pagina 143)
- *Perché calibre mostra solo alcune delle mie famiglie di caratteri su macOS?* (pagina 143)
- *calibre non si avvia su Windows?* (pagina 143)
- *calibre si blocca/non risponde di tanto in tanto?* (pagina 144)

<sup>62</sup> <https://www.mobiteread.com/forums/showthread.php?t=205581>

- *The calibre E-book viewer and Edit book tools do not work on Windows?* (pagina 144)
- *Using the viewer or doing any conversions results in a permission denied error on Windows* (pagina 145)
- *calibre is not starting/crashing on macOS?* (pagina 145)
- *Quando apro il Lettore e-book di calibre vedo solo una schermata nera o bianca?* (pagina 145)
- *Ho scaricato il programma di installazione, ma non funziona?* (pagina 145)
- *My antivirus program claims calibre is a virus/trojan?* (pagina 146)
- *Come effettuo il backup di calibre?* (pagina 146)
- *Come posso utilizzare in calibre i libri acquistati in formato EPUB (ovvero cosa faccio con i file .acsm)?* (pagina 146)
- *Mi appare un errore «Permesso Negato»?* (pagina 147)
- *Can I have the comment metadata show up on my reader?* (pagina 147)
- *Come faccio a far usare a calibre il mio proxy HTTP?* (pagina 147)
- *Mi piacerebbe che una funzionalità fosse aggiunta a calibre. Cosa posso fare?* (pagina 147)
- *Perché calibre non ha un aggiornamento automatico?* (pagina 148)
- *Qual è la licenza di calibre?* (pagina 148)
- *Come avvio calibre dalla mia chiavetta USB?* (pagina 148)
- *Come posso avviare parti di calibre come lo scaricamento delle notizie e il server dei contenuti sul mio server Linux personale?* (pagina 148)

### 9.4.1 Amazon smetterà di consegnare i file MOBI?

Amazon [have announced<sup>63</sup>](#) that they will stop accepting MOBI files emailed to @kindle.com email addresses. You can instruct calibre to send EPUB instead of MOBI by going to *Preferences → Sharing books by email* and then removing MOBI from the list of formats to send to your @kindle.com email address and adding EPUB instead.

Tieni però presente che l'elaborazione di EPUB da parte di Amazon è molto carente, svariati file EPUB che funzionano in ogni altro caso verranno rifiutati. In casi del genere puoi provare questo espediente:

1. Converti il file EPUB in MOBI
2. Then convert the MOBI file back to EPUB and send the resulting EPUB file

Ciò rimuoverà tutta la formattazione avanzata, i caratteri incorporati, ecc. ma aumenterà notevolmente la probabilità che l'EPUB venga accettato da Amazon.

#### Nota

If you were previously using email delivery of periodicals downloaded by calibre, you will be better off sending those by USB cable or downloading them from the calibre Content server via the Kindle's built-in browser. However, if you want to continue using email delivery you can try changing the output format in Preferences->Behavior to EPUB, then calibre will download the news in EPUB format. Whether Amazon will accept the EPUB or not is a whole other question.

<sup>63</sup> <https://blog.the-ebook-reader.com/2022/05/03/amazon-dropping-mobi-support-on-send-to-kindle-apps/>

## 9.4.2 I want calibre to download news from my favorite news website.

If you are reasonably proficient with computers, you can teach calibre to download news from any website of your choosing. To learn how to do this see [Aggiunta del tuo sito di notizie preferito](#) (pagina 33).

Otherwise, you can request a particular news site by posting in the calibre Recipes forum<sup>64</sup>.

## 9.4.3 Perché il nome calibre?

**Segli la tua preferita:**

- Convertitore e (And) biblioteca (LIBRary) per E-book
- Un prodotto di grosso *calibro*
- Un omaggio al SONY Librie, che fu il primo lettore di e-book basato su e-ink
- Lo ha scelto mia moglie ;-)

calibre is pronounced as cal-i-ber *not* ca-li-bre. If you're wondering, calibre is the British/commonwealth spelling for caliber. Being Indian, that's the natural spelling for me.

## 9.4.4 Perché calibre mostra solo alcune delle mie famiglie di caratteri su macOS?

calibre embeds fonts in e-book files it creates. E-book files support embedding only TrueType and OpenType (.ttf and .otf) fonts. Most fonts on macOS systems are in .dfont format, thus they cannot be embedded. calibre shows only TrueType and OpenType fonts found on your system. You can obtain many such fonts on the web. Simply download the .ttf/.otf files and add them to the Library/Fonts folder in your home folder.

## 9.4.5 calibre non si avvia su Windows?

Sono possibili svariate cause:

- If you get no errors but the calibre window does not appear, it has probably just appeared off screen. You can gather all windows onto the current screen using one of the techniques described [here<sup>65</sup>](#).
- Some software has been known to interfere with calibre, try rebooting in Safe mode and see if it works. A known culprit is the [Sunshine<sup>66</sup>](#) screen sharing software.
- If you get an error about calibre not being able to open a file because it is in use by another program, do the following:
  - Disinstalla calibre
  - Riavvia il computer
  - Re-install calibre. But do not start calibre from the installation wizard.
  - Temporarily disable your antivirus program (disconnect from the Internet before doing so, to be safe)
  - Look inside the folder you chose for your calibre library. If you see a file named metadata.db, delete it.
  - Avvia calibre
  - From now on you should be able to start calibre normally.
- If you get an error about a Python function terminating unexpectedly after upgrading calibre, first uninstall calibre, then delete the folders (if they exists) C:\Program Files\Calibre and C:\Program Files\Calibre2. Now re-install and you should be fine.

<sup>64</sup> <https://www.mobileread.com/forums/forumdisplay.php?f=228>

<sup>65</sup> <https://www.wikihow.com/Bring-an-Off-Screen-Window-Back-on-Windows>

<sup>66</sup> <https://github.com/LizardByte/Sunshine>

- If you get an error in the *Welcome wizard* on an initial run of calibre, try choosing a folder like C:\library as the calibre library (calibre sometimes has trouble with library locations if the path contains non-English characters, or only numbers, etc.)
- Try running it as administrator (Right click on the icon and select *Run as administrator*)

If it still won't launch, start a command prompt (press the Windows key and R; then type cmd.exe in the Run dialog that appears). At the command prompt type the following command and press Enter:

```
calibre-debug -g
```

Post any output you see in a help message on the [Forum](#)<sup>67</sup>.

### 9.4.6 calibre si blocca/non risponde di tanto in tanto?

There are several possible things I know of, that can cause this:

- You recently connected an external monitor or TV to your computer. In this case, whenever calibre opens a new window like the edit metadata window or the conversion dialog, it appears on the second monitor where you don't notice it and so you think calibre has frozen. Disconnect your second monitor and restart calibre.
- The following programs have been reported to cause crashes in calibre: If you are running any of these, close them before starting calibre, or uninstall them: *RoboForm*, *Logitech SetPoint Settings*, *Constant Guard Protection by Xfinity*, *Spybot*, *Killer Network Manager*, *Nahimic UI Interface*, *Acronis True Image*.
- You are using a Wacom branded USB mouse/tablet. There is an incompatibility between Wacom drivers and the graphics toolkit calibre uses. Try using a non-Wacom mouse.
- In alcune versioni di Windows a 64 bit sono presenti software/impostazioni di sicurezza che impediscono a calibre 64 bit di funzionare correttamente. Se stai usando la versione a 64 bit di calibre prova a passare alla versione a 32 bit.
- If the crash happens when you are trying to copy text from the calibre E-book viewer, it is most likely caused by some clipboard monitoring/managing application you have running. Turn it off and you should be fine.
- If the crashes happen specifically when you are using a file dialog, like clicking on the *Add books* button or the *Save to Disk* button, then you have some software that has installed broken Shell extensions on your computer. Known culprits include: *SpiderOak*, *odrive sync* and *Dell Backup and Recovery* and *NetDrive*. If you have one of these, uninstall them and you will be fine. You can also use the [NirSoft Shell Extension Viewer](#)<sup>68</sup> to see what shell extensions are installed on your system and disable them individually, if you don't want to uninstall the full program. Remember to use «Restart Explorer» or reboot your computer after disabling the shell extensions.

If none of the above apply to you, then there is some other program on your computer that is interfering with calibre. First reboot your computer in safe mode, to have as few running programs as possible, and see if the crashes still happen. If they do not, then you know it is some program causing the problem. The most likely such culprit is a program that modifies other programs' behavior, such as an antivirus, a device driver, something like RoboForm (an automatic form filling app) or an assistive technology like Voice Control or a Screen Reader.

The only way to find the culprit is to eliminate the programs one by one and see which one is causing the issue. Basically, stop a program, run calibre, check for crashes. If they still happen, stop another program and repeat.

### 9.4.7 The calibre E-book viewer and Edit book tools do not work on Windows?

These two programs use hardware acceleration as they embed a version of the Chrome browser to render HTML. If they do not work it will be because of incompatibility with your system's GPU (graphics) drivers. Try updating these first,

<sup>67</sup> <https://www.mobiteread.com/forums/forumdisplay.php?f=166>

<sup>68</sup> <https://www.nirsoft.net/utils/shexview.html>

and reboot. If that does not fix it, you can set the `QTWEBENGINE_CHROMIUM_FLAGS` environment variable to the value `--disable-gpu` to turn off hardware acceleration. See [this page<sup>69</sup>](#) for details.

#### 9.4.8 Using the viewer or doing any conversions results in a permission denied error on Windows

Something on your computer is preventing calibre from accessing its own temporary files. Most likely the permissions on your `Temp` folder are incorrect. Go to the folder file:`C:\Users\USERNAME\AppData\Local` in Windows Explorer and then right click on the file:`Temp` folder, select *Properties* and go to the *Security* tab. Make sure that your user account has full control for this folder.

Some users have reported that running the following command in an Administrator Command Prompt fixed their permissions. To get an Administrator Command Prompt search for cmd.exe in the start menu, then right click on the command prompt entry and select *Run as administrator*. At the command prompt type the following command and press Enter:

```
icacls "%appdata%\..\Local\Temp" /reset /T
```

Alternately, you can run calibre as Administrator, but doing so will cause some functionality, such as drag and drop to not work.

Finally, some users have reported that disabling UAC fixes the problem.

#### 9.4.9 calibre is not starting/crashing on macOS?

One common cause of failures on macOS is the use of accessibility technologies that are incompatible with the graphics toolkit calibre uses. Try turning off VoiceOver if you have it on. Also go to System Preferences->System->Universal Access and turn off the setting for enabling access for assistive devices in all the tabs. Another cause can be some third party apps that modify system behavior, such as Smart Scroll and Default Folder X.

You can obtain debug output about why calibre is not starting by running `Console.app`. Debug output will be printed to it. If the debug output contains a line that looks like:

```
Qt: internal: -108: Error ATSUMeasureTextImage text/qfontengine_mac.mm
```

then the problem is probably a corrupted font cache. You can clear the cache by following these [instructions<sup>70</sup>](#). If that doesn't solve it, look for a corrupted font file on your system, in `~/Library/Fonts` or the like. An easy way to check for corrupted fonts in macOS is to start the «Font Book» application, select all fonts and then in the File menu, choose «Validate fonts».

#### 9.4.10 Quando apro il Lettore e-book di calibre vedo solo una schermata nera o bianca?

This will be because of an incompatibility between Qt WebEngine, which the viewer uses to render and the GPU drivers on your system. First try upgrading the GPU drivers. If that does not help, you can try turning off hardware acceleration in Qt WebEngine by setting the environment variable `QTWEBENGINE_CHROMIUM_FLAGS` to the value `--disable-gpu`. See *Variabili d'ambiente* (pagina 285) for how to change environment variables.

#### 9.4.11 Ho scaricato il programma di installazione, ma non funziona?

Downloading from the Internet can sometimes result in a corrupted download. If the calibre installer you downloaded is not opening, try downloading it again. If re-downloading it does not work, download it from [an alternate location<sup>71</sup>](#). If the installer still doesn't work, then something on your computer is preventing it from running.

<sup>69</sup> <https://doc.qt.io/qt-6/qtwebengine-debugging.html>

<sup>70</sup> <https://typefaceapp.com/help/troubleshooting/macos-font-cache>

<sup>71</sup> <https://github.com/kovidgoyal/calibre/releases/latest>

- Try temporarily disabling your antivirus program (Microsoft Security Essentials, or Kaspersky or Norton or McAfee or whatever). This is most likely the culprit if the upgrade process is hanging in the middle.
- Similarly, if the installer is failing/rolling back and you have Microsoft PowerToys running, quit it.
- If you have installed to a non-standard location, try running the installer as Administrator
- Try rebooting your computer and running a registry cleaner like [Wise registry cleaner<sup>72</sup>](#).
- Try a clean install. That is, uninstall calibre, delete C:\Program Files\Calibre2 (or wherever you previously chose to install calibre). Then re-install calibre. Note that uninstalling does not touch your books or settings.
- Try downloading the installer with an alternate browser. For example if you are using Microsoft Edge, try using Firefox or Chrome instead.
- If you get an error about a missing DLL on Windows, then most likely, the permissions on your temporary folder are incorrect. Go to the folder C:\Users\USERNAME\AppData\Local in Windows Explorer and then right click on the Temp folder and select *Properties* and go to the *Security* tab. Make sure that your user account has full control for this folder.

Se ancora non riesci a far funzionare il programma di installazione e sei su Windows, puoi usare l'[installazione portatile di calibre<sup>73</sup>](#), che non necessita di un programma di installazione (è semplicemente un file ZIP).

### 9.4.12 My antivirus program claims calibre is a virus/trojan?

The first thing to check is that you are downloading calibre from the [official website<sup>74</sup>](#). Make sure you are clicking the download links on the left, not the advertisements on the right. calibre is a very popular program and unscrupulous people try to setup websites offering it for download to fool the unwary.

If you have the official download and your antivirus program is still claiming calibre is a virus, then, your antivirus program is wrong. Antivirus programs use heuristics, patterns of code that «look suspicious» to detect viruses. It's rather like racial profiling. calibre is a completely open source product. You can actually browse the source code yourself (or hire someone to do it for you) to verify that it is not a virus. Please report the false identification to whatever company you buy your antivirus software from. If the antivirus program is preventing you from downloading/installing calibre, disable it temporarily, install calibre and then re-enable it.

### 9.4.13 Come effettuo il backup di calibre?

The most important thing to backup is the calibre library folder, that contains all your books and metadata. This is the folder you chose for your calibre library when you ran calibre for the first time. You can get the path to the library folder by clicking the calibre icon on the main toolbar. You must backup this complete folder with all its files and sub-folders.

You can switch calibre to using a backed up library folder by simply clicking the calibre icon on the toolbar and choosing your backup library folder. A backed up library folder backs up your custom columns and saved searches as well as all your books and metadata.

If you want to backup the calibre configuration/plugins, you have to backup the config folder. You can find this config folder via *Preferences* → *Miscellaneous*. Note that restoring configuration folders is not officially supported, but should work in most cases. Just copy the contents of the backup folder into the current configuration folder to restore.

### 9.4.14 Come posso utilizzare in calibre i libri acquistati in formato EPUB (ovvero cosa faccio con i file .acsm)?

Most purchased EPUB books have [DRM](#) (pagina 371). This prevents calibre from opening them. You can still use calibre to store and transfer them to your e-book reader. First, you must authorize your reader on a Windows machine with Adobe Digital Editions. Once this is done, EPUB books transferred with calibre will work fine on your reader. When

---

<sup>72</sup> <https://www.wisecleaner.com>

<sup>73</sup> [https://calibre-ebook.com/it/download\\_portable](https://calibre-ebook.com/it/download_portable)

<sup>74</sup> <https://calibre-ebook.com/it/download>

you purchase an epub book from a website, you will get an «.acsm» file. This file should be opened with Adobe Digital Editions, which will then download the actual «.epub» e-book. The e-book file will be stored in the folder «My Digital Editions», from where you can add it to calibre.

#### 9.4.15 Mi appare un errore «Permesso Negato»?

A permission denied error can occur because of many possible reasons, none of them having anything to do with calibre.

- You can get permission denied errors if you are using an SD card with write protect enabled.
- On macOS if you get permission errors when connecting a device to calibre, you can fix that by looking under *System Preferences > Security and Privacy > Privacy > Files and Folders*.
- If you, or some program you used changed the file permissions of the files in question to read only.
- If there is a filesystem error on the device which caused your operating system to mount the filesystem in read only mode or mark a particular file as read only pending recovery.
- If the files have their owner set to a user other than you.
- Se il file è aperto in un altro programma.
- If the file resides on a device, you may have reached the limit of a maximum of 256 files in the root of the device. In this case you need to reformat the device/sd card referred to in the error message with a FAT32 filesystem, or delete some files from the SD card/device memory.

You will need to fix the underlying cause of the permissions error before resuming to use calibre. Read the error message carefully, see what file it points to and fix the permissions on that file or its containing folders.

#### 9.4.16 Can I have the comment metadata show up on my reader?

Most readers do not support this. You should complain to the manufacturer about it and hopefully if enough people complain, things will change. In the meantime, you can insert the metadata, including comments into a «Jacket page» at the start of the e-book, by using the option to «Insert metadata as page at start of book» during conversion. The option is found in the *Structure detection* section of the conversion settings. Note that for this to have effect you have to *convert* the book. If your book is already in a format that does not need conversion, you can convert from that format to the same format.

Another alternative is to create a catalog in e-book form containing a listing of all the books in your calibre library, with their metadata. Click-and-hold the *Convert* button to access the catalog creation tool. And before you ask, no you cannot have the catalog «link directly to» books on your reader.

#### 9.4.17 Come faccio a far usare a calibre il mio proxy HTTP?

By default, calibre uses whatever proxy settings are set in your OS. Sometimes these are incorrect, for example, on Windows if you don't use Microsoft Edge then the proxy settings may not be up to date. You can tell calibre to use a particular proxy server by setting the `http_proxy` and `https_proxy` environment variables. The format of the variable is: `http://username:password@servername` you should ask your network administrator to give you the correct value for this variable. Note that calibre only supports HTTP proxies not SOCKS proxies. You can see the current proxies used by calibre in Preferences->Miscellaneous.

#### 9.4.18 Mi piacerebbe che una funzionalità fosse aggiunta a calibre. Cosa posso fare?

Hai due possibilità:

1. Crea una patch trafficando con calibre e inviamela per la revisione e l'inclusione. Vedi [Sviluppo](#)<sup>75</sup>.

<sup>75</sup> <https://calibre-ebook.com/it/get-involved>

2. Open a bug requesting the feature<sup>76</sup>. Remember that while you may think your feature request is extremely important/essential, calibre developers might not agree. Fortunately, calibre is open source, which means you always have the option of implementing your feature yourself, or hiring someone to do it for you. Furthermore, calibre has a comprehensive plugin architecture, so you might be able to develop your feature as a plugin, see *Scrivere i propri plugin per estendere le funzionalità di calibre* (pagina 223).

### 9.4.19 Perché calibre non ha un aggiornamento automatico?

Per diverse ragioni:

- *There is no need to update every week.* If you are happy with how calibre works turn off the update notification and be on your merry way. Check back to see if you want to update once a year or so. There is a check box to turn off the update notification, on the update notification itself.
- calibre downloads currently use [about 150TB of bandwidth a month](#)<sup>77</sup>. Implementing automatic updates would greatly increase that and end up costing thousands of dollars a month, which someone has to pay.
- If I implement a dialog that downloads the update and launches it, instead of going to the website as it does now, that would save the most ardent calibre updater, *at most five clicks a week*. There are far higher priority things to do in calibre development.
- If you really, really hate downloading calibre every week but still want to be up to the latest, I encourage you to run from source, which makes updating trivial. Instructions are [available here](#) (pagina 341).
- There are third party automatic updaters for calibre made by calibre users in the [calibre forum](#)<sup>78</sup>.
- Additionally, some third-party updaters such as Norton or Avast may update software behind the user's back. If you find calibre has updated unexpectedly, check for the presence of one.

### 9.4.20 Qual è la licenza di calibre?

calibre is licensed under the GNU General Public License v3 (an open source license). This means that you are free to redistribute calibre as long as you make the source code available. So if you want to put calibre on a CD with your product, you must also put the calibre source code on the CD. The source code is available [for download](#)<sup>79</sup>. You are free to use the results of conversions from calibre however you want. You cannot use either code or libraries from calibre in your software without making your software open source. For details, see [The GNU GPL v3](#)<sup>80</sup>.

### 9.4.21 Come avvio calibre dalla mia chiavetta USB?

Una versione portatile di calibre è disponibile :website:` qui <download\_portable>`.

### 9.4.22 Come posso avviare parti di calibre come lo scaricamento delle notizie e il server dei contenuti sul mio server Linux personale?

First, you must install calibre onto your Linux server. If your server is using a modern Linux distribution, you should have no problems installing calibre onto it.

#### Nota

calibre needs GLIBC >= 2.31 and libstdc++ >= 6.0.28. If you have an older server, you will either need to compile these from source, or use calibre 3.48 which requires GLIBC >= 2.17 or 2.85.1 which requires GLIBC >= 2.13 or

<sup>76</sup> <https://calibre-ebook.com/it/bugs>

<sup>77</sup> <https://calibre-ebook.com/dynamic/downloads>

<sup>78</sup> <https://www.mobiteread.com/forums/forumdisplay.php?f=238>

<sup>79</sup> <https://download.calibre-ebook.com>

<sup>80</sup> <https://www.gnu.org/licenses/gpl.html>

calibre 1.48 which requires only GLIBC >= 2.10. In addition, although the calibre command line utilities do not need a running X server, some of them do require the X server libraries to be installed on your system. This is because of Qt, which is used for various image processing tasks, and links against these libraries. If you get an ImportError about some Qt modules, you are likely missing some X libraries. Typical candidates are: libxcb-cursor0, libxcb-xinerama0, libegl1, libopengl1.

Puoi avviare il server calibre tramite il comando:

```
/opt/calibre/calibre-server /path/to/the/library/you/want/to/share
```

Puoi scaricare news e convertirle in un e-book con il comando:

```
/opt/calibre/ebook-convert "Title of news source.recipe" outputfile.epub
```

Se invece vuoi generare file MOBI, utilizza outputfile.mobi insieme a --output-profile kindle.

You can email downloaded news with the command:

```
/opt/calibre/calibre-smtp
```

I leave figuring out the exact command line as an exercise for the reader.

Finally, you can add downloaded news to the calibre library with:

```
/opt/calibre/calibredb add --with-library /path/to/library outfile.epub
```

Remember to read the *Interfaccia a riga di comando* (pagina 301) section of the calibre User Manual to learn more about these, and other commands.



# CAPITOLO 10

---

## Guide

---

Qui troverete le guide che vi spiegano come iniziare a utilizzare le funzionalità avanzate di calibre, come gli XPath e i modelli.

### 10.1 Gestire sottogruppi di libri, ad esempio il «genere»

Alcune persone desiderano organizzare i libri nella loro biblioteca in sottogruppi, in modo simile alle sottocartelle. La ragione più comunemente addotta è la creazione di gerarchie nei generi, ma ce ne sono molte altre. Un utente chiedeva un modo di organizzare i libri di testo per materia e numero di corso. Un altro voleva tenere traccia dei regali per argomento e beneficiario. Questa guida si servirà dell'esempio dei generi per il resto di questa sezione.


Prima di continuare, ricorda che non stiamo parlando di cartelle nel disco rigido. I sottogruppi non sono cartelle. I libri non verranno copiati da nessuna parte. La struttura dei file della biblioteca di calibre non verrà influenzata. Invece, stiamo presentando un modo di organizzare e mostrare sottogruppi di libri all'interno di una biblioteca di calibre.

- [Configurazione](#) (pagina 153)
- [Ricerca](#) (pagina 155)
- [Restrizioni](#) (pagina 155)
- [Utili funzioni di modello](#) (pagina 156)

I requisiti comunemente previsti per sottogruppi come i generi sono:

- Un sottogruppo (p.es., un genere) deve contenere (puntare a) libri, non categorie di libri. Questo è quello che distingue i sottogruppi dalle categorie utente di calibre.
- Un libro può essere in più di un sottogruppo (genere). Questo distingue i sottogruppi dalle cartelle di file reali.
- I sottogruppi (generi) devono formare una gerarchia; i sottogruppi possono contenere altri sottogruppi.

I tag ti danno i primi due requisiti. Se aggiungi un tag a un libro con il suo genere puoi usare il Navigatore dei Tag (o la ricerca) per trovare i libri con quel genere, e abbiamo il primo. Molti libri possono avere lo stesso (o gli stessi) tag, e questo è il secondo. Il problema è che i tag non soddisfano il terzo requisito. Non permettono una gerarchia.



La funzionalità di gerarchia di calibre ti fornisce il terzo requisito – la capacità di vedere i generi in un “albero” e la capacità di cercare con facilità i libri per genere o sottogenere. Per esempio, poniamo che la tua struttura dei generi sia simile a questa:

```
Genre
  . History
  .. Japanese
  .. Military
  .. Roman
  . Mysteries
  .. English
  .. Vampire
  . Science Fiction
  .. Alternate History
  .. Military
  .. Space Opera
  . Thrillers
  .. Crime
  .. Horror
etc.
```

Usando la funzionalità di gerarchia, puoi vedere questi generi nel Navigatore dei Tag in un diagramma ad albero, come mostrato nell'immagine dello schermo. In questo esempio il livello più esterno (Genere) è una colonna personalizzata che contiene i generi. I generi contenenti sottogeneri appaiono con un piccolo triangolo a fianco. Il clic su quel triangolo espanderà l'elemento e mostrerà i sottogeneri, come puoi vedere per History e Science Fiction.

Il clic su un genere permette di cercare tutti i libri con quel genere o che sono «figli» di quel genere. Per esempio, facendo clic su Science Fiction si otterranno tutti e tre i generi figli, Alternate History, Military, e Space Opera. Facendo clic su Alternate History si otterranno i libri inclusi in quel genere, mentre saranno ignorati quelli in Military e Space Opera.

Naturalmente, un libro può avere più di un genere. Se un libro ha sia Space Opera sia Military come generi, vedrai quel libro quando fai clic su ciascuno di essi. La ricerca viene discussa più approfonditamente più avanti.


Un'altra cosa che puoi vedere dall'immagine è che il genere Military appare due volte, una sotto History e una sotto Science Fiction. Dato che i generi sono gerarchizzati, questi sono due generi separati. Un libro può essere incluso in uno, nell'altro, o (difficilmente in questo caso) in entrambi. Per esempio, i libri della serie «La Seconda Guerra Mondiale» di Winston Churchill potrebbe essere in «Science Fiction.Military», e del resto anche in «Science Fiction.Space Opera.»

Una volta che un genere esiste, vale a dire che almeno un libro ha quel genere, puoi facilmente applicarlo ad altri libri trascinandoli dalla vista biblioteca sopra il genere che vuoi che i libri abbiano. Puoi anche applicare i generi modificando i metadati dei libri; maggiori dettagli saranno dati più avanti.

### 10.1.1 Configurazione

A questo punto, la domanda potrebbe essere «Come è stato configurato tutto quanto?» Ci sono tre passi da seguire: 1) crea la colonna personalizzata, 2) dirà a calibre che la nuova colonna deve essere trattata come gerarchica, e 3) aggiungi dei generi.


La colonna personalizzata viene creata nel solito modo, usando Preferenze -> Aggiungi colonne personalizzate. Questo esempio usa «#genre» come nome di riferimento e «Genre» come intestazione per la colonna. È importante che il tipo di colonna sia impostato su *Testo separato da virgola, mostrato nel navigatore dei Tag*.




Dopodiché, dopo averlo riavviato, devi dire a calibre che la colonna deve essere trattata come gerarchica. Vai in *Preferenze* → *Aspetto* → *Navigatore dei Tag* → *Gerarchie e ricerche* e scegli la nuova colonna Genre come avente elementi gerarchici.

In questo momento non ci sono generi nella colonna. Ci manca l'ultimo passaggio: come applicare un genere a un libro. Un genere non esiste in calibre finché non appare in almeno un libro. Per imparare come applicare un genere per la prima volta, dobbiamo addentrarci nei dettagli di come appare un genere nei metadati di un libro.

Una gerarchia di “oggetti” è costruita creando un elemento che consiste di frasi separate da punti. Proseguendo con l'esempio dei generi, questi elementi sarebbero «History.Military», «Mysteries.Vampire», «Science Fiction.Space Opera», ecc. Pertanto per creare un nuovo genere, hai bisogno di prendere un libro che dovrebbe averlo, modificarne i metadati ed inserire il nuovo genere nella colonna che hai creato. Andando avanti con il nostro esempio, se volessi assegnare un nuovo genere «Fumetti» con un sottogenere «Supereroi» ad un libro (albo), ne dovresti modificare i metadati, selezionare la scheda dei metadati personalizzati e quindi inserire «Fumetti.Supereroi» come mostrato nell'immagine seguente (ignora le altre colonne personalizzate):



Dopo aver fatto tutto quello di cui sopra, vedrai nel Navigatore dei Tag:



Da qui in avanti, per applicare questo nuovo genere ad un libro (verosimilmente un fumetto), potrai o trascinare il libro sopra il genere, o aggiungerlo al libro usando lo strumento di modifica metadati esattamente nello stesso modo sopradescritto.

**Nota**

La vista gerarchica funziona solamente se il Navigatore dei tag è impostato con l'ordinamento per nome. Questa è l'impostazione predefinita, e può essere verificata facendo clic sul pulsante *Configura* in fondo al Navigatore dei tag.

## 10.1.2 Ricerca



Il modo più facile di cercare per genere è attraverso il Navigatore dei Tag, facendo clic sul genere che desideri vedere. Il clic su un genere con «figli» ti mostrerà i libri con quel genere e tutti i generi figli. Tuttavia, ciò fa nascere una domanda. Solo perché un genere ha dei figli, questo non significa che non sia anch'esso un genere a sé. Per esempio, un libro può avere il genere «History» ma non «History.Military». Come cercare libri che hanno solo «History»?


Il meccanismo di ricerca del Navigatore dei Tag si accorge se un elemento ha dei figli. Se ne ha, il clic sull'elemento scorre tra 5 modalità di ricerca invece delle normali tre. La prima è il classico più verde, che ti mostra solamente i libri con quel genere (p.es. History). La seconda è un doppio più (mostrato sopra), che ti mostra i libri con quel genere e tutti i sottogeneri (es. History e History.Military). La terza è il classico meno rosso, che ti mostra i libri senza quello specifico genere. La quarta è un doppio meno, che ti mostra i libri senza quel genere o quei sottogeneri. La quinta è lo stato iniziale, nessun segno, che significa nessuna ricerca.

## 10.1.3 Restrizioni

Se ricerchi un genere e poi crei per esso una ricerca salvata, puoi usare la casella “Filtra per” per creare una biblioteca virtuale di libri con quel genere. Ciò è utile se vuoi fare altre ricerche all'interno di quel genere o se vuoi gestire/aggiornare i metadati per i libri con quel genere. Proseguendo con il nostro esempio, puoi creare una Ricerca Salvata di nome “History.Japanese” prima facendo clic sul genere Japanese nel Navigatore dei Tag per ottenere una ricerca nel campo di ricerca, inserendo History.Japanese nel campo della ricerca salvata, quindi facendo clic sul pulsante «Salva ricerca» (la casella verde con il più bianco, sul lato destro).



Dopo aver creato la ricerca salvata, puoi usarla come restrizione.



#### 10.1.4 Utili funzioni di modello

Potresti voler usare le informazioni sul genere in un modello, come per il salvataggio su disco o per l'invio al dispositivo. La domanda allora potrebbe essere «Come ottengo il nome del genere o dei generi più esterni? Esiste una funzione di modello di calibre, subitems, che rende le cose più facili.

Per esempio, poniamo che tu voglia aggiungere il livello più esterno dei generi al modello di salvataggio su disco per creare cartelle con il nome del genere, come in «History/The Gathering Storm - Churchill, Winston». Per fare ciò, devi estrarre il primo livello della gerarchia e aggiungerlo all'inizio insieme ad una barra obliqua ad indicare che deve creare una cartella. Il modello riportato di seguito lo permette:

```
{#genre:subitems(0, 1) // }{title} - {authors}
```

Vedi [Il linguaggio dei modelli](#) (pagina 158) per maggiori informazioni sui modelli e sulla funzione `subitems()`.

## 10.2 Guida di XPath

In questa guida ti sarà fornita un'introduzione graduale a [XPath<sup>81</sup>](#), un linguaggio per query che può essere utilizzato per selezionare parti arbitrarie di documenti [HTML<sup>82</sup>](#) in calibre. XPath è uno standard ampiamente utilizzato e una ricerca su Google rivelerà parecchie informazioni. Questa guida, tuttavia, si concentra sull'utilizzo di XPath per compiti relativi agli e-book, come trovare le intestazioni dei capitoli in un documento HTML non strutturato.

### Contenuti

- [Selezione per nome del tag](#) (pagina 157)
- [Selezione per attributi](#) (pagina 157)
- [Selezione per contenuto del tag](#) (pagina 157)
- [Libro di esempio](#) (pagina 158)
- [Funzioni interne di XPath](#) (pagina 158)

<sup>81</sup> <https://en.wikipedia.org/wiki/XPath>

<sup>82</sup> <https://en.wikipedia.org/wiki/HTML>

### 10.2.1 Selezione per nome del tag

La forma più semplice di selezione è selezionare i tag per nome. Ad esempio, immagina di voler selezionare tutti i tag «`<h2>`» in un documento. La query di XPath per farlo è semplicemente:

```
//h2          (Selects all <h2> tags)
```

Il prefisso `//` significa *cerca ad ogni livello del documento*. Adesso immagina di dover cercare dei tag `<span>` che si trovano dentro tag `<a>`. Ciò si può ottenere con:

```
//h:a/h:span    (Selects <span> tags inside <a> tags)
```

Se vuoi cercare dei tag in un livello particolare del documento, modifica il prefisso:

```
/h:body/h:div/h:p (Selects <p> tags that are children of <div> tags that are  
children of the <body> tag)
```

Questo troverà solo `<p>`A very short e-book to demonstrate the use of XPath.`</p>` nel *Libro di esempio* (pagina 158), ma nessuno degli altri tag `<p>`. Il prefisso `h:` negli esempi precedenti è richiesto per trovare i tag XHTML. Ciò è necessario perché, internamente, calibre rappresenta tutti i contenuti come XHTML. In XHTML i tag hanno un *namespace* e `h:` è il prefisso di namespace per i tag HTML.

Adesso, immagina di voler selezionare sia i tag `<h1>` che quelli `<h2>`. Per farlo, abbiamo bisogno di un costrutto XPath chiamato *predicato*. Un *predicato* è semplicemente un test usato per selezionare i tag. I test possono essere arbitrariamente potenti e continuando lungo questa guida vedrai degli esempi sempre più potenti. Un predicato si crea racchiudendo l'espressione di test in parentesi quadre:

```
/*[name() = 'h1' or name() = 'h2']
```

Ci sono diverse nuove funzionalità in questa espressione XPath. La prima è l'uso del carattere jolly `*`. Significa *trova qualsiasi tag*. Ora dai un'occhiata all'espressione di test `name() = 'h1' or name() = 'h2'`. `name()` è un esempio di *funzione interna*. Essa valuta semplicemente il nome del tag. Quindi, usandola, possiamo selezionare tag i cui nomi sono `h1` o `h2`. Tieni presente che la funzione `name()` ignora gli spazi di nomi in modo che non sia necessario il prefisso `h:`. XPath ha diverse utili funzioni interne. Alcune di loro saranno introdotte in questa guida.

### 10.2.2 Selezione per attributi

Per selezionare i tag in base alle loro caratteristiche, è richiesto l'uso di predici

```
//*[@@style]          (Select all tags that have a style attribute)  
//*[@@class="chapter"] (Select all tags that have class="chapter")  
//h:h1[@class="bookTitle"] (Select all h1 tags that have class="bookTitle")
```

Qui, l'operatore `@` si riferisce agli attributi del tag. È possibile utilizzare alcune delle *funzioni incorporate di XPath* per eseguire una corrispondenza più sofisticata sui valori degli attributi.

### 10.2.3 Selezione per contenuto del tag

Usando XPath, puoi persino selezionare i tag in base al testo che contengono. Il modo migliore per farlo è usare la potenza delle *espressioni regolari* tramite la funzione integrata `re:test()`:

```
//h:h2[re:test(., 'chapter|section', 'i')] (Selects <h2> tags that contain the words  
→chapter or  
section)
```

Qui l'operatore `.` si riferisce al contenuto del tag, proprio come l'operatore `@` si riferiva ai suoi attributi.

## 10.2.4 Libro di esempio

```
<html>
  <head>
    <title>A very short e-book</title>
    <meta name="charset" value="utf-8" />
  </head>
  <body>
    <h1 class="bookTitle">A very short e-book</h1>
    <p style="text-align:right">Written by Kovid Goyal</p>
    <div class="introduction">
      <p>A very short e-book to demonstrate the use of XPath.</p>
    </div>

    <h2 class="chapter">Chapter One</h2>
    <p>This is a truly fascinating chapter.</p>

    <h2 class="chapter">Chapter Two</h2>
    <p>A worthy continuation of a fine tradition.</p>
  </body>
</html>
```

## 10.2.5 Funzioni interne di XPath

### name()

Il nome del tag attuale

### contains()

contains(s1, s2) restituisce *true* se s1 contiene s2.

### re:test()

re:test(src, pattern, flags) restituisce *true* se la stringa *src* corrisponde all'espressione regolare *pattern*.

Un flag particolarmente utile è *i*, che non considera la differenza MAIUSCOLE/minuscole. Un primo aiuto sulla sintassi per le espressioni regolari è disponibile in *sintassi delle regexp*[<https://docs.python.org/2.7/library/re.html>](https://docs.python.org/2.7/library/re.html)

—

## 10.3 Il linguaggio dei modelli di calibre

Il linguaggio del modello di calibre è un linguaggio specifico utilizzato in tutto calibre per attività quali l'indicazione dei percorsi dei file, la formattazione dei valori e il calcolo del valore per le colonne specificate dall'utente. Esempi:

- Specify the folder structure and file names when saving files from the calibre library to the disk or e-book reader.
- Define rules for adding icons and colors to the calibre book list.
- Define *virtual columns* that contain data from other columns.
- Advanced library searching.
- Advanced metadata search and replace.

The language is built around the notion of a *template*, which specifies which book metadata to use, computations on that metadata, and how it is to be formatted.

### 10.3.1 Modelli di base

A basic template consists one or more template expressions. A template expression consists of text and names in curly brackets ({} ) that is replaced by the corresponding metadata from the book being processed. For example, the default template in calibre used for saving books to device has 4 template expressions:

```
{author_sort}/{title}/{title} - {authors}
```

For the book «The Foundation» by «Isaac Asimov» the will become:

```
Asimov, Isaac/The Foundation/The Foundation - Isaac Asimov
```

The slashes are not template expressions because they are in between in {}. Such text is left where it appears. For example, if the template is:

```
{author_sort} Some Important Text {title}/{title} - {authors}
```

then for «The Foundation» the template produces:

```
Asimov, Isaac Some Important Text The Foundation/The Foundation - Isaac Asimov
```

A template expression can access all the metadata available in calibre, including custom columns (columns you create yourself), by using a column's lookup name. To find the lookup name for a *column* (sometimes called *fields*), hover your mouse over the column header in calibre's book list. Lookup names for custom columns always begin with #. For series type columns there is an additional field named #lookup\_name\_index that is the series index for that book in the series. For example, if you have a custom series column named #myseries, there will also be a column named #myseries\_index. The standard series column's index is named series\_index.

Oltre ai campi basati sulle colonne standard puoi anche usare:

- {formats} - A list of formats available in the calibre library for a book
- {identifiers:select(isbn)} - Il codice ISBN del libro

If the metadata for the field for a given book is not defined then the field in the template is replaced by the empty string (''). For example, consider the following template:

```
{author_sort}/{series}/{title} {series_index}
```

If Asimov's book «Second Foundation» is in the series «Foundation» then the template produces:

```
Asimov, Isaac/Foundation/Second Foundation 3
```

If a series has not been entered for the book then the template produces:

```
Asimov, Isaac/Second Foundation
```

The template processor automatically removes multiple slashes and leading or trailing spaces.

### 10.3.2 Formattazione avanzata

In addition to metadata substitution, templates can conditionally include additional text and control how substituted data is formatted.

#### Inclusione di testo condizionale

Sometimes you want text to appear in the output only if a field is not empty. A common case is series and series\_index where you want either nothing or the two values separated by a hyphen. calibre handles this case using a special template expression syntax.

For example and using the above Foundation example, assume you want the template to produce *Foundation - 3 - Second Foundation*. This template produces that output:

```
{series} - {series_index} - {title}
```

However, if a book has no series the template will produce *-- the title*, which is probably not what you want. Generally, people want the result be the title without the extraneous hyphens. You can accomplish this using the following template syntax:

```
{field:|prefix_text|suffix_text}
```

This template expression says that if `field` has the value `XXXX` then the result will be `prefix_textXXXXsuffix_text`. If `field` is empty (has no value) then the result will be the empty string (nothing) because the prefix and suffix are ignored. The prefix and suffix can contain blanks.

### Do not use subtemplates (`{ ... }` or functions (see below) in the prefix or the suffix.

Using this syntax, we can solve the above no-series problem with the template:

```
{series}{series_index:| - | - }{title}
```

The hyphens will be included only if the book has a series index, which it has only if it has a series. Continuing the Foundation example again, the template will produce *Foundation - 1 - Second Foundation*.

Note:

- You must include the colon after the `lookup` name if you are using a prefix or a suffix.
- You must either use either no or both `|` characters. Using one, as in `{field:| - }`, is not allowed.
- It is OK to provide no text for either the prefix or the suffix, such as in `{series:|| - }`. The template `{title:||}` is the same as `{title}`.

### Formattazione

Suppose you want the `series_index` to be formatted as three digits with leading zeros. This does the trick:

```
{series_index:0>3s} - Three digits with leading zeros
```

For trailing zeros, use:

```
{series_index:0<3s} - Three digits with trailing zeros
```

If you use series indices with fractional values, e.g., 1.1, you might want the decimal points to line up. For example, you might want the indices 1 and 2.5 to appear as 01.00 and 02.50 so that they will sort correctly on a device that does lexical sorting. To do this, use:

```
{series_index:0>5.2f} - Five characters consisting of two digits with leading zeros, a decimal point,  
then 2 digits after the decimal point.
```

If you want only the first two letters of the data, use:

```
{author_sort:.2} - Only the first two letters of the author sort name
```

Much of the calibre template language formatting comes from Python. For more details on the syntax of these advanced formatting operations see the [Python documentation](#)<sup>83</sup>.

### 10.3.3 Uso dei modelli per definire colonne personalizzate

Templates can be used to display information that isn't in calibre metadata, or to display metadata differently from calibre's normal format. For example, you might want to show the `ISBN`, a field that calibre does not display. You can accomplish this creating a custom column with the type *Column built from other columns* (hereafter called *composite columns*) and providing a template to generate the displayed text. The column will display the result of evaluating the template. For

<sup>83</sup> <https://docs.python.org/3/library/string.html#formatstrings>

example, to display the ISBN, create the column and enter `{identifiers:select(isbn)}` in the template box. To display a column containing the values of two series custom columns, separated by a comma, use `{#series1:||,} {#series2}`.

Composite columns can use any template option, including formatting.

Note: You cannot edit the data displayed in a composite column. Instead you edit the source columns. If you edit a composite column, for example by double-clicking it, calibre will open the template for editing, not the underlying data.

### 10.3.4 Modelli e pannelli di controllo

Plugboards are used for changing the metadata written into books during send-to-device and save-to-disk operations. A plugboard permits you to specify a template to provide the data to write into the book's metadata. You can use plugboards to modify the following fields: authors, author\_sort, language, publisher, tags, title, title\_sort. This feature helps people who want to use different metadata in books on devices to solve sorting or display issues.

When you create a plugboard, you specify the format and device for which the plugboard is to be used. A special device is provided, `save_to_disk`, that is used when saving formats (as opposed to sending them to a device). Once you have chosen the format and device, you choose the metadata fields to change, providing templates to supply the new values. These templates are *connected* to their destination fields, hence the name *plugboards*. You can of course use composite columns in these templates.

Plugboards are quite flexible and can be written in Single Function Mode, Template Program Mode, General Program Mode, or Python Template mode.

When a plugboard might apply (Content server, save to disk, or send to device), calibre searches the defined plugboards to choose the correct one for the given format and device. For example, to find the appropriate plugboard for an EPUB book being sent to an ANDROID device, calibre searches the plugboards using the following search order:

- un pannello che corrisponde esattamente per formato e dispositivo, p.es., EPUB e ANDROID
- a plugboard with an exact match on format and the special `any device` choice, e.g., EPUB and any device
- un pannello con la scelta speciale `any format` e una corrispondenza esatta per il dispositivo, p.es. `any format e ANDROID
- a plugboard with `any format` and `any device`

The tags and authors fields have special treatment, because both of these fields can hold more than one item. A book can have many tags and many authors. When you specify that one of these two fields is to be changed, the template's result is examined to see if more than one item is there. For tags, the result is cut apart wherever calibre finds a comma. For example, if the template produces the value `Thriller, Horror`, then the result will be two tags, `Thriller` and `Horror`. There is no way to put a comma in the middle of a tag.

The same thing happens for authors, but using a different character for the cut, a & (ampersand) instead of a comma. For example, if the template produces the value `Blogs, Joe&Posts, Susan`, then the book will end up with two authors, `Blogs, Joe and Posts, Susan`. If the template produces the value `Blogs, Joe;Posts, Susan`, then the book will have one author with a rather strange name.

Plugboards affect the metadata written into the book when it is saved to disk or written to the device. Plugboards do not affect the metadata used by `save to disk` and `send to device` to create the file names. Instead, file names are constructed using the templates entered on the appropriate preferences window.

### 10.3.5 Uso delle funzioni nei modelli - Modalità a Funzione Singola

Suppose you want to display the value of a field in upper case when that field is normally in title case. You can do this using *template functions*. For example, to display the title in upper case use the `uppercase` function, as in `{title:uppercase()}`. To display it in title case, use `{title:titlecase()}`.

Functions go into the format part of the template, after the : and before the first | or the closing } if no prefix/suffix is used. If you have both a format and a function reference, the function comes after a second :. Functions return the value of the column specified in the template, suitably modified.

The syntax for using functions is one of:

```
{lookup_name:function(arguments)}  
{lookup_name:format:function(arguments)}  
{lookup_name:function(arguments)|prefix|suffix}  
{lookup_name:format:function(arguments)|prefix|suffix}
```

Function names must always be followed by opening and closing parentheses. Some functions require extra values (arguments), and these go inside the parentheses. Arguments are separated by commas. Literal commas (commas as text, not argument separators) must be preceded by a backslash (\). The last (or only) argument cannot contain a textual closing parenthesis.

Functions are evaluated before format specifications and the prefix/suffix. See further down for an example of using both a format and a function.

**Important:** If you have programming experience, please note that the syntax in *Single Function Mode* is not what you expect. Strings are not quoted and spaces are significant. All arguments are considered to be constants; there are no expressions.

**Do not use subtemplates ({ ... }) as function arguments.** Instead, use *Template Program Mode* (pagina 169) and *General Program Mode* (pagina 164).

Notes on calling functions in Single Function Mode:

- When functions are used in Single Function Mode, the first parameter, `value`, is automatically replaced by the content of the field specified in the template. For example, when the template `{title:capitalize()}` is processed, the content of the `title` field is passed as the parameter `value` to the `capitalize` function.
- In the function documentation, the notation `[something]*` means that `something` can be repeated zero or more times. The notation `[something]+` means that the `something` is repeated one or more times (must exist at least one time).
- Some functions use regular expressions. In the template language regular expression matching is case-insensitive.

Functions are documented in *Riferimenti per le funzioni di modello* (pagina 178). The documentation tells you what arguments the functions require and what the functions do. For example, here is the documentation of the `isempty` (pagina 203) function.

- `isempty(value, text_if_empty)` – if the `value` is not empty then return that `value`, otherwise return `text_if_empty`.

You see that the function requires two arguments, `value` and `text_if_empty`. However, because we are using Single Function Mode, we omit the `value` argument, passing only `text_if_empty`. For example, this template:

```
{tags:isempty(No tags on this book)}
```

shows the tags for a book, if any. If it has no tags then it show *No tags on this book*.

The following functions are usable in Single Function Mode because their first parameter is `value`.

- `capitalize` (pagina 185) (`value`) – returns the `value` with the first letter in upper case and the rest lower case.
- `ceiling` (pagina 183) (`value`) – returns the smallest integer greater than or equal to `value`.
- `cmp` (pagina 205) (`value, y, lt, eq, gt`) – compares `value` and `y` after converting both to numbers.
- `contains` (pagina 202) (`value, pattern, text_if_match, text_if_not_match`) – checks if the `value` is matched by the regular expression `pattern`

- *date\_arithmetic* (pagina 194) (`value, calc_spec, fmt`) – Calculate a new date from `value` using `calc_spec`.
- *encode\_for\_url* (pagina 206) (`value, use_plus`) – returns the `value` encoded for use in a URL as specified by `use_plus`. The value is first URL-encoded. Next, if `use_plus` is 0 then spaces are replaced by '+' (plus) signs. If it is 1 then spaces are replaced by %20.
- *floor* (pagina 184) (`value`) – returns the largest integer less than or equal to `value`.
- *format\_date* (pagina 191) (`value, format_string`) – format the `value`, which must be a date string, using the `format_string`, returning a string.
- *format\_duration* (pagina 192) (`value, template, [largest_unit]`) – format the `value`, a number of seconds, into a string showing weeks, days, hours, minutes, and seconds. If the `value` is a float then it is rounded to the nearest integer.
- *format\_number* (pagina 193) (`value, template`) – interprets the `value` as a number and formats that number using a Python formatting template such as `{0:5.2f}` or `{0:,d}` or  `${0:5,.2f}`.
- *fractional\_part* (pagina 184) (`value`) – returns the part of the `value` after the decimal point.
- *human\_readable* (pagina 194) (`value`) – expects the `value` to be a number and returns a string representing that number in KB, MB, GB, etc.
- *isempty* (pagina 203) (`value, text_if_empty`) – if the `value` is not empty then return that `value`, otherwise return `text_if_empty`.
- *language\_strings* (pagina 190) (`value, localize`) – return the language names for the language codes (see here for names and codes<sup>84</sup>) passed in `value`.
- *list\_contains* (pagina 185) (`value, separator, [ pattern, found_val, ]* not_found_val`) – interpret the `value` as a list of items separated by `separator`, checking the `pattern` against each item in the list.
- *list\_count* (pagina 198) (`value, separator`) – interprets the `value` as a list of items separated by `separator` and returns the number of items in the list.
- *list\_count\_matching* (pagina 199) (`value, pattern, separator`) – interprets `value` as a list of items separated by `separator`, returning the number of items in the list that match the regular expression `pattern`.
- *list\_item* (pagina 186) (`value, index, separator`) – interpret the `value` as a list of items separated by `separator`, returning the "index'th item".
- *list\_sort* (pagina 200) (`value, direction, separator`) – return `value` sorted using a case-insensitive lexical sort.
- *lookup* (pagina 198) (`value, [ pattern, key, ]* else_key`) – The patterns will be checked against the `value` in order.
- *lowercase* (pagina 185) (`value`) – returns the `value` in lower case.
- *mod* (pagina 184) (`value, y`) – returns the `floor` of the remainder of `value / y`.
- *rating\_to\_stars* (pagina 194) (`value, use_half_stars`) – Returns the `value` as string of star (★) characters.
- *re* (pagina 203) (`value, pattern, replacement`) – return the `value` after applying the regular expression.
- *re\_group* (pagina 203) (`value, pattern [, template_for_group]*`) – return a string made by applying the regular expression `pattern` to `value` and replacing each matched instance
- *round* (pagina 184) (`value`) – returns the nearest integer to `value`.
- *select* (pagina 186) (`value, key`) – interpret the `value` as a comma-separated list of items with each item having the form `id:id_value` (the calibre identifier format).

<sup>84</sup> [https://www.loc.gov/standards/iso639-2/php/code\\_list.php](https://www.loc.gov/standards/iso639-2/php/code_list.php)

- *shorten* (pagina 203) (`value, left_chars, middle_text, right_chars`) – Return a shortened version of the value
- *str\_in\_list* (pagina 186) (`value, separator, [ string, found_val, ]+ not_found_val`) – interpret the value as a list of items separated by `separator` then compare `string` against each value in the list.
- *subitems* (pagina 201) (`value, start_index, end_index`) – This function breaks apart lists of tag-like hierarchical items such as genres.
- *sublist* (pagina 202) (`value, start_index, end_index, separator`) – interpret the value as a list of items separated by `separator`, returning a new list made from the items from `start_index` to `end_index`.
- *substr* (pagina 204) (`value, start, end`) – returns the `start`'th through the `end`'th characters of `value`
- *swap\_around\_articles* (pagina 204) (`value, separator`) – returns the `value` with articles moved to the end, separated by a semicolon.
- *swap\_around\_comma* (pagina 204) (`value`) – given a value of the form `B, A`, return `A B`.
- *switch* (pagina 198) (`value, [patternN, valueN, ]+ else_value`) – for each `patternN, valueN` pair, checks if the `value` matches the regular expression `patternN`
- *test* (pagina 204) (`value, text_if_not_empty, text_if_empty`) – return `text_if_not_empty` if the value is not empty, otherwise return `text_if_empty`.
- *titlecase* (pagina 185) (`value`) – returns the `value` in title case.
- *transliterate* (pagina 204) (`value`) – Return a string in a latin alphabet formed by approximating the sound of the words in `value`.
- *uppercase* (pagina 185) (`value`) – returns the `value` in upper case.

### Using functions and formatting in the same template

Suppose you have an integer custom column `#myint` that you want displayed with leading zeros, as in `003`. One way to do this is to use a format of `0>3s`. However, by default if a number (integer or float) equals zero then the value is displayed as the empty string so zero values will produce the empty string, not `000`. If you want to see `000` values then you use both the format string and the `isempty` function to change the empty value back to a zero. The template would be:

```
{#myint:0>3s:isempty(0)}
```

Note that you can use the prefix and suffix as well. If you want the number to appear as `[003]` or `[000]`, then use the template:

```
{#myint:0>3s:isempty(0) [/]}
```

### 10.3.6 Modalità Programma Generale

*General Program Mode (GPM)* replaces *template expressions* with a program written in the *template language*. The syntax of the language is defined by the following grammar:

```

program      ::= 'program:' expression_list
expression_list ::= top_expression [ ';' top_expression ]*
top_expression ::= or_expression
or_expression ::= and_expression [ '||' and_expression ]*
and_expression ::= not_expression [ '&&' not_expression ]*
not_expression ::= [ '!' not_expression ]* | concatenate_expr
concatenate_expr ::= compare_expr [ '&' compare_expr ]*
compare_expr  ::= add_sub_expr [ compare_op add_sub_expr ]
compare_op    ::= '==' | '!= | '>=' | '>' | '<=' | '<' |

```

(continues on next page)

(continua dalla pagina precedente)

```

        'in' | 'inlist' | 'inlist_field' |
        '==#' | '!#= #' | '>=#' | '>#' | '<=#' | '<#'
add_sub_expr    ::= times_div_expr [ add_sub_op times_div_expr ]*
add_sub_op      ::= '+' | '-'
times_div_expr   ::= unary_op_expr [ times_div_op unary_op_expr ]*
times_div_op     ::= '*' | '/'
unary_op_expr    ::= [ add_sub_op unary_op_expr ]* | expression
expression       ::= identifier | constant | function | assignment | field_reference |
                    if_expr | for_expr | break_expr | continue_expr |
                    '(' expression_list ')' | function_def
field_reference  ::= '$' [ '$' ] [ '#' ] identifier
identifier        ::= id_start [ id_rest ]*
id_start          ::= letter | underscore
id_rest           ::= id_start | digit
constant          ::= " string " | ' string ' | number
function          ::= identifier '(' expression_list [ ',' expression_list ]* ')'
function_def      ::= 'def' identifier '(' top_expression [ ',' top_expression ]* ')' ':'
˓→
                    expression_list 'fed'
assignment        ::= identifier '=' top_expression
if_expr           ::= 'if' condition 'then' expression_list
                    [ elif_expr ] [ 'else' expression_list ] 'fi'
condition         ::= top_expression
elif_expr          ::= 'elif' condition 'then' expression_list elif_expr | ''
for_expr          ::= for_list | for_range
for_list           ::= 'for' identifier 'in' list_expr
                    [ 'separator' separator_expr ] ':' expression_list 'rof'
for_range         ::= 'for' identifier 'in' range_expr ':' expression_list 'rof'
range_expr        ::= 'range' '(' [ start_expr ',' ] stop_expr
                    [ ',' step_expr [ ',' limit_expr ] ] ')'
list_expr          ::= top_expression
break_expr         ::= 'break'
continue_expr     ::= 'continue'
separator_expr    ::= top_expression
start_expr         ::= top_expression
stop_expr          ::= top_expression
step_expr          ::= top_expression
limit_expr         ::= top_expression

```

**Note:**

- a `top_expression` always has a value. The value of an `expression_list` is the value of the last `top_expression` in the list. For example, the value of the expression list `1;2;'foobar';3` is 3.
- In a logical context, any non-empty value is `True`
- In a logical context, the empty value is `False`
- Strings and numbers can be used interchangeably. For example, `10` and `'10'` are the same thing.
- Comments are lines starting with a “#” character, possibly preceded by blanks or tabs.

### Operator precedence

The operator precedence (order of evaluation) from highest (evaluated first) to lowest (evaluated last) is:

- Function calls, constants, parenthesized expressions, statement expressions, assignment expressions, field references.

- Unary plus (+) and minus (-). These operators evaluate right to left.  
These and all the other arithmetic operators return integers if the expression results in a fractional part equal to zero. For example, if an expression returns 3.0 it is changed to 3.
- Multiply (\*) and divide (/). These operators are associative and evaluate left to right. Use parentheses if you want to change the order of evaluation.
- Add (+) and subtract (-). These operators are associative and evaluate left to right.
- Numeric and string comparisons. These operators return '1' if the comparison succeeds, otherwise the empty string (''). Comparisons are not associative: `a < b < c` is a syntax error.
- String concatenation (&). The & operator returns a string formed by concatenating the left-hand and right-hand expressions. Example: `'aaa' & 'bbb'` returns `'aaabbb'`. The operator is associative and evaluates left to right.
- Unary logical not (!). This operator returns '1' if the expression is False (evaluates to the empty string), otherwise ''.
- Logical and (&&). This operator returns "1" if both the left-hand and right-hand expressions are True, or the empty string '' if either is False. It is associative, evaluates left to right, and does short-circuiting<sup>85</sup>.
- Logical or (||). This operator returns '1' if either the left-hand or right-hand expression is True, or '' if both are False. It is associative, evaluates left to right, and does short-circuiting<sup>86</sup>. It is an *inclusive or*, returning '1' if both the left- and right-hand expressions are True.

### Field references

A `field_reference` evaluates to the value of the metadata field named by lookup name that follows the `$` or `$$`. Using `$` is equivalent to using the `field` (pagina 188) function. Using `$$` is equivalent to using the `raw_field` (pagina 190) function. Examples:

```
* $authors ==> field('authors')
* #$genre ==> field('#genre')
* $$pubdate ==> raw_field('pubdate')
* $$#my_int ==> raw_field('#my_int')
```

### If expressions

If expressions first evaluate the `condition`. If the `condition` is True (a non-empty value) then the `expression_list` in the `then` clause is evaluated. If it is False then if present the `expression_list` in the `elif` or `else` clause is evaluated. The `elif` and `else` parts are optional. The words `if`, `then`, `elif`, `else`, and `fi` are reserved; you cannot use them as identifier names. You can put newlines and white space wherever they make sense. The `condition` is a `top_expression` not an `expression_list`; semicolons are not allowed. The `expression_lists` are semicolon-separated sequences of `top_expressions`. An `if` expression returns the result of the last `top_expression` in the evaluated `expression_list`, or the empty string if no expression list was evaluated.

Esempi:

```
* program: if field('series') then 'yes' else 'no' fi
* program:
  if field('series') then
    a = 'yes';
    b = 'no'
  else
    a = 'no';
    b = 'yes'
```

(continues on next page)

<sup>85</sup> [https://chortle.ccsu.edu/java5/Notes/chap40/ch40\\_2.html](https://chortle.ccsu.edu/java5/Notes/chap40/ch40_2.html)

<sup>86</sup> [https://chortle.ccsu.edu/java5/Notes/chap40/ch40\\_2.html](https://chortle.ccsu.edu/java5/Notes/chap40/ch40_2.html)

(continua dalla pagina precedente)

```
fi;
strcat(a, ' - ', b)
```

Nested if example:

```
program:
  if field('series') then
    if check_yes_no(field('#mybool'), '', '', '1') then
      'yes'
    else
      'no'
    fi
  else
    'no series'
  fi
```

As said above, an `if` produces a value. This means that all the following are equivalent:

```
* program: if field('series') then 'foo' else 'bar' fi
* program: if field('series') then a = 'foo' else a = 'bar' fi; a
* program: a = if field('series') then 'foo' else 'bar' fi; a
```

For example, this program returns the value of the `series` column if the book has a series, otherwise the value of the `title` column:

```
program: field(if field('series') then 'series' else 'title' fi)
```

## For expressions

The `for` expression iterates over a list of values, processing them one at a time. The `list_expression` must evaluate either to a metadata field `lookup` name e.g., `tags` or `#genre`, or to a list of values. The `range` (pagina 201) generates a list of numbers. If the result is a valid `lookup` name then the field's value is fetched and the separator specified for that field type is used. If the result isn't a valid `lookup` name then it is assumed to be a list of values. The list is assumed to be separated by commas unless the optional keyword `separator` is supplied, in which case the list values must be separated by the result of evaluating the `separator_expr`. A separator cannot be used if the list is generated by `range()`. Each value in the list is assigned to the specified variable then the `expression_list` is evaluated. You can use `break` to jump out of the loop, and `continue` to jump to the beginning of the loop for the next iteration.

Example: This template removes the first hierarchical name for each value in `Genre` (`#genre`), constructing a list with the new names:

```
program:
  new_tags = '';
  for i in '#genre':
    j = re(i, '^.*?\.(.*)$', '\1');
    new_tags = list_union(new_tags, j, ',')
  rof;
  new_tags
```

If the original `Genre` is `History.Military, Science Fiction.Alternate History, ReadMe` then the template returns `Military, Alternate History, ReadMe`. You could use this template in calibre's `Edit metadata in bulk → Search & replace` with `Search for` set to `template` to strip off the first level of the hierarchy and assign the resulting value to `Genre`.

Note: the last line in the template, `new_tags`, isn't strictly necessary in this case because `for` returns the value of the last top\_expression in the expression list. The value of an assignment is the value of its expression, so the value of the `for` statement is what was assigned to `new_tags`.

### Function definition

If you have repeated code in a template then you can put that code into a local function. The `def` keyword starts the definition. It is followed by the function name, the argument list, then the code in the function. The function definition ends with the `end` keyword.

Arguments are positional. When a function is called the supplied arguments are matched left to right against the defined parameters, with the value of the argument assigned to the parameter. It is an error to provide more arguments than defined parameters. Parameters can have default values, such as `a = 25`. If an argument is not supplied for that parameter then the default value is used, otherwise the parameter is set to the empty string.

The `return` statement can be used in a local function.

A function must be defined before it can be used.

Example: This template computes an approximate duration in years, months, and days from a number of days. The function `to_plural()` formats the computed values. Note that the example also uses the `&` operator:

```
program:  
    days = 2112;  
    years = floor(days/360);  
    months = floor(mod(days, 360)/30);  
    days = days - ((years*360) + (months * 30));  
  
    def to_plural(v, str):  
        if v == 0 then return '' fi;  
        return v & ' ' & (if v == 1 then str else str & 's' fi) & ''  
    end;  
  
    to_plural(years, 'year') & to_plural(months, 'month') & to_plural(days, 'day')
```

### Relational operators

Relational operators return '`1`' if the comparison is true, otherwise the empty string ('`''`).

There are two forms of relational operators: string comparisons and numeric comparisons.

String comparisons do case-insensitive string comparison using lexical order. The supported string comparison operators are `==`, `!=`, `<`, `<=`, `>`, `>=`, `in`, `inlist`, and `inlist_field`. For the `in`, `inlist`, and `inlist_field` operators, the result of the left hand expression is interpreted as a regular expression pattern. They are true if the value of left-hand regular expression matches the value of the right hand expression. The regular expressions are case-insensitive.

The `inlist` operator is true if the left hand regular expression matches any one of the items in the right hand list where the items in the list are separated by commas. The `inlist_field` operator is true if the left hand regular expression matches any of the items in the field (column) named by the right hand expression, using the separator defined for the field. NB: the `inlist_field` operator requires the right hand expression to evaluate to a field name, while the `inlist` operator requires the right hand expression to evaluate to a string containing a comma-separated list. Because of this difference, `inlist_field` is substantially faster than `inlist` because no string conversions or list constructions are done.

The numeric comparison operators are `==#`, `!=#`, `<#`, `<=#`, `>#`, `>=#`. The left and right expressions must evaluate to numeric values with two exceptions: both the string value «None» (undefined field) and the empty string evaluate to the value zero.

Esempi:

- program: `field('series') == 'foo'` returns '`1`' if the book's series is `foo`, otherwise '`''`.

- program: 'f.o' in field('series') returns '1' if the book's series matches the regular expression f.o (e.g., *foo*, *Off Onyx*, etc.), otherwise ''.
- program: 'science' inlist \$#genre returns '1' if any of the values retrieved from the book's genres match the regular expression science, e.g., *Science*, *History of Science*, *Science Fiction* etc., otherwise ''.
- program: '^science\$' inlist \$#genre returns '1' if any of the book's genres exactly match the regular expression ^science\$, e.g., *Science*, otherwise ''. The genres *History of Science* and *Science Fiction* don't match.
- program: 'asimov' inlist \$authors returns '1' if any author matches the regular expression asimov, e.g., *Asimov*, *Isaac* or *Isaac Asimov*, otherwise ''.
- program: 'asimov' inlist\_field 'authors' returns '1' if any author matches the regular expression asimov, e.g., *Asimov*, *Isaac* or *Isaac Asimov*, otherwise ''.
- program: 'asimov\$' inlist\_field 'authors' returns '1' if any author matches the regular expression asimov\$, e.g., *Isaac Asimov*, otherwise ''. It doesn't match *Asimov*, *Isaac* because of the \$ anchor in the regular expression.
- program: if field('series') != 'foo' then 'bar' else 'mumble' fi returns 'bar' if the book's series is not *foo*. Otherwise it returns 'mumble'.
- program: if field('series') == 'foo' || field('series') == '1632' then 'yes' else 'no' fi returns 'yes' if series is either *foo* or *1632*, otherwise 'no'.
- program: if '^(foo|1632)\$' in field('series') then 'yes' else 'no' fi returns 'yes' if series is either *foo* or *1632*, otherwise 'no'.
- program: if 11 > 2 then 'yes' else 'no' fi returns 'no' because the > operator does a lexical comparison.
- program: if 11 ># 2 then 'yes' else 'no' fi returns 'yes' because the ># operator does a numeric comparison.

### Functions in General Program Mode

See *Riferimenti per le funzioni di modello* (pagina 178) for the list of functions built into the template language.

Note:

- As opposed to *Single Function Mode* (pagina 161), in General Program Mode you must specify the first parameter value.
- All parameters are expression\_lists (see the grammar above).

### 10.3.7 Programmi più complessi nelle espressioni di modello - Modalità Programma di Modello

*Template Program Mode (TPM)* is a blend of *General Program Mode* (pagina 164) and *Single Function Mode* (pagina 161). *TPM* differs from Single Function Mode in that it permits writing template expressions that refer to other metadata fields, use nested functions, modify variables, and do arithmetic. It differs from *General Program Mode* in that the template is contained between { and } characters and doesn't begin with the word `program`. The program portion of the template is a General Program Mode expression list.

Example: assume you want a template to show the series for a book if it has one, otherwise show the value of a custom field #genre. You cannot do this in the *Single Function Mode* (pagina 161) because you cannot make reference to another metadata field within a template expression. In *TPM* you can, as the following expression demonstrates:

```
{series:'ifempty($, $#genre)'}
```

The example shows several things:

- *TPM* is used if the expression begins with ':' and ends with '}'. Anything else is assumed to be in *Single Function Mode* (pagina 161).

If the template contains a prefix and suffix, the expression ends with '| where the | is the delimiter for the prefix. Example:

```
{series:'isempty($, $#genre)'|prefix | suffix}
```

- Functions must be given all their arguments. For example, the standard built-in functions must be given the initial parameter `value`.
- The variable `$` is usable as the `value` argument and stands for the value of the field named in the template, `series` in this case.
- white space is ignored and can be used anywhere within the expression.
- constant strings are enclosed in matching quotes, either ' or ".

In *TPM*, using { and } characters in string literals can lead to errors or unexpected results because they confuse the template processor. It tries to treat them as template expression boundaries, not characters. In some but not all cases you can replace a { with [[ and a } with ]]. Advice: if your program contains { and } characters then you should use *General Program Mode*.

### 10.3.8 Python Template Mode

Python Template Mode (PTM) lets you write templates using native Python and the `calibre API`<sup>87</sup>. The database API will be of most use; further discussion is beyond the scope of this manual. PTM templates are faster and can do more complicated operations but you must know how to write code in Python using the `calibre API`.

A PTM template begins with:

```
python:  
def evaluate(book, context):  
    # book is a calibre metadata object  
    # context is an instance of calibre.utils.formatter.PythonTemplateContext,  
    # which currently contains the following attributes:  
    # db: a calibre legacy database object.  
    # globals: the template global variable dictionary.  
    # arguments: is a list of arguments if the template is called by a GPM template,  
    # otherwise None.  
    # funcs: used to call Built-in/User functions and Stored GPM/Python templates.  
    # Example: context.funcs.list_re_group()  
  
    # your Python code goes here  
    return 'a string'
```

You can add the above text to your template using the context menu, usually accessed with a right click. The comments are not significant and can be removed. You must use python indenting.

The context object supports `str(context)` that returns a string of the context's contents, and `context.attributes` that returns a list of the attribute names in the context.

The `context.funcs` attribute allows calling Built-in and User template functions, and Stored GPM/Python templates, so that you can execute them directly in your code. The functions are retrieved using their names. If the name conflicts with a Python keyword, add an underscore to the end of the name. Examples:


<sup>87</sup> <https://manual.calibre-ebook.com/develop.html#api-documentation-for-various-parts-of-calibre>

```
context.funcs.list_re_group()
context.funcs.assert_()
```

Here is an example of a PTM template that produces a list of all the authors for a series. The list is stored in a *Column built from other columns, behaves like tags*. It shows in *Book details* and has the *on separate lines* checked (in *Preferences → Look & feel → Book details*). That option requires the list to be comma-separated. To satisfy that requirement the template converts commas in author names to semicolons then builds a comma-separated list of authors. The authors are then sorted, which is why the template uses `author_sort`.

```
python:
def evaluate(book, context):
    if book.series is None:
        return ''
    db = context.db.new_api
    ans = set()
    # Get the list of books in the series
    ids = db.search(f'series:="{book.series}"', '')
    if ids:
        # Get all the author_sort values for the books in the series
        author_sorts = (v for v in db.all_field_for('author_sort', ids).values())
        # Add the names to the result set, removing duplicates
        for aus in author_sorts:
            ans.update(v.strip() for v in aus.split('&'))
        # Make a sorted comma-separated string from the result set
    return ', '.join(v.replace(',', ';') for v in sorted(ans))
```

The output in *Book details* looks like this:



### 10.3.9 Templates and URLs

You can use templates to construct URLs. Two cases are described here:

- Custom column *Book details* search URLs
- The calibre URL scheme

#### Custom column book details search URLs

When you create a custom column you can provide a URL to be used in *Book details* using a template. For example, if you have a custom column for *Translators* you can define a URL to take you to a site for translators. Book details search URLs can be provided for *Text*, *Enumerated*, *Series*, and *Column built from other column* column types.

When an item with a *search template* is clicked in *Book details* the template is evaluated. It is provided the normal book metadata. It is also provided three additional fields:

- `item_value`: the value of the clicked item.
- `item_value_quoted`: the value of clicked item, URL-encoded. Special characters are escaped to make them valid in URLs and spaces are replaced by '+' (plus) signs.
- `item_value_no_plus`: the value of clicked item, URL-encoded. Special characters are escaped to make them valid in URLs and spaces are replaced by '%20', not plus.

There are several ways to construct the URL. The following use Wikipedia as an example.

The simplest is a basic template:

```
https://en.wikipedia.org/w/index.php?search={item_value_encoded}
```

In some cases you might want to do more processing. There are four template functions you can use, depending on the complexity of the processing.

- `make_url` (pagina 206) (`path, [query_name, query_value]+`) – this function is the easiest way to construct a query URL. It uses a `path`, the web site and page you want to query, and `query_name`, `query_value` pairs from which the query is built. In general, the `query_value` must be URL-encoded. With this function it is always encoded and spaces are always replaced with '+' signs.
- `make_url_extended` (pagina 207) ( . . . ) – this function is similar to `make_url()` (pagina 206) but gives you more control over the URL components. The components of a URL are

**scheme://authority/path?query string.**

See [Uniform Resource Locator<sup>88</sup>](#) on Wikipedia for more detail.

The function has two variants:

```
make_url_extended(scheme, authority, path, [query_name, query_value] +)
```

and

```
make_url_extended(scheme, authority, path, query_string)
```

- `query_string` (pagina 207) (`[query_name, query_value, how_to_encode] +`) – returns a URL query string constructed from the `query_name`, `query_value`, `how_to_encode` triads. A query string is a series of items where each item looks like `query_name=query_value` where `query_value` is URL-encoded as instructed. The query items are separated by '&' (ampersand) characters.
- `encode_for_url` (pagina 206) (`value, use_plus`) – returns the `value` encoded for use in a URL as specified by `use_plus`. The value is first URL-encoded. Next, if `use_plus` is 0 then spaces are replaced by '+' (plus) signs. If it is 1 then spaces are replaced by '%20'.

<sup>88</sup> <https://en.wikipedia.org/wiki/URL>

For example, assume you have a custom column *Translators* (#translators) where the names are *Last name, First name*. You might need to convert the name to *First name Last name* when creating the URL. You can use the *make\_url* (pagina 206) function to do this:

```
program: make_url('https://en.wikipedia.org/w/index.php', 'search', swap_around_comma(→$item_value))
```

If we assume that the translator's name is *Bożeleński, Tadeusz* then the above template produces the link:

```
https://en.wikipedia.org/w/index.php?search=Tadeusz+Bo%C5%BBele%C5%84ski
```

Note that the person's first name is now first, the space is now a plus, and that the non-English characters in the last name are URL-encoded.

The functions *make\_url\_extended* (pagina 207), *query\_string* (pagina 207), and *encode\_for\_url* (pagina 206) might be useful depending upon any additional processing complexity.

### The calibre URL scheme

Calibre supports several different URLs to navigate your calibre libraries. This section shows how to use templates to construct some of the URLs. See *Lo schema degli URL calibre://* (pagina 249) for details on the URLs available.

- Switch to a specific library. The syntax of this URL is:

```
calibre://switch-library/Library_Name
```

*Library\_Name* must be replaced with the name of the calibre library you wish to open. The library name is shown in the title bar of the window. It is a simple name, not the file path to the library. You must spell it as shown in the title bar, including letter case. The character *\_* (underscore) stands for the current library. If the name contains any spaces or special characters then it must be hex encoded using the *to\_hex* (pagina 208) function, as in the following example:

```
program: strcat('calibre://switch-library/_hex_-', to_hex(current_library_name()))
```

The template generates the URL:

```
calibre://switch-library/_hex_-4c6962726172792e746573745f736d616c6c
```

You can replace the *current\_library\_name()* function with the actual name of the library, as in:

```
program: strcat('calibre://switch-library/_hex_-', to_hex('Library.test_small'))
```

- Links to show books. These links select a book in the calibre library. The syntax for this URL is:

```
calibre://show-book/Library_Name/book_id
```

The *book id* is the numeric calibre id for the book, available to templates as *\$id*. As above, the library name might need to be hex encoded. Here is an example:

```
program: strcat('calibre://show-book/_hex_-', to_hex(current_library_name()), '/', →$id)
```

It produces the URL:

```
calibre://show-book/_hex_-4c6962726172792e746573745f736d616c6c/1353
```

- Searching for books. These links search for books in the specified calibre library. The syntax for this URL is:

```
calibre://search/Library_Name?q=query  
calibre://search/Library_Name?eq=hex_encoded_query
```

where *query* is any valid calibre search expression. You must hex encode any query containing spaces or special characters, which generally means all of them. For example, the calibre search expression for searching for a hierarchical tag beginning with “AA” is `tags:=".AA"`. This template constructs a search URL for that expression:

```
program: strcat('calibre://search/_hex_-' , to_hex(current_library_name()) , '?eq=' ,  
    to_hex('tags:=".AA"'))
```

The resulting URL is:

```
calibre://search/_hex_-4c6962726172792e746573745f736d616c6c?  
    ↵eq=746167733a223d2e414122
```

Here is an example of the same URL built using the `:ref:ff_make_url_extended` function instead of `strcat` (pagina 203):

```
program: make_url_extended('calibre' , '' , 'search/_hex_-' & to_hex(current_  
    ↵library_name()) ,  
        'eq' , to_hex('tags:=".AA"'))
```

- Open a book details window on a book in some library. The syntax for this URL is:

```
calibre://book-details/Library_Name/book_id
```

An example template is:

```
program: strcat('calibre://book-details/_hex_-' , to_hex(current_library_name()) ,  
    '/' , $id)
```

which produces the URL:

```
calibre://book-details/_hex_-4c6962726172792e746573745f736d616c6c/1353
```

- Open the notes associated with an author/series/etc. The syntax of the URL is:

```
calibre://book-details/Library_Name/Field_Name/id_Item_Id  
calibre://book-details/Library_Name/Field_Name/hex_HexEncoded_Item_Name
```

`Field_Name` is the lookup name of the field. If the field is a custom column then replace the # character with an underscore (\_). `Item_Id` is the internal numeric ID of the value in the field. There isn’t a template function that returns the `Item_Id`, so templates will normally use the second form, `Hex_Encoded_Item_Name`. Here is a sample template that opens the note for the person Boy-Żeleński, Tadeusz in the field `#authtest`:

```
program: strcat('calibre://show-note/_hex_-' , to_hex(current_library_name()) ,  
    '/_authtest/hex_' , to_hex('Boy-Żeleński, Tadeusz'))
```

which produces the URL:

```
calibre://show-note/_hex_-4c6962726172792e746573745f736d616c6c/_authtest/hex_  
    ↵426f792dc5bb656c65c584736b692c205461646575737a
```

### 10.3.10 Modelli salvati

Both *General Program Mode* (pagina 164) and *Python Template Mode* (pagina 170) support saving templates and calling those templates from another template, much like calling stored functions. You save templates using *Preferences → Advanced → Template functions*. More information is provided in that dialog. You call a template the same way you call a function, passing positional arguments if desired. An argument can be any expression. Examples of calling a template, assuming the stored template is named `foo`:

- `foo()` – call the template passing no arguments.
- `foo(a, b)` call the template passing the values of the two variables `a` and `b`.
- `foo(if field('series') then field('series_index') else 0 fi)` – if the book has a `series` then pass the `series_index`, otherwise pass the value 0.

In GPM you retrieve the arguments passed in the call to the stored template using the `arguments` function. It both declares and initializes local variables, effectively parameters. The variables are positional; they get the value of the parameter given in the call in the same position. If the corresponding parameter is not provided in the call then `arguments` assigns that variable the provided default value. If there is no default value then the variable is set to the empty string. For example, the following `arguments` function declares 2 variables, `key`, `alternate`:

```
arguments(key, alternate='series')
```

Examples, again assuming the stored template is named `foo`:

- `foo('#myseries')` – argument `key` is assigned the value '`myseries`' and the argument `alternate` is assigned the default value '`series`'.
- `foo('series', '#genre')` the variable `key` is assigned the value '`series`' and the variable `alternate` is assigned the value '`#genre`'.
- `foo()` – the variable `key` is assigned the empty string and the variable `alternate` is assigned the value '`series`'.

In PTM the arguments are passed in the `arguments` parameter, which is a list of strings. There isn't any way to specify default values. You must check the length of the `arguments` list to be sure that the number of arguments is what you expect.

An easy way to test stored templates is using the *Template tester* dialog. For ease of access give it a keyboard shortcut in *Preferences → Advanced → Keyboard shortcuts → Template tester*. Giving the *Stored templates* dialog a shortcut will help switching more rapidly between the tester and editing the stored template's source code.

### 10.3.11 Fornire informazioni aggiuntive ai modelli

A developer can choose to pass additional information to the template processor, such as application-specific book metadata or information about what the processor is being asked to do. A template can access this information and use it during the evaluation.

#### Developer: how to pass additional information

The additional information is a Python dictionary containing pairs `variable_name: variable_value` where the values must be strings. The template can access the dictionary, creating template local variables named `variable_name` containing the value `variable_value`. The user cannot change the name so it is best to use names that won't collide with other template local variables, for example by prefixing the name with an underscore.

This dictionary is passed to the template processor (the `formatter`) using the named parameter `global_vars=your_dict`. The full method signature is:

```
def safe_format(self, fmt, kwargs, error_value, book,
                column_name=None, template_cache=None,
```

(continues on next page)

(continua dalla pagina precedente)

```
strip_results=True, template_functions=None,  
global_vars={})
```

### Template writer: how to access the additional information

You access the additional information (the `globals` dictionary) in a template using the template function:

```
globals(id[=expression] [, id[=expression]]*)
```

where `id` is any legal variable name. This function checks whether the additional information provided by the developer contains the name. If it does then the function assigns the provided value to a template local variable with that name. If the name is not in the additional information and if an `expression` is provided, the `expression` is evaluated and the result is assigned to the local variable. If neither a value nor an expression is provided, the function assigns the empty string (' ') to the local variable.

A template can set a value in the `globals` dictionary using the template function:

```
set_globals(id[=expression] [, id[=expression]]*)
```

This function sets the `globals` dictionary key:value pair `id:value` where `value` is the value of the template local variable `id`. If that local variable doesn't exist then `value` is set to the result of evaluating `expression`.

### 10.3.12 Note sulla differenza tra le modalità

The three program modes, *Single Function Mode* (pagina 161) (SFM), *Template Program Mode* (pagina 169) (TPM), and *General Program Mode* (pagina 164) (GPM), work differently. SFM is intended to be “simple” so it hides a lot of programming language bits.

Differenze:

- In SFM the value of the column is always passed as an “invisible” first argument to a function included in the template.
- SFM doesn’t support the difference between variables and strings; all values are strings.
- The following SFM template returns either the series name or the string «no series»:

```
{series:isempty(no series)}
```

The equivalent template in TPM is

```
{series:'isempty($, 'no series')'}
```

The equivalent template in GPM is:

```
program: isempty(field('series'), 'no series')
```

The first argument to `isempty` is the value of the field `series`. The second argument is the string `no series`. In SFM the first argument, the value of the field, is automatically passed (the invisible argument).

- Several template functions, for example `booksize()` and `current_library_name()`, take no arguments. Because of the “invisible argument” you cannot use these functions in SFM.
- Nested functions, where a function calls another function to compute an argument, cannot be used in SFM. For example this template, intended to return the first 5 characters of the series value uppercased, won’t work in SFM:

```
{series:uppercase(substr(0,5))}
```

- *TPM* and *GPM* support nested functions. The above template in *TPM* would be:

```
{series: 'uppercase(substr($, 0, 5))'}
```

In *GPM* it would be:

```
program: uppercase(substr(field('series'), 0, 5))
```

- As noted in the above *Template Program Mode* (pagina 169) section, using { and } characters in *TPM* string literals can lead to errors or unexpected results because they confuse the template processor. It tries to treat them as template boundaries, not characters. In some but not all cases you can replace a { with [[ and a } with ]]. Generally, if your program contains { and } characters then you should use *General Program Mode*.

### 10.3.13 Funzioni di modello Python definite dall'utente

You can add your own Python functions to the template processor. Such functions can be used in any of the three template programming modes. The functions are added by going to *Preferences* → *Advanced* → *Template functions*. Instructions are shown in that dialog. Note that you can use *Python Templates* for a similar purpose. As calling user-defined functions is faster than calling a Python template, user-defined functions might be more efficient depending on the complexity of what the function or template does.

### 10.3.14 Special notes for using templates in different contexts

In the GUI (*Columns made from other columns* and *Template searches*):

- GPM templates work as before.
- Python templates have full access to the calibre database.

In icon rules:

- icon rule templates have no book data so field-based functions such as *format\_date\_field* (pagina 192), *list\_count\_field* (pagina 198), and *check\_yes\_no* (pagina 202) won't work.

In the Content server:

- Templates have access to the new API but not the old API (LibraryDatabase).
- Because of the above, the following formatter functions are not guaranteed to work in GPM templates (composite columns, icon rules, etc) and should be avoided if you use the content server:
  - *connected\_device\_name* (pagina 187)
  - *connected\_device\_uuid* (pagina 187)
  - *current\_virtual\_library\_name* (pagina 188)
  - *is\_marked* (pagina 189)
  - *virtual\_libraries* (pagina 190)

### 10.3.15 Note particolari per i modelli di salvataggio/invio

Special processing is applied when a template is used in a *Save to disk* or *Send to device* template. The values of the fields are cleaned, replacing characters that are special to file systems with underscores, including slashes. This means that field text cannot be used to create folders. However, slashes are not changed in prefix or suffix strings, so slashes in these strings will cause folders to be created. Because of this, you can create variable-depth folder structure.

For example, assume we want the folder structure *series/series\_index - title*, with the caveat that if *series* does not exist, then the title should be in the top folder. The template to do this is:

```
{series:||/}{series_index:|| - }{title}
```

The slash and the hyphen appear only if series is not empty.

The lookup function lets us do even fancier processing. For example, assume that if a book has a series, then we want the folder structure *series/series index - title.fmt*. If the book does not have a series then we want the folder structure *genre/author\_sort/title.fmt*. If the book has no genre then we want to use “Unknown”. We want two completely different paths, depending on the value of series.

To accomplish this, we:

1. Create a composite field (give it lookup name #aa) containing `{series}/{series_index} - {title}`. If the series is not empty, then this template will produce *series/series\_index - title*.
2. Create a composite field (give it lookup name #bb) containing `{#genre:isempty(Unknown)}/ {author_sort}/{title}`. This template produces *genre/author\_sort/title*, where an empty genre is replaced with *Unknown*.
3. Set the save template to `{series:lookup(.,#aa,#bb)}`. This template chooses composite field #aa if series is not empty and composite field #bb if series is empty. We therefore have two completely different save paths, depending on whether or not *series* is empty.

### 10.3.16 Suggerimenti

- Use the Template Tester to test templates. Add the tester to the context menu for books in the library and/or give it a keyboard shortcut.
- Templates can use other templates by referencing composite columns built with the desired template. Alternatively, you can use Stored Templates.
- In a plugboard, you can set a field to empty (or whatever is equivalent to empty) by using the special template `{}`. This template will always evaluate to an empty string.
- The technique described above to show numbers even if they have a zero value works with the standard field `series_index`.

### 10.3.17 Riferimenti per le funzioni di modello

#### Reference for all built-in template language functions

Here, we document all the built-in functions available in the calibre template language. Every function is implemented as a class in python and you can click the source links to see the source code, in case the documentation is insufficient. The functions are arranged in logical groups by type.

- *Altro* (pagina 182)
  - *arguments* (pagina 182)
  - *assign* (pagina 182)
  - *globals* (pagina 183)
  - *is\_dark\_mode* (pagina 183)
  - *print* (pagina 183)
  - *set\_globals* (pagina 183)
- *Aritmetiche* (pagina 183)

- *add* (pagina 183)
- *ceiling* (pagina 183)
- *divide* (pagina 183)
- *floor* (pagina 184)
- *fractional\_part* (pagina 184)
- *mod* (pagina 184)
- *multiply* (pagina 184)
- *round* (pagina 184)
- *subtract* (pagina 184)
- *Booleane* (pagina 184)
  - *and* (pagina 184)
  - *not* (pagina 184)
  - *or* (pagina 185)
- *Cambi di maiuscole* (pagina 185)
  - *capitalize* (pagina 185)
  - *lowercase* (pagina 185)
  - *titlecase* (pagina 185)
  - *uppercase* (pagina 185)
- *Esaminazione di elenchi* (pagina 185)
  - *identifier\_in\_list* (pagina 185)
  - *list\_contains* (pagina 185)
  - *list\_item* (pagina 186)
  - *select* (pagina 186)
  - *str\_in\_list* (pagina 186)
- *Estrazione di valori dai metadati* (pagina 186)
  - *annotation\_count* (pagina 186)
  - *approximate\_formats* (pagina 186)
  - *author\_links* (pagina 187)
  - *author\_sorts* (pagina 187)
  - *booksize* (pagina 187)
  - *connected\_device\_name* (pagina 187)
  - *connected\_device\_uuid* (pagina 187)
  - *current\_library\_name* (pagina 187)
  - *current\_library\_path* (pagina 188)
  - *current\_virtual\_library\_name* (pagina 188)

- *field* (pagina 188)
- *formats\_modtimes* (pagina 188)
- *formats\_path\_segments* (pagina 188)
- *formats\_paths* (pagina 189)
- *formats\_sizes* (pagina 189)
- *has\_cover* (pagina 189)
- *is\_marked* (pagina 189)
- *language\_codes* (pagina 189)
- *language\_strings* (pagina 190)
- *ondevice* (pagina 190)
- *raw\_field* (pagina 190)
- *raw\_list* (pagina 190)
- *series\_sort* (pagina 190)
- *user\_categories* (pagina 190)
- *virtual\_libraries* (pagina 190)
- *Formattazione di valori* (pagina 191)
  - *finish\_formatting* (pagina 191)
  - *format\_date* (pagina 191)
  - *format\_date\_field* (pagina 192)
  - *format\_duration* (pagina 192)
  - *format\_number* (pagina 193)
  - *human\_readable* (pagina 194)
  - *rating\_to\_stars* (pagina 194)
- *Funzioni di data* (pagina 194)
  - *date\_arithmetic* (pagina 194)
  - *days\_between* (pagina 194)
  - *today* (pagina 194)
- *Funzioni di database* (pagina 195)
  - *book\_count* (pagina 195)
  - *book\_values* (pagina 195)
  - *extra\_file\_modtime* (pagina 196)
  - *extra\_file\_names* (pagina 196)
  - *extra\_file\_size* (pagina 196)
  - *get\_link* (pagina 196)
  - *get\_note* (pagina 197)

- *has\_extra\_files* (pagina 197)
- *has\_note* (pagina 197)
- *Iterazione su valori* (pagina 198)
  - *first\_non\_empty* (pagina 198)
  - *lookup* (pagina 198)
  - *switch* (pagina 198)
  - *switch\_if* (pagina 198)
- *Manipolazione di elenchi* (pagina 198)
  - *list\_count* (pagina 198)
  - *list\_count\_field* (pagina 198)
  - *list\_count\_matching* (pagina 199)
  - *list\_difference* (pagina 199)
  - *list\_equals* (pagina 199)
  - *list\_intersection* (pagina 199)
  - *list\_join* (pagina 199)
  - *list\_re* (pagina 200)
  - *list\_re\_group* (pagina 200)
  - *list\_remove\_duplicates* (pagina 200)
  - *list\_sort* (pagina 200)
  - *list\_split* (pagina 200)
  - *list\_union* (pagina 201)
  - *range* (pagina 201)
  - *subitems* (pagina 201)
  - *sublist* (pagina 202)
- *Manipolazione di stringhe* (pagina 202)
  - *character* (pagina 202)
  - *check\_yes\_no* (pagina 202)
  - *contains* (pagina 202)
  - *field\_exists* (pagina 202)
  - *isempty* (pagina 203)
  - *re* (pagina 203)
  - *re\_group* (pagina 203)
  - *shorten* (pagina 203)
  - *strcat* (pagina 203)
  - *strcat\_max* (pagina 203)

- *strlen* (pagina 204)
- *substr* (pagina 204)
- *swap\_around\_articles* (pagina 204)
- *swap\_around\_comma* (pagina 204)
- *test* (pagina 204)
- *transliterate* (pagina 204)
- *Relazionali* (pagina 205)
  - *cmp* (pagina 205)
  - *first\_matching\_cmp* (pagina 205)
  - *strcmp* (pagina 205)
  - *strcmpcase* (pagina 205)
- *Ricorsive* (pagina 205)
  - *eval* (pagina 205)
  - *template* (pagina 206)
- *URL functions* (pagina 206)
  - *encode\_for\_url* (pagina 206)
  - *make\_url* (pagina 206)
  - *make\_url\_extended* (pagina 207)
  - *query\_string* (pagina 207)
  - *to\_hex* (pagina 208)
  - *urls\_from\_identifiers* (pagina 208)
- *API of the Metadata objects* (pagina 208)

## Altro

### arguments

```
class calibre.utils.formatter_functions.BuiltinArguments
```

`arguments(id[=expression] [, id[=expression]]*)` – Used in a stored template to retrieve the arguments passed in the call. It both declares and initializes local variables with the supplied names, the `id`'s, making them effectively parameters. The variables are positional; they get the value of the argument given in the call in the same position. If the corresponding argument is not provided in the call then `arguments()` assigns that variable the provided default value. If there is no default value then the variable is set to the empty string.

### assign

```
class calibre.utils.formatter_functions.BuiltinAssign
```

`assign(id, value)` – assigns `value` to `id`, then returns `value`. `id` must be an identifier, not an expression. In most cases you can use the `=` operator instead of this function.

## globals

```
class calibre.utils.formatter_functions.BuiltinGlobals
```

`globals(id[=expression] [, id[=expression]]*)` – Retrieves «global variables» that can be passed into the formatter. The name `id` is the name of the global variable. It both declares and initializes local variables with the names of the global variables passed in (the `id` parameters. If the corresponding variable is not provided in the `globals` then it assigns that variable the provided default value. If there is no default value then the variable is set to the empty string.)

## is\_dark\_mode

```
class calibre.utils.formatter_functions.BuiltinIsDarkMode
```

`is_dark_mode()` – returns '1' if calibre is running in dark mode, '' (the empty string) otherwise. This function can be used in advanced color and icon rules to choose different colors/icons according to the mode. Example:

```
if is_dark_mode() then 'dark.png' else 'light.png' fi
```

## print

```
class calibre.utils.formatter_functions.BuiltinPrint
```

`print(a [, b]*)` – prints the arguments to standard output. Unless you start calibre from the command line (`calibre-debug -g`), the output will go into a black hole. The `print` function always returns its first argument.

## set\_globals

```
class calibre.utils.formatter_functions.BuiltinSetGlobals
```

`set_globals(id[=expression] [, id[=expression]]*)` – Sets *globalvariables* that can be passed into the formatter. The globals are given the name of the `id` passed in. The value of the `id` is used unless an expression is provided.

## Aritmetiche

### add

```
class calibre.utils.formatter_functions.BuiltinAdd
```

`add(x [, y]*)` – returns the sum of its arguments. Throws an exception if an argument is not a number. In most cases you can use the `+` operator instead of this function.

### ceiling

```
class calibre.utils.formatter_functions.BuiltinCeiling
```

`ceiling(value)` – returns the smallest integer greater than or equal to `value`. Throws an exception if `value` is not a number.

### divide

```
class calibre.utils.formatter_functions.BuiltinDivide
```

`divide(x, y)` – restituisce `x / y`. Genera un'eccezione se `x` o `y` non sono numeri. Questa funzione può spesso essere sostituita dall'operatore `/`.

### floor

```
class calibre.utils.formatter_functions.BuiltinFloor
```

floor(value) – returns the largest integer less than or equal to value. Throws an exception if value is not a number.

### fractional\_part

```
class calibre.utils.formatter_functions.BuiltinFractionalPart
```

fractional\_part(value) – returns the part of the value after the decimal point. For example, fractional\_part(3.14) returns 0.14. Throws an exception if value is not a number.

### mod

```
class calibre.utils.formatter_functions.BuiltinMod
```

mod(value, y) – returns the floor of the remainder of value / y. Throws an exception if either value or y is not a number.

### multiply

```
class calibre.utils.formatter_functions.BuiltinMultiply
```

multiply(x [, y]\*) – restituisce il prodotto dei suoi argomenti. Genera un'eccezione se uno dei suoi argomenti non è un numero. Questa funzione può spesso essere sostituita dall'operatore \*.

### round

```
class calibre.utils.formatter_functions.BuiltinRound
```

round(value) – returns the nearest integer to value. Throws an exception if value is not a number.

### subtract

```
class calibre.utils.formatter_functions.BuiltinSubtract
```

subtract(x, y) – returns x - y. Throws an exception if either x or y are not numbers. This function can usually be replaced by the - operator.

## Booleans

### and

```
class calibre.utils.formatter_functions.BuiltinAnd
```

and(value [, value]\*) – returns the string '1' if all values are not empty, otherwise returns the empty string. You can have as many values as you want. In most cases you can use the && operator instead of this function. One reason not to replace and() with && is when short-circuiting can change the results because of side effects. For example, and(a=' ', b=5) will always do both assignments, where the && operator won't do the second.

### not

```
class calibre.utils.formatter_functions.BuiltinNot
```

not(value) – returns the string '1' if the value is empty, otherwise returns the empty string. This function can usually be replaced with the unary not (!) operator.

or

```
class calibre.utils.formatter_functions.BuiltinOr
```

`or(value [, value]*)` – returns the string '1' if any value is not empty, otherwise returns the empty string. You can have as many values as you want. This function can usually be replaced by the `||` operator. A reason it cannot be replaced is if short-circuiting will change the results because of side effects.

## Cambi di maiuscole

### capitalize

```
class calibre.utils.formatter_functions.BuiltinCapitalize
```

`capitalize(value)` – returns the value with the first letter in upper case and the rest lower case.

### lowercase

```
class calibre.utils.formatter_functions.BuiltinLowercase
```

`lowercase(value)` – returns the value in lower case.

### titlecase

```
class calibre.utils.formatter_functions.BuiltinTitlecase
```

`titlecase(value)` – returns the value in title case.

### uppercase

```
class calibre.utils.formatter_functions.BuiltinUppercase
```

`uppercase(value)` – returns the value in upper case.

## Esaminazione di elenchi

### identifier\_in\_list

```
class calibre.utils.formatter_functions.BuiltinIdentifierInList
```

`identifier_in_list(val, id_name [, found_val, not_found_val])` – treat `val` as a list of identifiers separated by commas. An identifier has the format `id_name:value`. The `id_name` parameter is the `id_name` text to search for, either `id_name` or `id_name:regexp`. The first case matches if there is any identifier matching that `id_name`. The second case matches if `id_name` matches an identifier and the `regexp` matches the identifier's value. If `found_val` and `not_found_val` are provided then if there is a match then return `found_val`, otherwise return `not_found_val`. If `found_val` and `not_found_val` are not provided then if there is a match then return the `identifier:value` pair, otherwise the empty string ('').

### list\_contains

```
class calibre.utils.formatter_functions.BuiltinInList
```

`list_contains(value, separator, [ pattern, found_val, ]* not_found_val)` – interpret the `value` as a list of items separated by `separator`, checking the `pattern` against each item in the list. If the `pattern` matches an item then return `found_val`, otherwise return `not_found_val`. The pair `pattern` and `found_value` can be repeated

as many times as desired, permitting returning different values depending on the item's value. The patterns are checked in order, and the first match is returned.

Aliases: `in_list()`, `list_contains()`

### **list\_item**

```
class calibre.utils.formatter_functions.BuiltinListitem
```

`list_item(value, index, separator)` – interpret the `value` as a list of items separated by `separator`, returning the “`index`’th item. The first item is number zero. The last item has the index `-1` as in `list_item(-1, separator)`. If the item is not in the list, then the empty string is returned. The separator has the same meaning as in the `count` function, usually comma but is ampersand for author-like lists.

### **select**

```
class calibre.utils.formatter_functions.BuiltinSelect
```

`select(value, key)` – interpret the `value` as a comma-separated list of items with each item having the form `id:id_value` (the `calibre` identifier format). The function finds the first pair with the `id` equal to `key` and returns the corresponding `id_value`. If no `id` matches then the function returns the empty string.

### **str\_in\_list**

```
class calibre.utils.formatter_functions.BuiltinStrInList
```

`str_in_list(value, separator, [ string, found_val, ]+ not_found_val)` – interpret the `value` as a list of items separated by `separator` then compare `string` against each value in the list. The `string` is not a regular expression. If `string` is equal to any item (ignoring case) then return the corresponding `found_val`. If `string` contains separators then it is also treated as a list and each subvalue is checked. The `string` and `found_value` pairs can be repeated as many times as desired, permitting returning different values depending on `string`’s value. If none of the strings match then `not_found_value` is returned. The strings are checked in order. The first match is returned.

## Estrazione di valori dai metadati

### **annotation\_count**

```
class calibre.utils.formatter_functions.BuiltinAnnotationCount
```

`annotation_count()` – return the total number of annotations of all types attached to the current book. This function works only in the GUI and the content server.

### **approximate\_formats**

```
class calibre.utils.formatter_functions.BuiltinApproximateFormats
```

`approximate_formats()` – return a comma-separated list of formats associated with the book. Because the list comes from `calibre`’s database instead of the file system, there is no guarantee that the list is correct, although it probably is. Note that resulting format names are always uppercase, as in EPUB. The `approximate_formats()` function is much faster than the `formats_...` functions.

This function works only in the GUI. If you want to use these values in save-to-disk or send-to-device templates then you must make a custom «Column built from other columns», use the function in that column’s template, and use that column’s value in your save/send templates.

### **author\_links**

```
class calibre.utils.formatter_functions.BuiltinAuthorLinks
```

`author_links(val_separator, pair_separator)` – returns a string containing a list of authors and those authors’ link values in the form: author1 val\_separator author1\_link pair\_separator author2 val\_separator author2\_link etc.

An author is separated from its link value by the `val_separator` string with no added spaces. Assuming the `val_separator` is a colon, `author:link` value pairs are separated by the `pair_separator` string argument with no added spaces. It is up to you to choose separators that do not occur in author names or links. An author is included even if the author link is empty.

### **author\_sorts**

```
class calibre.utils.formatter_functions.BuiltinAuthorSorts
```

`author_sorts(val_separator)` – returns a string containing a list of author’s sort values for the authors of the book. The sort is the one in the author metadata information, which can be different from the `author_sort` in books. The returned list has the form `author sort 1 val_separator author sort 2` etc. with no added spaces. The author sort values in this list are in the same order as the authors of the book. If you want spaces around `val_separator` then include them in the `val_separator` string.

### **booksize**

```
class calibre.utils.formatter_functions.BuiltinBooksize
```

`booksize()` – returns the value of the `calibre size` field. Returns “” if the book has no formats.

This function works only in the GUI. If you want to use this value in save-to-disk or send-to-device templates then you must make a custom «Column built from other columns», use the function in that column’s template, and use that column’s value in your save/send templates

### **connected\_device\_name**

```
class calibre.utils.formatter_functions.BuiltinConnectedDeviceName
```

`connected_device_name(storage_location_key)` – if a device is connected then return the device name, otherwise return the empty string. Each storage location on a device has its own device name. The `storage_location_key` names are ‘main’, ‘carda’ and ‘cardb’. This function works only in the GUI.

### **connected\_device\_uuid**

```
class calibre.utils.formatter_functions.BuiltinConnectedDeviceUUID
```

`connected_device_uuid(storage_location_key)` – if a device is connected then return the device uuid (unique id), otherwise return the empty string. Each storage location on a device has a different uuid. The `storage_location_key` location names are ‘main’, ‘carda’ and ‘cardb’. This function works only in the GUI.

### **current\_library\_name**

```
class calibre.utils.formatter_functions.BuiltinCurrentLibraryName
```

`current_library_name()` – return the last name on the path to the current calibre library.

### **current\_library\_path**

```
class calibre.utils.formatter_functions.BuiltinCurrentLibraryPath
```

`current_library_path()` – return the full path to the current calibre library.

### **current\_virtual\_library\_name**

```
class calibre.utils.formatter_functions.BuiltinCurrentVirtualLibraryName
```

`current_virtual_library_name()` – return the name of the current virtual library if there is one, otherwise the empty string. Library name case is preserved. Example:

```
program: current_virtual_library_name()
```

This function works only in the GUI.

### **field**

```
class calibre.utils.formatter_functions.BuiltinField
```

`field(lookup_name)` – returns the value of the metadata field with lookup name `lookup_name`. The `$` prefix can be used instead of the function, as in `$tags`.

### **formats\_modtimes**

```
class calibre.utils.formatter_functions.BuiltinFormatsModtimes
```

`formats_modtimes(date_format_string)` – return a comma-separated list of colon-separated items `FMT:DATE` representing modification times for the formats of a book. The `date_format_string` parameter specifies how the date is to be formatted. See the [format\\_date\(\)](#) (pagina 191) function for details. You can use the [select\(\)](#) (pagina 186) function to get the modification time for a specific format. Note that format names are always uppercase, as in EPUB.

### **formats\_path\_segments**

```
class calibre.utils.formatter_functions.BuiltinFormatsPathSegments
```

`formats_path_segments(with_author, with_title, with_format, with_ext, sep)` – return parts of the path to a book format in the calibre library separated by `sep`. The parameter `sep` should usually be a slash ('/'). One use is to be sure that paths generated in Save to disk and Send to device templates are shortened consistently. Another is to be sure the paths on the device match the paths in the calibre library.

A book path consists of 3 segments: the author, the title including the calibre database id in parentheses, and the format (author - title). Calibre can shorten any of the three because of file name length limitations. You choose which segments to include by passing 1 for that segment. If you don't want a segment then pass 0 or the empty string for that segment. For example, the following returns just the format name without the extension:

```
formats_path_segments(0, 0, 1, 0, '/')
```

Because there is only one segment the separator is ignored.

If there are multiple formats (multiple extensions) then one of the extensions will be picked at random. If you care about which extension is used then get the path without the extension then add the desired extension to it.

Examples: Assume there is a book in the calibre library with an epub format by Joe Blogs with title "Help". It would have the path

```
Joe Blogs/Help - (calibre_id)/Help - Joe Blogs.epub
```

The following shows what is returned for various parameters:

- `formats_path_segments(0, 0, 1, 0, '/')` returns *Help - Joe Blogs*
- `formats_path_segments(0, 0, 1, 1, '/')` returns *Help - Joe Blogs.epub*
- `formats_path_segments(1, 0, 1, 1, '/')` returns *Joe Blogs/Help - Joe Blogs.epub*
- `formats_path_segments(1, 0, 1, 0, '/')` returns *Joe Blogs/Help - Joe Blogs*
- `formats_path_segments(0, 1, 0, 0, '/')` returns *Help - (calibre\_id)*

### **formats\_paths**

```
class calibre.utils.formatter_functions.BuiltinFormatsPaths
```

`formats_paths([separator])` – return a separator-separated list of colon-separated items `FMT:PATH` giving the full path to the formats of a book. The `separator` argument is optional. If not supplied then the separator is `,` `'` (comma space). If the separator is a comma then you can use the `select()` function to get the path for a specific format. Note that format names are always uppercase, as in EPUB.

### **formats\_sizes**

```
class calibre.utils.formatter_functions.BuiltinFormatsSizes
```

`formats_sizes()` – return a comma-separated list of colon-separated `FMT:SIZE` items giving the sizes of the formats of a book in bytes. You can use the `select()` function to get the size for a specific format. Note that format names are always uppercase, as in EPUB.

### **has\_cover**

```
class calibre.utils.formatter_functions.BuiltinHasCover
```

`has_cover()` – return 'Yes' if the book has a cover, otherwise the empty string.

### **is\_marked**

```
class calibre.utils.formatter_functions.BuiltinIsMarked
```

`is_marked()` – check whether the book is *marked* in calibre. If it is then return the value of the mark, either `'true'` (lower case) or a comma-separated list of named marks. Returns '' (the empty string) if the book is not marked. This function works only in the GUI.

### **language\_codes**

```
class calibre.utils.formatter_functions.BuiltinLanguageCodes
```

`language_codes(lang_strings)` – return the language codes<sup>89</sup> for the language names passed in `lang_strings`. The strings must be in the language of the current locale. `lang_strings` is a comma-separated list.

<sup>89</sup> [https://www.loc.gov/standards/iso639-2/php/code\\_list.php](https://www.loc.gov/standards/iso639-2/php/code_list.php)

### language\_strings

```
class calibre.utils.formatter_functions.BuiltinLanguageStrings
```

language\_strings(value, localize) – return the language names for the language codes (see here for names and codes<sup>90</sup>) passed in value. Example: {languages:language\_strings()}. If localize is zero, return the strings in English. If localize is not zero, return the strings in the language of the current locale. lang\_codes is a comma-separated list.

### ondevice

```
class calibre.utils.formatter_functions.BuiltinOndevice
```

ondevice() – return the string 'Yes' if ondevice is set, otherwise return the empty string. This function works only in the GUI. If you want to use this value in save-to-disk or send-to-device templates then you must make a custom «Column built from other columns», use the function in that column's template, and use that column's value in your save/send templates.

### raw\_field

```
class calibre.utils.formatter_functions.BuiltinRawField
```

raw\_field(lookup\_name [, optional\_default]) – returns the metadata field named by lookup\_name without applying any formatting. It evaluates and returns the optional second argument optional\_default if the field's value is undefined (None). The \$\$ prefix can be used instead of the function, as in \$\$pubdate.

### raw\_list

```
class calibre.utils.formatter_functions.BuiltinRawList
```

raw\_list(lookup\_name, separator) – returns the metadata list named by lookup\_name without applying any formatting or sorting, with the items separated by separator.

### series\_sort

```
class calibre.utils.formatter_functions.BuiltinSeriesSort
```

series\_sort() – returns the series sort value.

### user\_categories

```
class calibre.utils.formatter_functions.BuiltinUserCategories
```

user\_categories() – return a comma-separated list of the user categories that contain this book. This function works only in the GUI. If you want to use these values in save-to-disk or send-to-device templates then you must make a custom *Column built from other columns*, use the function in that column's template, and use that column's value in your save/send templates

### virtual\_libraries

```
class calibre.utils.formatter_functions.BuiltinVirtualLibraries
```

---

<sup>90</sup> [https://www.loc.gov/standards/iso639-2/php/code\\_list.php](https://www.loc.gov/standards/iso639-2/php/code_list.php)

`virtual_libraries()` – return a comma-separated list of Virtual libraries that contain this book. This function works only in the GUI. If you want to use these values in save-to-disk or send-to-device templates then you must make a custom «Column built from other columns», use the function in that column’s template, and use that column’s value in your save/send templates.

## Formattazione di valori

### finish\_formatting

```
class calibre.utils.formatter_functions.BuiltinFinishFormatting
```

`finish_formatting(value, format, prefix, suffix)` – apply the `format`, `prefix`, and `suffix` to the `value` in the same way as done in a template like `{series_index:05.2f| - |-}`. This function is provided to ease conversion of complex single-function- or template-program-mode templates to *GPM* Templates. For example, the following program produces the same output as the above template:

```
program: finish_formatting(field("series_index"), "05.2f", " - ", " - ")
```

Another example: for the template:

```
{series:re(([^\s])[^\s]+(\s|$),\1)}{series_index:0>2s| - | - }{title}
```

use:

```
program:
    strcat(
        re(field('series'), '([^\s])[^\s]+(\s|$)', '\1'),
        finish_formatting(field('series_index'), '0>2s', ' - ', ' - '),
        field('title')
    )
```

### format\_date

```
class calibre.utils.formatter_functions.BuiltinFormatDate
```

`format_date(value, format_string)` – format the `value`, which must be a date string, using the `format_string`, returning a string. It is best if the date is in ISO format as using other date formats often causes errors because the actual date value cannot be unambiguously determined. Note that the `format_date_field()` function is both faster and more reliable.

The formatting codes are:

- `d` : the day as number without a leading zero (1 to 31)
- `dd` : the day as number with a leading zero (01 to 31)
- `ddd` : the abbreviated localized day name (e.g. «Mon» to «Sun»)
- `dddd` : the long localized day name (e.g. «Monday» to «Sunday»)
- `M` : the month as number without a leading zero (1 to 12)
- `MM` : the month as number with a leading zero (01 to 12)
- `MMM` : the abbreviated localized month name (e.g. «Jan» to «Dec»)
- `MMMM` : the long localized month name (e.g. «January» to «December»)
- `yy` : the year as two digit number (00 to 99)

- `yyyy` : the year as four digit number.
- `h` : the hours without a leading 0 (0 to 11 or 0 to 23, depending on am/pm)
- `hh` : the hours with a leading 0 (00 to 11 or 00 to 23, depending on am/pm)
- `m` : the minutes without a leading 0 (0 to 59)
- `mm` : the minutes with a leading 0 (00 to 59)
- `s` : the seconds without a leading 0 (0 to 59)
- `ss` : the seconds with a leading 0 (00 to 59)
- `ap` : use a 12-hour clock instead of a 24-hour clock, with “ap” replaced by the lowercase localized string for am or pm
- `AP` : use a 12-hour clock instead of a 24-hour clock, with “AP” replaced by the uppercase localized string for AM or PM
- `aP` : use a 12-hour clock instead of a 24-hour clock, with “aP” replaced by the localized string for AM or PM
- `Ap` : use a 12-hour clock instead of a 24-hour clock, with “Ap” replaced by the localized string for AM or PM
- `iso` : the date with time and timezone. Must be the only format present
- `to_number` : convert the date & time into a floating point number (a *timestamp*)
- `from_number` : convert a floating point number (a *timestamp*) into an ISO-formatted date. If you want a different date format then add the desired formatting string after `from_number` and a colon (:). Example:

```
format_date(val, 'from_number:MMM dd yyyy')
```

You might get unexpected results if the date you are formatting contains localized month names, which can happen if you changed the date format to contain `MMMM`. Using `format_date_field()` avoids this problem.

### **format\_date\_field**

```
class calibre.utils.formatter_functions.BuiltinFormatDateField
```

`format_date_field(field_name, format_string)` – format the value in the field `field_name`, which must be the lookup name of a date field, either standard or custom. See [format\\_date\(\)](#) (pagina 191) for the formatting codes. This function is much faster than `format_date()` and should be used when you are formatting the value in a field (column). It is also more reliable because it works directly on the underlying date. It can't be used for computed dates or dates in string variables. Examples:

```
format_date_field('pubdate', 'yyyy.MM.dd')
format_date_field('#date_read', 'MMM dd, yyyy')
```

### **format\_duration**

```
class calibre.utils.formatter_functions.BuiltinFormatDuration
```

`format_duration(value, template, [largest_unit])` – format the value, a number of seconds, into a string showing weeks, days, hours, minutes, and seconds. If the value is a float then it is rounded to the nearest integer. You choose how to format the value using a template consisting of value selectors surrounded by [ and ] characters. The selectors are:

- `[w]`: weeks
- `[d]`: days

- [h]: hours
- [m]: minutes
- [s]: seconds

You can put arbitrary text between selectors.

The following examples use a duration of 2 days (172,800 seconds) 1 hour (3,600 seconds) and 20 seconds, which totals to 176,420 seconds.

- `format_duration(176420, '[d][h][m][s]')` will return the value `2d 1h 0m 20s`.
- `format_duration(176420, '[h][m][s]')` will return the value `49h 0m 20s`.
- `format_duration(176420, 'Your reading time is [d][h][m][s]')` returns the value `Your reading time is 49h 0m 20s`.
- `format_duration(176420, '[w][d][h][m][s]')` will return the value `2d 1h 0m 20s`. Note that the zero weeks value is not returned.

If you want to see zero values for items such as weeks in the above example, use an uppercase selector. For example, the following uses '`W`' to show zero weeks:

```
format_duration(176420, '[W][d][h][m][s]') returns 0w 2d 1h 0m 20s.
```

By default the text following a value is the selector followed by a space. You can change that to whatever text you want. The format for a selector with your text is the selector followed by a colon followed by text segments separated by '`|`' characters. You must include any space characters you want in the output.

You can provide from one to three text segments.

- If you provide one segment, as in `[w: weeks ]` then that segment is used for all values.
- If you provide two segments, as in `[w: weeks | week ]` then the first segment is used for 0 and more than 1. The second segment is used for 1.
- If you provide three segments, as in `[w: weeks | week | weeks ]` then the first segment is used for 0, the second segment is used for 1, and the third segment is used for more than 1.

The second form is equivalent to the third form in many languages.

For example, the selector:

- `[w: weeks | week | weeks ]` produces '`0 weeks`', '`1 week`', or '`2 weeks`'.
- `[w: weeks | week ]` produces '`0 weeks`', '`1 week`', or '`2 weeks`'.
- `[w: weeks ]` produces '`0 weeks`', '`1 weeks`', or '`2 weeks`'.

The optional `largest_unit` parameter specifies the largest of weeks, days, hours, minutes, and seconds that will be produced by the template. It must be one of the value selectors. This can be useful to truncate a value.

```
format_duration(176420, '[h][m][s]', 'd') will return the value 1h 0m 20s instead of 49h 0m 20s.
```

## format\_number

```
class calibre.utils.formatter_functions.BuiltinFormatNumber
```

`format_number(value, template)` – interprets the `value` as a number and formats that number using a Python formatting template such as `{0:5.2f}` or `{0:,d}` or  `${0:5,.2f}`. The formatting template must begin with `{0:` and end with `}` as in the above examples. Exception: you can leave off the leading `<{0:>` and trailing `<}>` if the format template

contains only a format. See the [Template Language<sup>91</sup>](#) and the [Python<sup>92</sup>](#) documentation for more examples. Returns the empty string if formatting fails.

### human\_readable

```
class calibre.utils.formatter_functions.BuiltinHumanReadable
```

human\_readable(value) – expects the value to be a number and returns a string representing that number in KB, MB, GB, etc.

### rating\_to\_stars

```
class calibre.utils.formatter_functions.BuiltinRatingToStars
```

rating\_to\_stars(value, use\_half\_stars) – Returns the value as string of star (★) characters. The value must be a number between 0 and 5. Set use\_half\_stars to 1 if you want half star characters for fractional numbers available with custom ratings columns.

## Funzioni di data

### date\_arithmetic

```
class calibre.utils.formatter_functions.BuiltinDateArithmetic
```

date\_arithmetic(value, calc\_spec, fmt) – Calculate a new date from value using calc\_spec. Return the new date formatted according to optional fmt: if not supplied then the result will be in ISO format. The calc\_spec is a string formed by concatenating pairs of vw (valueWhat) where v is a possibly-negative number and W is one of the following letters:

- s: add v seconds to date
- m: add v minutes to date
- h: add v hours to date
- d: add v days to date
- w: add v weeks to date
- y: add v years to date, where a year is 365 days.

Example: '1s3d-1m' will add 1 second, add 3 days, and subtract 1 minute from date.

### days\_between

```
class calibre.utils.formatter_functions.BuiltinDaysBetween
```

days\_between(date1, date2) – return the number of days between date1 and date2. The number is positive if date1 is greater than date2, otherwise negative. If either date1 or date2 are not dates, the function returns the empty string.

### today

---

<sup>91</sup> [https://manual.calibre-ebook.com/template\\_lang.html](https://manual.calibre-ebook.com/template_lang.html)

<sup>92</sup> <https://docs.python.org/3/library/string.html#formatstrings>

```
class calibre.utils.formatter_functions.BuiltinToday
```

`today()` – return a date+time string for today (now). This value is designed for use in `format_date` or `days_between`, but can be manipulated like any other string. The date is in ISO<sup>93</sup> date/time format.

## Funzioni di database

### book\_count

```
class calibre.utils.formatter_functions.BuiltinBookCount
```

`book_count(query, use_vl)` – returns the count of books found by searching for `query`. If `use_vl` is 0 (zero) then virtual libraries are ignored. This function and its companion `book_values()` are particularly useful in template searches, supporting searches that combine information from many books such as looking for series with only one book. It cannot be used in composite columns unless the tweak `allow_template_database_functions_in_composites` is set to True. It can be used only in the GUI.

For example this template search uses this function and its companion to find all series with only one book:

- Define a stored template (using *Preferences* → *Advanced* → *Template functions*) named `series_only_one_book` (the name is arbitrary). The template is:

```
program:
    vals = globals(vals='');
    if !vals then
        all_series = book_values('series', 'series:true', ',', 0);
        for series in all_series:
            if book_count('series:=' & series & "'", 0) == 1 then
                vals = list_join(',', vals, ',', series, ',')
            fi
        rof;
        set_globals(vals)
    fi;
    str_in_list(vals, ',', $series, 1, '')
```

The first time the template runs (the first book checked) it stores the results of the database lookups in a global template variable named `vals`. These results are used to check subsequent books without redoing the lookups.

- Use the stored template in a template search:

```
template:"program: series_only_one_book() #@#:n:1"
```

Using a stored template instead of putting the template into the search eliminates problems caused by the requirement to escape quotes in search expressions.

This function can be used only in the GUI and the content server.

### book\_values

```
class calibre.utils.formatter_functions.BuiltinBookValues
```

`book_values(column, query, sep, use_vl)` – returns a list of the unique values contained in the column `column` (a lookup name), separated by `sep`, in the books found by searching for `query`. If `use_vl` is 0 (zero) then virtual libraries are ignored. This function and its companion `book_count()` are particularly useful in template searches, supporting searches that combine information from many books such as looking for series with only one book. It cannot be used

<sup>93</sup> [https://en.wikipedia.org/wiki/ISO\\_8601](https://en.wikipedia.org/wiki/ISO_8601)

in composite columns unless the tweak `allow_template_database_functions_in_composites` is set to True. This function can be used only in the GUI and the content server.

### **extra\_file\_modtime**

```
class calibre.utils.formatter_functions.BuiltinExtraFileModtime
```

`extra_file_modtime(file_name, format_string)` – returns the modification time of the extra file `file_name` in the book's data/ folder if it exists, otherwise -1. The modtime is formatted according to `format_string` (see [format\\_date\(\)](#) (pagina 191) for details). If `format_string` is the empty string, returns the modtime as the floating point number of seconds since the epoch. See also the functions [has\\_extra\\_files\(\)](#) (pagina 197), [extra\\_file\\_names\(\)](#) (pagina 196) and [extra\\_file\\_size\(\)](#) (pagina 196). The epoch is OS dependent. This function can be used only in the GUI and the content server.

### **extra\_file\_names**

```
class calibre.utils.formatter_functions.BuiltinExtraFileNames
```

`extra_file_names(sep [, pattern])` – returns a `sep`-separated list of extra files in the book's data/ folder. If the optional parameter `pattern`, a regular expression, is supplied then the list is filtered to files that match `pattern`. The pattern match is case insensitive. See also the functions [has\\_extra\\_files\(\)](#) (pagina 197), [extra\\_file\\_modtime\(\)](#) (pagina 196) and [extra\\_file\\_size\(\)](#) (pagina 196). This function can be used only in the GUI and the content server.

### **extra\_file\_size**

```
class calibre.utils.formatter_functions.BuiltinExtraFileSize
```

`extra_file_size(file_name)` – returns the size in bytes of the extra file `file_name` in the book's data/ folder if it exists, otherwise -1. See also the functions [has\\_extra\\_files\(\)](#) (pagina 197), [extra\\_file\\_names\(\)](#) (pagina 196) and [extra\\_file\\_modtime\(\)](#) (pagina 196). This function can be used only in the GUI and the content server.

### **get\_link**

```
class calibre.utils.formatter_functions.BuiltinGetLink
```

`get_link(field_name, field_value)` – fetch the link for field `field_name` with value `field_value`. If there is no attached link, return the empty string. Examples:

- The following returns the link attached to the tag Fiction:

```
get_link('tags', 'Fiction')
```

- This template makes a list of the links for all the tags associated with a book in the form `value:link, ...:`

```
program:  
    ans = '';  
    for t in $tags:  
        l = get_link('tags', t);  
        if l then  
            ans = list_join(', ', ans, ',', t & ':' & get_link('tags', t), ',')  
        fi  
    rof;  
ans
```

This function works only in the GUI and the content server.

### get\_note

```
class calibre.utils.formatter_functions.BuiltinGetNote
```

`get_note(field_name, field_value, plain_text)` – fetch the note for field `field_name` with value `field_value`. If `plain_text` is empty, return the note's HTML including images. If `plain_text` is 1 (or '1'), return the note's plain text. If the note doesn't exist, return the empty string in both cases. Example:

- Return the HTML of the note attached to the tag *Fiction*:

```
program:  
    get_note('tags', 'Fiction', '')
```

- Return the plain text of the note attached to the author *Isaac Asimov*:

```
program:  
    get_note('authors', 'Isaac Asimov', 1)
```

This function works only in the GUI and the content server.

### has\_extra\_files

```
class calibre.utils.formatter_functions.BuiltinHasExtraFiles
```

`has_extra_files([pattern])` – returns the count of extra files, otherwise "" (the empty string). If the optional parameter `pattern` (a regular expression) is supplied then the list is filtered to files that match `pattern` before the files are counted. The pattern match is case insensitive. See also the functions `extra_file_names()` (pagina 196), `extra_file_size()` (pagina 196) and `extra_file_modtime()` (pagina 196). This function can be used only in the GUI and the content server.

### has\_note

```
class calibre.utils.formatter_functions.BuiltinHasNote
```

`has_note(field_name, field_value)`. Check if a field has a note. This function has two variants:

- if `field_value` is not '' (the empty string) return '1' if the value `field_value` in the field `field_name` has a note, otherwise ''.

Example: `has_note('tags', 'Fiction')` returns '1' if the tag `fiction` has an attached note, otherwise ''.

- If `field_value` is '' then return a list of values in `field_name` that have a note. If no item in the field has a note, return ''. This variant is useful for showing column icons if any value in the field has a note, rather than a specific value.

Example: `has_note('authors', '')` returns a list of authors that have notes, or '' if no author has a note.

You can test if all the values in `field_name` have a note by comparing the list length of this function's return value against the list length of the values in `field_name`. Example:

```
list_count(has_note('authors', ''), '&') ==# list_count_field('authors')
```

This function works only in the GUI and the content server.

### Iterazione su valori

#### first\_non\_empty

```
class calibre.utils.formatter_functions.BuiltinFirstNonEmpty
```

first\_non\_empty(value [, value]\* ) – returns the first value that is not empty. If all values are empty, then the empty string is returned. You can have as many values as you want.

#### lookup

```
class calibre.utils.formatter_functions.BuiltinLookup
```

lookup(value, [ pattern, key, ]\* else\_key) – The patterns will be checked against the value in order. If a pattern matches then the value of the field named by key is returned. If no pattern matches then the value of the field named by else\_key is returned. See also the [switch\(\)](#) (pagina 198) function.

#### switch

```
class calibre.utils.formatter_functions.BuiltinSwitch
```

switch(value, [patternN, valueN,]+ else\_value) – for each patternN, valueN pair, checks if the value matches the regular expression patternN and if so returns the associated valueN. If no patternN matches, then else\_value is returned. You can have as many patternN, valueN pairs as you wish. The first match is returned.

#### switch\_if

```
class calibre.utils.formatter_functions.BuiltinSwitchIf
```

switch\_if([test\_expression, value\_expression,]+ else\_expression) – for each test\_expression, value\_expression pair, checks if test\_expression is True (non-empty) and if so returns the result of value\_expression. If no test\_expression is True then the result of else\_expression is returned. You can have as many test\_expression, value\_expression pairs as you want.

## Manipolazione di elenchi

### list\_count

```
class calibre.utils.formatter_functions.BuiltinCount
```

list\_count(value, separator) – interprets the value as a list of items separated by separator and returns the number of items in the list. Most lists use a comma as the separator, but authors uses an ampersand (&).

Examples: {tags:list\_count(,)}, {authors:list\_count(&) }.

Aliases: count(), list\_count()

### list\_count\_field

```
class calibre.utils.formatter_functions.BuiltinFieldListCount
```

list\_count\_field(lookup\_name) – returns the count of items in the field with the lookup name lookup\_name. The field must be multi-valued such as authors or tags, otherwise the function raises an error. This function is much faster than list\_count() because it operates directly on calibre data without converting it to a string first. Example: list\_count\_field('tags').

## list\_count\_matching

```
class calibre.utils.formatter_functions.BuiltinListCountMatching
```

list\_count\_matching(value, pattern, separator) – interprets value as a list of items separated by separator, returning the number of items in the list that match the regular expression pattern.

Aliases: list\_count\_matching(), count\_matching()

## list\_difference

```
class calibre.utils.formatter_functions.BuiltinListDifference
```

list\_difference(list1, list2, separator) – return a list made by removing from list1 any item found in list2 using a case-insensitive comparison. The items in list1 and list2 are separated by separator, as are the items in the returned list.

## list\_equals

```
class calibre.utils.formatter_functions.BuiltinListEquals
```

list\_equals(list1, sep1, list2, sep2, yes\_val, no\_val) – return yes\_val if list1 and list2 contain the same items, otherwise return no\_val. The items are determined by splitting each list using the appropriate separator character (sep1 or sep2). The order of items in the lists is not relevant. The comparison is case-insensitive.

## list\_intersection

```
class calibre.utils.formatter_functions.BuiltinListIntersection
```

list\_intersection(list1, list2, separator) – return a list made by removing from list1 any item not found in list2, using a case-insensitive comparison. The items in list1 and list2 are separated by separator, as are the items in the returned list.

## list\_join

```
class calibre.utils.formatter_functions.BuiltinListJoin
```

list\_join(with\_separator, list1, separator1 [, list2, separator2]\*) – return a list made by joining the items in the source lists (list1 etc) using with\_separator between the items in the result list. Items in each source list [123...] are separated by the associated separator [123...]. A list can contain zero values. It can be a field like publisher that is single-valued, effectively a one-item list. Duplicates are removed using a case-insensitive comparison. Items are returned in the order they appear in the source lists. If items on lists differ only in letter case then the last is used. All separators can be more than one character.

Example:

```
program:  
    list_join('#@#', $authors, '&', $tags, ',')
```

You can use list\_join on the results of previous calls to list\_join as follows:

```
program:  
    a = list_join('#@#', $authors, '&', $tags, ',');  
    b = list_join('#@#', a, '#@#', $#genre, ',', $#people, '&', 'some value', ',')
```

You can use expressions to generate a list. For example, assume you want items for `authors` and `#genre`, but with the genre changed to the word «Genre: » followed by the first letter of the genre, i.e. the genre «Fiction» becomes «Genre: F». The following will do that:

```
program:  
    list_join('#@#', $authors, '&', list_re($#genre, ',', '^(.) .*$', 'Genre: \1'), ',  
→')
```

### list\_re

```
class calibre.utils.formatter_functions.BuiltinListRe
```

`list_re(src_list, separator, include_re, opt_replace)` – Construct a list by first separating `src_list` into items using the `separator` character. For each item in the list, check if it matches `include_re`. If it does then add it to the list to be returned. If `opt_replace` is not the empty string then apply the replacement before adding the item to the returned list.

### list\_re\_group

```
class calibre.utils.formatter_functions.BuiltinListReGroup
```

`list_re_group(src_list, separator, include_re, search_re [,template_for_group]* )` – Like `list_re` except replacements are not optional. It uses `re_group(item, search_re, template ...)` when doing the replacements.

### list\_remove\_duplicates

```
class calibre.utils.formatter_functions.BuiltinListRemoveDuplicates
```

`list_remove_duplicates(list, separator)` – return a list made by removing duplicate items in `list`. If items differ only in case then the last is returned. The items in `list` are separated by `separator`, as are the items in the returned list.

### list\_sort

```
class calibre.utils.formatter_functions.BuiltinListSort
```

`list_sort(value, direction, separator)` – return `value` sorted using a case-insensitive lexical sort. If `direction` is zero (number or character), `value` is sorted ascending, otherwise descending. The list items are separated by `separator`, as are the items in the returned list.

### list\_split

```
class calibre.utils.formatter_functions.BuiltinListSplit
```

`list_split(list_val, sep, id_prefix)` – splits `list_val` into separate values using `sep`, then assigns the values to local variables named `id_prefix_N` where N is the position of the value in the list. The first item has position 0 (zero). The function returns the last element in the list.

Example:

```
list_split('one:two:foo', ':', 'var')
```

is equivalent to:

```
var_0 = 'one'
var_1 = 'two'
var_2 = 'foo'
```

## list\_union

```
class calibre.utils.formatter_functions.BuiltinListUnion
```

`list_union(list1, list2, separator)` – return a list made by merging the items in `list1` and `list2`, removing duplicate items using a case-insensitive comparison. If items differ in case, the one in `list1` is used. The items in `list1` and `list2` are separated by `separator`, as are the items in the returned list. Aliases: `merge_lists()`, `list_union()`

## range

```
class calibre.utils.formatter_functions.BuiltinRange
```

`range(start, stop, step, limit)` – returns a list of numbers generated by looping over the range specified by the parameters `start`, `stop`, and `step`, with a maximum length of `limit`. The first value produced is “`start`”. Subsequent values `next_v = current_v + step`. The loop continues while `next_v < stop` assuming `step` is positive, otherwise while `next_v > stop`. An empty list is produced if `start` fails the test: `start >= stop` if `step` is positive. The `limit` sets the maximum length of the list and has a default of 1000. The parameters `start`, `step`, and `limit` are optional. Calling `range()` with one argument specifies `stop`. Two arguments specify `start` and `stop`. Three arguments specify `start`, `stop`, and `step`. Four arguments specify `start`, `stop`, `step` and `limit`.

Examples:

```
range(5) -> '0, 1, 2, 3, 4'
range(0, 5) -> '0, 1, 2, 3, 4'
range(-1, 5) -> '-1, 0, 1, 2, 3, 4'
range(1, 5) -> '1, 2, 3, 4'
range(1, 5, 2) -> '1, 3'
range(1, 5, 2, 5) -> '1, 3'
range(1, 5, 2, 1) -> error(limit exceeded)
```

## subitems

```
class calibre.utils.formatter_functions.BuiltinSubitems
```

`subitems(value, start_index, end_index)` – This function breaks apart lists of tag-like hierarchical items such as genres. It interprets the `value` as a comma-separated list of tag-like items, where each item is a period-separated list. It returns a new list made by extracting from each item the components from `start_index` to `end_index`, then merging the results back together. Duplicates are removed. The first subitem in a period-separated list has an index of zero. If an index is negative then it counts from the end of the list. As a special case, an `end_index` of zero is assumed to be the length of the list.

Examples:

- Assuming a `#genre` column containing «A.B.C»:
  - `{#genre:subitems(0,1)}` returns «A»
  - `{#genre:subitems(0,2)}` returns «A.B»
  - `{#genre:subitems(1,0)}` returns «B.C»
- Assuming a `#genre` column containing «A.B.C, D.E»:

- {#genre:subitems(0, 1)} returns «A, D»
- {#genre:subitems(0, 2)} returns «A.B, D.E»

### sublist

**class** `calibre.utils.formatter_functions.BuiltinSublist`

`sublist(value, start_index, end_index, separator)` – interpret the `value` as a list of items separated by `separator`, returning a new list made from the items from `start_index` to `end_index`. The first item is number zero. If an index is negative, then it counts from the end of the list. As a special case, an `end_index` of zero is assumed to be the length of the list.

Examples assuming that the `tags` column (which is comma-separated) contains «A, B, C»:

- {`tags:sublist(0, 1, \,, )`} returns «A»
- {`tags:sublist(-1, 0, \,, )`} returns «C»
- {`tags:sublist(0, -1, \,, )`} returns «A, B»

### Manipolazione di stringhe

#### character

**class** `calibre.utils.formatter_functions.BuiltinCharacter`

`character(character_name)` – returns the character named by `character_name`. For example, `character('newline')` returns a newline character ('`\n`'). The supported character names are `newline`, `return`, `tab`, and `backslash`. This function is used to put these characters into the output of templates.

#### check\_yes\_no

**class** `calibre.utils.formatter_functions.BuiltinCheckYesNo`

`check_yes_no(field_name, is_undefined, is_false, is_true)` – checks if the value of the yes/no field named by the lookup name `field_name` is one of the values specified by the parameters, returning 'Yes' if a match is found otherwise returning the empty string. Set the parameter `is_undefined`, `is_false`, or `is_true` to 1 (the number) to check that condition, otherwise set it to 0.

Example: `check_yes_no("#bool", 1, 0, 1)` returns 'Yes' if the yes/no field `#bool` is either True or undefined (neither True nor False).

More than one of `is_undefined`, `is_false`, or `is_true` can be set to 1.

#### contains

**class** `calibre.utils.formatter_functions.BuiltinContains`

`contains(value, pattern, text_if_match, text_if_not_match)` – checks if the value is matched by the regular expression `pattern`. Returns `text_if_match` if the pattern matches the value, otherwise returns `text_if_not_match`.

#### field\_exists

**class** `calibre.utils.formatter_functions.BuiltinFieldExists`

`field_exists(lookup_name)` – checks if a field (column) with the lookup name `lookup_name` exists, returning '1' if so and the empty string if not.

**isempty**

```
class calibre.utils.formatter_functions.BuiltinIsEmpty
```

`isempty(value, text_if_empty)` – if the `value` is not empty then return that `value`, otherwise return `text_if_empty`.

**re**

```
class calibre.utils.formatter_functions.BuiltinRe
```

`re(value, pattern, replacement)` – return the value after applying the regular expression. All instances of `pattern` in the `value` are replaced with `replacement`. The template language uses case insensitive Python regular expressions<sup>94</sup>.

**re\_group**

```
class calibre.utils.formatter_functions.BuiltinReGroup
```

`re_group(value, pattern [, template_for_group]* )` – return a string made by applying the regular expression `pattern` to `value` and replacing each matched instance with the value returned by the corresponding template. In Template Program Mode<sup>95</sup>, like for the `template` and the `eval` functions, you use `[ [` for `{` and `] ]` for `}`.

The following example looks for a series with more than one word and uppercases the first word:

```
program: re_group(field('series'), "(\S* )(.*)", "{$:uppercase()}", "{$}")'
```

**shorten**

```
class calibre.utils.formatter_functions.BuiltinShorten
```

`shorten(value, left_chars, middle_text, right_chars)` – Return a shortened version of the `value`, consisting of `left_chars` characters from the beginning of the `value`, followed by `middle_text`, followed by `right_chars` characters from the end of the `value`. `left_chars` and `right_chars` must be non-negative integers.

Example: assume you want to display the title with a length of at most 15 characters in length. One template that does this is `{title:shorten(9,-,5)}`. For a book with the title *Ancient English Laws in the Times of Ivanhoe* the result will be *Ancient E-anhoe*: the first 9 characters of the title, a `-`, then the last 5 characters. If the value's length is less than `left_chars + right_chars + the length of middle_text` then the value will be returned unchanged. For example, the title *TheDome* would not be changed.

**strcat**

```
class calibre.utils.formatter_functions.BuiltinStrcat
```

`strcat(a [, b]* )` – returns a string formed by concatenating all the arguments. Can take any number of arguments. In most cases you can use the `&` operator instead of this function.

**strcat\_max**

<sup>94</sup> <https://docs.python.org/3/library/re.html>

<sup>95</sup> [https://manual.calibre-ebook.com/template\\_lang.html#more-complex-programs-in-template-expressions-template-program-mode](https://manual.calibre-ebook.com/template_lang.html#more-complex-programs-in-template-expressions-template-program-mode)

### **class** calibre.utils.formatter\_functions.**BuiltinStrcatMax**

strcat\_max(max, string1 [, prefix2, string2]\*) – Returns a string formed by concatenating the arguments. The returned value is initialized to string1. Strings made from prefix, string pairs are added to the end of the value as long as the resulting string length is less than max. Prefixes can be empty. Returns string1 even if string1 is longer than max. You can pass as many prefix, string pairs as you wish.

### **strlen**

### **class** calibre.utils.formatter\_functions.**BuiltinStrlen**

strlen(valore) – Restituisce la lunghezza della stringa valore.

### **substr**

### **class** calibre.utils.formatter\_functions.**BuiltinSubstr**

substr(value, start, end) – returns the start'th through the end'th characters of value. The first character in value is the zero'th character. If end is negative then it indicates that many characters counting from the right. If end is zero, then it indicates the last character. For example, substr('12345', 1, 0) returns '2345', and substr('12345', 1, -1) returns '234'.

### **swap\_around\_articles**

### **class** calibre.utils.formatter\_functions.**BuiltinSwapAroundArticles**

swap\_around\_articles(value, separator) – returns the value with articles moved to the end, separated by a semicolon. The value can be a list, in which case each item in the list is processed. If the value is a list then you must provide the separator. If no separator is provided or the separator is the empty string then the value is treated as being a single value, not a list. The *articles* are those used by calibre to generate the title\_sort.

### **swap\_around\_comma**

### **class** calibre.utils.formatter\_functions.**BuiltinSwapAroundComma**

swap\_around\_comma(value) – given a value of the form B, A, return A B. This is most useful for converting names in LN, FN format to FN LN. If there is no comma in the value then the function returns the value unchanged.

### **test**

### **class** calibre.utils.formatter\_functions.**BuiltinTest**

test(value, text\_if\_not\_empty, text\_if\_empty) – return text\_if\_not\_empty if the value is not empty, otherwise return text\_if\_empty.

### **transliterate**

### **class** calibre.utils.formatter\_functions.**BuiltinTransliterate**

transliterate(value) – Return a string in a latin alphabet formed by approximating the sound of the words in value. For example, if value is Фёдор Михайлович Достоевский this function returns Fiodor Mikhailovich Dostoievskii.

## Relazionali

### cmp

```
class calibre.utils.formatter_functions.BuiltinCmp
```

`cmp(value, y, lt, eq, gt)` – compares `value` and `y` after converting both to numbers. Returns `lt` if `value <= y`, `eq` if `value == y`, otherwise `gt`. This function can usually be replaced with one of the numeric compare operators (`==#`, `<#`, `>#`, etc).

### first\_matching\_cmp

```
class calibre.utils.formatter_functions.BuiltinFirstMatchingCmp
```

`first_matching_cmp(val, [ cmp, result, ]* else_result)` – compares `val < cmp` in sequence, returning the associated `result` for the first comparison that succeeds. Returns `else_result` if no comparison succeeds.

Example:

```
i = 10;
first_matching_cmp(i, 5, "small", 10, "middle", 15, "large", "giant")
```

returns "large". The same example with a first value of 16 returns "giant".

### strcmp

```
class calibre.utils.formatter_functions.Builtinstrcmp
```

`strcmp(x, y, lt, eq, gt)` – effettua un confronto lessicale senza distinguere tra maiuscole e minuscole di `x` e `y`. Restituisce `lt` se `x < y`, `eq` se `x == y`, altrimenti `gt`. Questa funzione può spesso essere sostituita da uno degli operatori lessicali di confronto (`==`, `>`, `<`, ecc.)

### strcmpcase

```
class calibre.utils.formatter_functions.Builtinstrcmpcase
```

`strcmpcase(x, y, lt, eq, gt)` – does a case-sensitive lexical comparison of `x` and `y`. Returns `lt` if `x < y`, `eq` if `x == y`, otherwise `gt`.

Note: This is NOT the default behavior used by calibre, for example, in the lexical comparison operators (`==`, `>`, `<`, etc.). This function could cause unexpected results, preferably use `strcmp()` whenever possible.

## Ricorsive

### eval

```
class calibre.utils.formatter_functions.BuiltinEval
```

`eval(string)` – evaluates the string as a program, passing the local variables. This permits using the template processor to construct complex results from local variables. In [Template Program Mode](#)<sup>96</sup>, because the `{` and `}` characters are interpreted before the template is evaluated you must use `[` for the `{` character and `]` for the `}` character. They are converted automatically. Note also that prefixes and suffixes (the `|prefix|suffix` syntax) cannot be used in the argument to this function when using Template Program Mode.

<sup>96</sup> [https://manual.calibre-ebook.com/template\\_lang.html#more-complex-programs-in-template-expressions-template-program-mode](https://manual.calibre-ebook.com/template_lang.html#more-complex-programs-in-template-expressions-template-program-mode)

### template

```
class calibre.utils.formatter_functions.BuiltinTemplate
```

`template(x)` – evaluates `x` as a template. The evaluation is done in its own context, meaning that variables are not shared between the caller and the template evaluation. If not using General Program Mode, because the `{` and `}` characters are special, you must use `[[` for the `{` character and `]]` for the `}` character; they are converted automatically. For example, `template('[[title_sort]]')` will evaluate the template `{title_sort}` and return its value. Note also that prefixes and suffixes (the `|prefix|suffix` syntax) cannot be used in the argument to this function when using template program mode.

### URL functions

#### encode\_for\_url

```
class calibre.utils.formatter_functions.BuiltinEncodeForURL
```

`encode_for_url(value, use_plus)` – returns the `value` encoded for use in a URL as specified by `use_plus`. The value is first URL-encoded. Next, if `use_plus` is 0 then spaces are replaced by '+' (plus) signs. If it is 1 then spaces are replaced by `%20`.

If you do not want the value to be encoding but to have spaces replaced then use the `re()` (pagina 203) function, as in `re($series, ' ', '%20')`

See also the functions `make_url()` (pagina 206), `make_url_extended()` (pagina 207) and `query_string()` (pagina 207).

#### make\_url

```
class calibre.utils.formatter_functions.BuiltinMakeUrl
```

`make_url(path, [query_name, query_value]+)` – this function is the easiest way to construct a query URL. It uses a path, the web site and page you want to query, and `query_name`, `query_value` pairs from which the query is built. In general, the `query_value` must be URL-encoded. With this function it is always encoded and spaces are always replaced with '+' signs.

At least one `query_name`, `query_value` pair must be provided.

Example: constructing a Wikipedia search URL for the author *Niccolò Machiavelli*:

```
make_url('https://en.wikipedia.org/w/index.php', 'search', 'Niccolò Machiavelli')
```

returns

```
https://en.wikipedia.org/w/index.php?search=Niccolò%20Machiavelli
```

If you are writing a custom column book details URL template then use `$item_name` or `field('item_name')` to obtain the value of the field that was clicked on. Example: if *Niccolò Machiavelli* was clicked then you can construct the URL using:

```
make_url('https://en.wikipedia.org/w/index.php', 'search', $item_name)
```

See also the functions `make_url_extended()` (pagina 207), `query_string()` (pagina 207) and `encode_for_url()` (pagina 206).

## make\_url\_extended

```
class calibre.utils.formatter_functions.BuiltinMakeUrlExtended
```

`make_url_extended(...)` – this function is similar to [make\\_url\(\)](#) (pagina 206) but gives you more control over the URL components. The components of a URL are

`scheme://authority/path?query string`.

See [Uniform Resource Locator<sup>97</sup>](#) on Wikipedia for more detail.

The function has two variants:

```
make_url_extended(scheme, authority, path, [query_name, query_value]+)
```

and

```
make_url_extended(scheme, authority, path, query_string)
```

This function returns a URL constructed from the `scheme`, `authority`, `path`, and either the `query_string` or a query string constructed from the `query` argument pairs. The `authority` can be empty, which is the case for calibre scheme URLs. You must supply either a `query_string` or at least one `query_name`, `query_value` pair. If you supply `query_string` and it is empty then the resulting URL will not have a query string section.

Example 1: constructing a Wikipedia search URL for the author *Niccolò Machiavelli*:

```
make_url_extended('https', 'en.wikipedia.org', '/w/index.php', 'search', 'Niccolò  
Machiavelli')
```

returns

```
https://en.wikipedia.org/w/index.php?search=Niccolò%20Machiavelli
```

See the [query\\_string\(\)](#) (pagina 207) function for an example using `make_url_extended()` with a `query_string`.

If you are writing a custom column book details URL template then use `$item_name` or `field('item_name')` to obtain the value of the field that was clicked on. Example: if *Niccolò Machiavelli* was clicked on then you can construct the URL using :

```
make_url_extended('https', 'en.wikipedia.org', '/w/index.php', 'search', $item_name')
```

See also the functions [make\\_url\(\)](#) (pagina 206), [query\\_string\(\)](#) (pagina 207) and [encode\\_for\\_url\(\)](#) (pagina 206).

## query\_string

```
class calibre.utils.formatter_functions.BuiltinQueryString
```

`query_string([query_name, query_value, how_to_encode]+)` – returns a URL query string constructed from the `query_name`, `query_value`, `how_to_encode` triads. A query string is a series of items where each item looks like `query_name=query_value` where `query_value` is URL-encoded as instructed. The query items are separated by '`&`' (ampersand) characters.

If `how_to_encode` is 0 then `query_value` is encoded and spaces are replaced with '+' (plus) signs. If `how_to_encode` is 1 then `query_value` is encoded with spaces replaced by `%20`. If `how_to_encode` is 2 then `query_value` is returned unchanged; no encoding is done and spaces are not replaced. If you want `query_value` not to be encoded but spaces to be replaced then use the [re\(\)](#) (pagina 203) function, as in `re($series, ' ', '%20')`

<sup>97</sup> <https://en.wikipedia.org/wiki/URL>

You use this function if you need specific control over how the parts of the query string are constructed. You could then use the resulting query string in [make\\_url\\_extended\(\)](#) (pagina 207), as in

```
make_url_extended(  
    'https', 'your_host', 'your_path',  
    query_string('encoded', 'Hendrik Bäßler', 0, 'unencoded', 'Hendrik Bäßler', 2))
```

giving you

```
https://your_host/your_path?encoded=Hendrik+B%C3%A4%9Fler&unencoded=Hendrik Bäßler
```

You must have at least one `query_name`, `query_value`, `how_to_encode` triad, but can have as many as you wish.

The returned value is a URL query string with all the specified items, for example: `name1=val1 [&nameN=valN] *`. Note that the `'?' path / query string` separator is not included in the returned result.

If you are writing a custom column book details URL template then use `$item_name` or `field('item_name')` to obtain the unencoded value of the field that was clicked. You also have `item_value_quoted` where the value is already encoded with plus signs replacing spaces, and `item_value_no_plus` where the value is already encoded with `%20` replacing spaces.

See also the functions [make\\_url\(\)](#) (pagina 206), [make\\_url\\_extended\(\)](#) (pagina 207) and [encode\\_for\\_url\(\)](#) (pagina 206).

### to\_hex

```
class calibre.utils.formatter_functions.BuiltinToHex
```

`to_hex(val)` – returns the string `val` encoded into hex. This is useful when constructing calibre URLs.

### urls\_from\_identifiers

```
class calibre.utils.formatter_functions.BuiltinUrlsFromIdentifiers
```

`urls_from_identifiers(identifiers, sort_results)` – given a comma-separated list of `identifiers`, where an `identifier` is a colon-separated pair of values (`id_name:id_value`), returns a comma-separated list of HTML URLs generated from the identifiers. The list not sorted if `sort_results` is 0 (character or number), otherwise it is sorted alphabetically by the identifier name. The URLs are generated in the same way as the built-in `identifiers` column when shown in Book Details.

## API of the Metadata objects

The python implementation of the template functions is passed in a `Metadata` object. Knowing its API is useful if you want to define your own template functions.

```
class calibre.ebooks.metadata.book.base.Metadata (title, authors=('Sconosciuto'), other=None,  
                                                template_cache=None, formatter=None)
```

A class representing all the metadata for a book. The various standard metadata fields are available as attributes of this object. You can also stick arbitrary attributes onto this object.

Metadata from custom columns should be accessed via the `get()` method, passing in the lookup name for the column, for example: `«#mytags»`.

Use the [is\\_null\(\)](#) (pagina 208) method to test if a field is null.

This object also has functions to format fields into strings.

The list of standard metadata fields grows with time is in [STANDARD\\_METADATA\\_FIELDS](#) (pagina 210).

Please keep the method based API of this class to a minimum. Every method becomes a reserved field name.

**is\_null (field)**

Return True if the value of field is null in this object. “null” means it is unknown or evaluates to False. So a title of \_ (“Unknown”) is null or a language of “und” is null.

Be careful with numeric fields since this will return True for zero as well as None.

Also returns True if the field does not exist.

**deepcopy (class\_generator=<function Metadata.<lambda>>)**

Do not use this method unless you know what you are doing, if you want to create a simple clone of this object, use `deepcopy_metadata()` instead. Class\_generator must be a function that returns an instance of `Metadata` or a subclass of it.

**get\_identifiers ()**

Return a copy of the identifiers dictionary. The dict is small, and the penalty for using a reference where a copy is needed is large. Also, we don’t want any manipulations of the returned dict to show up in the book.

**set\_identifiers (identifiers)**

Set all identifiers. Note that if you previously set ISBN, calling this method will delete it.

**set\_identifier (typ, val)**

If val is empty, deletes identifier of type typ

**standard\_field\_keys ()**

return a list of all possible keys, even if this book doesn’t have them

**custom\_field\_keys ()**

return a list of the custom fields in this book

**all\_field\_keys ()**

All field keys known by this instance, even if their value is None

**metadata\_for\_field (key)**

return metadata describing a standard or custom field.

**all\_non\_none\_fields ()**

Return a dictionary containing all non-None metadata fields, including the custom ones.

**get\_standard\_metadata (field, make\_copy)**

return field metadata from the field if it is there. Otherwise return None. field is the key name, not the label.

Return a copy if requested, just in case the user wants to change values in the dict.

**get\_all\_standard\_metadata (make\_copy)**

return a dict containing all the standard field metadata associated with the book.

**get\_all\_user\_metadata (make\_copy)**

return a dict containing all the custom field metadata associated with the book.

**get\_user\_metadata (field, make\_copy)**

return field metadata from the object if it is there. Otherwise return None. field is the key name, not the label.

Return a copy if requested, just in case the user wants to change values in the dict.

**set\_all\_user\_metadata (metadata)**

store custom field metadata into the object. Field is the key name not the label

**set\_user\_metadata (field, metadata)**

store custom field metadata for one column into the object. Field is the key name not the label

**remove\_stale\_user\_metadata(*other\_mi*)**

Remove user metadata keys (custom column keys) if they don't exist in "other\_mi", which must be a metadata object

**template\_to\_attribute(*other, ops*)**

Takes a list [(src,dest), (src,dest)], evaluates the template in the context of other, then copies the result to self[dest]. This is on a best-efforts basis. Some assignments can make no sense.

**smart\_update(*other, replace\_metadata=False*)**

Merge the information in *other* into self. In case of conflicts, the information in *other* takes precedence, unless the information in *other* is NULL.

**format\_field(*key, series\_with\_index=True*)**

Returns the tuple (display\_name, formatted\_value)

**to\_html()**

A HTML representation of this object.

**calibre.ebooks.metadata.book.base.STANDARD\_METADATA\_FIELDS**

The set of standard metadata fields.

```
'''  
All fields must have a NULL value represented as None for simple types,  
an empty list/dictionary for complex types and (None, None) for cover_data  
'''  
  
SOCIAL_METADATA_FIELDS = frozenset((  
    'tags',           # Ordered list  
    'rating',         # A floating point number between 0 and 10  
    'comments',       # A simple HTML enabled string  
    'series',          # A simple string  
    'series_index',    # A floating point number  
    # Of the form { scheme1:value1, scheme2:value2 }  
    # For example: {'isbn':'123456789', 'doi':'xxxx', ... }  
    'identifiers',  
)  
  
'''  
The list of names that convert to identifiers when in get and set.  
'''  
  
TOP_LEVEL_IDENTIFIERS = frozenset((  
    'isbn',  
)  
  
PUBLICATION_METADATA_FIELDS = frozenset((  
    'title',           # title must never be None. Should be _('Unknown')  
    # Pseudo field that can be set, but if not set is auto generated  
    # from title and languages  
    'title_sort',  
    'authors',          # Ordered list. Must never be None, can be [_('Unknown')]  
    'author_sort_map', # Map of sort strings for each author  
    # Pseudo field that can be set, but if not set is auto generated  
    # from authors and languages
```

(continues on next page)

(continua dalla pagina precedente)

```

'author_sort',
'book_producer',
'timestamp',           # Dates and times must be timezone aware
'pubdate',
'last_modified',
'rights',
# So far only known publication type is periodical:calibre
# If None, means book
'publication_type',
'uuid',                 # A UUID usually of type 4
'languages',            # ordered list of languages in this publication
'publisher',             # Simple string, no special semantics
# Absolute path to image file encoded in filesystem_encoding
'cover',
# Of the form (format, data) where format is, e.g. 'jpeg', 'png', 'gif',...
'cover_data',
# Either thumbnail data, or an object with the attribute
# image_path which is the path to an image file, encoded
# in filesystem_encoding
'thumbnail',
))

BOOK_STRUCTURE_FIELDS = frozenset((
    # These are used by code, Null values are None.
    'toc', 'spine', 'guide', 'manifest',
))

USER_METADATA_FIELDS = frozenset((
    # A dict of dicts similar to field_metadata. Each field description dict
    # also contains a value field with the key #value#.
    'user_metadata',
))

DEVICE_METADATA_FIELDS = frozenset((
    'device_collections',   # Ordered list of strings
    'lpath',                # Unicode, / separated
    'size',                  # In bytes
    'mime',                  # Mimetype of the book file being represented
))

CALIBRE_METADATA_FIELDS = frozenset((
    'application_id',      # An application id, currently set to the db_id.
    'db_id',                # the calibre primary key of the item.
    'formats',               # list of formats (extensions) for this book
    # a dict of user category names, where the value is a list of item names
    # from the book that are in that category
    'user_categories',
    # a dict of items to associated hyperlink
    'link_maps',
))

ALL_METADATA_FIELDS =      SOCIAL_METADATA_FIELDS.union(
)

```

(continues on next page)

(continua dalla pagina precedente)

```
PUBLICATION_METADATA_FIELDS).union(
    BOOK_STRUCTURE_FIELDS).union(
    USER_METADATA_FIELDS).union(
    DEVICE_METADATA_FIELDS).union(
    CALIBRE_METADATA_FIELDS)

# All fields except custom fields
STANDARD_METADATA_FIELDS = SOCIAL_METADATA_FIELDS.union(
    PUBLICATION_METADATA_FIELDS).union(
    BOOK_STRUCTURE_FIELDS).union(
    DEVICE_METADATA_FIELDS).union(
    CALIBRE_METADATA_FIELDS)

# Metadata fields that smart update must do special processing to copy.
SC_FIELDS_NOT_COPIED =     frozenset(('title', 'title_sort', 'authors',
                                         'author_sort', 'author_sort_map',
                                         'cover_data', 'tags', 'languages',
                                         'identifiers'))

# Metadata fields that smart update should copy only if the source is not None
SC_FIELDS_COPY_NOT_NULL =   frozenset(('device_collections', 'lpath', 'size', 'comments',
                                         '→', 'thumbnail'))

# Metadata fields that smart update should copy without special handling
SC_COPYABLE_FIELDS =       SOCIAL_METADATA_FIELDS.union(
    PUBLICATION_METADATA_FIELDS).union(
    BOOK_STRUCTURE_FIELDS).union(
    DEVICE_METADATA_FIELDS).union(
    CALIBRE_METADATA_FIELDS) - \
    SC_FIELDS_NOT_COPIED.union(
    SC_FIELDS_COPY_NOT_NULL)

SERIALIZABLE_FIELDS =      SOCIAL_METADATA_FIELDS.union(
    USER_METADATA_FIELDS).union(
    PUBLICATION_METADATA_FIELDS).union(
    CALIBRE_METADATA_FIELDS).union(
    DEVICE_METADATA_FIELDS) - \
    frozenset(('device_collections', 'formats',
               'cover_data'))

# these are rebuilt when needed
```

## 10.4 Tutto sull'utilizzo delle espressioni regolari in calibre

Le espressioni regolari sono usate in molte parti di calibre per eseguire manipolazioni avanzate del contenuto e dei metadati degli e-book. Questa guida è un'introduzione amichevole all'uso delle espressioni regolari in calibre.

### Contenuti

- *Per prima cosa, una parola di avviso e una di incoraggiamento* (pagina 213)

- Dove è possibile utilizzare le espressioni regolari all'interno di calibre? (pagina 213)
- Cosa diamine è un'espressione regolare? (pagina 213)
- Potresti spiegare meglio? (pagina 214)
- Non suona affatto male. E poi? (pagina 214)
- Ehi, ben fatto! Ora inizia ad avere un senso! (pagina 214)
- Bene, questi caratteri speciali sono tutti molto graziosi, ma se volessi trovare un punto, o un punto di domanda? (pagina 215)
- Quindi, quali sono le classi più utili? (pagina 215)
- Ma se avessi alcune stringhe diverse tra loro da trovare, diventerebbe complicato? (pagina 216)
- Ti sei dimenticato... (pagina 216)
- All'inizio hai detto che c'era un modo di creare un'espressione regolare che non distingue le maiuscole? (pagina 216)
- Penso di stare iniziando a capire queste espressioni regolari... Come le posso usare in calibre? (pagina 217)
  - Conversioni (pagina 217)
  - Aggiunta di libri (pagina 217)
  - Modifica di gruppo dei metadati (pagina 218)
- Riferimenti rapidi (pagina 218)
- Riconoscimenti (pagina 223)

#### 10.4.1 Per prima cosa, una parola di avviso e una di incoraggiamento

Questa guida sarà, per forza di cose, abbastanza tecnica - dopotutto, le espressioni regolari sono uno strumento tecnico che fa cose tecniche. Dovrò usare dei tecnicismi e dei concetti che potrebbero sembrare complicati o contorti. Farò del mio meglio per spiegare quei concetti il più chiaramente possibile, ma non posso proprio fare a meno di utilizzarli. Detto ciò, non essere scoraggiato da questo gergo, perché ho provato a spiegare tutto ciò che appare per la prima volta. E sebbene le espressioni regolari stesse possano sembrare una magia oscura e misteriosa (o, per essere più prosaici, segni e lettere astrusi messi a caso in una stringa senza senso), ti assicuro che non sono poi così complicati. Anche coloro che capiscono molto bene le espressioni regolari hanno problemi a leggere le più complesse tra di esse, ma scriverle non è così complicato - l'espressione è costruita passo passo. E allora, fai un passo avanti e seguimi nella tana del Bianconiglio

#### 10.4.2 Dove è possibile utilizzare le espressioni regolari all'interno di calibre?

Ci sono vari luoghi in cui calibre utilizza le espressioni regolari. C'è *Cerca e sostituisci* nelle opzioni di conversione, l'estrazione dei metadati dai nomi dei file nelle impostazioni di importazione e il *Cerca e sostituisci* nella modifica di gruppo dei metadati dei libri. Anche l'editor di libri di calibre può usare le espressioni regolari nella sua funzione *Cerca e sostituisci*. Infine puoi usare le espressioni regolari quando cerchi nell'elenco dei libri di calibre e nel Lettore E-book di calibre.

#### 10.4.3 Cosa diamine è un'espressione regolare?

Un'espressione regolare è un modo per descrivere insiemi di stringhe. Una singola espressione regolare può *associare* una serie di stringhe differenti. È questo che rende le espressioni regolari così potenti – sono un modo conciso per descrivere un numero potenzialmente alto di variazioni.

**1 Nota**

Qui uso stringa con il significato usato nei linguaggi di programmazione: una stringa di uno o più caratteri, che includono caratteri effettivi, numeri, punteggiatura e i cosiddetti «whitespace» (testo a capo, tabulazioni, ecc.). Ricorda che generalmente caratteri con maiuscole differenti non sono considerati uguali, ne deriva perciò che «a» è un carattere di verso da «A», e così via. In calibre, le espressioni regolari non fanno distinzione di maiuscole nella Barra di Ricerca, ma la fanno nelle opzioni di conversione. Esiste un modo per fare in modo che nessuna espressione regolare distingua le maiuscole, ma ne parleremo più avanti. Diventa complicato perché le espressioni regolari permettono varianti nelle stringhe che trovano, e quindi a un'espressione può corrispondere più di una stringa, che è poi la ragione per cui la gente si prende il disturbo di usarle. Più informazioni fra un attimo.

**10.4.4 Potresti spiegare meglio?**

Siamo qui per questo. Primo, e questo è il concetto più importante delle espressioni regolari: *Una stringa presa da sola è un'espressione regolare che trova se stessa*. Ovverosia, se volessi trovare la stringa "Ciao, Mondo!" usando un'espressione regolare, l'espressione regolare da usare sarebbe Ciao, Mondo!. E sì, è proprio così semplice. Ti sarai accorto, tuttavia, che questa espressione trova solo la stringa esatta "Ciao, Mondo!", non p.es. "Ciao, mOndo!" o "ciao, mondo!" o altre varianti del genere.

**10.4.5 Non suona affatto male. E poi?**

Poi inizia la parte davvero interessante. Ricordi quando ti ho detto che le espressioni regolari possono trovare più di una stringa? È qui che le cose si complicano. Poniamo, come esercizio un po' più concreto, che l'e-book che volevi convertire avesse un fastidioso pié di pagina con la conta delle pagine, come «Pagina 5 di 423». Ovviamente il numero di pagina salirebbe da 1 a 423, per cui dovresti trovare 423 stringhe differenti, giusto? Sbagliato in realtà: le espressioni regolari ti permettono di definire classi di caratteri da trovare: per definirne uno, metti tutti i caratteri che vuoi avere nella classe dentro parentesi quadre. Quindi, ad esempio, la classe [abc] troverebbe sia il carattere «a», sia «b» sia «c». Le classi troveranno sempre solamente uno dei caratteri della classe. Esse «riconoscono» gli intervalli, ovvero, se volessi trovare tutti i caratteri minuscoli dovresti usare la classe [a-z], per tutti i caratteri minuscoli e maiuscoli dovresti usare [a-zA-Z], e così via. Chiaro il concetto? Quindi, ovviamente, usando l'espressione Pagina [0-9] di 423 saresti in grado di trovare le prime 9 pagine, riducendo quindi il numero di espressioni necessarie a tre: la seconda espressione Pagina [0-9][0-9] di 423 troverebbe tutti i numeri di pagina di due cifre, e sono sicuro che tu possa immaginare l'aspetto della terza espressione. Esatto, vai pure. Scrivila.

**10.4.6 Ehi, ben fatto! Ora inizia ad avere un senso!**

Speravo proprio che lo dicesse. Ma aspetta, ora diventa ancora più bello! Abbiamo appena visto che usando le classi possiamo trovare un carattere tra molti inclusi. Ma puoi anche ripetere un carattere o una classe, e ridurre così il numero di espressioni necessarie per gestire l'esempio dei numeri di pagina di poco fa a uno. Esatto, UNO! Eccitato? Dovresti esserlo! Funziona così: Alcuni cosiddetti caratteri speciali, «+», «?» e «\*», ripetono l'elemento singolo che li precede. Per elemento si intende un singolo carattere, una classe di caratteri, una sequenza di escape o un gruppo (Di questi ultimi due parleremo più avanti) – in breve ogni entità singola in un'espressione regolare. Questi caratteri sono chiamati wildcard o quantificatori. Per essere più precisi, «?» trova 0 o 1 dell'elemento che lo precede, «\*» trova 0 o più dell'elemento che lo precede e «+» trova 1 o più dell'elemento che lo precede. Alcuni esempi: l'espressione a? troverebbe sia «» (che è la stringa vuota, non proprio utile nel nostro caso) sia «a», l'espressione a\* troverebbe «», «a», «aa» o un qualsiasi numero di a messe in fila e, infine, l'espressione a+ troverebbe «a», «aa» o un qualsiasi numero di a messe in fila (Nota: non troverebbe la stringa vuota!). Lo stesso vale per le classi: l'espressione [0-9]+ troverebbe ogni numero intero che c'è! So cosa stai pensando, e hai ragione: se usassi questa espressione nel caso di prima dei numeri di pagina, non sarebbe questa l'espressione unica che trova tutti i numeri di pagina? Sì, l'espressione Pagina [0-9]+ di 423 troverebbe tutti i numeri di pagina in quel libro!

**1 Nota**

Un appunto su questi quantificatori: di solito cercano di trovare la maggior quantità di testo possibile, quindi fai attenzione quando li usi. Questo è detto «comportamento vorace» - sono sicuro che capisci perché. Questo comportamento diventa problematico quando, poniamo, provi a trovare un tag. Considera per esempio la stringa "<p class="calibre2">Titolo qui</p>" e poniamo che tu voglia trovare il tag di apertura (la parte inclusa nella prima coppia di parentesi angolari, maggiori informazioni sui tag più avanti). Ti verrebbe da pensare che l'espressione <p.\*> trovi quel tag, ma in realtà trova l'intera stringa! (Il carattere «.» è un altro carattere speciale. Trova ogni carattere tranne le interruzioni di riga quindi, in pratica, l'espressione .\* troverebbe ogni singola linea immaginabile). Invece, prova a usare <p.\*?> che rende il quantificatore "\*" non vorace. Quell'espressione troverebbe solo il primo tag di apertura, come si voleva. C'è anche un altro modo per ottenere la stessa cosa, in realtà: l'espressione <p[^]>\*> troverà lo stesso tag di apertura - capirai perché dopo la prossima sezione. Ricorda solo che c'è spesso più di un modo di scrivere un'espressione regolare.

#### **10.4.7 Bene, questi caratteri speciali sono tutti molto graziosi, ma se volessi trovare un punto, o un punto di domanda?**

Puoi farlo, naturalmente: Basta mettere una barra rovesciata prima di ogni carattere speciale e sarà interpretato come il carattere digitato, senza alcun significato speciale. Questa coppia di barra rovesciata seguita da un carattere singolo è chiamata sequenza di escape, e l'atto di mettere una barra rovesciata prima di un carattere speciale è detto (in inglese) «escaping the character». Una sequenza di escape è interpretata come un singolo elemento. Naturalmente ci sono sequenze di escape che fanno di più che rappresentare semplicemente i caratteri speciali, per esempio "\t" indica una tabulazione. Parleremo di alcune di queste sequenze di escape più avanti. Ah e comunque, riguardo a quei caratteri speciali: Considera che ognuno dei caratteri di cui discutiamo in questa introduzione perché hanno una certa funzione sia speciale, e che quindi abbia bisogno della barra di escape se vuoi il carattere digitato.

#### **10.4.8 Quindi, quali sono le classi più utili?**

Sapevo che l'avresti chiesto. Alcune utili classi sono [0-9] che trova una singola cifra, [a-z] che trova una singola lettera minuscola, [A-Z] che trova una singola lettera maiuscola, [a-zA-Z] che trova una singola lettera e [a-zA-Z0-9] che trova una singola lettera o numero. Puoi anche usare una sequenza di escape per fare più in fretta:

\d

è equivalente a [0-9]

\w

è equivalente a [a-zA-Z0-9\_]

\s

è equivalente a un qualunque spazio

**1 Nota**

Con «spazio» si intende qualsiasi cosa non venga stampata. Questi caratteri includono il normale spazio, il rientro (tabulazione), testo a capo, interruzione di pagina, ritorno a inizio riga, spazio unificatore, ecc.

**1 Nota**

Le classi di maiuscole e minuscole possono corrispondere a entrambe se è abilitata l'impostazione che non distingue tra maiuscole e minuscole. Tali impostazioni si trovano, ad esempio, in Preferenze->Ricerca in calibre stesso e nel pannello di ricerca del Lettore e-book di calibre, così come nello strumento *Modifica libro*.

Come nota conclusiva sulle classi, puoi anche definire una classe composta di tutti i caratteri *tranne* quelli nella classe. Puoi far ciò includendo il carattere " ^ " come *primo carattere della classe*. In questo modo, [ ^a ] troverebbe ogni carattere eccetto «a». Questa operazione è detta «integrale la classe». Anche le sequenze di escape abbreviate che abbiamo visto in precedenza possono essere integrate: "\D" significa qualunque carattere non numerico, essendo perciò equivalente a [ ^0-9 ]. Le altre sequenze abbreviate possono essere integrate usando, hai indovinato, le rispettive lettere maiuscole invece di quelle minuscole. Quindi, tornando all'esempio <p[^>]\*> della sezione precedente, ora puoi vedere che la classe di caratteri utilizzata prova a trovare un qualsiasi carattere eccetto una parentesi angolare di chiusura.

### **10.4.9 Ma se avessi alcune stringhe diverse tra loro da trovare, diventerebbe complicato?**

Niente paura, non c'è niente di più semplice. Considera questo esempio: Il libro che stai convertendo ha scritto «Titolo» su tutte le pagine dispari e «Autore» su tutte le pagine pari. Molto carino su carta, vero? Ma in un e-book, è fastidioso. Puoi raggruppare intere espressioni tra normali parentesi tonde, e il carattere " | " ti farà trovare *o* l'espressione alla sua destra *o* quella alla sua sinistra. Combinale ed è fatta. Ho spiegato troppo in fretta? Va bene, per prima cosa raggruppiamo le espressioni per le pagine pari e dispari, ottenendo così le due espressioni che ci servono (Titolo) (Autore). Ora rendiamo le cose più semplici usando la barra verticale (" | " è detto carattere di barra verticale): Se usi l'espressione (Titolo) | (Autore) troverai o un risultato per «Titolo» (nelle pagine dispari) o un risultato per «Autore» (nelle pagine pari). Abbastanza semplice, no?

Naturalmente puoi usare la barra verticale anche senza le parentesi di raggruppamento. Ricordi quando ho detto che i quantificatori ripetono l'elemento che li precede? Ecco, la barra verticale funziona in un modo leggermente diverso: Anche l'espressione «Titolo|Autore» troverà o la stringa «Titolo» o la stringa «Autore», esattamente come l'esempio precedente con il raggruppamento. *La barra verticale sceglie tra l'intera espressione che la precede e quella che la segue*. Quindi, se volessi trovare le stringhe «Calibre» e «calibre» e volessi distinguere solo tra la «c» maiuscola e minuscola, dovresti usare l'espressione (c|C)alibre, in cui il raggruppamento fa in modo che solo la «c» venga selezionata. Se invece avessi usato c|Calibre, avresti ottenuto una corrispondenza con la stringa «c» o con la stringa «Calibre», che non è quello che volevamo. In breve: Nel dubbio, usa il raggruppamento insieme alla barra verticale.

### **10.4.10 Ti sei dimenticato...**

... fermo fermo fermo, c'è un'ultima cosa molto utile che puoi fare con i gruppi. Se hai catturato un gruppo in precedenza, puoi riferirti a quel gruppo più avanti nell'espressione stessa: I gruppi sono numerati a partire da 1, e puoi riferirti ad essi con il loro numero. Il quinto gruppo, per esempio, sarebbe richiamato da \5. Quindi, se cercassi ([^ ]+) \1 nella stringa «Test Test», troveresti l'intera stringa!

### **10.4.11 All'inizio hai detto che c'era un modo di creare un'espressione regolare che non distingue le maiuscole?**

Sì, l'ho fatto, grazie per aver prestato attenzione e avermelo ricordato. Puoi dire a calibre come vuoi che certe cose vengano gestite usando qualcosa chiamato flag. Puoi includere i flag nella tua espressione utilizzando il costrutto speciale (?i flag vanno qui) dove, ovviamente, sostituirai «i flag vanno qui» con i flag specifici che desideri. Per ignorare maiuscole e minuscole, il flag è i, quindi includi (?i) nella tua espressione. In questo modo, (?i)test troverà una corrispondenza con «Test», «tEst», «TEst» e qualsiasi altra variazione di maiuscole e minuscole a cui potresti pensare.

Un altro utile flag fa in modo che a un punto corrispondano tutti i caratteri *incluso* il carattere newline, il flag s. Se vuoi usare più di un flag in un'espressione, inseriscile semplicemente nella stessa espressione: (?is) ignorerà maiuscole e minuscole e farà corrispondere il punto a tutti i caratteri. Non importa quale flag specifichi per prima, (?si) darà gli stessi risultati.

## 10.4.12 Penso di stare iniziando a capire queste espressioni regolari... Come le posso usare in calibre?

### Conversioni

Iniziamo dalle impostazioni di conversione, che hanno potenzialità interessanti. Nella scheda *Cerca & sostituisci*, puoi inserire una regex (abbreviazione di «regular expression») che descrive la stringa da sostituire durante la conversione. La parte davvero interessante è la procedura guidata. Clicca sulla bacchetta magica per mostrare un'anteprima di ciò che calibre «vede» durante il processo di conversione. Scorri verso il basso fino alla stringa che vuoi rimuovere, selezionala e copiala, poi incollala nel campo regex nella parte alta della finestra. Se ci sono parti variabili come numeri di pagina o altro, usa le classi e i quantificatori per catturarli, e già che ci sei, ricordati di usare la sequenza di escape per i caratteri speciali, se ce ne sono. Premi il pulsante *Prova* e calibre evidenzierà le parti che sostituirebbe se usassi quella regex. Quando sei soddisfatto, premi OK per convertire. Fai attenzione se la sorgente per la conversione contiene tag come quelli di questo esempio:

```
Maybe, but the cops feel like you do, Anita. What's one more dead vampire?  
New laws don't change that. </p>  
<p class="calibre4"> <b class="calibre2">Generated by ABC Amber LIT Conv  
<a href="http://www.processtext.com/abclit.html" class="calibre3">erter,  
http://www.processtext.com/abclit.html</a></b></p>  
<p class="calibre4"> It had only been two years since Addison v. Clark.  
The court case gave us a revised version of what life was
```

(vergognosamente copiata da [questa discussione](#)<sup>98</sup>). Ci sarebbero da rimuovere anche alcuni dei tag. In questo esempio, ti consiglio di iniziare dal tag **<b class="calibre2">**, dopodiché devi rimuovere il tag di chiusura corrispondente (i tag di apertura sono **<tag>**, quelli di chiusura sono **</tag>**), che in questo caso è semplicemente il **</b>** successivo (se questo punto non ti è chiaro, fai riferimento a un buon manuale di HTML o chiedi aiuto sul forum). Il tag di apertura può essere descritto da **<b.\*?>**, quello di chiusura da **</b>**, perciò potremmo rimuovere tutto ciò che si trova tra i due tag con **<b.\*?>.\*?</b>**. Usare questa espressione però non sarebbe una buona idea, perché rimuoverebbe qualunque testo racchiuso da tag **<b>** (che, come nota, applica il grassetto al testo racchiuso) ed è più che probabile che parti del libro verrebbero rimosse come conseguenza. Conviene invece includere anche la parte iniziale della stringa racchiusa, usando l'espressione regolare **<b.\*?>\s\*Generated\s+by\s+ABC\s+Amber\s+LIT.\*?</b>** *Invece di digitare esplicitamente gli spazi della stringa, viene usato* `s` con i quantificatori, per catturare ogni possibile variazione della stringa. Se provi una nuova espressione ricorda di controllare tutte le rimozioni che calibre applicherà, per essere sicuro di non rimuovere parti che vuoi conservare. Se ne controlli solamente una, potresti perderti una corrispondenza non voluta da un'altra parte nel testo. Ricorda anche che se dovessi rimuovere più (o meno) tag di quelli che volevi, calibre proverà a riparare il codice danneggiato dopo la rimozione.

### Aggiunta di libri

Un altro caso in cui puoi usare le espressioni regolari è per l'estrazione di metadati dai nomi dei file. Puoi trovare questa funzionalità nella sezione «Aggiunta libri» delle impostazioni. Qui c'è una funzione speciale: puoi usare i nomi dei campi per i campi dei metadati, per esempio **(?P<title>)** indica a calibre di usare questa parte della stringa come titolo del libro. I nomi di campo permessi sono elencati nella finestra, insieme a un altro comodo campo di prova. Un esempio: immagina di voler importare una gran quantità di libri con nomi del tipo **Grandi Classici: La Divina Commedia di Dante Alighieri.mobi**. (naturalmente sarà già nella tua biblioteca, chi non ama la poesia classica italiana?) oppure **Epopee della Fantascienza: Trilogia della Fondazione di Isaac Asimov.epub**. Questi ovviamente sono nomi di file da cui calibre non riuscirà a estrarre niente di utile - l'espressione predefinita usata per estrarre i metadati è **(?P<title>.+) - (?P<author>[^\_]+)**. Un'espressione regolare che sarebbe utile in questo caso è **[a-zA-Z]+:(?P<title>.+) di (?P<author>.+)**. Tieni presente che dentro al gruppo per il campo dei metadati devi usare espressioni che descrivano cosa trovare per quel campo. E ricorda anche che quando usi il campo di prova fornito da calibre devi aggiungere al nome del file di prova la sua estensione, altrimenti non otterrai alcuna corrispondenza, anche se usi un'espressione adatta.

<sup>98</sup> <https://www.mobiteread.com/forums/showthread.php?t=75594>"

## Modifica di gruppo dei metadati

L'ultima parte è l'espressione regolare *Cerca e sostituisci* nei campi dei metadati. Puoi accedervi selezionando più libri nella libreria e utilizzando la modifica collettiva dei metadati. Fai molta attenzione quando usi quest'ultima funzionalità, poiché può causare **cose molto brutte** alla tua libreria! Controlla attentamente che le tue espressioni facciano ciò che desideri utilizzando i campi di test e contrassegna solo i libri che desideri veramente modificare! Nella modalità di ricerca delle espressioni regolari, puoi cercare in un campo, sostituire il testo con qualcosa e persino scrivere il risultato in un altro campo. Un esempio pratico: supponiamo che la tua biblioteca contenga i libri della serie Dune di Frank Herbert, dal nome della moda «Dune 1 - Dune», «Dune 2 - Dune Messiah» e così via. Ora vuoi inserire `Dune` nel campo della serie. Puoi farlo cercando `(.*?) \d - .*` nel campo del titolo e sostituendolo con `\1` nel campo della serie. Vedi cosa ho fatto lì? Questo è un riferimento al primo gruppo con cui stai sostituendo il campo della serie. Ora che hai impostato la serie, devi solo fare un'altra ricerca per `.*? -` nel campo del titolo e sostituisco con `" "` (una stringa vuota), sempre nel campo del titolo, e i tuoi metadati saranno tutti puliti e ordinati. Non è fantastico? A proposito, invece di sostituire l'intero campo, puoi anche aggiungere o anteporre al campo, quindi, se *volevi* che il titolo del libro fosse anteposto alle informazioni sulla serie, potresti farlo anche tu. Come avrai sicuramente notato, c'è una casella etichettata *Mayuscole e minuscole*, quindi non dovrà usare i flag per selezionare il comportamento qui.

Bene, con ciò abbiamo quasi finito questa breve introduzione alle espressioni regolari. Con un po" di fortuna ti avrà mostrato abbastanza per farti almeno partire e permetterti di continuare a imparare per conto tuo - un buon posto dove guardare sarebbe [Python documentation for regexps<sup>99</sup>](#).

Un ultimo avviso, però: nonostante le espressioni regolari siano molto potenti, è anche molto facile sbagliare nel crearle. calibre fornisce ottime funzioni di prova per controllare se le tue espressioni funzionano come ti aspetti. Usale. Cerca di evitare di spararti nel piede. (Cielo, quanto mi piace questa espressione...). Ma anche se dovessi, nonostante i preavvisi, ferirti al piede (o in altre parti anatomiche), prova ad imparare da quanto successo.

### 10.4.13 Riferimenti rapidi

#### Riferimenti rapidi sulla sintassi regex

Questo elenco riassume le parti più comunemente usate/più difficili da ricordare del motore regex disponibile in molte delle parti di calibre.

##### Contenuti

- *Classi di caratteri* (pagina 219)
- *Classi di caratteri abbreviate* (pagina 219)
- *I quantificatori* (pagina 219)
- *Voracità* (pagina 220)
- *Alternative* (pagina 220)
- *Esclusione* (pagina 220)
- *Ancoraggi* (pagina 220)
- *Gruppi* (pagina 220)
- *Lookaround* (pagina 221)
- *Ricorsività* (pagina 221)
- *Caratteri speciali* (pagina 222)
- *Metacaratteri* (pagina 222)

---

<sup>99</sup> <https://docs.python.org/library/re.html>

- *Modalità* (pagina 222)

## Classi di caratteri

Le classi di caratteri sono utili per rappresentare gruppi diversi di caratteri in modo conciso.

Esempi:

| Rappresen-<br>tazione | Classe  |
|-----------------------|---|
| [a-z]                 | Lettere minuscole. Non include caratteri accentati, segnati e legature  |
| [a-zA-Z0-9]           | Lettere minuscole dalla a alla z o numeri da 0 a 9  |
| [A-Za-z-]             | Lettere maiuscole, minuscole o un trattino. Per includere il trattino in una classe devi metterlo all'inizio oppure alla fine, per non confonderlo con quello che specifica un intervallo di caratteri. |
| [^0-9]                | Qualsiasi carattere tranne una cifra. Il segno di omissione (^) all'inizio della classe esclude i caratteri della classe (classe complementare)   |
| [ [a-z] -- [a         | Consonanti minuscole. Una classe può essere inclusa in una classe. I caratteri – escludono ciò che li segue   |
| [ \w-- [\d_ ] ]       | Tutte le lettere (inclusi i caratteri accentati stranieri). Le classi abbreviate possono essere utilizzate all'interno di una classe  |

Esempio:

```
<[^<>]+> to select an HTML tag
```

## Classi di caratteri abbreviate

| Rappresen-<br>tazione | Classe   |
|-----------------------|--|
| \d                    | Una cifra (uguale a [0-9])   |
| \D                    | Ogni carattere non numerico (uguale a [^0-9])  |
| \w                    | Un carattere alfanumerico ([a-zA-Z0-9]) inclusi caratteri con accenti, segni e legature.   |
| \W                    | Qualsiasi carattere «non-parola»   |
| \s                    | Spazio, spazio unificatore, rientro (tabulazione), testo a capo  |
| \S                    | Qualsiasi carattere «non-vuoto»  |
| .                     | Qualsiasi carattere eccetto newline. Usa la casella «Il punto vale tutto» o il modificatore regex (?s) per includere il carattere newline. |

## I quantificatori

| Quantificatore | Numero di occorrenze dell'espressione che precede il quantificatore    |
|----------------|--|
| ?              | 0 o 1 occorrenze dell'espressione. Uguale a {0,1}                      |
| +              | 1 o più occorrenze dell'espressione. Uguale a {1,}                     |
| *              | 0, 1 o più occorrenze dell'espressione. Uguale a {0,}                  |
| {n}            | Esattamente n occorrenze dell'espressione                              |
| {min,max}      | Un numero di occorrenze compreso tra i valori minimo e massimo inclusi |
| {min,}         | Un numero di occorrenze compreso tra il valore minimo e l'infinito     |
| {,max}         | Un numero di occorrenze compreso tra 0 e il valore massimo inclusi     |

### Voracità

Per impostazione predefinita, con i quantificatori, il motore delle espressioni regolari è vorace (greedy): estende la selezione il più possibile. Questo causa delle sorprese all'inizio. ? segue un quantificatore per renderlo pigro (lazy). Evita di metterne due nella stessa espressione, i risultati possono essere imprevedibili.

Fai attenzione nel nidificare i quantificatori, come ad esempio nell'espressione `(a*)*`, perché fare ciò aumenta esponenzialmente il tempo di elaborazione.

### Alternative

Il carattere | in un'espressione regolare è un OR logico. Significa che verrà cercata una corrispondenza o per l'espressione precedente o per quella seguente.

### Esclusione

Metodo 1

```
schema_da_escludere(*SKIP)(*FAIL) | schema_da_selezionare
```

Esempio:

```
"Blabla"(*SKIP)(*FAIL)|Blabla
```

seleziona Blabla, nelle stringhe Blabla o «Blabla or Blabla», ma non in «Blabla».

Metodo 2

```
schema_da_escludere\K| (schema_da_selezionare)
```

```
"Blabla"\K| (Blabla)
```

seleziona Blabla, nelle stringhe Blabla o «Blabla or Blabla», ma non in «Blabla».

### Ancoraggi

Un ancoraggio è un modo di trovare una posizione logica in una stringa, invece di un carattere. Gli ancoraggi più utili per l'elaborazione del testo sono:

\b

Indica il confine di una parola, ovvero una transizione da un carattere spazio a uno non-spazio. Per esempio, puoi usare \bcerto per trovare di certo ma non concerto.

^

Trova l'inizio di una riga (in modalità multilinea, che è quella predefinita)

\$

Trova la fine di una riga (in modalità multilinea, che è quella predefinita)

\k

Ripristina la posizione di partenza della selezione alla sua posizione nello schema. Alcuni motori di regex (ma non quello di calibre) non permettono lookbehind di lunghezza variabile, specialmente con i quantificatori. Se puoi utilizzare \K con questi motori, puoi anche aggirare questa limitazione scrivendo l'equivalente di un lookbehind positivo di lunghezza variabile.

### Gruppi

#### (espressione)

Gruppo di cattura, che conserva la selezione e può essere richiamato in seguito nelle espressioni *cerca e sostituisci* usando \n, dove n è il numero di sequenza del gruppo di cattura (a partire da 1 in ordine di lettura)

**(?:espressione)**

Gruppo che non cattura la selezione

**(?>espressione)**

Gruppo Atomico: Non appena l'espressione è soddisfatta, il motore regex prosegue, e se il resto dello schema fallisce, non tornerà indietro per provare altre combinazioni con l'espressione. I gruppi atomici non sono di cattura.

**(?|espressione)**

Gruppo branch reset: i rami (branches) delle alternative incluse nell'espressione condividono gli stessi numeri di gruppo

**(?<nome>espressione)**

Gruppo chiamato "nome". La selezione può essere richiamata in seguito nell'espressione *cerca* con (?P=nome) e in quella *sostitisci* con \g<nome>. Due gruppi diversi possono usare lo stesso nome.

## Lookaround

| Lookaround | Significato   |
|------------|---|
| ?=         | Lookahead positivo (da inserire dopo la selezione)      |
| ?!         | Lookahead negativo (da inserire dopo la selezione)      |
| ?<=        | Lookbehind positivo (da inserire prima della selezione) |
| ?<!        | Lookbehind negativo (da inserire prima della selezione) |

I lookahead e i lookbehind non consumano caratteri, hanno lunghezza zero e non catturano. Sono gruppi atomici: non appena l'asserzione è soddisfatta, il motore regex prosegue, e se il resto dello schema fallisce, non tornerà indietro all'interno del lookaround per provare altre combinazioni.

Quando si cercano più corrispondenze in una stringa, alla posizione di partenza di ogni tentativo di corrispondenza, un lookbehind può esaminare i caratteri precedenti la posizione corrente. Di conseguenza, nella stringa 123, lo schema (?<=\d)\d (una cifra preceduta da una cifra) dovrebbe in teoria selezionare 2 e 3. D'altra parte \d\K\d può solo selezionare 2, perché la posizione di partenza dopo la prima selezione si trova immediatamente prima del 3, e non ci sono abbastanza cifre per una seconda corrispondenza. Similmente, \d(\d) cattura solo 2. Nella pratica del motore regex di calibre, il lookbehind positivo si comporta allo stesso modo, e seleziona solo 2, contrariamente alla teoria.

I gruppi possono essere inseriti all'interno dei lookaround, ma la cattura è raramente utile. Cionondimeno, se necessaria, bisognerà fare molta attenzione nell'uso di un quantificatore in un lookbehind: la voracità associata al non tornare indietro puo dare una cattura sorprendente. Per questa ragione, usa \K piuttosto che un lookbehind positivo quando hai un quantificatore (o peggio, più di uno) in un gruppo di cattura del lookbehind positivo.

Esempio di lookahead negativo:

(?![^<>{}]\*[>])

Inserito alla fine dell'espressione impedisce la selezione dentro un tag o uno stile incorporato nel file.

Quando possibile, è sempre meglio «ancorare» i lookaround, per ridurre il numero di passi necessari ad ottenere il risultato.

## Ricorsività

| Rappresentazione | Significato  |
|------------------|--|
| (?R)             | Ricorsività dell'intero schema   |
| (?1)             | Ricorsività solamente dello schema del gruppo di cattura numerato, qui il gruppo 1 |

Ricorsività qui significa invocare se stessa. Ciò è utile per richieste equilibrate, come le stringhe tra virgolette, che possono avere incorporate stringhe tra virgolette. Quindi, se durante l'elaborazione di una stringa tra virgolette doppie incontriamo

L'inizio di una nuova stringa compresa tra due virgolette doppie, sappiamo cosa fare, e invochiamo noi stessi. E abbiamo uno schema di questo tipo:

```
start-pattern(?)>atomic sub-pattern|(?R)*end-pattern
```

Per selezionare una stringa compresa tra due virgolette doppie senza fermarci su una stringa incorporata:

```
"((?>[^""]+|(?R))*[^""]+)"
```

Questo modello può anche essere usato per modificare coppie di tag che possono essere incorporati, come i tag <div>.

### Caratteri speciali

| Rappresentazione | Carattere                 |
|------------------|---------------------------|
| \t               | rientro (tabulazione)     |
| \n               | interruzione di linea     |
| \x20             | spazio (divisibile)       |
| \xa0             | spazio unificatore (nbsp) |

### Metacaratteri

I metacaratteri sono quelli che hanno un significato speciale per il motore di regex. Di questi, dodici devono essere preceduti da un carattere di escape, la barra rovesciata (\), per perdere il loro significato speciale e ridiventare caratteri normali:

```
^ . [ ] $ ( ) * + ? | \
```

Sette altri metacaratteri non hanno bisogno di essere preceduti da una barra rovesciata (ma lo possono essere senza altre conseguenze):

```
{ } ! < > = :
```

I caratteri speciali perdono il loro stato se vengono usati dentro una classe (tra le parentesi []). La parentesi di chiusura e il trattino hanno uno stato speciale dentro una classe. Fuori dalla classe, il trattino è una semplice lettera, mentre la parentesi di chiusura rimane un metacarattere.

La barra (/) e il cancelletto (o hashtag) (#) non sono metacaratteri, non hanno bisogno del carattere di escape.

In alcuni strumenti, come regex101.com con il motore Python, le virgolette doppie hanno lo stato speciale di separatore e devono essere precedute dal carattere di escape, oppure vanno cambiate le opzioni. Così non è nell'editor di calibre.

### Modalità

#### (?s)

Fa in modo che il punto (.) trovi anche i caratteri newline

#### (?m)

Fa in modo che gli ancoraggi ^ e \$ trovino l'inizio e la fine delle righe invece dell'inizio e della fine dell'intera stringa.

### 10.4.14 Riconoscimenti

Grazie per aver contribuito con consigli, correzioni e altro:

- Idolse
- kovidgoyal
- chaley
- dwanthny
- kacir
- Starson17
- Orpheu

Per più informazioni sulle regex vedi [The Python User Manual<sup>100</sup>](#). In realtà la libreria usata da calibre per le espressioni regolari è [regex<sup>101</sup>](#), che supporta vari utili miglioramenti rispetto alla libreria standard di Python.

## 10.5 Scrivere i propri plugin per estendere le funzionalità di calibre

calibre ha una struttura estremamente modulare. Quasi tutte le funzionalità di calibre agiscono sotto forma di plugin. Dei plugin sono usati per le conversioni, per scaricare le notizie (sebbene questi siano chiamati ricette), per molte componenti dell'interfaccia utente, per connettersi a svariati dispositivi, per elaborare i file aggiunti a calibre e così via. Puoi ottenere una lista completa dei plugin inclusi in calibre andando in *Preferenze → Avanzate → Plugin*.

Qui, ti insegneremo come creare i tuoi plugin per aggiungere nuove funzioni a calibre.

### Contenuti

- [Anatomia di un plugin di calibre](#) (pagina 224)
- [Un plugin dell'interfaccia utente](#) (pagina 225)
  - [\\_\\_init\\_\\_.py](#) (pagina 226)
  - [ui.py](#) (pagina 227)
  - [main.py](#) (pagina 228)
  - [Ottenere le risorse dal file ZIP del plugin](#) (pagina 231)
  - [Abilitazione della configurazione del plugin da parte dell'utente](#) (pagina 231)
- [Modifica dei plugin del libro](#) (pagina 233)
  - [main.py](#) (pagina 234)
- [Aggiungi traduzione al tuo plugin](#) (pagina 237)
- [API del plugin](#) (pagina 238)
- [Debug dei plugin](#) (pagina 238)
- [Più esempi di plugin](#) (pagina 238)
- [Condividi i tuoi plugin con gli altri](#) (pagina 238)

<sup>100</sup> <https://docs.python.org/library/re.html>

<sup>101</sup> <https://bitbucket.org/mrabarnett/mrab-regex/src/hg/>

**Nota**

Si applica solo alle versioni di calibre >= 0.8.60

### 10.5.1 Anatomia di un plugin di calibre

Un plugin di calibre è molto semplice, è solo un file ZIP che contiene del codice in Python e qualsiasi altra risorsa necessaria al plugin, come le immagini. Senza indugiare oltre, vediamo un semplice esempio.

Immagina di avere un'installazione di calibre che usi per l'autopubblicazione di vari documenti elettronici nei formati EPUB e MOBI. Vorresti fare in modo che tutti i file generati da calibre avessero «Hello world» impostato come editore, ecco il modo di farlo. Crea un file con il nome `__init__.py` (questo è un nome speciale che deve sempre essere usato per il file principale del tuo plugin) e inseriscivi il seguente codice Python:

```
from calibre.customize import FileTypePlugin

class HelloWorld(FileTypePlugin):

    name          = 'Hello World Plugin'    # Name of the plugin
    description   = 'Set the publisher to Hello World for all new conversions'
    supported_platforms = ['windows', 'osx', 'linux'] # Platforms this plugin will run on
    author        = 'Acme Inc.'      # The author of this plugin
    version       = (1, 0, 0)        # The version number of this plugin
    file_types    = {'epub', 'mobi'}   # The file types that this plugin will be applied to
    on_postprocess = True           # Run this plugin after conversion is complete
    minimum_calibre_version = (0, 7, 53)

    def run(self, path_to_ebook):
        from calibre.ebooks.metadata.meta import get_metadata, set_metadata
        with open(path_to_ebook, 'r+b') as file:
            ext = os.path.splitext(path_to_ebook)[-1].lower()
            mi = get_metadata(file, ext)
            mi.publisher = 'Hello World'
            set_metadata(file, mi, ext)
        return path_to_ebook
```

Questo è tutto. Per aggiungere questo codice a calibre come plugin, devi solo eseguire il comando che segue nella cartella in cui hai creato `__init__.py`:

```
calibre-customize -b .
```

**Nota**

In macOS, gli strumenti da linea di comando si trovano dentro il bundle di calibre, per esempio, se hai installato calibre in `/Applications` gli strumenti si trovano in `/Applications/calibre.app/Contents/MacOS/`.

Puoi scaricare il plugin Hello World da [helloworld\\_plugin.zip](https://calibre-ebook.com/downloads/helloworld_plugin.zip)<sup>102</sup>.

<sup>102</sup> [https://calibre-ebook.com/downloads/helloworld\\_plugin.zip](https://calibre-ebook.com/downloads/helloworld_plugin.zip)

Ogni volta che usi calibre per convertire un libro il metodo `run()` del plugin sarà chiamato, e il libro convertito vedrà il suo editore impostato a «Hello World». Questo è un plugin molto semplice, passiamo a un esempio più complesso che aggiunge realmente un componente all'interfaccia utente.

### 10.5.2 Un plugin dell'interfaccia utente

Questo plugin sarà distribuito in pochi file (per mantenere il codice pulito). Vi mostrerà come ottenere risorse (immagini o file di dati) dal file ZIP del plugin, come consentire agli utenti di configurare il plugin, come creare elementi nell'interfaccia utente di calibre e come accedere e interrogare il database dei libri in Calibre.

Il plugin può essere scaricato da [interface\\_demo\\_plugin.zip](https://calibre-ebook.com/downloads/interface_demo_plugin.zip)<sup>103</sup>.

La prima cosa da notare è che questo file ZIP contiene molti altri file, spiegati di seguito; prestate particolare attenzione a `plugin-import-name-interface_demo.txt`.

#### **plugin-import-name-interface\_demo.txt**

Un file di testo vuoto usato per abilitare la magia dei plugin multi-file. Questo file deve essere presente in tutti i plugin che utilizzano più di un file .py. Deve essere vuoto e il suo nome deve essere della forma: `plugin-import-name-**some_name**.txt`. La presenza di questo file consente di importare codice dai file .py presenti all'interno del file ZIP, utilizzando un'istruzione del tipo:

```
from calibre_plugins.some_name.some_module import some_object
```

Il prefisso `calibre_plugins`` deve essere sempre presente. ```some_name` proviene dal nome del file di testo vuoto. `some_module` si riferisce al file `some_module.py` all'interno del file ZIP. Si noti che questa importazione è altrettanto potente delle normali importazioni di Python. Si possono creare pacchetti e sottopacchetti di moduli .py all'interno del file ZIP, proprio come si farebbe normalmente (defining `__init__.py` in ogni sottocartella) e tutto dovrebbe «funzionare».

Il nome che si usa per ```some_name`'' entra in uno spazio dei nomi globale condiviso da tutti i plugin, **quindi deve essere il più unico possibile**. Ma ricordate che deve essere un identificatore Python valido (solo alfabeti, numeri e trattino basso).

#### **`__init__.py`**

Come in precedenza, il file che definisce la classe del plugin

#### **`main.py`**

Questo file contiene il codice vero e proprio che fa qualcosa di utile

#### **`ui.py`**

Questo file definisce la parte dell'interfaccia del plugin

#### **`images/icon.png`**

L'icona per questo plugin

#### **`about.txt`**

File di testo con informazioni sul plugin

#### **traduzioni**

La cartella contiene file .mo con l'interfaccia utente del tuo plugin tradotta in diverse lingue. Guarda più in basso per i dettagli.

Ora diamo un'occhiata al codice.

<sup>103</sup> [https://calibre-ebook.com/downloads/interface\\_demo\\_plugin.zip](https://calibre-ebook.com/downloads/interface_demo_plugin.zip)

## \_\_init\_\_.py

Innanzitutto, l'obbligatorio `__init__.py` per definire i metadati del plugin:

```
from calibre.customize import InterfaceActionBase

class InterfacePluginDemo(InterfaceActionBase):
    """
    This class is a simple wrapper that provides information about the actual
    plugin class. The actual interface plugin class is called InterfacePlugin
    and is defined in the ui.py file, as specified in the actual_plugin field
    below.

    The reason for having two classes is that it allows the command line
    calibre utilities to run without needing to load the GUI libraries.
    """

    name          = 'Interface Plugin Demo'
    description   = 'An advanced plugin demo'
    supported_platforms = ['windows', 'osx', 'linux']
    author        = 'Kovid Goyal'
    version       = (1, 0, 0)
    minimum_calibre_version = (0, 7, 53)

    #: This field defines the GUI plugin class that contains all the code
    #: that actually does something. Its format is module_path:class_name
    #: The specified class must be defined in the specified module.
    actual_plugin = 'calibre_plugins.interface_demo.ui:InterfacePlugin'

    def is_customizable(self):
        """
        This method must return True to enable customization via
        Preferences->Plugins
        """
        return True

    def config_widget(self):
        """
        Implement this method and :meth:`save_settings` in your plugin to
        use a custom configuration dialog.

        This method, if implemented, must return a QWidget. The widget can have
        an optional method validate() that takes no arguments and is called
        immediately after the user clicks OK. Changes are applied if and only
        if the method returns True.

        If for some reason you cannot perform the configuration at this time,
        return a tuple of two strings (message, details), these will be
        displayed as a warning dialog to the user and the process will be
        aborted.

        The base class implementation of this method raises NotImplementedError
        so by default no user configuration is possible.
        """

```

(continues on next page)

(continua dalla pagina precedente)

```

# It is important to put this import statement here rather than at the
# top of the module as importing the config class will also cause the
# GUI libraries to be loaded, which we do not want when using calibre
# from the command line
from calibre_plugins.interface_demo.config import ConfigWidget
return ConfigWidget()

def save_settings(self, config_widget):
    """
    Save the settings specified by the user with config_widget.

    :param config_widget: The widget returned by :meth:`config_widget`.
    """
    config_widget.save_settings()

    # Apply the changes
    ac = self.actual_plugin_
    if ac is not None:
        ac.apply_settings()

```

L'unica caratteristica degna di nota è il campo `actual_plugin`. Poiché calibre ha sia un'interfaccia a riga di comando che una GUI, i plugin GUI come questo non dovrebbero caricare alcuna libreria GUI in `__init__.py`. Il campo `actual_plugin` fa questo per voi, dicendo a calibre che il plugin vero e proprio si trova in un altro file all'interno dell'archivio ZIP, che verrà caricato solo in un contesto GUI.

Ricordare che, per funzionare, è necessario avere un file `plugin-import-name-some_name.txt` nel file ZIP del plugin, come discusso in precedenza.

Esistono inoltre un paio di metodi per abilitare la configurazione del plugin da parte dell'utente. Questi sono discussi di seguito.

### ui.py

Ora diamo un'occhiata a `ui.py`, che definisce il plugin GUI vero e proprio. Il codice sorgente è pesantemente commentato e dovrebbe essere autoesplicativo:

```

from calibre.gui2.actions import InterfaceAction
from calibre_plugins.interface_demo.main import DemoDialog

class InterfacePlugin(InterfaceAction):

    name = 'Interface Plugin Demo'

    # Declare the main action associated with this plugin
    # The keyboard shortcut can be None if you don't want to use a keyboard
    # shortcut. Remember that currently calibre has no central management for
    # keyboard shortcuts, so try to use an unusual/unused shortcut.
    action_spec = ('Interface Plugin Demo', None,
                  'Run the Interface Plugin Demo', 'Ctrl+Shift+F1')

    def genesis(self):
        # This method is called once per plugin, do initial setup here

```

(continues on next page)

(continua dalla pagina precedente)

```
# Set the icon for this interface action
# The get_icons function is a builtin function defined for all your
# plugin code. It loads icons from the plugin zip file. It returns
# QIcon objects, if you want the actual data, use the analogous
# get_resources builtin function.
#
# Note that if you are loading more than one icon, for performance, you
# should pass a list of names to get_icons. In this case, get_icons
# will return a dictionary mapping names to QIcons. Names that
# are not found in the zip file will result in null QIcons.
icon = get_icons('images/icon.png', 'Interface Demo Plugin')

# The qaction is automatically created from the action_spec defined
# above
self.qaction.setIcon(icon)
self.qaction.triggered.connect(self.show_dialog)

def show_dialog(self):
    # The base plugin object defined in __init__.py
    base_plugin_object = self.interface_action_base_plugin
    # Show the config dialog
    # The config dialog can also be shown from within
    # Preferences->Plugins, which is why the do_user_config
    # method is defined on the base plugin class
    do_user_config = base_plugin_object.do_user_config

    # self.gui is the main calibre GUI. It acts as the gateway to access
    # all the elements of the calibre user interface, it should also be the
    # parent of the dialog
    d = DemoDialog(self.gui, self.qaction.icon(), do_user_config)
    d.show()

def apply_settings(self):
    from calibre_plugins.interface_demo.config import prefs
    # In an actual non trivial plugin, you would probably need to
    # do something based on the settings in prefs
    prefs
```

### main.py

La logica effettiva per implementare la finestra di dialogo Demo del plugin di interfaccia.

```
from calibre_plugins.interface_demo.config import prefs

class DemoDialog(QDialog):

    def __init__(self, gui, icon, do_user_config):
        QDialog.__init__(self, gui)
        self.gui = gui
```

(continues on next page)

(continua dalla pagina precedente)

```

self.do_user_config = do_user_config

# The current database shown in the GUI
# db is an instance of the class LibraryDatabase from db/legacy.py
# This class has many, many methods that allow you to do a lot of
# things. For most purposes you should use db.new_api, which has
# a much nicer interface from db/cache.py
self.db = gui.current_db

self.l = QVBoxLayout()
self.setLayout(self.l)

self.label = QLabel(prefs['hello_world_msg'])
self.l.addWidget(self.label)

self.setWindowTitle('Interface Plugin Demo')
self.setWindowIcon(icon)

self.about_button = QPushButton('About', self)
self.about_button.clicked.connect(self.about)
self.l.addWidget(self.about_button)

self.marked_button = QPushButton(
    'Show books with only one format in the calibre GUI', self)
self.marked_button.clicked.connect(self.marked)
self.l.addWidget(self.marked_button)

self.view_button = QPushButton(
    'View the most recently added book', self)
self.view_button.clicked.connect(self.view)
self.l.addWidget(self.view_button)

self.update_metadata_button = QPushButton(
    "Update metadata in a book's files", self)
self.update_metadata_button.clicked.connect(self.update_metadata)
self.l.addWidget(self.update_metadata_button)

self.conf_button = QPushButton(
    'Configure this plugin', self)
self.conf_button.clicked.connect(self.config)
self.l.addWidget(self.conf_button)

self.resize(self.sizeHint())

def about(self):
    # Get the about text from a file inside the plugin zip file
    # The get_resources function is a builtin function defined for all your
    # plugin code. It loads files from the plugin zip file. It returns
    # the bytes from the specified file.
    #
    # Note that if you are loading more than one file, for performance, you
    # should pass a list of names to get_resources. In this case,

```

(continues on next page)

(continua dalla pagina precedente)

```

# get_resources will return a dictionary mapping names to bytes. Names that
# are not found in the zip file will not be in the returned dictionary.
text = get_resources('about.txt')
QMessageBox.about(self, 'About the Interface Plugin Demo',
                  text.decode('utf-8'))

def marked(self):
    ''' Show books with only one format '''
    db = self.db.new_api
    matched_ids = {book_id for book_id in db.all_book_ids() if len(db.
formats(book_id)) == 1}
    # Mark the records with the matching ids
    # new_api does not know anything about marked books, so we use the full
    # db object
    self.db.set_marked_ids(matched_ids)

    # Tell the GUI to search for all marked records
    self.gui.search.setEditable('marked:true')
    self.gui.search.do_search()

def view(self):
    ''' View the most recently added book '''
    most_recent = most_recent_id = None
    db = self.db.new_api
    for book_id, timestamp in db.all_field_for('timestamp', db.all_book_ids()).
items():
        if most_recent is None or timestamp > most_recent:
            most_recent = timestamp
            most_recent_id = book_id

    if most_recent_id is not None:
        # Get a reference to the View plugin
        view_plugin = self.gui.iactions['View']
        # Ask the view plugin to launch the viewer for row_number
        view_plugin._view_calibre_books([most_recent_id])

def update_metadata(self):
    """
    Set the metadata in the files in the selected book's record to
    match the current metadata in the database.
    """
    from calibre.ebooks.metadata.meta import set_metadata
    from calibre.gui2 import error_dialog, info_dialog

    # Get currently selected books
    rows = self.gui.library_view.selectionModel().selectedRows()
    if not rows or len(rows) == 0:
        return error_dialog(self.gui, 'Cannot update metadata',
                           'No books selected', show=True)
    # Map the rows to book ids
    ids = list(map(self.gui.library_view.model().id, rows))
    db = self.db.new_api

```

(continues on next page)

(continua dalla pagina precedente)

```

for book_id in ids:
    # Get the current metadata for this book from the db
    mi = db.get_metadata(book_id, get_cover=True, cover_as_data=True)
    fmts = db.formats(book_id)
    if not fmts:
        continue
    for fmt in fmts:
        fmt = fmt.lower()
        # Get a python file object for the format. This will be either
        # an in memory file or a temporary on disk file
        ffile = db.format(book_id, fmt, as_file=True)
        ffile.seek(0)
        # Set metadata in the format
        set_metadata(ffile, mi, fmt)
        ffile.seek(0)
        # Now replace the file in the calibre library with the updated
        # file. We don't use add_format_with_hooks as the hooks were
        # already run when the file was first added to calibre.
        db.add_format(book_id, fmt, ffile, run_hooks=False)

info_dialog(self, 'Updated files',
            f'Updated the metadata in the files of {len(ids)} book(s)',
            show=True)

def config(self):
    self.do_user_config(parent=self)
    # Apply the changes
    self.label.setText(prefs['hello_world_msg'])

```

## Ottenere le risorse dal file ZIP del plugin

Il sistema di caricamento dei plugin di Calibre definisce un paio di funzioni integrate che consentono di ottenere comodamente i file dal file ZIP del plugin.

### `get_resources(name_or_list_of_names)`

Questa funzione deve essere chiamata con un elenco di percorsi dei file all'interno del file ZIP. Ad esempio, per accedere al file `icon.png` nella cartella `images` del file ZIP, si deve usare: `images/icon.png`. Usare sempre una barra in avanti come separatore di percorso, anche su Windows. Quando si passa un solo nome, la funzione restituisce i byte grezzi di quel file o Nessuno se il nome non è stato trovato nel file ZIP. Se si inserisce più di un nome, la funzione restituisce un dizionario che mappa i nomi in byte. Se un nome non viene trovato, non sarà presente nel dizionario restituito.

### `get_icons(nome_o_lista_di_nomi, nome_plugin="")`

Un wrapper per `get_resources()` che crea oggetti `QIcon` dai byte grezzi restituiti da `get_resources`. Se un nome non viene trovato nel file ZIP, la `QIcon` corrispondente sarà nulla. Per supportare la tematizzazione delle icone, passare il nome umano del plugin come `plugin_name`. Se l'utente utilizza un tema di icone con icone per il plugin, queste verranno caricate in modo preferenziale.

## Abilitazione della configurazione del plugin da parte dell'utente

Per consentire agli utenti di configurare il plugin, è necessario definire tre metodi nella classe base del plugin, `is_customizable`, `config_widget` e `save_settings`, come mostrato di seguito:

```
def is_customizable(self):
    """
    This method must return True to enable customization via
    Preferences->Plugins
    """
    return True
```

```
def config_widget(self):
    """
    Implement this method and :meth:`save_settings` in your plugin to
    use a custom configuration dialog.
```

*This method, if implemented, must return a QWidget. The widget can have an optional method validate() that takes no arguments and is called immediately after the user clicks OK. Changes are applied if and only if the method returns True.*

*If for some reason you cannot perform the configuration at this time, return a tuple of two strings (message, details), these will be displayed as a warning dialog to the user and the process will be aborted.*

*The base class implementation of this method raises NotImplementedError so by default no user configuration is possible.*

```
"""
# It is important to put this import statement here rather than at the
# top of the module as importing the config class will also cause the
# GUI libraries to be loaded, which we do not want when using calibre
# from the command line
from calibre_plugins.interface_demo.config import ConfigWidget
return ConfigWidget()
```

```
def save_settings(self, config_widget):
    """
    Save the settings specified by the user with config_widget.

    :param config_widget: The widget returned by :meth:`config_widget`.
    """
    config_widget.save_settings()

    # Apply the changes
    ac = self.actual_plugin_
    if ac is not None:
        ac.apply_settings()
```

Calibre ha molti modi diversi per memorizzare i dati di configurazione (un'eredità della sua lunga storia). Il modo consigliato è quello di usare la classe **JSONConfig**, che memorizza le informazioni di configurazione in un file .json.

Il codice per gestire i dati di configurazione nel plugin demo si trova in config.py:

```
from calibre.utils.config import JSONConfig
```

(continues on next page)

(continua dalla pagina precedente)

```

# This is where all preferences for this plugin will be stored
# Remember that this name (i.e. plugins/interface_demo) is also
# in a global namespace, so make it as unique as possible.
# You should always prefix your config file name with plugins/,
# so as to ensure you don't accidentally clobber a calibre config file
prefs = JSONConfig('plugins/interface_demo')

# Set defaults
prefs.defaults['hello_world_msg'] = 'Hello, World!'

class ConfigWidget(QWidget):

    def __init__(self):
        QWidget.__init__(self)
        self.l = QHBoxLayout()
        self.setLayout(self.l)

        self.label = QLabel('Hello world &message:')
        self.l.addWidget(self.label)

        self.msg = QLineEdit(self)
        self.msg.setText(prefs['hello_world_msg'])
        self.l.addWidget(self.msg)
        self.label.setBuddy(self.msg)

    def save_settings(self):
        prefs['hello_world_msg'] = self.msg.text()

```

L'oggetto ``prefs'' è ora disponibile in tutto il codice del plugin tramite un semplice:

```
from calibre_plugins.interface_demo.config import prefs
```

Si può vedere l'oggetto ``prefs'' utilizzato in main.py:

```

def config(self):
    self.do_user_config(parent=self)
    # Apply the changes
    self.label.setText(prefs['hello_world_msg'])

```

### 10.5.3 Modifica dei plugin del libro

Ora cambiamo un po" marcia e vediamo di creare un plugin per aggiungere strumenti all'editor di libri di Calibre. Il plugin è disponibile qui: [editor\\_demo\\_plugin.zip<sup>104</sup>](https://calibre-ebook.com/downloads/editor_demo_plugin.zip).

Il primo passo, come per tutti i plugin, è creare il file txt vuoto con il nome dell'importazione, come descritto :ref:`sopra<import\_name\_txt>`. Chiameremo il file plugin-import-name-editor\_plugin\_demo.txt.

Ora creiamo il file obbligatorio `__init__.py` che contiene i metadati sul plugin: il suo nome, l'autore, la versione, ecc.

(continues on next page)

<sup>104</sup> [https://calibre-ebook.com/downloads/editor\\_demo\\_plugin.zip](https://calibre-ebook.com/downloads/editor_demo_plugin.zip)

(continua dalla pagina precedente)

```
class DemoPlugin(EditBookToolPlugin):  
  
    name = 'Edit Book plugin demo'  
    version = (1, 0, 0)  
    author = 'Kovid Goyal'  
    supported_platforms = ['windows', 'osx', 'linux']  
    description = 'A demonstration of the plugin interface for the ebook editor'  
    minimum_calibre_version = (1, 46, 0)
```

Un singolo plugin dell'editor può fornire più strumenti, ciascuno dei quali corrisponde a un singolo pulsante nella barra degli strumenti e a una voce nel menu *Plugins* dell'editor. Questi possono avere dei sottomenu nel caso in cui lo strumento abbia più azioni correlate.

Gli strumenti devono essere tutti definiti nel file `main.py` del plugin. Ogni strumento è una classe che eredita dalla classe `calibre.gui2.tweak_book.plugin.Tool` (pagina 367). Diamo un'occhiata a `main.py` del plugin demo; il codice sorgente è pesantemente commentato e dovrebbe essere autoesplicativo. Per maggiori dettagli, leggete i documenti API della classe `calibre.gui2.tweak_book.plugin.Tool` (pagina 367).

### main.py

Qui vedremo la definizione di un singolo strumento che moltiplica tutte le dimensioni dei caratteri del libro per un numero fornito dall'utente. Questo strumento dimostra vari concetti importanti che vi serviranno per sviluppare i vostri plugin, quindi dovreste leggere attentamente il codice sorgente (pesantemente commentato).

```
from css_parser.css import CSSRule  
from qt.core import QAction, QInputDialog  
  
from calibre import force_unicode  
from calibre.ebooks.oeb.polish.container import OEB_DOCS, OEB_STYLES, serialize  
from calibre.gui2 import error_dialog  
  
# The base class that all tools must inherit from  
from calibre.gui2.tweak_book.plugin import Tool  
  
class DemoTool(Tool):  
  
    #: Set this to a unique name it will be used as a key  
    name = 'demo-tool'  
  
    #: If True the user can choose to place this tool in the plugins toolbar  
    allowed_in_toolbar = True  
  
    #: If True the user can choose to place this tool in the plugins menu  
    allowed_in_menu = True  
  
    def create_action(self, for_toolbar=True):  
        # Create an action, this will be added to the plugins toolbar and  
        # the plugins menu  
        ac = QAction(get_icons('images/icon.png'), 'Magnify fonts', self.gui) #  
        ↵noga: F821  
        if not for_toolbar:  
            ac.setCheckable(True)
```

(continues on next page)

(continua dalla pagina precedente)

```

# Register a keyboard shortcut for this toolbar action. We only
# register it for the action created for the menu, not the toolbar,
# to avoid a double trigger
self.register_shortcut(ac, 'magnify-fonts-tool', default_keys=(
→'Ctrl+Shift+Alt+D',))
ac.triggered.connect(self.ask_user)
return ac

def ask_user(self):
    # Ask the user for a factor by which to multiply all font sizes
    factor, ok = QInputDialog.getDouble(
        self.gui, 'Enter a magnification factor', 'Allow font sizes in the book'
→will be multiplied by the specified factor',
        value=2, min=0.1, max=4
    )
    if ok:
        # Ensure any in progress editing the user is doing is present in the
→container
        self.boss.commit_all_editors_to_container()
        try:
            self.magnify_fonts(factor)
        except Exception:
            # Something bad happened report the error to the user
            import traceback
            error_dialog(self.gui, _('Failed to magnify fonts'), _(
                'Failed to magnify fonts, click "Show details" for more info'),
                det_msg=traceback.format_exc(), show=True)
            # Revert to the saved restore point
            self.boss.revert_requested(self.boss.global_undo.previous_container)
    else:
        # Show the user what changes we have made, allowing her to
        # revert them if necessary
        self.boss.show_current_diff()
        # Update the editor UI to take into account all the changes we
        # have made
        self.boss.apply_container_update_to_gui()

def magnify_fonts(self, factor):
    # Magnify all font sizes defined in the book by the specified factor
    # First we create a restore point so that the user can undo all changes
    # we make.
    self.boss.add_savepoint('Before: Magnify fonts')

    container = self.current_container # The book being edited as a container
→object

    # Iterate over all style declarations in the book, this means css
    # stylesheets, <style> tags and style="" attributes
    for name, media_type in container.mime_map.items():
        if media_type in OEB_STYLES:
            # A stylesheet. Parsed stylesheets are css_parser CSSStylesheet
            # objects.

```

(continues on next page)

(continua dalla pagina precedente)

```

        self.magnify_stylesheet(container.parsed(name), factor)
        container.dirty(name) # Tell the container that we have changed the_
→stylesheet
    elif media_type in OEB_DOCS:
        # A HTML file. Parsed HTML files are lxml elements

        for style_tag in container.parsed(name).xpath('//*[local-name="style"]'
→'):
            if style_tag.text and style_tag.get('type', None) in {None, 'text/
→css'}:
                # We have an inline CSS <style> tag, parse it into a
                # stylesheet object
                sheet = container.parse_css(style_tag.text)
                self.magnify_stylesheet(sheet, factor)
                style_tag.text = serialize(sheet, 'text/css', pretty_-
→print=True)
                container.dirty(name) # Tell the container that we have_
→changed the stylesheet
                for elem in container.parsed(name).xpath('/*[@style]'):
                    # Process inline style attributes
                    block = container.parse_css(elem.get('style'), is_-
→declaration=True)
                    self.magnify_declaraction(block, factor)
                    elem.set('style', force_unicode(block.getCssText(separator=' '),
→'utf-8'))

    def magnify_stylesheet(self, sheet, factor):
        # Magnify all fonts in the specified stylesheet by the specified
        # factor.
        for rule in sheet.cssRules.rulesOfType(CSSRule.STYLE_RULE):
            self.magnify_declaraction(rule.style, factor)

    def magnify_declaraction(self, style, factor):
        # Magnify all fonts in the specified style declaration by the specified
        # factor
        val = style.getPropertyValue('font-size')
        if not val:
            return
        # see if the font-size contains a number
        num = re.search(r'[0-9.]+', val)
        if num is not None:
            num = num.group()
            val = val.replace(num, f'{float(num)*factor:f}')
            style.setProperty('font-size', val)
        # We should also be dealing with the font shorthand property and
        # font sizes specified as non numbers, but those are left as exercises
        # for the reader

```

Analizziamo main.py. Vediamo che definisce un singolo strumento, chiamato *Magnify fonts*. Questo strumento chiede all'utente un numero e moltiplica tutte le dimensioni dei caratteri nel libro per quel numero.

La prima cosa importante è il nome dello strumento, che deve essere impostato con una stringa relativamente unica, in quanto verrà utilizzato come chiave per questo strumento.

Il prossimo punto di ingresso importante è il metodo `calibre.gui2.tweak_book.plugin.Tool.create_action()` (pagina 368). Questo metodo crea gli oggetti QAction che appaiono nella barra degli strumenti e nel menu del plugin. Inoltre, opzionalmente, assegna una scorciatoia da tastiera che l'utente può personalizzare. Il segnale di attivazione della QAction è collegato al metodo `ask_user()` che chiede all'utente il moltiplicatore della dimensione del carattere e poi esegue il codice di ingrandimento.

Il codice dell'ingrandimento è ben commentato e abbastanza semplice. Le cose principali da notare sono che si ottiene un riferimento alla finestra dell'editor come `self.gui` e all'editor `Boss` come `self.boss`. Il `Boss` è l'oggetto che controlla l'interfaccia utente dell'editor. Ha molti metodi utili, documentati nella classe `calibre.gui2.tweak_book.boss.Boss` (pagina 368).

Infine, c'è `self.current_container` che è un riferimento al libro che si sta editando come oggetto `calibre.ebooks.oeb.polish.container.Container` (pagina 360). Questo rappresenta il libro come un insieme di file HTML/CSS/immagine che lo compongono e dispone di metodi di utilità per fare molte cose utili. L'oggetto container e le varie funzioni di utilità che possono essere riutilizzate nel codice del plugin sono documentate in *Documentazione API per gli strumenti di modifica di un ebook* (pagina 359).

#### 10.5.4 Aggiungi traduzione al tuo plugin

È possibile far tradurre tutte le stringhe dell'interfaccia utente del plugin e visualizzarle nella lingua impostata per l'interfaccia utente principale di Calibre.

Il primo passo consiste nell'esaminare il codice sorgente del plugin e contrassegnare tutte le stringhe visibili dall'utente come traducibili, circondandole con `_()`. Ad esempio:

```
action_spec = (_('My plugin'), None, _('My plugin is cool'), None)
```

Quindi utilizzare un programma per generare file .po dal codice sorgente del plugin. Dovrebbe esserci un file .po per ogni lingua in cui si vuole tradurre. Per esempio: de.po per il tedesco, fr.po per il francese e così via. Si può usare il programma Poedit<sup>105</sup> per questo.

Inviare questi file .po ai vostri traduttori. Una volta ricevuti, compilateli in file .mo. A tale scopo si può usare Poedit o semplicemente fare:

```
calibre-debug -c "from calibre.translations.msgfmt import main; main()" filename.po
```

Mettere i file .mo nella cartella `translations` del plugin.

L'ultimo passo consiste nel chiamare la funzione `caricare_traduzioni()` all'inizio dei file .py del plugin. Per ragioni di prestazioni, si dovrebbe chiamare questa funzione solo nei file .py che hanno effettivamente stringhe traducibili. Quindi, in un tipico plugin di interfaccia utente, la si dovrebbe chiamare all'inizio di `ui.py`, ma non di `__init__.py`.

È possibile verificare le traduzioni dei propri plugin cambiando la lingua dell'interfaccia utente in calibre sotto *Prefrences → Interface → Look & feel* o eseguendo calibre con la variabile d'ambiente `CALIBRE_OVERRIDE_LANG`. Per esempio:

```
CALIBRE_OVERRIDE_LANG=de
```

Sostituire “de” con il codice della lingua che si vuole testare.

Per le traduzioni con i plurali, utilizzare la funzione `ngettext()` invece di `_()`. Ad esempio:

```
ngettext('Delete a book', 'Delete {} books', num_books).format(num_books)
```

<sup>105</sup> <https://poedit.net/>

### **10.5.5 API del plugin**

Come avrete notato sopra, un plugin in Calibre è una classe. Esistono diverse classi per i diversi tipi di plugin in Calibre. I dettagli su ciascuna classe, compresa la classe base di tutti i plugin, si trovano in [Documentazione API per i plugin](#) (pagina 254).

Il vostro plugin utilizzerà quasi certamente del codice di Calibre. Per sapere come trovare varie funzionalità nella base di codice di Calibre, leggere la sezione sul [Vista codice](#) (pagina 342) di Calibre.

### **10.5.6 Debug dei plugin**

Il primo passo, il più importante, è quello di eseguire Calibre in modalità debug. È possibile farlo dalla riga di comando con:

```
calibre-debug -g
```

Oppure dall'interno di Calibre facendo clic con il tasto destro del mouse sul pulsante *Preferences* o usando la scorciatoia da tastiera **Ctrl+Shift+R**.

Quando si esegue dalla riga di comando, l'output di debug viene stampato sulla console, mentre quando si esegue dall'interno di Calibre l'output viene inviato a un file txt.

Si possono inserire dichiarazioni di stampa in qualsiasi punto del codice del plugin, che verranno emesse in modalità di debug. Ricordate, questo è Python, non dovrebbe essere necessario altro che dichiarazioni di stampa per il debug ;) Ho sviluppato tutto Calibre utilizzando proprio questa tecnica di debug.

È possibile testare rapidamente le modifiche apportate al plugin utilizzando la seguente riga di comando:

```
calibre-debug -s; calibre-customize -b /path/to/your/plugin/folder; calibre
```

In questo modo si spegne un Calibre in esecuzione, si attende il completamento dello spegnimento, quindi si aggiorna il plugin in Calibre e si rilancia Calibre.

### **10.5.7 Più esempi di plugin**

È possibile trovare un elenco di molti sofisticati plugin di Calibre [qui](#)<sup>106</sup>.

### **10.5.8 Condividi i tuoi plugin con gli altri**

Se vuoi condividere i plugin che hai creato con altri utenti di Calibre, posta il tuo plugin in un nuovo thread nel [calibre plugins forum](#)<sup>107</sup>.

## **10.6 Comporre formule matematiche negli e-book**

Il Lettore di E-book di calibre è in grado di mostrare le formule matematiche contenute nei libri ( in formato EPUB e HTML). Puoi comporre le formule direttamente con TeX, MathML o AsciiMath, il lettore di e-book di calibre usa l'eccellente libreria *MathJax* <<https://www.mathjax.org>> \_ per mostrarle. Questa è una breve guida sulla creazione di e-book contenenti formule matematiche compatibili con il lettore di e-book di calibre.

<sup>106</sup> <https://www.mobileread.com/forums/showthread.php?t=118764>

<sup>107</sup> <https://www.mobileread.com/forums/forumdisplay.php?f=237>

### 10.6.1 Un semplice file HTML con le formule matematiche

Puoi scrivere le espressioni dentro ad un semplice file HTML, il lettore di Calibre le convertirà nelle formule corrette. Potrai usare i normali comandi Tex ma con un piccolo accorgimento: la «e commerciale» il «maggiore di» ed il «meno di» devono essere scritte rispettivamente con: &amp, &lt e &gt.

Il primo passo è quello di dire a calibre che il file conterrà delle formule matematiche, inserendo il seguente frammento di codice alla sezione `<head>` del file HTML:

```
<script type="text/x-mathjax-config"></script>
```

Tutto qua, ora puoi digitare le formule come vuoi in un file .tex. Eco, ad esempio, l'equazione di Lorentz:

```
<h2>The Lorenz Equations</h2>

<p>
\begin{aligned}
\dot{x} &= \sigma(y - x) \\
\dot{y} &= \rho x - y - xz \\
\dot{z} &= -\beta z + xy
\end{aligned}
</p>
```

Ecco come appare il frammento in una schermata del lettore di e-book di calibre.

$$\begin{aligned}\dot{x} &= \sigma(y - x) \\ \dot{y} &= \rho x - y - xz \\ \dot{z} &= -\beta z + xy\end{aligned}$$

Fig. 1: *Equazione di Lorentz*

Qui sotto è riportato Il file HTML completo, con più equazioni ed espressioni matematiche. Puoi convertire il file HTML in EPUB con Calibre per concludere con un e-book da distribuire agli altri.

```
<!DOCTYPE html>
<html>
<!-- Copyright (c) 2012 Design Science, Inc. --&gt;
&lt;head&gt;
&lt;title&gt;Math Test Page&lt;/title&gt;
&lt;meta http-equiv="content-type" content="text/html; charset=UTF-8" /&gt;

<!-- This script tag is needed to make calibre's ebook-viewer recognize that this
--file needs math typesetting --&gt;
&lt;script type="text/x-mathjax-config"&gt;
    // This line adds numbers to all equations automatically, unless explicitly
    // suppressed.
    MathJax.tex = {tags: 'all'};
&lt;/script&gt;</pre>

```

(continues on next page)

(continua dalla pagina precedente)

```

<style>
h1 {text-align:center}
h2 {
    font-weight: bold;
    background-color: #DDDDDD;
    padding: .2em .5em;
    margin-top: 1.5em;
    border-top: 3px solid #666666;
    border-bottom: 2px solid #999999;
}
</style>
</head>
<body>

<h1>Sample Equations</h1>

<h2>The Lorenz Equations</h2>

<p>
\begin{aligned}
\dot{x} \amp;= \sigma(y-x) \label{lorenz} \\
\dot{y} \amp;= \rho x - y - xz \\
\dot{z} \amp;= -\beta z + xy
\end{aligned}
</p>

<h2>The Cauchy-Schwarz Inequality</h2>

<p>\[
\left( \sum_{k=1}^n a_k b_k \right)^{1/2} \leq
\left( \sum_{k=1}^n a_k^2 \right) \left( \sum_{k=1}^n b_k^2 \right)
\]</p>

<h2>A Cross Product Formula</h2>

<p>\[
\mathbf{V}_1 \times \mathbf{V}_2 =
\begin{vmatrix}
\mathbf{i} \amp; \mathbf{j} \amp; \mathbf{k} \\
\frac{\partial X}{\partial u} \amp; \frac{\partial Y}{\partial u} \amp; 0 \\
\frac{\partial X}{\partial v} \amp; \frac{\partial Y}{\partial v} \amp; 0
\end{vmatrix}
\]</p>

<h2>The probability of getting  $\langle k \rangle$  heads when flipping  $\langle n \rangle$  coins is:</h2>

<p>\[P(E) = \binom{n}{k} p^k (1-p)^{n-k}\]</p>

<h2>An Identity of Ramanujan</h2>

<p>\[
\frac{1}{(\sqrt{\phi} \sqrt{5}) - \phi} e^{\frac{25}{\pi}} =

```

(continues on next page)

(continua dalla pagina precedente)

```

1+\frac{e^{-2\pi}}{1+\frac{e^{-4\pi}}{1+\frac{e^{-6\pi}}{1+\frac{e^{-8\pi}}{1+\ldots}}}}
\] </p>

```

<h2>A Rogers-Ramanujan Identity</h2>

```

<p>\[
1 + \frac{q^2}{(1-q)} + \frac{q^6}{(1-q)(1-q^2)} + \cdots =
\prod_{j=0}^{\infty} \frac{1}{(1-q^{5j+2})(1-q^{5j+3})},
\quad \text{for } |q| < 1.
\] </p>

```

<h2>Maxwell's Equations</h2>

```

<p>
\begin{aligned}
\nabla \times \vec{\mathbf{B}} - \frac{1}{c} \nabla \cdot \vec{\mathbf{E}} &= \frac{4\pi}{c} \vec{\mathbf{j}} \\
\nabla \cdot \vec{\mathbf{E}} &= 4\pi \rho \\
\nabla \times \vec{\mathbf{E}} + \frac{1}{c} \nabla \times \vec{\mathbf{B}} &= \vec{\mathbf{0}} \\
\nabla \cdot \vec{\mathbf{B}} &= 0
\end{aligned}
\end{p>

```

<h2>Inline Mathematics</h2>

<p>While display equations look good for a page of samples, the ability to mix math and text in a paragraph is also important. This expression  $\sqrt{3x-1} + (1+x)^2$  is an example of an inline equation. As you see, equations can be used this way as well, without unduly disturbing the spacing between lines.</p>

<h2>References to equations</h2>

<p>Here is a reference to the Lorenz Equations (`\ref{lorenz}`). Clicking on the [equation number](#) will take you back to the equation.</p>

```

</body>
</html>

```

### Nota

Il lettore e-book di calibre supporta sia MathML che Tex, ma devi includere la riga `<script type="text/x-mathjax-config"></script>` nel tuo file HTML o MathML non verrà mostrato.

## 10.6.2 Ulteriori informazioni

Dato che il lettore di e-book di calibre usa la libreria MathJax per mostrare le formule matematiche, il miglior luogo per approfondire l'argomento delle formule matematiche negli e-book e per ottenere aiuto è il [sito web di MathJax<sup>108</sup>](https://www.mathjax.org).

## 10.7 Creazione di cataloghi AZW3 • EPUB • MOBI

L'opzione Crea catalogo di calibre ti permette di creare un catalogo della tua libreria in una serie di formati diversi. Questo file di aiuto descrive le opzioni di catalogazione quando si genera un catalogo in formato AZW3, EPUB e MOBI.

- *Selezionare i libri da catalogare* (pagina 242)
- *Sezioni incluse* (pagina 243)
- *Prefissi* (pagina 243)
- *Libri esclusi* (pagina 244)
- *Generi esclusi* (pagina 244)
- *Altre opzioni* (pagina 245)
- *Copertine di catalogo personalizzate* (pagina 246)
- *Risorse aggiuntive di aiuto* (pagina 246)


### 10.7.1 Selezionare i libri da catalogare

Se vuoi che *tutta* la tua biblioteca sia catalogata, rimuovi ogni criterio di ricerca o di filtraggio nella schermata principale. Con un singolo libro selezionato, tutti i libri nella tua biblioteca saranno candidati per l'inclusione nel catalogo generato. Singoli libri possono essere esclusi con vari criteri; vedi la sezione sottostante *Generi esclusi* (pagina 244) per maggiori informazioni.

Se si desidera che solo *alcuni* libri siano catalogati, esistono due opzioni:

- Crea una selezione multipla dei libri che vuoi catalogare. Con più di un libro selezionato nella schermata principale di calibre, solo i libri selezionati saranno catalogati.
- Usa il campo Cerca o il navigatore di tag per filtrare i libri visualizzati. Solo i libri visualizzati saranno catalogati.


Per iniziare la creazione del catalogo, seleziona la voce del menu *Converti libri > Crea un catalogo di libri nella libreria di calibre*. È possibile anche aggiungere un pulsante *Crea catalogo* ad una barra degli strumenti in *Preferenze > Interfaccia > Barre degli strumenti e menu* per un accesso più facile alla finestra Genera catalogo.



---


<sup>108</sup> <https://www.mathjax.org>

In *Opzioni catalogo*, seleziona **AZW3, EPUB o MOBI** come formato del catalogo. Nel campo *Titolo catalogo*, fornisci un nome che verrà usato per il catalogo generato. Se il catalogo con lo stesso nome e formato esiste già, sarà rimpiazzato dal nuovo catalogo generato.



Selezionare *Invia il catalogo al dispositivo automaticamente* scaricherà automaticamente il catalogo generato ad un dispositivo connesso al completamento.


## 10.7.2 Sezioni incluse



Le sezioni abilitate tramite segno di spunta verranno inserite nel catalogo generato:

- *Authors* - tutti i libri, ordinati per autore, presentati in formato elenco. Libri non in serie vengono elencati prima dei libri in serie.
- *Titles* - Tutti i libri, ordinati per titolo, presentati nel formato elenco.
- *Serie* - tutti i tuoi libri che sono parte di una serie, ordinati per serie, presentati in un elenco.
- *Generi* - i generi individuali presentati in un elenco ordinati per Autore e Serie.
- *Aggiunti di recente* - tutti i libri, ordinati in ordine cronologico inverso. L'elenco include i libri aggiunti nei passati 30 giorni, poi elencando mese per mese l'elenco dei libri aggiunti.
- *Descrizioni* - pagina di descrizione dettagliata per ogni libro, inclusi la copertina ed i commenti. Ordinati per autore, con i libri non appartenenti a delle serie elencati prima di quelli appartenenti a delle serie.

## 10.7.3 Prefissi



Le regole di prefisso ti permettono di aggiungere un prefisso agli elenchi dei libri se certi criteri sono soddisfatti. Per esempio potresti voler segnare i libri che hai letto con una spunta, oppure i libri nella tua lista dei desideri con una X.


La casella nella prima colonna permette la regola. :guilabel:"Nome" è il nome di una regola che fornisci. :guilabel:"Campo" è :guilabel:"Tags" oppure una colonna personalizzata dalla tua libreria.

Nell'esempio precedente vengono specificate tre regole prefisso:

1. :guilabel:"Leggi libro" specifica che un libro con qualche data in una colonna personalizzata chiamata :guilabel:"Ultimo letto" sarà prefissata con il simbolo di una spunta.
2. La voce :guilabel:"Lista desideri" specifica che ogni libro con un tag *Wishlist* sarà prefissato con il simbolo di una X.
3. Il :guilabel:"Catalogo" di libri specifica che ogni libro con un valore di Vero (o Sì) in una colonna personalizzata :guilabel:"Disponibile in catalogo" sarà prefissato con il simbolo di una doppia freccia.

La prima regola che corrisponde fornisce il prefisso. Regole inattive o incomplete vengono ignorate.

### 10.7.4 Libri esclusi



Le regole di esclusione consentono di specificare quali libri non saranno catalogati.


La casella nella prima colonna permette la regola. :guilabel:"Nome" è il nome di una regola che fornisci. :guilabel:"Campo" è :guilabel:"Tags" oppure una colonna personalizzata dalla tua libreria. :guilabel:"Valore" è il contenuto che corrisponde a :guilabel:"Campo". Quando una regola di esclusione è soddisfatta, il libro viene escluso dal catalogo generato.

Due regole di esclusione sono state specificate nell'esempio di cui sopra:

1. La regola :guilabel:"Cataloghi" specifica che ogni libro con un tag :guilabel:"Catalogo" sarà escluso dal catalogo generato.
2. La regola dei Libri :guilabel:"Archiviati" specifica che ogni libro con un valore :guilabel:"Archiviato" nella colonna personalizzata :guilabel:"Stato" sarà escluso dal catalogo generato.

Tutte le regole vengono valutate per ogni libro. Regole inattive o incomplete vengono ignorate.

### 10.7.5 Generi esclusi




Quando il catalogo viene generato, i tags nel tuo database vengono usati come generi. Per esempio, puoi usare i tags «Narrativa» e «Saggistica». Questi tags diventano generi nel catalogo generato, con i libri elencati sotto la loro rispettive liste di genere basate sui loro tags assegnati. Un libro sarà elencato in ogni sezione di genere per cui ha un tag corrispondente.

Puoi usare alcuni tags per altri scopi, magari un + per indicare un libro letto oppure un tag fra parentesi come «[Amazon Freebie]» per indicare la fonte di un libro. Un'espressione regolare come :guilabel:”Generi esclusi” ti permette di specificare i tags che non vuoi usare come generi nel catalogo generato. Il modello predefinito dell'espressione regolare di esclusione «[.+]+» esclude ogni tag dal modulo «[tag]», così come esclude «+», il tag predefinito per leggere libri, dall'essere usato come i generi nel catalogo generato.

Puoi anche usare un il nome di un tag preciso in un'espressione regolare. Per esempio, «[Amazon Freebie]» oppure «[Project Gutenberg]». Se vuoi elencare molteplici tag esatti per l'esclusione, metti un pipe (barra verticale) fra di essi «[AmazonFreebie]|[ProjectGutenberg]».

:guilabel:”Risultati espressione regolare” ti mostrano quali tags saranno esclusi quando il catalogo sarà fatto, basato sui tags nel tuo database e sul modello dell'espressione che inserisci. I risultati vengono aggiornati appena modifichi il modello dell'espressione.

## 10.7.6 Altre opzioni




*Copertina del catalogo* Specifica se generare una nuova copertina o se usarne una esistente. È possibile creare una copertina personalizzata per i tuoi cataloghi - vedi [Copertine di catalogo personalizzate](#) (pagina 246) per maggiori informazioni. Se hai creato una copertina personalizzata che desideri riutilizzare, seleziona *Usa copertina esistente*, altrimenti seleziona *Genera nuova copertina*.

*Nota descrizioni extra* specifica i contenuti di una colonna personalizzata da inserire nella pagina di Descrizione, vicino all'anteprima della cover. Per esempio, puoi voler mostrare la data dell'ultima volta che hai letto un libro usando una colonna personalizzata :guilabel:”Ultima lettura”. Per un uso avanzato della caratteristica della Nota descrittiva, vedi questo post nel forum calibre <<http://www.mobibre.com/forums/showpost.php?p=1335767&postcount=395>>.

*Sfoglia ampiezza* specifica la preferenza di un'ampiezza per l'anteprima della cover, inclusa nelle pagine Descrittive. Le anteprime sono salvate nella cache per migliorare le performance. Per sperimentare con differenti ampiezze, prova generando un catalogo con soltanto pochi libri finché non hai deciso la tua ampiezza preferita, poi genera il tuo intero catalogo. La prima volta che un catalogo è generato con una nuova ampiezza di anteprima, la prestazione sarà più lenta, ma le strutture successive del catalogo saranno avvantaggiate dalla cache dell'anteprima.

*Merge with Comments* specifica una colonna personalizzata il cui contenuto sarà unito, in modo non distruttivo, con i metadata Commenti durante la creazione del catalogo. Ad esempio, si può avere una colonna personalizzata *Bio autore* che si vuole accodare ai metadata Commenti. Si può scegliere di inserire una colonna personalizzata «prima o dopo» la sezione commenti e separare (facoltativo) il contenuto accodato con un separatore orizzontale . I tipi di colonna personalizzati ammessi includono «testo, commenti e composito».

### **10.7.7 Copertine di catalogo personalizzate**



Con il [Generatore di Cover plugin<sup>109</sup>](#) installato, puoi creare cover personalizzate per il tuo catalogo. Per installare il plugin, vai su *Preferenze > Avanzate > Plugin > Ottieni nuovi plugin*.

### **10.7.8 Risorse aggiuntive di aiuto**

Per ulteriori informazioni sulla funzionalità del Catalogo di calibre, consulta la discussione in evidenza sul forum MobileRead [Creating Catalogs - Start here<sup>110</sup>](#), dove sarà possibile trovare informazioni su come personalizzare i modelli di catalogo, e come segnalare un bug.

Per chiedere qualcosa o discutere sulle funzioni del Catalogo di calibre con altri utenti, visita il forum di MobileRead [Library Management<sup>111</sup>](#).

## **10.8 Biblioteche Virtuali**

In Calibre, una Biblioteca Virtuale è un modo per dire a calibre di aprire solo un sottoinsieme di una biblioteca normale. Ad esempio, potresti voler lavorare solo con i libri di un determinato autore o con libri che hanno solo un determinato tag. L'uso delle Biblioteche Virtuali è il modo migliore di dividere la tua raccolta di libri di grandi dimensioni in raccolte secondarie più piccole. È superiore alla suddivisione della biblioteca in più biblioteche più piccole poiché, quando si desidera effettuare ricerche nell'intera raccolta, si può semplicemente tornare alla biblioteca completa. Non è possibile effettuare ricerche contemporanee in librerie diverse in calibre.


Una libreria Virtuale è diversa da una semplice ricerca. Una ricerca restringerà solo l'elenco dei libri visualizzati nell'elenco dei libri. Una libreria Virtuale lo fa e inoltre limita anche le voci mostrate nel :guilabel: ` Visualizzatore di Etichette` a sinistra. Il Visualizzatore di Etichette mostrerà solo tag, autori, serie, editori, ecc. che provengono dai libri nella biblioteca Virtuale. Una libreria Virtuale si comporta quindi come se la libreria effettiva contesse solo l'insieme di libri da essa delimitato.

<sup>109</sup> <https://www.mobiteread.com/forums/showthread.php?t=124219>


<sup>110</sup> <https://www.mobiteread.com/forums/showthread.php?t=118556>

<sup>111</sup> <https://www.mobiteread.com/forums/forumdisplay.php?f=236>

### 10.8.1 Creazione di biblioteche virtuali



Per usare una biblioteca Virtuale fare clic sul pulsante *Biblioteca Virtuale* situato a sinistra della barra di ricerca e selezionare l'opzione *Crea biblioteca Virtuale*. Come primo esempio, creiamo una biblioteca Virtuale che ci mostra solo i libri di un determinato autore. Fare clic sul collegamento *Autori* come mostrato nell'immagine seguente e selezionare l'autore che si desidera utilizzare e fare clic su OK.



La finestra di dialogo Crea libreria Virtuale è stata compilata per te. Fai clic su OK e vedrai che è stata creata una nuova libreria Virtuale, a cui si è passati automaticamente, che mostra solo i libri dell'autore selezionato. Per come è pensato Calibre è come se la tua biblioteca contenga solo i libri dell'autore selezionato.

Puoi tornare alla libreria completa in qualsiasi momento facendo nuovamente clic su *Biblioteca Virtuale* e selezionando la voce denominata *<None>*.

Le librerie Virtuali si basano su *ricerche*. È possibile utilizzare qualsiasi ricerca come base di una libreria Virtuale. La biblioteca Virtuale conterrà solo i libri corrispondenti a quella ricerca. Innanzitutto, digitare la chiave di ricerca che si desidera utilizzare nella barra di ricerca o creare una ricerca usando *Visualizzatore Etichette*. Quando sei soddisfatto dei risultati restituiti, fai clic sul pulsante *Biblioteca virtuale*, scegli *Crea biblioteca* ed inserisci un nome per la nuova biblioteca Virtuale. La libreria Virtuale verrà quindi creata in base alla ricerca appena digitata. Le ricerche sono molto potenti, per esempio dei tipi di cose che puoi fare con loro, vedi *L'interfaccia di ricerca* (pagina 12).

#### Esempi di biblioteche virtuali utili

- **Libri aggiunti a calibre nell'ultimo giorno:**  
data:>1giornifa
- **Libri aggiunti a calibre nell'ultimo mese:**  
data:>30giornifa
- **Libri con valutazione di 5 stelle:**  
valutazione:5
- **Libri con valutazione di 4 stelle:**  
valutazione:>=4
- **Libri senza valutazione:**  
valutazione:falso

- **Periodici scaricati dalla funzione Fetch News in Calibre**  
tags:=News ed autore:=calibre
- **Libri senza tag:**  
tags:false
- **Libri senza copertina:**  
copertina:falso

## 10.8.2 Lavorare con le biblioteche virtuali

È possibile modificare una libreria Virtuale precedentemente creata o rimuoverla, facendo clic su *Biblioteca virtuale* e scegliendo l'azione appropriata.

Puoi dire a Calibre che vuoi sempre applicare una particolare libreria Virtuale quando viene aperta la libreria corrente, andando su *Preferenze* → *Interfaccia* → *Comportamento*.

Puoi usare rapidamente la ricerca corrente come libreria Virtuale temporanea facendo clic sul pulsante *Biblioteca Virtuale* e selezionando la voce *\*ricerca corrente*.

È possibile visualizzare tutte le Biblioteche Virtuali disponibili come schede sopra l'elenco dei libri. Ciò è particolarmente utile se ti piace passare da una Biblioteca Virtuale all'altra molto spesso. Fai clic sul pulsante *Biblioteca Virtuale* e seleziona *Mostra Biblioteche Virtuali come schede*. Puoi riorganizzare le schede trascinandole e chiudendo quelle che non vuoi vedere. Le schede chiuse possono essere ripristinate facendo clic con il tasto destro sulla barra delle schede.

## 10.8.3 Usare le biblioteche virtuali nelle ricerche

Puoi cercare libri che si trovano in una biblioteca Virtuale usando il prefisso `vl:`. Ad esempio, `vl:Letti` troverà tutti i libri nella libreria virtuale *Letti*. La ricerca `vl:Letti` e `vl:>Science Fiction<` troverà tutti i libri che si trovano nelle librerie Virtuali *Letti* e *Science Fiction*.

Il valore seguente `vl:` deve essere il nome di una libreria Virtuale. Se il nome della libreria Virtuale contiene spazi, racchiudilo tra virgolette.

Uno degli usi di una ricerca nelle biblioteche virtuali è con il server dei contenuti. In *Preferenze* → *Condivisione via rete* → *Richiedi nome utente e password* puoi limitare le biblioteche di calibre visibili ad un utente. Per ogni biblioteca visibile puoi anche specificare un'espressione di ricerca che limiti ulteriormente quali libri vengono visualizzati. Usa `vl:"Nome della biblioteca virtuale"` per limitare i libri a quelli parte di una biblioteca virtuale.

## 10.8.4 Utilizzare restrizioni aggiuntive

Puoi limitare ulteriormente i libri mostrati in una biblioteca Virtuale usando *Restrizioni aggiuntive*. Un'ulteriore limitazione è la ricerca salvata precedentemente creata che può essere applicata alla libreria Virtuale corrente per limitare ulteriormente i libri mostrati in una libreria Virtuale. Ad esempio, supponiamo che tu abbia una biblioteca virtuale per i libri taggata come *Historical Fiction* e una ricerca salvata che ti mostra libri non letti, puoi fare clic sul pulsante *Virtual Library* e scegliere l'opzione `:guilabel: Additional restriction` per mostrare solo libri di narrativa storica non letti. Per informazioni sulle ricerche salvate, consultare *Salvare le ricerche* (pagina 17).

# CAPITOLO 11

---

## Lo schema degli URL calibre://

---

calibre si registra come programma di gestione per gli URL calibre:// . Quindi puoi usarli per eseguire azioni come aprire libri, cercare libri, ecc. Da altri programmi/documenti o tramite la riga di comando. Ad esempio, eseguendo quanto segue dalla riga di comando:

```
calibre calibre://switch-library/Some_Library
```

Si aprirà calibre con la biblioteca denominata Una biblioteca. I nomi delle biblioteche sono il nome della cartella in cui si trova la biblioteca con gli spazi sostituiti da trattini bassi. Il valore speciale \_ indica la biblioteca corrente. I vari tipi di URL sono documentati di seguito.

Puoi persino inserire questi collegamenti all'interno di file HTML o documenti Word o simili ed il sistema operativo avvierà automaticamente calibre per eseguire l'azione specificata.

- *Passa ad una biblioteca specifica* (pagina 249)
- *Mostra un libro specifico in calibre* (pagina 250)
- *Apri un libro specifico nel Lettore e-book a una posizione specifica* (pagina 250)
- *Ricerca di libri* (pagina 251)
- *Apri una finestra con i dettagli del libro per un libro di una data biblioteca* (pagina 251)
- *Apri le note associate ad un autore/serie/ecc.* (pagina 251)
- *Codifica esadecimale dei parametri dell'URL* (pagina 252)

### 11.1 Passa ad una biblioteca specifica

La sintassi dell'URL è:

```
calibre://switch-library/Library_Name
```

I nomi delle biblioteche sono il nome della cartella della biblioteca con spazi sostituiti da trattini bassi. Il valore speciale `_` indica la biblioteca corrente. Si può anche usare la [codifica esadecimale](#) (pagina 252) per i nomi delle biblioteche, utile se i nomi delle biblioteche hanno dei caratteri speciali che possono richiesti dalla codifica dell'URL. Le biblioteche con codifica esadecimale sono visualizzate come:

```
_hex_-AD23F4BC
```

Dove la parte dopo il prefisso `_hex_-` è il nome della biblioteca codificato come UTF-8 ed ogni byte è rappresentato da due caratteri esadecimali.

## 11.2 Mostra un libro specifico in calibre

La sintassi dell'URL è:

```
calibre://show-book/Library_Name/book_id
```

Questo mostrerà il libro con `book_id` (un numero) in calibre. Gli id dei libri possono essere visualizzati nell'interfaccia di calibre passando con il mouse sul collegamento *Fai clic per aprire* nel pannello *Dettagli libro*, è il numero tra parentesi alla fine del percorso della cartella del libro.

Puoi copiare un collegamento al libro attualmente visualizzato in calibre facendo clic con il tasto destro sul pannello *Dettagli libro* e scegliendo *Copia collegamento al libro*.

Se c'è una ricerca attiva e il libro in questione non fa parte dei suoi risultati, la ricerca viene rimossa.

Se è selezionata una biblioteca virtuale, calibre la userà nel mostrare il libro. Se però il libro in questione non viene trovato in quella biblioteca virtuale, la biblioteca virtuale viene chiusa.

Se vuoi passare a una particolare biblioteca virtuale quando mostri il libro, usa:

```
calibre://show-book/Library_Name/book_id?virtual_library=Library%20Name  
or  
calibre://show-book/Library_Name/book_id?encoded_virtual_library=hex_encoded_virtual_  
↳library_name
```

sostituendo gli spazi nel nome della biblioteca virtuale con `%20`. Se il libro non viene trovato in quella biblioteca virtuale, la biblioteca virtuale viene ignorata.

## 11.3 Apri un libro specifico nel Lettore e-book a una posizione specifica

La sintassi dell'URL è:

```
calibre://view-book/Library_Name/book_id/book_format?open_at=location
```

Qui, ```book_format`'' è il formato del libro, ad esempio, ``EPUB'' o ``MOBI'' e la ```posizione`'' è una posizione opzionale all'interno del libro. Il modo più semplice per ottenere questi collegamenti è aprire un libro nel visualizzatore, quindi nei controlli del visualizzatore selezionare *Vai a → Posizione* e verrà fornito un collegamento che è possibile copiare/incollare altrove.

## 11.4 Ricerca di libri

La sintassi dell'URL è:

```
calibre://search/Library_Name?q=query
calibre://search/Library_Name?eq=hex_encoded_query
```

Qui la query è una qualunque *espressione di ricerca* (pagina 12) valida. Se l'espressione di ricerca è complessa, *codificala come una stringa esadecimale* (pagina 252) e usa `eq` al suo posto. Tralasciando la query, la ricerca corrente verrà cancellata.

Per impostazione predefinita, se una Biblioteca virtuale è selezionata, calibre la deselecterà prima di effettuare la ricerca per assicurare che tutti i libri vengano trovati. Se vuoi mantenere la Biblioteca virtuale, usa:

```
calibre://search/Library_Name?q=query&virtual_library=_
```

Se vuoi passare a una specifica Biblioteca virtuale, usa:

```
calibre://search/Library_Name?virtual_library=Library%20Name
or
calibre://search/Library_Name?encoded_virtual_library=hex_encoded_virtual_library_name
```

sostituendo gli spazi nel nome della Biblioteca virtuale con `%20`.

Se effettui una ricerca in calibre e desideri generare un collegamento che la richiami, puoi farlo facendo clic con il tasto destro nella barra di ricerca e scegliendo *Copia ricerca come URL*.

## 11.5 Apri una finestra con i dettagli del libro per un libro di una data biblioteca

La sintassi dell'URL è:

```
calibre://book-details/Library_Name/book_id
```

In questo modo si apre una finestra con i dettagli del libro per il libro e la biblioteca specificati, senza cambiare la biblioteca corrente o il libro selezionato.

## 11.6 Apri le note associate ad un autore/serie/ecc.

La sintassi dell'URL è:

```
calibre://book-details/Library_Name/Field_Name/id_Item_Id
```

Una finestra si aprirà mostrando le note dell'elemento specificato. Il modo più semplice di creare questi URL è di visualizzare le note che ti interessano in calibre e fare clic sul pulsante *Copia URL* per copiare l'URL negli appunti e incollarlo dove preferisci.

Qui `Field_Name` è il nome delle colonne, come `authors` o `tags`. Per le colonne personalizzate, sostituisce il `#` iniziale nel nome del campo con un trattino basso, per esempio `#imieitag` diventa `_imieitag`.

Oltre a specificare gli elementi con l'id usando `Item_Id`, puoi specificarli con il loro nome usando o `val_Item_Name` o `hex_HexEncoded_Item_Name`. Per esempio:

```
calibre://book-details/Library_Name/authors/val_John%20Doe
```

## **11.7 Codifica esadecimale dei parametri dell'URL**

La codifica esadecimale dei parametri URL viene eseguita codificando prima il parametro come byte UTF-8, quindi sostituendo ogni byte con due caratteri esadecimali che rappresentano il byte. Ad esempio, la stringa "abc" è i byte "0x61 0x62 e 0x63" in UTF-8, quindi la versione codificata è la stringa: "616263".

# CAPITOLO 12

## Personalizzare calibre

calibre ha una struttura estremamente modulare. Molte delle sue parti possono essere personalizzate. Qui imparerai:

- come usare le variabili d'ambiente e le *ottimizzazioni* per personalizzare il comportamento di calibre,
- come impostare le tue personali risorse statiche, come icone e modelli, per sostituire quelle predefinite
- come usare i *plugin* per aggiungere funzionalità a calibre.
- come condividere temi di icone e plugin con gli altri utenti di calibre.
- per scoprire come creare le *ricette* per aggiungere nuove fonti di contenuto online a calibre, visita la Sezione *Aggiunta del tuo sito di notizie preferito* (pagina 33).

### Nota

Tieni presente che sebbene i temi di icone e i plugin siano indicizzati e scaricabili dal gestore degli aggiornamenti incluso in calibre essi non ne sono parte integrante, e i luoghi in cui cercare supporto e codice sorgente sono i forum di Mobileread <<https://www.mobileread.com/forums/forumdisplay.php?f=166>> nei relativi thread di supporto.

- *Variabili d'ambiente* (pagina 285)
- *Ottimizzazioni* (pagina 286)
- *Sovrascrivere icone, modelli, eccetera* (pagina 298)
- *Creazione di un tema personale per le icone di calibre* (pagina 299)
- *Personalizzazione di calibre con i plugin* (pagina 299)

## 12.1 Documentazione API per i plugin

Definisce diverse classi astratte di base che possono essere utilizzate con sottoclassi per creare potenti plugin. Le classi utili sono:

- *Plugin* (pagina 254)
- *FileTypePlugin* (pagina 256)
- *Metadata plugins* (pagina 258)
- *Catalog plugins* (pagina 259)
- *Metadata download plugins* (pagina 260)
- *Conversion plugins* (pagina 263)
- *Device drivers* (pagina 266)
- *User interface actions* (pagina 279)
- *Preferences plugins* (pagina 283)

### 12.1.1 Plugin

```
class calibre.customize.Plugin(plugin_path)
```

Un plugin calibre. Membri utili:

- `self.installation_type`: conserva la modalità di installazione del plugin.
- **`self.plugin_path`: Stores path to the ZIP file that contains**  
questo plugin o Nessuno se è un plugin interno
- **`self.site_customization`: Stores a customization string entered**  
dall'utente.

Methods that should be overridden in sub classes:

- `initialize()` (pagina 255)
- `customization_help()` (pagina 256)

Metodi utili:

- `temporary_file()` (pagina 256)
- `__enter__()`
- `load_resources()` (pagina 255)

```
supported_platforms = []
```

Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']

```
name = 'Trivial Plugin'
```

The name of this plugin. You must set it something other than Trivial Plugin for it to work.

```
version = (1, 0, 0)
```

The version of this plugin as a 3-tuple (major, minor, revision)

```
description = 'Non fa assolutamente niente'
```

Una breve stringa che descrive cosa fa questo plugin

```
author = 'Sconosciuto'
L'autore di questo plugin

priority = 1
When more than one plugin exists for a filetype, the plugins are run in order of decreasing priority. Plugins with higher priority will be run first. The highest possible priority is sys.maxsize. Default priority is 1.

minimum_calibre_version = (0, 4, 118)
La versione piu" recente di calibre che questo plugin richiede

installation_type = None
La modalità di installazione di questo plugin

can_be_disabled = True
If False, the user will not be able to disable this plugin. Use with care.

type = 'Base'
The type of this plugin. Used for categorizing plugins in the GUI

initialize()
Called once when calibre plugins are initialized. Plugins are re-initialized every time a new plugin is added. Also note that if the plugin is run in a worker process, such as for adding books, then the plugin will be initialized for every new worker process.

Perform any plugin specific initialization here, such as extracting resources from the plugin ZIP file. The path to the ZIP file is available as self.plugin_path.

Note that self.site_customization is not available at this point.

config_widget()
Implement this method and save_settings() (pagina 255) in your plugin to use a custom configuration dialog, rather than relying on the simple string based default customization.

This method, if implemented, must return a QWidget. The widget can have an optional method validate() that takes no arguments and is called immediately after the user clicks OK. Changes are applied if and only if the method returns True.

If for some reason you cannot perform the configuration at this time, return a tuple of two strings (message, details), these will be displayed as a warning dialog to the user and the process will be aborted.

save_settings(config_widget)
Save the settings specified by the user with config_widget.

Parametri
config_widget – The widget returned by config_widget() (pagina 255).

do_user_config(parent=None)
This method shows a configuration dialog for this plugin. It returns True if the user clicks OK, False otherwise. The changes are automatically applied.

load_resources(names)
If this plugin comes in a ZIP file (user added plugin), this method will allow you to load resources from the ZIP file.

For example to load an image:
```

```
pixmap = QPixmap()
pixmap.loadFromData(self.load_resources(['images/icon.png'])['images/icon.png'
    ↵'])
icon = QIcon(pixmap)
```

**Parametri**

**names** – List of paths to resources in the ZIP file using / as separator

**Ritorna**

A dictionary of the form {name: file\_contents}. Any names that were not found in the ZIP file will not be present in the dictionary.

**customization\_help (gui=False)**

Return a string giving help on how to customize this plugin. By default raise a NotImplementedError, which indicates that the plugin does not require customization.

If you re-implement this method in your subclass, the user will be asked to enter a string as customization for this plugin. The customization string will be available as self.site\_customization.

Site customization could be anything, for example, the path to a needed binary on the user's computer.

**Parametri**

**gui** – If True return HTML help, otherwise return plain text help.

**temporary\_file (suffix)**

Return a file-like object that is a temporary file on the file system. This file will remain available even after being closed and will only be removed on interpreter shutdown. Use the name member of the returned object to access the full path to the created temporary file.

**Parametri**

**suffix** – Il suffisso che avrà il file temporaneo.

**cli\_main (args)**

This method is the main entry point for your plugins command line interface. It is called when the user does: calibre-debug -r «Plugin Name». Any arguments passed are present in the args variable.

## 12.1.2 FileTypePlugin

**class calibre.customize.FileTypePlugin(plugin\_path)**

Basi: *Plugin* (pagina 254)

A plugin that is associated with a particular set of file types.

**file\_types = {}**

Set of file types for which this plugin should be run. Use "\*" for all file types. For example: {'lit', 'mobi', 'prc'}

**on\_import = False**

If True, this plugin is run when books are added to the database

**on\_postimport = False**

If True, this plugin is run after books are added to the database. In this case the postimport and postadd methods of the plugin are called.

**on\_postconvert = False**

If True, this plugin is run after a book is converted. In this case the postconvert method of the plugin is called.

**on\_postdelete = False**

If True, this plugin is run after a book file is deleted from the database. In this case the postdelete method of the plugin is called.

**on\_preprocess = False**

If True, this plugin is run just before a conversion

**on\_postprocess = False**

If True, this plugin is run after conversion on the final file produced by the conversion output plugin.

**type = 'Tipo di file'**

The type of this plugin. Used for categorizing plugins in the GUI

**run(path\_to\_ebook)**

Run the plugin. Must be implemented in subclasses. It should perform whatever modifications are required on the e-book and return the absolute path to the modified e-book. If no modifications are needed, it should return the path to the original e-book. If an error is encountered it should raise an Exception. The default implementation simply return the path to the original e-book. Note that the path to the original file (before any file type plugins are run, is available as self.original\_path\_to\_file).

The modified e-book file should be created with the temporary\_file() method.

**Parametri**

- **path\_to\_ebook** – Absolute path to the e-book.

**Ritorna**

Absolute path to the modified e-book.

**postimport(book\_id, book\_format, db)**

Called post import, i.e., after the book file has been added to the database. Note that this is different from [postadd\(\)](#) (pagina 257) which is called when the book record is created for the first time. This method is called whenever a new file is added to a book record. It is useful for modifying the book record based on the contents of the newly added file.

**Parametri**

- **book\_id** – Database id of the added book.
- **book\_format** – Il tipo di file del libro che è stato aggiunto.
- **db** – Library database.

**postconvert(book\_id, book\_format, db)**

Called post conversion, i.e., after the conversion output book file has been added to the database. Note that it is run after a conversion only, not after a book is added. It is useful for modifying the book record based on the contents of the newly added file.

**Parametri**

- **book\_id** – Database id of the added book.
- **book\_format** – Il tipo di file del libro che è stato aggiunto.
- **db** – Library database.

**postdelete(book\_id, book\_format, db)**

Called post deletion, i.e., after the book file has been deleted from the database. Note that it is not run when a book record is deleted, only when one or more formats from the book are deleted. It is useful for modifying the book record based on the format of the deleted file.

**Parametri**

- **book\_id** – Database id of the added book.
- **book\_format** – Il tipo di file del libro che è stato aggiunto.
- **db** – Library database.

### **postadd**(*book\_id*, *fmt\_map*, *db*)

Called post add, i.e. after a book has been added to the db. Note that this is different from [postimport\(\)](#) (pagina 257), which is called after a single book file has been added to a book. postadd() is called only when an entire book record with possibly more than one book file has been created for the first time. This is useful if you wish to modify the book record in the database when the book is first added to calibre.

#### **Parametri**

- **book\_id** – Database id of the added book.
- **fmt\_map** – Map of file format to path from which the file format was added. Note that this might or might not point to an actual existing file, as sometimes files are added as streams. In which case it might be a dummy value or a non-existent path.
- **db** – Library database

### 12.1.3 Metadata plugins

#### **class** `calibre.customize.MetadataReaderPlugin(*args, **kwargs)`

Basi: [Plugin](#) (pagina 254)

A plugin that implements reading metadata from a set of file types.

##### **file\_types** = {}

Set of file types for which this plugin should be run. For example: `set(['lit', 'mobi', 'prc'])`

##### **supported\_platforms** = ['windows', 'osx', 'linux']

Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']

##### **version** = (8, 7, 0)

The version of this plugin as a 3-tuple (major, minor, revision)

##### **author** = 'Kovid Goyal'

L'autore di questo plugin

##### **type** = 'Lettore metadati'

The type of this plugin. Used for categorizing plugins in the GUI

##### **get\_metadata**(*stream*, *type*)

Return metadata for the file represented by stream (a file like object that supports reading). Raise an exception when there is an error with the input data.

#### **Parametri**

**type** – The type of file. Guaranteed to be one of the entries in `file_types` (pagina 258).

#### **Ritorna**

A `calibre.ebooks.metadata.book.Metadata` object

#### **class** `calibre.customize.MetadataWriterPlugin(*args, **kwargs)`

Basi: [Plugin](#) (pagina 254)

A plugin that implements reading metadata from a set of file types.

##### **file\_types** = {}

Set of file types for which this plugin should be run. For example: `set(['lit', 'mobi', 'prc'])`

##### **supported\_platforms** = ['windows', 'osx', 'linux']

Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']

```
version = (8, 7, 0)
The version of this plugin as a 3-tuple (major, minor, revision)

author = 'Kovid Goyal'
L'autore di questo plugin

type = 'Scrittore metadati'
The type of this plugin. Used for categorizing plugins in the GUI

set_metadata(stream, mi, type)
Set metadata for the file represented by stream (a file like object that supports reading). Raise an exception when there is an error with the input data.
```

**Parametri**

- **type** – The type of file. Guaranteed to be one of the entries in [file\\_types](#) (pagina 258).
- **mi** – A `calibre.ebooks.metadata.book.Metadata` object

### 12.1.4 Catalog plugins

```
class calibre.customize.CatalogPlugin(plugin_path)
```

Basi: [Plugin](#) (pagina 254)

A plugin that implements a catalog generator.

```
file_types = {}
```

Output file type for which this plugin should be run. For example: “epub” or “xml”

```
type = 'Generatore di catalogo'
```

The type of this plugin. Used for categorizing plugins in the GUI

```
cli_options = []
```

CLI parser options specific to this plugin, declared as *namedtuple Option*:

```
from collections import namedtuple
Option = namedtuple("Option", "option, default, dest, help")
cli_options = [Option("--catalog-title", default="My Catalog", dest="catalog_title", help=_("Title of generated catalog. nDefault:")) + « « + "%default" + »)]
```

cli\_options parsed in `calibre.db.cli.cmd_catalog:option_parser()`

```
initialize()
```

If plugin is not a built-in, copy the plugin’s .ui and .py files from the ZIP file to \$TMPDIR. Tab will be dynamically generated and added to the Catalog Options dialog in `calibre.gui2.dialogs.catalog.py:Catalog`

```
run(path_to_output, opts, db, ids, notification=None)
```

Run the plugin. Must be implemented in subclasses. It should generate the catalog in the format specified in `file_types`, returning the absolute path to the generated catalog file. If an error is encountered it should raise an Exception.

The generated catalog file should be created with the `temporary_file()` method.

**Parametri**

- **path\_to\_output** – Absolute path to the generated catalog file.
- **opts** – A dictionary of keyword arguments
- **db** – A `LibraryDatabase2` object

### 12.1.5 Metadata download plugins

```
class calibre.ebooks.metadata.sources.base.Source(*args, **kwargs)

    Basi: Plugin (pagina 254)

    type = 'Sorgente metadati'
        The type of this plugin. Used for categorizing plugins in the GUI

    author = 'Kovid Goyal'
        L'autore di questo plugin

    supported_platforms = ['windows', 'osx', 'linux']
        Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']

    capabilities = frozenset({})
        Set of capabilities supported by this plugin. Useful capabilities are: "identify", "cover"

    touched_fields = frozenset({})
        List of metadata fields that can potentially be download by this plugin during the identify phase

    has_html_comments = False
        Set this to True if your plugin returns HTML formatted comments

    supports_gzip_transfer_encoding = False
        Setting this to True means that the browser object will indicate that it supports gzip transfer encoding. This
        can speedup downloads but make sure that the source actually supports gzip transfer encoding correctly first

    ignore_ssl_errors = False
        Set this to True to ignore HTTPS certificate errors when connecting to this source.

    cached_cover_url_is_reliable = True
        Cached cover URLs can sometimes be unreliable (i.e. the download could fail or the returned image could
        be bogus). If that is often the case with this source, set to False

    options = ()
        A list of Option objects. They will be used to automatically construct the configuration widget for this plugin

    config_help_message = None
        A string that is displayed at the top of the config widget for this plugin

    can_get_multiple_covers = False
        If True this source can return multiple covers for a given query

    auto_trim_covers = False
        If set to True covers downloaded by this plugin are automatically trimmed.

    prefer_results_with_isbn = True
        If set to True, and this source returns multiple results for a query, some of which have ISBNs and some of
        which do not, the results without ISBNs will be ignored

    is_configured()
        Return False if your plugin needs to be configured before it can be used. For example, it might need a
        username/password/API key.
```

**`customization_help()`**

Return a string giving help on how to customize this plugin. By default raise a `NotImplementedError`, which indicates that the plugin does not require customization.

If you re-implement this method in your subclass, the user will be asked to enter a string as customization for this plugin. The customization string will be available as `self.site_customization`.

Site customization could be anything, for example, the path to a needed binary on the user's computer.

**Parametri**

`gui` – If True return HTML help, otherwise return plain text help.

**`config_widget()`**

Implement this method and `save_settings()` (pagina 261) in your plugin to use a custom configuration dialog, rather than relying on the simple string based default customization.

This method, if implemented, must return a QWidget. The widget can have an optional method `validate()` that takes no arguments and is called immediately after the user clicks OK. Changes are applied if and only if the method returns True.

If for some reason you cannot perform the configuration at this time, return a tuple of two strings (message, details), these will be displayed as a warning dialog to the user and the process will be aborted.

**`save_settings(config_widget)`**

Save the settings specified by the user with config\_widget.

**Parametri**

`config_widget` – The widget returned by `config_widget()` (pagina 261).

**`get_author_tokens(authors, only_first_author=True)`**

Take a list of authors and return a list of tokens useful for an AND search query. This function tries to return tokens in first name middle names last name order, by assuming that if a comma is in the author name, the name is in lastname, other names form.

**`get_title_tokens(title, strip_joiners=True, strip_subtitle=False)`**

Take a title and return a list of tokens useful for an AND search query. Excludes connectives(optionally) and punctuation.

**`split_jobs(jobs, num)`**

Split a list of jobs into at most num groups, as evenly as possible

**`test_fields(mi)`**

Return the first field from self.touched\_fields that is null on the mi object

**`clean_downloaded_metadata(mi)`**

Call this method in your plugin's identify method to normalize metadata before putting the Metadata object into result\_queue. You can of course, use a custom algorithm suited to your metadata source.

**`get_book_url(identifiers)`**

Return a 3-tuple or None. The 3-tuple is of the form: (identifier\_type, identifier\_value, URL). The URL is the URL for the book identified by identifiers at this source. identifier\_type, identifier\_value specify the identifier corresponding to the URL. This URL must be browsable to by a human using a browser. It is meant to provide a clickable link for the user to easily visit the books page at this source. If no URL is found, return None. This method must be quick, and consistent, so only implement it if it is possible to construct the URL from a known scheme given identifiers.

**`get_book_url_name(idtype, idval, url)`**

Return a human readable name from the return value of get\_book\_url().

### `get_book_urls (identifiers)`

Override this method if you would like to return multiple URLs for this book. Return a list of 3-tuples. By default this method simply calls `get_book_url ()` (pagina 261).

### `get_cached_cover_url (identifiers)`

Return cached cover URL for the book identified by the identifiers dictionary or None if no such URL exists.

Note that this method must only return validated URLs, i.e. not URLs that could result in a generic cover image or a not found error.

### `id_from_url (url)`

Parse a URL and return a tuple of the form: (identifier\_type, identifier\_value). If the URL does not match the pattern for the metadata source, return None.

### `identify_results_keygen (title=None, authors=None, identifiers={})`

Return a function that is used to generate a key that can sort Metadata objects by their relevance given a search query (title, authors, identifiers).

These keys are used to sort the results of a call to `identify ()` (pagina 262).

For details on the default algorithm see `InternalMetadataCompareKeyGen` (pagina 263). Re-implement this function in your plugin if the default algorithm is not suitable.

### `identify (log, result_queue, abort, title=None, authors=None, identifiers={}, timeout=30)`

Identify a book by its Title/Author/ISBN/etc.

If identifiers(s) are specified and no match is found and this metadata source does not store all related identifiers (for example, all ISBNs of a book), this method should retry with just the title and author (assuming they were specified).

If this metadata source also provides covers, the URL to the cover should be cached so that a subsequent call to the get covers API with the same ISBN/special identifier does not need to get the cover URL again. Use the caching API for this.

Every Metadata object put into result\_queue by this method must have a `source_relevance` attribute that is an integer indicating the order in which the results were returned by the metadata source for this query. This integer will be used by `compare_identify_results ()`. If the order is unimportant, set it to zero for every result.

Make sure that any cover/ISBN mapping information is cached before the Metadata object is put into result\_queue.

#### Parametri

- `log` – A log object, use it to output debugging information/errors
- `result_queue` – A result Queue, results should be put into it. Each result is a Metadata object
- `abort` – If `abort.is_set()` returns True, abort further processing and return as soon as possible
- `title` – The title of the book, can be None
- `authors` – A list of authors of the book, can be None
- `identifiers` – A dictionary of other identifiers, most commonly `{"isbn": "1234..."}`
- `timeout` – Timeout in seconds, no network request should hang for longer than timeout.

#### Ritorna

None if no errors occurred, otherwise a unicode representation of the error suitable for showing to the user

```
download_cover(log, result_queue, abort, title=None, authors=None, identifiers={}, timeout=30,
    get_best_cover=False)
```

Download a cover and put it into result\_queue. The parameters all have the same meaning as for [identify\(\)](#) (pagina 262). Put (self, cover\_data) into result\_queue.

This method should use cached cover URLs for efficiency whenever possible. When cached data is not present, most plugins simply call identify and use its results.

If the parameter get\_best\_cover is True and this plugin can get multiple covers, it should only get the «best» one.

```
class calibre.ebooks.metadata.sources.base.InternalMetadataCompareKeyGen(mi, source_plugin,
    title, authors,
    identifiers)
```

Generate a sort key for comparison of the relevance of Metadata objects, given a search query. This is used only to compare results from the same metadata source, not across different sources.

The sort key ensures that an ascending order sort is a sort by order of decreasing relevance.

L'algoritmo è:

- Prefer results that have at least one identifier the same as for the query
- Prefer results with a cached cover URL
- Prefer results with all available fields filled in
- Prefer results with the same language as the current user interface language
- Prefer results that are an exact title match to the query
- Prefer results with longer comments (greater than 10% longer)
- **Use the relevance of the result as reported by the metadata source's search**  
motore

## 12.1.6 Conversion plugins

```
class calibre.customize.conversion.InputFormatPlugin(*args)
```

Basi: [Plugin](#) (pagina 254)

InputFormatPlugins are responsible for converting a document into HTML+OPF+CSS+etc. The results of the conversion *must* be encoded in UTF-8. The main action happens in [convert\(\)](#) (pagina 264).

```
type = 'Input per la conversione'
```

The type of this plugin. Used for categorizing plugins in the GUI

```
can_be_disabled = False
```

If False, the user will not be able to disable this plugin. Use with care.

```
supported_platforms = ['windows', 'osx', 'linux']
```

Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']

```
file_types = {}
```

Set of file types for which this plugin should be run For example: set(['azw', 'mobi', 'prc'])

```
is_image_collection = False
```

If True, this input plugin generates a collection of images, one per HTML file. This can be set dynamically, in the convert method if the input files can be both image collections and non-image collections. If you set this to True, you must implement the get\_images() method that returns a list of images.

**core\_usage = 1**

Number of CPU cores used by this plugin. A value of -1 means that it uses all available cores

**for\_viewer = False**

If set to True, the input plugin will perform special processing to make its output suitable for viewing

**output\_encoding = 'utf-8'**

The encoding that this input plugin creates files in. A value of None means that the encoding is undefined and must be detected individually

**common\_options = {<calibre.customize.conversion.OptionRecommendation object>}**

Options shared by all Input format plugins. Do not override in sub-classes. Use *options* (pagina 264) instead. Every option must be an instance of OptionRecommendation.

**options = {}**

Options to customize the behavior of this plugin. Every option must be an instance of OptionRecommendation.

**recommendations = {}**

A set of 3-tuples of the form (option\_name, recommended\_value, recommendation\_level)

**get\_images()**

Return a list of absolute paths to the images, if this input plugin represents an image collection. The list of images is in the same order as the spine and the TOC.

**convert(stream, options, file\_ext, log, accelerators)**

This method must be implemented in sub-classes. It must return the path to the created OPF file or an OEBBook instance. All output should be contained in the current folder. If this plugin creates files outside the current folder they must be deleted/marked for deletion before this method returns.

### Parametri

- **stream** – A file like object that contains the input file.
- **options** – Options to customize the conversion process. Guaranteed to have attributes corresponding to all the options declared by this plugin. In addition, it will have a verbose attribute that takes integral values from zero upwards. Higher numbers mean be more verbose. Another useful attribute is input\_profile that is an instance of calibre.customize.profiles.InputProfile.
- **file\_ext** – The extension (without the .) of the input file. It is guaranteed to be one of the file\_types supported by this plugin.
- **log** – A calibre.utils.logging.Log object. All output should use this object.
- **accelerators** – A dictionary of various information that the input plugin can get easily that would speed up the subsequent stages of the conversion.

**postprocess\_book(oeb, opts, log)**

Called to allow the input plugin to perform postprocessing after the book has been parsed.

**specialize(oeb, opts, log, output\_fmt)**

Called to allow the input plugin to specialize the parsed book for a particular output format. Called after postprocess\_book and before any transforms are performed on the parsed book.

**gui\_configuration\_widget(parent, get\_option\_by\_name, get\_option\_help, db, book\_id=None)**

Called to create the widget used for configuring this plugin in the calibre GUI. The widget must be an instance of the PluginWidget class. See the builtin input plugins for examples.

```
class calibre.customize.conversion.OutputFormatPlugin(*args)
```

Basi: [Plugin](#) (pagina 254)

OutputFormatPlugins are responsible for converting an OEB document (OPF+HTML) into an output e-book.

The OEB document can be assumed to be encoded in UTF-8. The main action happens in [convert \(\)](#) (pagina 265).

```
type = 'Output della conversione'
```

The type of this plugin. Used for categorizing plugins in the GUI

```
can_be_disabled = False
```

If False, the user will not be able to disable this plugin. Use with care.

```
supported_platforms = ['windows', 'osx', 'linux']
```

Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']

```
file_type = None
```

The file type (extension without leading period) that this plugin outputs

```
common_options = {<calibre.customize.conversion.OptionRecommendation object>}
```

Options shared by all Input format plugins. Do not override in sub-classes. Use [options](#) (pagina 265) instead.  
Every option must be an instance of OptionRecommendation.

```
options = {}
```

Options to customize the behavior of this plugin. Every option must be an instance of OptionRecommendation.

```
recommendations = {}
```

A set of 3-tuples of the form (option\_name, recommended\_value, recommendation\_level)

```
property description
```

```
str(object='') -> str str(str_or_buffer[, encoding[, errors]]) -> str
```

Create a new string object from the given object. If encoding or errors is specified, then the object must expose a data buffer that will be decoded using the given encoding and error handler. Otherwise, returns the result of object.\_\_str\_\_() (if defined) or repr(object). encoding defaults to "utf-8". errors defaults to "strict".

```
convert (oeb_book, output, input_plugin, opts, log)
```

Render the contents of *oeb\_book* (which is an instance of `calibre.ebooks.oeb.OEBBook`) to the file specified by *output*.

### Parametri

- **output** – Either a file like object or a string. If it is a string it is the path to a folder that may or may not exist. The output plugin should write its output into that folder. If it is a file like object, the output plugin should write its output into the file.
- **input\_plugin** – The input plugin that was used at the beginning of the conversion pipeline.
- **opts** – Conversion options. Guaranteed to have attributes corresponding to the OptionRecommendations of this plugin.
- **log** – The logger. Print debug/info messages etc. using this.

```
specialize_options (log, opts, input_fmt)
```

Can be used to change the values of conversion options, as used by the conversion pipeline.

**specialize\_css\_for\_output**(*log, opts, item, stylizer*)

Can be used to make changes to the CSS during the CSS flattening process.

**Parametri**

- **item** – L'elemento (file HTML) in corso di elaborazione
- **stylizer** – A Stylizer object containing the flattened styles for item. You can get the style for any element by stylizer.style(element).

**gui\_configuration\_widget**(*parent, get\_option\_by\_name, get\_option\_help, db, book\_id=None*)

Called to create the widget used for configuring this plugin in the calibre GUI. The widget must be an instance of the PluginWidget class. See the builtin output plugins for examples.

## 12.1.7 Device drivers

The base class for all device drivers is [DevicePlugin](#) (pagina 266). However, if your device exposes itself as a USBMS drive to the operating system, you should use the USBMS class instead as it implements all the logic needed to support these kinds of devices.

**class** `calibre.devices.interface.DevicePlugin(plugin_path)`Basi: [Plugin](#) (pagina 254)

Defines the interface that should be implemented by backends that communicate with an e-book reader.

**type = 'Interfaccia dispositivo'**

The type of this plugin. Used for categorizing plugins in the GUI

**FORMATS = ['lrf', 'rtf', 'pdf', 'txt']**

Ordered list of supported formats

**VENDOR\_ID = 0**

VENDOR\_ID can be either an integer, a list of integers or a dictionary. If it is a dictionary, it must be a dictionary of dictionaries, of the form:

```
{  
    integer_vendor_id : { product_id : [list of BCDS], ... },  
    ...  
}
```

**PRODUCT\_ID = 0**

An integer or a list of integers

**BCD = None**

BCD can be either None to not distinguish between devices based on BCD, or it can be a list of the BCD numbers of all devices supported by this driver.

**THUMBNAIL\_HEIGHT = 68**

Height for thumbnails on the device

**THUMBNAIL\_COMPRESSION\_QUALITY = 75**

Compression quality for thumbnails. Set this closer to 100 to have better quality thumbnails with fewer compression artifacts. Of course, the thumbnails get larger as well.

**WANTS\_UPDATED\_THUMBNAILS = False**

Set this to True if the device supports updating cover thumbnails during sync\_booklists. Setting it to true will ask device.py to refresh the cover thumbnails during book matching

```

CAN_SET_METADATA = ['title', 'authors', 'collections']

    Whether the metadata on books can be set via the GUI.

CAN_DO_DEVICE_DB_PLUGBOARD = False

    Whether the device can handle device_db metadata plugboards

path_sep = '/'

    Path separator for paths to books on device

icon = 'reader.png'

    L'icona per questo dispositivo

UserAnnotation

    alias of Annotation

OPEN_FEEDBACK_MESSAGE = None

    GUI displays this as a message if not None in the status bar. Useful if opening can take a long time

VIRTUAL_BOOK_EXTENSIONS = frozenset({})

    Set of extensions that are «virtual books» on the device and therefore cannot be viewed/saved/added to library.

    For example: frozenset(['kobo'])

VIRTUAL_BOOK_EXTENSION_MESSAGE = None

    Message to display to user for virtual book extensions.

NUKE_COMMENTS = None

    Whether to nuke comments in the copy of the book sent to the device. If not None this should be short string that the comments will be replaced by.

MANAGES_DEVICE_PRESENCE = False

    If True indicates that this driver completely manages device detection, ejecting and so forth. If you set this to True, you must implement the detect_managed_devices and debug_managed_device_detection methods. A driver with this set to true is responsible for detection of devices, managing a blacklist of devices, a list of ejected devices and so forth. calibre will periodically call the detect_managed_devices() method and if it returns a detected device, calibre will call open(). open() will be called every time a device is returned even if previous calls to open() failed, therefore the driver must maintain its own blacklist of failed devices. Similarly, when ejecting, calibre will call eject() and then assuming the next call to detect_managed_devices() returns None, it will call post_yank_cleanup().

SLOW_DRIVEINFO = False

    If set the True, calibre will call the get\_driveinfo\(\) (pagina 269) method after the books lists have been loaded to get the driveinfo.

ASK_TO_ALLOW_CONNECT = False

    If set to True, calibre will ask the user if they want to manage the device with calibre, the first time it is detected. If you set this to True you must implement get\_device\_uid\(\) (pagina 272) and ignore\_re\_connected\_device\(\) (pagina 272) and get\_user\_blacklisted\_devices\(\) (pagina 272) and set\_user\_blacklisted\_devices\(\) (pagina 272)

user_feedback_after_callback = None

    Set this to a dictionary of the form {"title":title, "msg":msg, "det_msg":detailed_msg} to have calibre popup a message to the user after some callbacks are run (currently only upload_books). Be careful to not spam the user with too many messages. This variable is checked after every callback, so only set it when you really need to.

classmethod get_open_popup_message()

    GUI displays this as a non-modal popup. Should be an instance of OpenPopupMessage

```

`classmethod model_metadata() → tuple[ModelMetadata, ...]`

Metadata about all the actual device models this driver supports

`is_usb_connected(devices_on_system, debug=False, only_presence=False)`

Return True, device\_info if a device handled by this plugin is currently connected.

### Parametri

`devices_on_system` – Elenco di dispositivi attualmente connessi

`detect_managed_devices(devices_on_system, force_refresh=False)`

Called only if MANAGES\_DEVICE\_PRESENCE is True.

Scan for devices that this driver can handle. Should return a device object if a device is found. This object will be passed to the open() method as the connected\_device. If no device is found, return None. The returned object can be anything, calibre does not use it, it is only passed to open().

This method is called periodically by the GUI, so make sure it is not too resource intensive. Use a cache to avoid repeatedly scanning the system.

### Parametri

- `devices_on_system` – Set of USB devices found on the system.
- `force_refresh` – If True and the driver uses a cache to prevent repeated scanning, the cache must be flushed.

`debug_managed_device_detection(devices_on_system, output)`

Called only if MANAGES\_DEVICE\_PRESENCE is True.

Should write information about the devices detected on the system to output, which is a file like object.

Should return True if a device was detected and successfully opened, otherwise False.

`reset(key='-1', log_packets=False, report_progress=None, detected_device=None)`

### Parametri

- `key` – Il tasto per sbloccare il dispositivo
- `log_packets` – If true the packet stream to/from the device is logged
- `report_progress` – Function that is called with a % progress (number between 0 and 100) for various tasks. If it is called with -1 that means that the task does not have any progress information
- `detected_device` – Device information from the device scanner

`can_handle_windows(usbdevice, debug=False)`

Optional method to perform further checks on a device to see if this driver is capable of handling it. If it is not it should return False. This method is only called after the vendor, product ids and the bcd have matched, so it can do some relatively time intensive checks. The default implementation returns True. This method is called only on Windows. See also [can\\_handle\(\)](#) (pagina 268).

Note that for devices based on USBMS this method by default delegates to [can\\_handle\(\)](#) (pagina 268). So you only need to override [can\\_handle\(\)](#) (pagina 268) in your subclass of USBMS.

### Parametri

`usbdevice` – A usbdevice as returned by `calibre.devices.winusb.scan_usb_devices()`

`can_handle(device_info, debug=False)`

Unix version of [can\\_handle\\_windows\(\)](#) (pagina 268).

**Parametri**

**device\_info** – Is a tuple of (vid, pid, bcd, manufacturer, product, serial number)

**open (connected\_device, library\_uuid)**

Perform any device specific initialization. Called after the device is detected but before any other functions that communicate with the device. For example: For devices that present themselves as USB Mass storage devices, this method would be responsible for mounting the device or if the device has been automounted, for finding out where it has been mounted. The method [calibre.devices.usbms.device.Device.open \(\)](#) (pagina 276) has an implementation of this function that should serve as a good example for USB Mass storage devices.

This method can raise an OpenFeedback exception to display a message to the user.

**Parametri**

- **connected\_device** – The device that we are trying to open. It is a tuple of (vendor id, product id, bcd, manufacturer name, product name, device serial number). However, some devices have no serial number and on Windows only the first three fields are present, the rest are None.
- **library\_uuid** – The UUID of the current calibre library. Can be None if there is no library (for example when used from the command line).

**eject ()**

Un-mount / eject the device from the OS. This does not check if there are pending GUI jobs that need to communicate with the device.

NOTE: That this method may not be called on the same thread as the rest of the device methods.

**post\_yank\_cleanup ()**

Called if the user yanks the device without ejecting it first.

**set\_progress\_reporter (report\_progress)**

Set a function to report progress information.

**Parametri**

**report\_progress** – Function that is called with a % progress (number between 0 and 100) for various tasks. If it is called with -1 that means that the task does not have any progress information

**get\_device\_information (end\_session=True)**

Ask device for device information. See L{DeviceInfoQuery}.

**Ritorna**

(device name, device version, software version on device, MIME type) The tuple can optionally have a fifth element, which is a drive information dictionary. See usbms.driver for an example.

**get\_driveinfo ()**

Return the driveinfo dictionary. Usually called from get\_device\_information(), but if loading the driveinfo is slow for this driver, then it should set SLOW\_DRIVEINFO. In this case, this method will be called by calibre after the book lists have been loaded. Note that it is not called on the device thread, so the driver should cache the drive info in the books() method and this function should return the cached data.

**card\_prefix (end\_session=True)**

Return a 2 element list of the prefix to paths on the cards. If no card is present None is set for the card's prefix.  
E.G. (“/place”, “/place2”) (None, “place2”) (“place”, None) (None, None)

**total\_space (end\_session=True)**

**Get total space available on the mountpoints:**

1. Memoria principale
2. Memory Card A
3. Memory Card B

### Ritorna

A 3 element list with total space in bytes of (1, 2, 3). If a particular device doesn't have any of these locations it should return 0.

**free\_space** (*end\_session=True*)

Get free space available on the mountpoints:

1. Memoria principale
2. Scheda A
3. Scheda B

### Ritorna

A 3 element list with free space in bytes of (1, 2, 3). If a particular device doesn't have any of these locations it should return -1.

**books** (*oncard=None, end\_session=True*)

Return a list of e-books on the device.

### Parametri

**oncard** – If “carda” or “cardb” return a list of e-books on the specific storage card, otherwise return list of e-books in main memory of device. If a card is specified and no books are on the card return empty list.

### Ritorna

A BookList.

**upload\_books** (*files, names, on\_card=None, end\_session=True, metadata=None*)

Upload a list of books to the device. If a file already exists on the device, it should be replaced. This method should raise a `FreeSpaceError` if there is not enough free space on the device. The text of the `FreeSpaceError` must contain the word «card» if `on_card` is not None otherwise it must contain the word «memory».

### Parametri

- **files** – A list of paths
- **names** – A list of file names that the books should have once uploaded to the device.  
`len(names) == len(files)`
- **metadata** – If not None, it is a list of `Metadata` objects. The idea is to use the metadata to determine where on the device to put the book. `len(metadata) == len(files)`. Apart from the regular cover (path to cover), there may also be a thumbnail attribute, which should be used in preference. The thumbnail attribute is of the form (width, height, cover\_data as jpeg).

### Ritorna

A list of 3-element tuples. The list is meant to be passed to `add_books_to_metadata()` (pagina 270).

**classmethod add\_books\_to\_metadata** (*locations, metadata, booklists*)

Add locations to the booklists. This function must not communicate with the device.

### Parametri

- **locations** – Result of a call to L{upload\_books}
- **metadata** – List of Metadata objects, same as for [upload\\_books\(\)](#) (pagina 270).
- **booklists** – A tuple containing the result of calls to (books(oncard=None) (), books(oncard='carda') (), :meth`books(oncard="cardb")`).

**delete\_books** (*paths*, *end\_session=True*)

Delete books at paths on device.

**classmethod remove\_books\_from\_metadata** (*paths*, *booklists*)

Remove books from the metadata list. This function must not communicate with the device.

#### Parametri

- **paths** – paths to books on the device.
- **booklists** – A tuple containing the result of calls to (books(oncard=None) (), books(oncard='carda') (), :meth`books(oncard="cardb")`).

**sync\_booklists** (*booklists*, *end\_session=True*)

Update metadata on device.

#### Parametri

**booklists** – A tuple containing the result of calls to (books(oncard=None) (), books(oncard='carda') (), :meth`books(oncard="cardb")`).

**get\_file** (*path*, *outfile*, *end\_session=True*)

Read the file at *path* on the device and write it to *outfile*.

#### Parametri

**outfile** – file object like `sys.stdout` or the result of an [open\(\)](#) (pagina 269) call.

**classmethod config\_widget** ()

Should return a QWidget. The QWidget contains the settings for the device interface

**classmethod save\_settings** (*settings\_widget*)

Should save settings to disk. Takes the widget created in [config\\_widget\(\)](#) (pagina 271) and saves all settings to disk.

**classmethod settings** ()

Should return an opts object. The opts object should have at least one attribute *format\_map* which is an ordered list of formats for the device.

**set\_plugboards** (*plugboards*, *pb\_func*)

provide the driver the current set of plugboards and a function to select a specific plugboard. This method is called immediately before add\_books and sync\_booklists.

**pb\_func is a callable with the following signature::**

```
def pb_func(device_name, format, plugboards)
```

You give it the current device name (either the class name or DEVICE\_PLUGBOARD\_NAME), the format you are interested in (a “real” format or “device\_db”), and the plugboards (you were given those by set\_plugboards, the same place you got this method).

#### Ritorna

None or a single plugboard instance.

**`set_driveinfo_name`** (*location\_code, name*)

Set the device name in the driveinfo file to “name”. This setting will persist until the file is re-created or the name is changed again.

Non-disk devices should implement this method based on the location codes returned by the `get_device_information()` method.

**`prepare_addable_books`** (*paths*)

Given a list of paths, returns another list of paths. These paths point to addable versions of the books.

If there is an error preparing a book, then instead of a path, the position in the returned list for that book should be a three tuple: (original\_path, the exception instance, traceback)

**`startup`** ()

Called when calibre is starting the device. Do any initialization required. Note that multiple instances of the class can be instantiated, and thus `__init__` can be called multiple times, but only one instance will have this method called. This method is called on the device thread, not the GUI thread.

**`shutdown`** ()

Called when calibre is shutting down, either for good or in preparation to restart. Do any cleanup required. This method is called on the device thread, not the GUI thread.

**`get_device_uid`** ()

Must return a unique id for the currently connected device (this is called immediately after a successful call to `open()`). You must implement this method if you set `ASK_TO_ALLOW_CONNECT = True`

**`ignore_connected_device`** (*uid*)

Should ignore the device identified by uid (the result of a call to `get_device_uid()`) in the future. You must implement this method if you set `ASK_TO_ALLOW_CONNECT = True`. Note that this function is called immediately after `open()`, so if `open()` caches some state, the driver should reset that state.

**`get_user_blacklisted_devices`** ()

Return map of device uid to friendly name for all devices that the user has asked to be ignored.

**`set_user_blacklisted_devices`** (*devices*)

Set the list of device uids that should be ignored by this driver.

**`specialize_global_preferences`** (*device\_prefs*)

Implement this method if your device wants to override a particular preference. You must ensure that all call sites that want a preference that can be overridden use `device_prefs[“something”]` instead of `prefs[“something”]`. Your method should call `device_prefs.set_overrides(pref=val, pref=val, ...)`. Currently used for: metadata management (`prefs[“manage_device_metadata”]`)

**`set_library_info`** (*library\_name, library\_uuid, field\_metadata*)

Implement this method if you want information about the current calibre library. This method is called at startup and when the calibre library changes while connected.

**`is_dynamically_controllable`** ()

Called by the device manager when starting plugins. If this method returns a string, then a) it supports the device manager’s dynamic control interface, and b) that name is to be used when talking to the plugin.

This method can be called on the GUI thread. A driver that implements this method must be thread safe.

**`start_plugin`** ()

This method is called to start the plugin. The plugin should begin to accept device connections however it does that. If the plugin is already accepting connections, then do nothing.

This method can be called on the GUI thread. A driver that implements this method must be thread safe.

**stop\_plugin()**

This method is called to stop the plugin. The plugin should no longer accept connections, and should cleanup behind itself. It is likely that this method should call shutdown. If the plugin is already not accepting connections, then do nothing.

This method can be called on the GUI thread. A driver that implements this method must be thread safe.

**get\_option(opt\_string, default=None)**

Return the value of the option indicated by opt\_string. This method can be called when the plugin is not started. Return None if the option does not exist.

This method can be called on the GUI thread. A driver that implements this method must be thread safe.

**set\_option(opt\_string, opt\_value)**

Set the value of the option indicated by opt\_string. This method can be called when the plugin is not started.

This method can be called on the GUI thread. A driver that implements this method must be thread safe.

**is\_running()**

Return True if the plugin is started, otherwise false

This method can be called on the GUI thread. A driver that implements this method must be thread safe.

**synchronize\_with\_db(db, book\_id, book\_metadata, first\_call)**

Called during book matching when a book on the device is matched with a book in calibre's db. The method is responsible for synchronizing data from the device to calibre's db (if needed).

The method must return a two-value tuple. The first value is a set of calibre book ids changed if calibre's database was changed or None if the database was not changed. If the first value is an empty set then the metadata for the book on the device is updated with calibre's metadata and given back to the device, but no GUI refresh of that book is done. This is useful when the calibre data is correct but must be sent to the device.

The second value is itself a 2-value tuple. The first value in the tuple specifies whether a book format should be sent to the device. The intent is to permit verifying that the book on the device is the same as the book in calibre. This value must be None if no book is to be sent, otherwise return the base file name on the device (a string like foobar.epub). Be sure to include the extension in the name. The device subsystem will construct a send\_books job for all books with not-None returned values. Note: other than to later retrieve the extension, the name is ignored in cases where the device uses a template to generate the file name, which most do. The second value in the returned tuple indicated whether the format is future-dated. Return True if it is, otherwise return False. calibre will display a dialog to the user listing all future dated books.

Extremely important: this method is called on the GUI thread. It must be threadsafe with respect to the device manager's thread.

book\_id: the calibre id for the book in the database. book\_metadata: the Metadata object for the book coming from the device. first\_call: True if this is the first call during a sync, False otherwise

**class calibre.devices.interface.BookList(oncard, prefix, settings)**

Basi: list

A list of books. Each Book object must have the fields

1. titolo
2. authors
3. dimensioni (dimensioni del file del libro)
4. datetime (a UTC time tuple)
5. path (path on the device to the book)

6. thumbnail (can be None) thumbnail is either a str/bytes object with the image data or it should have an attribute image\_path that stores an absolute (platform native) path to the image
7. tag (una lista di stringhe, si può lasciare vuoto)

**supports\_collections()**

Restituisce True se il dispositivo supporta le collezioni per questa lista di libri.

**add\_book(book, replace\_metadata)**

Add the book to the booklist. Intent is to maintain any device-internal metadata. Return True if booklists must be sync'ed

**remove\_book(book)**

Remove a book from the booklist. Correct any device metadata at the same time

**get\_collections(collection\_attributes)**

Return a dictionary of collections created from collection\_attributes. Each entry in the dictionary is of the form collection name:[list of books]

The list of books is sorted by book title, except for collections created from series, in which case series\_index is used.

**Parametri**

**collection\_attributes** – Una lista di attributi dell'oggetto Libro

## Dispositivi basati su Memoria di Massa USB

The base class for such devices is `calibre.devices.usbms.driver.USBMS` (pagina 277). This class in turn inherits some of its functionality from its bases, documented below. A typical basic USBMS based driver looks like this:

```
from calibre.devices.usbms.driver import USBMS

class PDNOVEL(USBMS):
    name = 'Pandigital Novel device interface'
    gui_name = 'PD Novel'
    description = _('Communicate with the Pandigital Novel')
    author = 'Kovid Goyal'
    supported_platforms = ['windows', 'linux', 'osx']
    FORMATS = ['epub', 'pdf']

    VENDOR_ID    = [0x18d1]
    PRODUCT_ID   = [0xb004]
    BCD          = [0x224]

    THUMBNAIL_HEIGHT = 144

    EBOOK_DIR_MAIN = 'eBooks'
    SUPPORTS_SUB_DIRS = False

    def upload_cover(self, path, filename, metadata):
        coverdata = getattr(metadata, 'thumbnail', None)
        if coverdata and coverdata[2]:
            with open('%s.jpg' % os.path.join(path, filename), 'wb') as coverfile:
                coverfile.write(coverdata[2])

class calibre.devices.usbms.device.Device(plugin_path)
```

Basi: `DeviceConfig`, `DevicePlugin` (pagina 266)

This class provides logic common to all drivers for devices that export themselves as USB Mass Storage devices. Provides implementations for mounting/ejecting of USBMS devices on all platforms.

#### **VENDOR\_ID = 0**

`VENDOR_ID` can be either an integer, a list of integers or a dictionary If it is a dictionary, it must be a dictionary of dictionaries, of the form:

```
{
    integer_vendor_id : { product_id : [list of BCDS], ... },
    ...
}
```

#### **PRODUCT\_ID = 0**

An integer or a list of integers

#### **BCD = None**

`BCD` can be either `None` to not distinguish between devices based on `BCD`, or it can be a list of the `BCD` numbers of all devices supported by this driver.

#### **WINDOWS\_MAIN\_MEM = None**

String identifying the main memory of the device in the Windows PnP id strings This can be `None`, string, list of strings or compiled regex

#### **WINDOWS\_CARD\_A\_MEM = None**

String identifying the first card of the device in the Windows PnP id strings This can be `None`, string, list of strings or compiled regex

#### **WINDOWS\_CARD\_B\_MEM = None**

String identifying the second card of the device in the Windows PnP id strings This can be `None`, string, list of strings or compiled regex

#### **OSX\_MAIN\_MEM\_VOL\_PAT = None**

Used by the new driver detection to disambiguate main memory from storage cards. Should be a regular expression that matches the main memory mount point assigned by macOS

#### **MAX\_PATH\_LEN = 250**

The maximum length of paths created on the device

#### **NEWS\_IN\_FOLDER = True**

Inserisci le news nella loro cartella

#### **classmethod model\_metadata() → tuple[ModelMetadata, ...]**

Metadata about all the actual device models this driver supports

#### **reset(key='I', log\_packets=False, report\_progress=None, detected\_device=None)**

#### **Parametri**

- **key** – Il tasto per sbloccare il dispositivo
- **log\_packets** – If true the packet stream to/from the device is logged
- **report\_progress** – Function that is called with a % progress (number between 0 and 100) for various tasks. If it is called with -1 that means that the task does not have any progress information
- **detected\_device** – Device information from the device scanner

### **set\_progress\_reporter(*report\_progress*)**

Set a function to report progress information.

#### **Parametri**

**report\_progress** – Function that is called with a % progress (number between 0 and 100) for various tasks. If it is called with -1 that means that the task does not have any progress information

### **card\_prefix(*end\_session=True*)**

Return a 2 element list of the prefix to paths on the cards. If no card is present None is set for the card's prefix.  
E.G. (“/place”, “/place2”) (None, “place2”) (“place”, None) (None, None)

### **total\_space(*end\_session=True*)**

**Get total space available on the mountpoints:**

1. Memoria principale
2. Memory Card A
3. Memory Card B

#### **Ritorna**

A 3 element list with total space in bytes of (1, 2, 3). If a particular device doesn't have any of these locations it should return 0.

### **free\_space(*end\_session=True*)**

**Get free space available on the mountpoints:**

1. Memoria principale
2. Scheda A
3. Scheda B

#### **Ritorna**

A 3 element list with free space in bytes of (1, 2, 3). If a particular device doesn't have any of these locations it should return -1.

### **windows\_sort\_drives(*drives*)**

Chiamata per eliminare l'ambiguità tra la memoria principale e la scheda di memoria in dispositivi che non le distinguono sulla base di *WINDOWS\_CARD\_NAME*. Per esempio: L'EB600

### **can\_handle\_windows(*usbdevice, debug=False*)**

Optional method to perform further checks on a device to see if this driver is capable of handling it. If it is not it should return False. This method is only called after the vendor, product ids and the bcd have matched, so it can do some relatively time intensive checks. The default implementation returns True. This method is called only on Windows. See also `can_handle()`.

Note that for devices based on USBMS this method by default delegates to `can_handle()`. So you only need to override `can_handle()` in your subclass of USBMS.

#### **Parametri**

**usbdevice** – A `usbdevice` as returned by `calibre.devices.winusb.scan_usb_devices()`

**open (connected\_device, library\_uuid)**

Perform any device specific initialization. Called after the device is detected but before any other functions that communicate with the device. For example: For devices that present themselves as USB Mass storage devices, this method would be responsible for mounting the device or if the device has been automounted, for finding out where it has been mounted. The method [calibre.devices.usbms.Device.open \(\)](#) (pagina 276) has an implementation of this function that should serve as a good example for USB Mass storage devices.

This method can raise an OpenFeedback exception to display a message to the user.

**Parametri**

- **connected\_device** – The device that we are trying to open. It is a tuple of (vendor id, product id, bcd, manufacturer name, product name, device serial number). However, some devices have no serial number and on Windows only the first three fields are present, the rest are None.
- **library\_uuid** – The UUID of the current calibre library. Can be None if there is no library (for example when used from the command line).

**eject ()**

Un-mount / eject the device from the OS. This does not check if there are pending GUI jobs that need to communicate with the device.

NOTE: That this method may not be called on the same thread as the rest of the device methods.

**post\_yank\_cleanup ()**

Called if the user yanks the device without ejecting it first.

**sanitize\_callback (path)**

Callback to allow individual device drivers to override the path sanitization used by `create_upload_path()`.

**filename\_callback (default, mi)**

Callback to allow drivers to change the default file name set by `create_upload_path()`.

**sanitize\_path\_components (components)**

Perform any device specific sanitization on the path components for files to be uploaded to the device

**get\_annotations (path\_map)**

Resolve path\_map to annotation\_map of files found on the device

**add\_annotation\_to\_library (db, db\_id, annotation)**

Aggiungi annotazione alla libreria di calibre

**class calibre.devices.usbms.cli.CLI****class calibre.devices.usbms.driver.USBMS (plugin\_path)**

Basi: [CLI](#) (pagina 277), [Device](#) (pagina 274)

La classe base per tutti i dispositivi USBMS. Implementa la logica per inviare/ricevere/aggiornare metadati/raccogliere metadati/etc.

**description = 'Comunica con un lettore di e-book.'**

Una breve stringa che descrive cosa fa questo plugin

**author = 'John Sember'**

L'autore di questo plugin

```
supported_platforms = ['windows', 'osx', 'linux']  
Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']  
booklist_class  
alias of BookList  
book_class  
alias of Book  
FORMATS = []  
Ordered list of supported formats  
CAN_SET_METADATA = []  
Whether the metadata on books can be set via the GUI.  
get_device_information(end_session=True)  
Ask device for device information. See L{DeviceInfoQuery}.
```

### Ritorna

(device name, device version, software version on device, MIME type) The tuple can optionally have a fifth element, which is a drive information dictionary. See usbms.driver for an example.

```
set_driveinfo_name(location_code, name)
```

Set the device name in the driveinfo file to “name”. This setting will persist until the file is re-created or the name is changed again.

Non-disk devices should implement this method based on the location codes returned by the get\_device\_information() method.

```
books(oncard=None, end_session=True)
```

Return a list of e-books on the device.

### Parametri

**oncard** – If “carda” or “cardb” return a list of e-books on the specific storage card, otherwise return list of e-books in main memory of device. If a card is specified and no books are on the card return empty list.

### Ritorna

A BookList.

```
upload_books(files, names, on_card=None, end_session=True, metadata=None)
```

Upload a list of books to the device. If a file already exists on the device, it should be replaced. This method should raise a FreeSpaceError if there is not enough free space on the device. The text of the FreeSpaceError must contain the word «card» if `on_card` is not None otherwise it must contain the word «memory».

### Parametri

- **files** – A list of paths
- **names** – A list of file names that the books should have once uploaded to the device. `len(names) == len(files)`
- **metadata** – If not None, it is a list of `Metadata` objects. The idea is to use the metadata to determine where on the device to put the book. `len(metadata) == len(files)`. Apart from the regular cover (path to cover), there may also be a thumbnail attribute, which should be used in preference. The thumbnail attribute is of the form (width, height, cover\_data as jpeg).

### Ritorna

A list of 3-element tuples. The list is meant to be passed to `add_books_to_metadata()` (pagina 279).

**`upload_cover (path, filename, metadata, filepath)`**

Upload book cover to the device. Default implementation does nothing.

**Parametri**

- **path** – The full path to the folder where the associated book is located.
- **filename** – The name of the book file without the extension.
- **metadata** – metadata belonging to the book. Use `metadata.thumbnail` for cover
- **filepath** – The full path to the e-book file

**`add_books_to_metadata (locations, metadata, booklists)`**

Add locations to the booklists. This function must not communicate with the device.

**Parametri**

- **locations** – Result of a call to `L{upload_books}`
- **metadata** – List of `Metadata` objects, same as for [`upload\_books \(\)`](#) (pagina 278).
- **booklists** – A tuple containing the result of calls to `(books(oncard=None) (), books(oncard='carda') (), :meth`books(oncard='cardb')`)`.

**`delete_books (paths, end_session=True)`**

Delete books at paths on device.

**`remove_books_from_metadata (paths, booklists)`**

Remove books from the metadata list. This function must not communicate with the device.

**Parametri**

- **paths** – paths to books on the device.
- **booklists** – A tuple containing the result of calls to `(books(oncard=None) (), books(oncard='carda') (), :meth`books(oncard='cardb')`)`.

**`sync_booklists (booklists, end_session=True)`**

Update metadata on device.

**Parametri**

- **booklists** – A tuple containing the result of calls to `(books(oncard=None) (), books(oncard='carda') (), :meth`books(oncard='cardb')`)`.

**`classmethod normalize_path (path)`**

Return path with platform native path separators

## 12.1.8 User interface actions

If you are adding your own plugin in a ZIP file, you should subclass both `InterfaceActionBase` and `InterfaceAction`. The `load_actual_plugin()` method of your `InterfaceActionBase` subclass must return an instantiated object of your `InterfaceBase` subclass.

**`class calibre.gui2.actions.InterfaceAction (parent, site_customization)`**

Basi: `QObject`

A plugin representing an «action» that can be taken in the graphical user interface. All the items in the toolbar and context menus are implemented by these plugins.

Note that this class is the base class for these plugins, however, to integrate the plugin with calibre's plugin system, you have to make a wrapper class that references the actual plugin. See the `calibre.customize.builtins` module for examples.

If two `InterfaceAction` (pagina 279) objects have the same name, the one with higher priority takes precedence.

Sub-classes should implement the `genesis()` (pagina 282), `library_changed()` (pagina 282), `location_selected()` (pagina 282), `shutting_down()` (pagina 282), `initialization_complete()` (pagina 282) and `tag_browser_context_action()` (pagina 282) methods.

Once initialized, this plugin has access to the main calibre GUI via the `gui` member. You can access other plugins by name, for example:

```
self.gui.iactions['Save To Disk']
```

To access the actual plugin, use the `interface_action_base_plugin` attribute, this attribute only becomes available after the plugin has been initialized. Useful if you want to use methods from the plugin class like `do_user_config()`.

The QAction specified by `action_spec` (pagina 280) is automatically created and made available as `self.qaction`.

```
name = 'Implement me'
```

The plugin name. If two plugins with the same name are present, the one with higher priority takes precedence.

```
priority = 1
```

The plugin priority. If two plugins with the same name are present, the one with higher priority takes precedence.

```
popup_type = 1
```

The menu popup type for when this plugin is added to a toolbar

```
auto_repeat = False
```

Whether this action should be auto repeated when its shortcut key is held down.

```
action_spec = ('text', 'icon', None, None)
```

Of the form: (text, icon\_path, tooltip, keyboard shortcut). icon, tooltip and keyboard shortcut can be None. keyboard shortcut must be either a string, None or tuple of shortcuts. If None, a keyboard shortcut corresponding to the action is not registered. If you pass an empty tuple, then the shortcut is registered with no default key binding.

```
action_shortcut_name = None
```

If not None, used for the name displayed to the user when customizing the keyboard shortcuts for the above action spec instead of `action_spec[0]`

```
action_add_menu = False
```

If True, a menu is automatically created and added to `self.qaction`

```
action_menu_clone_qaction = False
```

If True, a clone of `self.qaction` is added to the menu of `self.qaction`. If you want the text of this action to be different from that of `self.qaction`, set this variable to the new text

```
dont_add_to = frozenset({})
```

Set of locations to which this action must not be added. See `all_locations` for a list of possible locations

```
dont_remove_from = frozenset({})
```

Set of locations from which this action must not be removed. See `all_locations` for a list of possible locations

```
action_type = 'global'
```

Type of action “current” means acts on the current view “global” means an action that does not act on the current view, but rather on calibre as a whole

**accepts\_drops = False**

If True, then this InterfaceAction will have the opportunity to interact with drag and drop events. See the methods, `accept_enter_event()` (pagina 281), `:meth:`accept_drag_move_event``, `drop_event()` (pagina 281) for details.

**accept\_enter\_event (event, mime\_data)**

This method should return True iff this interface action is capable of handling the drag event. Do not call accept/ignore on the event, that will be taken care of by the calibre UI.

**accept\_drag\_move\_event (event, mime\_data)**

This method should return True iff this interface action is capable of handling the drag event. Do not call accept/ignore on the event, that will be taken care of by the calibre UI.

**drop\_event (event, mime\_data)**

This method should perform some useful action and return True iff this interface action is capable of handling the drop event. Do not call accept/ignore on the event, that will be taken care of by the calibre UI. You should not perform blocking/long operations in this function. Instead emit a signal or use QTimer.singleShot and return quickly. See the builtin actions for examples.

**create\_menu\_action (menu, unique\_name, text, icon=None, shortcut=None, description=None, triggered=None, shortcut\_name=None, persist\_shortcut=False)**

Convenience method to easily add actions to a QMenu. Returns the created QAction. This action has one extra attribute `calibre_shortcut_unique_name` which if not None refers to the unique name under which this action is registered with the keyboard manager.

**Parametri**

- **menu** – The QMenu the newly created action will be added to
- **unique\_name** – A unique name for this action, this must be globally unique, so make it as descriptive as possible. If in doubt, add an UUID to it.
- **text** – The text of the action.
- **icon** – Either a QIcon or a file name. The file name is passed to the QIcon.ic() builtin, so you do not need to pass the full path to the images folder.
- **shortcut** – A string, a list of strings, None or False. If False, no keyboard shortcut is registered for this action. If None, a keyboard shortcut with no default keybinding is registered. String and list of strings register a shortcut with default keybinding as specified.
- **description** – A description for this action. Used to set tooltips.
- **triggered** – A callable which is connected to the triggered signal of the created action.
- **shortcut\_name** – The text displayed to the user when customizing the keyboard shortcuts for this action. By default it is set to the value of `text`.
- **persist\_shortcut** – Shortcuts for actions that don't always appear, or are library dependent, may disappear when other keyboard shortcuts are edited unless ``persist_shortcut`` is set True.

**load\_resources (names)**

If this plugin comes in a ZIP file (user added plugin), this method will allow you to load resources from the ZIP file.

For example to load an image:

```
pixmap = QPixmap()
pixmap.loadFromData(tuple(self.load_resources(['images/icon.png']).
    ↳values())[0])
icon = QIcon(pixmap)
```

### Parametri

**names** – List of paths to resources in the ZIP file using / as separator

### Ritorna

A dictionary of the form {name : file\_contents}. Any names that were not found in the ZIP file will not be present in the dictionary.

### **genesis()**

Setup this plugin. Only called once during initialization. self.gui is available. The action specified by *action\_spec* (pagina 280) is available as self.qaction.

### **location\_selected(loc)**

Called whenever the book list being displayed in calibre changes. Currently values for loc are: library, main, card and cardb.

This method should enable/disable this action and its sub actions as appropriate for the location.

### **library\_about\_to\_change(olddb, db)**

Called whenever the current library is changed.

### Parametri

- **olddb** – The LibraryDatabase corresponding to the previous library.
- **db** – The LibraryDatabase corresponding to the new library.

### **library\_changed(db)**

Called whenever the current library is changed.

### Parametri

**db** – The LibraryDatabase corresponding to the current library.

### **gui\_layout\_complete()**

Called once per action when the layout of the main GUI is completed. If your action needs to make changes to the layout, they should be done here, rather than in *initialization\_complete()* (pagina 282).

### **initialization\_complete()**

Called once per action when the initialization of the main GUI is completed.

### **tag\_browser\_context\_action(index)**

Called when displaying the context menu in the Tag browser. index is the QModelIndex that points to the Tag browser item that was right clicked. Test it for validity with index.valid() and get the underlying TagTreeItem object with index.data(Qt.ItemDataRole.UserRole). Any action objects yielded by this method will be added to the context menu.

### **shutting\_down()**

Called once per plugin when the main GUI is in the process of shutting down. Release any used resources, but try not to block the shutdown for long periods of time.

```
class calibre.customize.InterfaceActionBase(*args, **kwargs)
```

Basi: *Plugin* (pagina 254)

```
supported_platforms = ['windows', 'osx', 'linux']
    Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']

author = 'Kovid Goyal'
    L'autore di questo plugin

type = "Azione dell'interfaccia utente"
    The type of this plugin. Used for categorizing plugins in the GUI

can_be_disabled = False
    If False, the user will not be able to disable this plugin. Use with care.

load_actual_plugin(gui)
    This method must return the actual interface action plugin object.
```

### 12.1.9 Preferences plugins

```
class calibre.customize.PreferencesPlugin(plugin_path)
```

Basi: [Plugin](#) (pagina 254)

A plugin representing a widget displayed in the Preferences dialog.

This plugin has only one important method [`create\_widget\(\)`](#) (pagina 284). The various fields of the plugin control how it is categorized in the UI.

```
supported_platforms = ['windows', 'osx', 'linux']
    Elenco delle piattaforme sulle quali questo plugin funziona. Ad esempio: ['windows', 'osx', 'linux']

author = 'Kovid Goyal'
    L'autore di questo plugin

type = 'Preferenze'
    The type of this plugin. Used for categorizing plugins in the GUI

can_be_disabled = False
    If False, the user will not be able to disable this plugin. Use with care.

config_widget = None
    Import path to module that contains a class named ConfigWidget which implements the ConfigWidgetInterface. Used by create\_widget\(\) (pagina 284).

category_order = 100
    Where in the list of categories the category (pagina 283) of this plugin should be.

name_order = 100
    Where in the list of names in a category, the gui\_name (pagina 283) of this plugin should be

category = None
    The category this plugin should be in

gui_category = None
    The category name displayed to the user for this plugin

gui_name = None
    The name displayed to the user for this plugin

icon = None
    The icon for this plugin, should be an absolute path
```

**description = None**

The description used for tooltips and the like

**create\_widget (parent=None)**

Create and return the actual Qt widget used for setting this group of preferences. The widget must implement the [calibre.gui2.preferences.ConfigWidgetInterface](#) (pagina 284).

The default implementation uses [config\\_widget](#) (pagina 283) to instantiate the widget.

**class calibre.gui2.preferences.ConfigWidgetInterface**

This class defines the interface that all widgets displayed in the Preferences dialog must implement. See [ConfigWidgetBase](#) (pagina 284) for a base class that implements this interface and defines various convenience methods as well.

**changed\_signal = None**

This signal must be emitted whenever the user changes a value in this widget

**supports\_restoring\_to\_defaults = True**

Set to True iff the `restore_to_defaults()` method is implemented.

**restore\_defaults\_desc = 'Ripristina le impostazioni predefinite. È necessario fare clic su Applica per salvare le impostazioni predefinite.'**

The tooltip for the «Restore defaults» button

**restart\_critical = False**

If True the Preferences dialog will not allow the user to set any more preferences. Only has effect if [commit\(\)](#) (pagina 284) returns True.

**genesis(gui)**

Called once before the widget is displayed, should perform any necessary setup.

**Parametri**

`gui` – The main calibre graphical user interface

**initialize()**

Should set all config values to their initial values (the values stored in the config files). A «return» statement is optional. Return False if the dialog is not to be shown.

**restore\_defaults()**

Should set all config values to their defaults.

**commit()**

Save any changed settings. Return True if the changes require a restart, False otherwise. Raise an Abort-Commit exception to indicate that an error occurred. You are responsible for giving the user feedback about what the error is and how to correct it.

**refresh\_gui(gui)**

Called once after this widget is committed. Responsible for causing the gui to reread any changed settings. Note that by default the GUI re-initializes various elements anyway, so most widgets won't need to use this method.

**initial\_tab\_changed()**

Called if the initially displayed tab is changed before the widget is shown, but after it is initialized.

**class calibre.gui2.preferences.ConfigWidgetBase(parent=None)**

Base class that contains code to easily add standard config widgets like checkboxes, combo boxes, text fields and so on. See the [register\(\)](#) (pagina 285) method.

This class automatically handles change notification, resetting to default, translation between gui objects and config objects, etc. for registered settings.

If your config widget inherits from this class but includes setting that are not registered, you should override the [ConfigWidgetInterface](#) (pagina 284) methods and call the base class methods inside the overrides.

#### **changed\_signal**

This signal must be emitted whenever the user changes a value in this widget

#### **supports\_restoring\_to\_defaults = True**

Set to True iff the `restore_to_defaults()` method is implemented.

#### **restart\_critical = False**

If True the Preferences dialog will not allow the user to set any more preferences. Only has effect if `commit()` (pagina 285) returns True.

#### **register(name, config\_obj, gui\_name=None, choices=None, restart\_required=False, empty\_string\_is\_None=True, setting=<class 'calibre.gui2.preferences.Setting'>)**

Register a setting.

#### **Parametri**

- **name** – The setting name
- **config\_obj** – The config object that reads/writes the setting
- **gui\_name** – The name of the GUI object that presents an interface to change the setting. By default it is assumed to be '`opt_`' + name.
- **choices** – If this setting is a multiple choice (combobox) based setting, the list of choices. The list is a list of two element tuples of the form: [ (gui\_name, value), ... ]
- **setting** – The class responsible for managing this setting. The default class handles almost all cases, so this param is rarely used.

#### **initialize()**

Should set all config values to their initial values (the values stored in the config files). A «return» statement is optional. Return False if the dialog is not to be shown.

#### **commit(\*args)**

Save any changed settings. Return True if the changes require a restart, False otherwise. Raise an Abort-Commit exception to indicate that an error occurred. You are responsible for giving the user feedback about what the error is and how to correct it.

#### **restore\_defaults(\*args)**

Should set all config values to their defaults.

## 12.2 Variabili d'ambiente

- **CALIBRE\_CONFIG\_DIRECTORY** - Cartella nella quale i file di configurazione vengono salvati/letti
- **CALIBRE\_TEMP\_DIR** - Cartella dei file temporanei utilizzata da calibre
- **CALIBRE\_CACHE\_DIRECTORY** - cartella usata da calibre per tenere in cache i dati persistenti tra le sessioni
- **CALIBRE\_OVERRIDE\_DATABASE\_PATH** - Ti permette di specificare il percorso completo di metadata.db. Utilizzando questa variabile puoi avere metadata.db in una posizione differente dalla cartella della libreria. Utile se la tua cartella della libreria si trova in una unità di rete che non supporta il blocco dei file
- **CALIBRE DEVELOP\_FROM** - utilizzato per eseguire calibre in un ambiente di sviluppo. consulta [Creazione di un ambiente di sviluppo di calibre](#) (pagina 341).

- CALIBRE\_OVERRIDE\_LANG - utilizzato per forzare la lingua utilizzata dall'interfaccia (codice lingua ISO 639)
- CALIBRE\_TEST\_TRANSLATION - utilizzato per provare un file translation.po (deve essere il percorso del file .po)
- CALIBRE\_NO\_NATIVE\_FILEDIALOGS - fa sì che calibre non usi le finestre di dialogo native per selezionare file / directory.
- CALIBRE\_NO\_NATIVE\_MENU - fa in modo che calibre non crei un menu nativo (globale) in Ubuntu Unity e in ambienti desktop Linux simili. Il menu viene invece posizionato dentro la finestra, come da tradizione.
- CALIBRE\_USE\_SYSTEM\_THEME - per impostazione predefinita, su Linux, calibre usa il proprio stile Qt interno. Questo per evitare problemi e blocchi causati da incompatibilità tra la versione di Qt su cui calibre è compilato e quella di sistema. Il lato negativo è che calibre potrebbe non adattarsi all'aspetto del sistema. Se imposti questa variabile d'ambiente su Linux, farà in modo che calibre usi il tema di sistema – preparati a problemi e blocchi.
- CALIBRE\_SHOW\_DEPRECATED\_WARNINGS - fa in modo che calibre mostri avvisi di deprecazione in stdout. Utile per gli sviluppatori di calibre.
- CALIBRE\_NO\_DEFAULT\_PROGRAMS - impedisce che calibre registri automaticamente i tipi di file che è in grado di gestire con Windows.
- CALIBRE\_USE\_SYSTEM\_CERTIFICATES - fa sì che calibre usi la collezione di certificati di sistema per la verifica dei certificati SSL invece della propria collezione di certificati su Windows e macOS.
- CALIBRE\_NO\_ICONS\_IN\_MENUS - Disable icons in menus
- QT\_QPA\_PLATFORM - Su Linux, imposta su wayland per forzare calibre a usare Wayland, e su xcb per forzare l'uso di X11.
- SYSFS\_PATH - Usa se sysfs è montato da qualche altra parte che non è /sys
- http\_proxy, https\_proxy - utilizzato su Linux per specificare un proxy HTTP(S)

Vedi [How to set environment variables in Windows](#)<sup>112</sup>. Se sei su macOS puoi impostare le variabili d'ambiente creando il ~/Library/Preferences/calibre/macos-env.txt e mettendoci una variabile d'ambiente per linea, per esempio:

```
CALIBRE DEVELOP_FROM=$HOME/calibre-src/src  
CALIBRE_NO_NATIVE_FILEDIALOGS=1  
CALIBRE_CONFIG_DIRECTORY=~/config/calibre
```

### 12.3 Ottimizzazioni

Le ottimizzazioni sono piccoli cambiamenti che puoi fare per controllare vari aspetti del comportamento di calibre. Puoi cambiarle andando in Preferenze->Avanzate->Ottimizzazioni. I valori predefiniti per le ottimizzazioni sono riprodotti qui sotto

```
#!/usr/bin/env python  
# vim:fileencoding=UTF-8:ts=4:sw=4:sta:et:sts=4:ai  
# License: GPLv3 Copyright: 2010, Kovid Goyal <kovid at kovidgoyal.net>  
  
# Contains various tweaks that affect calibre behavior. Only edit this file if  
# you know what you are doing. If you delete this file, it will be recreated from  
# defaults.  
  
#: Auto increment series index  
# The algorithm used to assign a book added to an existing series a series number.
```

(continues on next page)

<sup>112</sup> <https://www.computerhope.com/issues/ch000549.htm>

(continua dalla pagina precedente)

```

# New series numbers assigned using this tweak are always integer values, except
# if a constant non-integer is specified.
# Possible values are:
#   next - First available integer larger than the largest existing number
#   first_free - First available integer larger than 0
#   next_free - First available integer larger than the smallest existing number
#   last_free - First available integer smaller than the largest existing number.
#   ↪Return largest existing + 1 if no free number is found
#   const - Assign the number 1 always
#   no_change - Do not change the series index
#   a number - Assign that number always. The number is not in quotes. Note that 0.0
#   ↪can be used here.
# Examples:
#   series_index_auto_increment = 'next'
#   series_index_auto_increment = 'next_free'
#   series_index_auto_increment = 16.5
#
# Set the use_series_auto_increment_tweak_when_importing tweak to True to
# use the above values when importing/adding books. If this tweak is set to
# False (the default) then the series number will be set to 1 if it is not
# explicitly set during the import. If set to True, then the
# series index will be set according to the series_index_auto_increment setting.
# Note that the use_series_auto_increment_tweak_when_importing tweak is used
# only when a value is not provided during import. If the importing regular
# expression produces a value for series_index, or if you are reading metadata
# from books and the import plugin produces a value, then that value will
# be used irrespective of the setting of the tweak.
series_index_auto_increment = 'next'
use_series_auto_increment_tweak_when_importing = False

#: Add separator after completing an author name
# Set this if the completion separator should be appended to the end of the
# completed text to automatically begin a new completion operation for authors.
# It can be either True or False
authors_completer_append_separator = False

#: Author sort name algorithm
# The algorithm used to copy author to author_sort.
# Possible values are:
#   invert: use "fn ln" -> "ln, fn"
#   copy : copy author to author_sort without modification
#   comma : use 'copy' if there is a ',' in the name, otherwise use 'invert'
#   nocomma : "fn ln" -> "ln fn" (without the comma)
# When this tweak is changed, the author_sort values stored with each author
# must be recomputed by right-clicking on an author in the left-hand tags
# panel, selecting 'Manage authors', and pressing
# 'Recalculate all author sort values'.
#
# The author_name_suffixes are words that are ignored when they occur at the
# end of an author name. The case of the suffix is ignored and trailing
# periods are automatically handled.
#

```

(continues on next page)

(continua dalla pagina precedente)

```
# The same is true for author_name_prefixes.  
#  
# The author_name_copywords are a set of words which, if they occur in an  
# author name, cause the automatically generated author sort string to be  
# identical to the author's name. This means that the sort for a string like  
# "Acme Inc." will be "Acme Inc." instead of "Inc., Acme".  
#  
# If author_use_surname_prefixes is enabled, any of the words in  
# author_surname_prefixes will be treated as a prefix to the surname, if they  
# occur before the surname. So for example, "John von Neumann" would be sorted  
# as "von Neumann, John" and not "Neumann, John von".  
author_sort_copy_method = 'comma'  
author_name_suffixes = ('Jr', 'Sr', 'Inc', 'Ph.D', 'Phd',  
                       'MD', 'M.D', 'I', 'II', 'III', 'IV',  
                       'Junior', 'Senior')  
author_name_prefixes = ('Mr', 'Mrs', 'Ms', 'Dr', 'Prof')  
author_name_copywords = (  
    'Agency', 'Corporation', 'Company', 'Co.', 'Council',  
    'Committee', 'Inc.', 'Institute', 'National', 'Society', 'Club', 'Team',  
    'Software', 'Games', 'Entertainment', 'Media', 'Studios',  
)  
author_use_surname_prefixes = False  
author_surname_prefixes = ('da', 'de', 'di', 'la', 'le', 'van', 'von')  
  
#: Splitting multiple author names  
# By default, calibre splits a string containing multiple author names on  
# ampersands and the words "and" and "with". You can customize the splitting  
# by changing the regular expression below. Strings are split on whatever the  
# specified regular expression matches, in addition to ampersands.  
# Default: r'(?i),?\s+(and|with)\s+'  
authors_split_regex = r'(?i),?\s+(and|with)\s+'  
  
#: Use author_sort and/or series_sort for names in Tag browser  
# Set which author or series field is used to display as the item name in the  
# Tag browser (the list of authors, series, publishers etc on the left hand  
# side). The choices for author are 'author' and 'author_sort'. The choices for  
# series are 'series' and 'series_sort'. This tweak affects only what is  
# displayed under the category in the Tag browser and Content server. Please  
# note that if you set this to ..._sort, it is possible to see duplicate names in  
# the list because although it is guaranteed that author and series names are  
# unique, there is no such guarantee for their sort values. Showing duplicates  
# won't break anything but it could lead to some confusion. The tooltip for an  
# item will show the item's name no matter how you set this tweak.  
# Examples:  
#   categories_use_field_for_author_name = 'author'  
#   categories_use_field_for_author_name = 'author_sort'  
#   categories_use_field_for_series_name = 'series'  
#   categories_use_field_for_series_name = 'series_sort'  
categories_use_field_for_author_name = 'author'  
categories_use_field_for_series_name = 'series'  
  
#: Control partitioning of Tag browser
```

(continues on next page)

(continua dalla pagina precedente)

```

# When partitioning the Tag browser, the format of the subcategory label is
# controlled by a template: categories_collapsed_name_template if sorting by
# name, categories_collapsed_rating_template if sorting by average rating, and
# categories_collapsed_popularity_template if sorting by popularity. There are
# two variables available to the template: first and last. The variable 'first'
# is the initial item in the subcategory, and the variable 'last' is the final
# item in the subcategory. Both variables are 'objects'; they each have multiple
# values that are obtained by using a suffix. For example, first.name for an
# author category will be the name of the author. The sub-values available are:
#   name: the printable name of the item
#   count: the number of books that references this item
#   avg_rating: the average rating of all the books referencing this item
#   sort: the sort value. For authors, this is the author_sort for that author
#   category: the category (e.g., authors, series) that the item is in.
# Note that the "r'" in front of the { is necessary if there are backslashes
# (\ characters) in the template. It doesn't hurt anything to leave it there
# even if there aren't any backslashes.
categories_collapsed_name_template = r'{first.sort:shorten(4,,0)} - {last.
˓→sort:shorten(4,,0)}'
categories_collapsed_rating_template = r'{first.avg_rating:4.2f:isempty(0)} - {last.
˓→avg_rating:4.2f:isempty(0)}'
categories_collapsed_popularity_template = r'{first.count:d} - {last.count:d}'

#: Specify columns to sort the booklist by on startup
# Provide a set of columns to be sorted on when calibre starts.
# The argument is None if saved sort history is to be used
# otherwise it is a list of column,order pairs. Column is the
# lookup/search name, found using the tooltip for the column
# Order is 0 for ascending, 1 for descending.
# For example, set it to [('authors',0),('title',0)] to sort by
# title within authors.
sort_columns_at_startup = None

#: Control how dates are displayed
# Format to be used for publication date and the timestamp (date).
# A string controlling how the publication date is displayed in the GUI
# d      the day as number without a leading zero (1 to 31)
# dd     the day as number with a leading zero (01 to 31)
# ddd    the abbreviated localized day name (e.g. 'Mon' to 'Sun')
# dddd   the long localized day name (e.g. 'Monday' to 'Sunday')
# M      the month as number without a leading zero (1-12)
# MM     the month as number with a leading zero (01-12)
# MMM    the abbreviated localized month name (e.g. 'Jan' to 'Dec')
# MMMMM  the long localized month name (e.g. 'January' to 'December')
# yy     the year as two digit number (00-99)
# yyyy   the year as four digit number
# h      the hours without a leading 0 (0 to 11 or 0 to 23, depending on am/pm)
# hh    the hours with a leading 0 (00 to 11 or 00 to 23, depending on am/pm)
# m      the minutes without a leading 0 (0 to 59)
# mm    the minutes with a leading 0 (00 to 59)
# s      the seconds without a leading 0 (0 to 59)
# ss    the seconds with a leading 0 (00 to 59)

```

(continues on next page)

(continua dalla pagina precedente)

```
# ap      use a 12-hour clock instead of a 24-hour clock, with "ap" replaced by the
# lowercase localized string for am or pm
# AP      use a 12-hour clock instead of a 24-hour clock, with "AP" replaced by the
# uppercase localized string for AM or PM
# aP      use a 12-hour clock instead of a 24-hour clock, with "aP" replaced by the
# localized string for am or pm
# Ap      use a 12-hour clock instead of a 24-hour clock, with "Ap" replaced by the
# localized string for AM or PM
# iso      the date with time and timezone. Must be the only format present
# For example, given the date of 9 Jan 2010, the following formats show
# MMM yyyy ==> Jan 2010      yyyy ==> 2010          dd MMM yyyy ==> 09 Jan 2010
# MM/yyyy ==> 01/2010        d/M/yy ==> 9/1/10      yy ==> 10
#
# publication default if not set: MMM yyyy
# timestamp default if not set: dd MMM yyyy
# last_modified_display_format if not set: dd MMM yyyy
gui_pubdate_display_format = 'MMM YYYY'
gui_timestamp_display_format = 'dd MMM yyyy'
gui_last_modified_display_format = 'dd MMM yyyy'

#: Control sorting of titles and series in the library display
# Control title and series sorting in the library view. If set to
# 'library_order', the title sort field will be used instead of the title.
# Unless you have manually edited the title sort field, leading articles such as
# The and A will be ignored. If set to 'strictly_alphabetic', the titles will be
# sorted as-is (sort by title instead of title sort). For example, with
# library_order, The Client will sort under 'C'. With strictly_alphabetic, the
# book will sort under 'T'.
# This flag affects calibre's library display. It has no effect on devices. In
# addition, titles for books added before changing the flag will retain their
# order until the title is edited. Editing a title and hitting Enter
# without changing anything is sufficient to change the sort. Or you can use
# the 'Update title sort' action in the Bulk metadata edit dialog to update
# it for many books at once.
title_series_sorting = 'library_order'

#: Control formatting of title and series when used in templates
# Control how title and series names are formatted when saving to disk/sending
# to device. The behavior depends on the field being processed. If processing
# title, then if this tweak is set to 'library_order', the title will be
# replaced with title_sort. If it is set to 'strictly_alphabetic', then the
# title will not be changed. If processing series, then if set to
# 'library_order', articles such as 'The' and 'An' will be moved to the end. If
# set to 'strictly_alphabetic', the series will be sent without change.
# For example, if the tweak is set to library_order, "The Lord of the Rings"
# will become "Lord of the Rings, The". If the tweak is set to
# strictly_alphabetic, it would remain "The Lord of the Rings". Note that the
# formatter function raw_field will return the base value for title and
# series regardless of the setting of this tweak.
save_template_title_series_sorting = 'library_order'

#: Set the list of words considered to be "articles" for sort strings
```

(continues on next page)

(continua dalla pagina precedente)

```

# Set the list of words that are to be considered 'articles' when computing the
# title sort strings. The articles differ by language. By default, calibre uses
# a combination of articles from English and whatever language the calibre user
# interface is set to. In addition, in some contexts where the book language is
# available, the language of the book is used. You can change the list of
# articles for a given language or add a new language by editing
# per_language_title_sort_articles. To tell calibre to use a language other
# than the user interface language, set, default_language_for_title_sort. For
# example, to use German, set it to 'deu'. A value of None means the user
# interface language is used. The setting title_sort_articles is ignored
# (present only for legacy reasons).
per_language_title_sort_articles = {
    # English
    'eng': (r'A\s+', r'The\s+', r'An\s+'),
    # Esperanto
    'epo': (r'La\s+', r"L'", 'L'),
    # Spanish
    'spa': (r'El\s+', r'La\s+', r'Lo\s+', r'Los\s+', r'Las\s+', r'Un\s+', r'Una\s+', r'Unos\s+', r'Unas\s+'),
    # French
    'fra': (r'Le\s+', r'La\s+', r"L'", r'L', r'Les\s+', r'Un\s+', r'Une\s+', r'Des\s+', r'De\s+La\s+', r'De\s+', r"D'", r'D', r'D''),
    # Polish
    'pol': (),
    # Italian
    'ita': (r'Lo\s+', r'Il\s+', r"L'", r'L', r'La\s+', r'Gli\s+', r'I\s+', r'Le\s+', r'Uno\s+', r'Un\s+', r'Una\s+', "rUn'", r'Un', r'Dei\s+', r'Degli\s+', r'Delle\s+', r'Del\s+', r'Della\s+', r'Dello\s+', r"Dell'", r'Dell"),
    # Portuguese
    'por': (r'A\s+', r'O\s+', r'Os\s+', r'As\s+', r'Um\s+', r'Uns\s+', r'Uma\s+', r'Umas\s+'),
    # Romanian
    'ron': (r'Un\s+', r'O\s+', r'Niște\s+'),
    # German
    'deu': (r'Der\s+', r'Die\s+', r'Das\s+', r'Den\s+', r'Ein\s+', r'Eine\s+', r'Einen\s+', r'Dem\s+', r'Des\s+', r'Einem\s+', r'Eines\s+'),
    # Dutch
    'nld': (r'De\s+', r'Het\s+', r'Een\s+', r'"n\s+', r'"s\s+', r'Ene\s+', r'Ener\s+', r'Enes\s+', r'Den\s+', r'Der\s+', r'Des\s+', r'"t\s+'),
    # Swedish
    'swe': (r'En\s+', r'Ett\s+', r'Det\s+', r'Den\s+', r'De\s+'),
    # Turkish
    'tur': (r'Bir\s+'),
    # Afrikaans
    'afr': (r'"n\s+', r'Die\s+'),
    # Greek
    'ell': (r'O\s+', r'I\s+', r'To\s+', r'Ta\s+', r'Tus\s+', r'Tis\s+', r'"Enas\s+', r'"Mia\s+', r'"Ena\s+', r'"Enan\s+'),

```

(continues on next page)

(continua dalla pagina precedente)

```
# Hungarian
'hun': (r'A\s+', r'Az\s+', r'Egy\s+'),
}

default_language_for_title_sort = None
title_sort_articles = r'^^(A|The|An)\s+'

#: Specify a folder calibre should connect to at startup
# Specify a folder that calibre should connect to at startup using
# connect_to_folder. This must be a full path to the folder. If the folder does
# not exist when calibre starts, it is ignored.
# Example for Windows:
#     auto_connect_to_folder = 'C:/Users/someone/Desktop/testlib'
# Example for other operating systems:
#     auto_connect_to_folder = '/home/dropbox/My Dropbox/someone/library'
auto_connect_to_folder = ''

#: Specify renaming rules for SONY collections
# Specify renaming rules for SONY collections. This tweak is only applicable if
# metadata management is set to automatic. Collections on SONYs are named
# depending upon whether the field is standard or custom. A collection derived
# from a standard field is named for the value in that field.
#
# For example, if the standard 'series' column contains the value 'Darkover', then the
# collection name is 'Darkover'. A collection derived from a custom field will
# have the name of the field added to the value. For example, if a custom series
# column named 'My Series' contains the name 'Darkover', then the collection
# will by default be named 'Darkover (My Series)'. For purposes of this
# documentation, 'Darkover' is called the value and 'My Series' is called the
# category. If two books have fields that generate the same collection name,
# then both books will be in that collection.
#
# This set of tweaks lets you specify for a standard or custom field how
# the collections are to be named. You can use it to add a description to a
# standard field, for example 'Foo (Tag)' instead of the 'Foo'. You can also use
# it to force multiple fields to end up in the same collection.
#
# For example, you could force the values in 'series', '#my_series_1', and
# '#my_series_2' to appear in collections named 'some_value (Series)', thereby
# merging all of the fields into one set of collections.
#
# There are two related tweaks. The first determines the category name to use
# for a metadata field. The second is a template, used to determine how the
# value and category are combined to create the collection name.
# The syntax of the first tweak, sony_collection_renaming_rules, is:
# {'field_lookup_name':'category_name_to_use', 'lookup_name':'name', ...}
#
# The second tweak, sony_collection_name_template, is a template. It uses the
# same template language as plugboards and save templates. This tweak controls
# how the value and category are combined together to make the collection name.
# The only two fields available are {category} and {value}. The {value} field is
# never empty. The {category} field can be empty. The default is to put the
# value first, then the category enclosed in parentheses, it isn't empty:
```

(continues on next page)

(continua dalla pagina precedente)

```

# '{value} {category:|(|)}'
#
# Examples: The first three examples assume that the second tweak
# has not been changed.
#
# 1) I want three series columns to be merged into one set of collections. The
# column lookup names are 'series', '#series_1' and '#series_2'. I want nothing
# in the parenthesis. The value to use in the tweak value would be:
#     sony_collection_renaming_rules={'series':'', '#series_1':'', '#series_2':''}
#
# 2) I want the word '(Series)' to appear on collections made from series, and
# the word '(Tag)' to appear on collections made from tags. Use:
#     sony_collection_renaming_rules={'series':'Series', 'tags':'Tag'}
#
# 3) I want 'series' and '#myseries' to be merged, and for the collection name
# to have '(Series)' appended. The renaming rule is:
#     sony_collection_renaming_rules={'series':'Series', '#myseries':'Series'}
#
# 4) Same as example 2, but instead of having the category name in parentheses
# and appended to the value, I want it prepended and separated by a colon, such
# as in Series: Darkover. I must change the template used to format the category name
#
# The resulting two tweaks are:
#     sony_collection_renaming_rules={'series':'Series', 'tags':'Tag'}
#     sony_collection_name_template='{category://: }{value}'
sony_collection_renaming_rules = {}
sony_collection_name_template = '{value}{category:| (|)}'

#: Specify how SONY collections are sorted
# Specify how SONY collections are sorted. This tweak is only applicable if
# metadata management is set to automatic. You can indicate which metadata is to
# be used to sort on a collection-by-collection basis. The format of the tweak
# is a list of metadata fields from which collections are made, followed by the
# name of the metadata field containing the sort value.
# Example: The following indicates that collections built from pubdate and tags
# are to be sorted by the value in the custom column '#mydate', that collections
# built from 'series' are to be sorted by 'series_index', and that all other
# collections are to be sorted by title. If a collection metadata field is not
# named, then if it is a series- based collection it is sorted by series order,
# otherwise it is sorted by title order.
# [[['pubdate', 'tags'], '#mydate'), (['series'], 'series_index'), (['*'], 'title')]]
# Note that the bracketing and parentheses are required. The syntax is
# [ ( [list of fields], sort field ) , ( [ list of fields ] , sort field ) ]
# Default: empty (no rules), so no collection attributes are named.
sony_collection_sorting_rules = []

#: Control how tags are applied when copying books to another library
# Set this to True to ensure that tags in 'Tags to add when adding
# a book' are added when copying books to another library
add_new_book_tags_when_importing_books = False

#: Set the maximum number of sort 'levels'

```

(continues on next page)

(continua dalla pagina precedente)

```
# Set the maximum number of sort 'levels' that calibre will use to resort the
# library after certain operations such as searches or device insertion. Each
# sort level adds a performance penalty. If the database is large (thousands of
# books) the penalty might be noticeable. If you are not concerned about multi-
# level sorts, and if you are seeing a slowdown, reduce the value of this tweak.
maximum_resort_levels = 5

#: Choose whether dates are sorted using visible fields
# Date values contain both a date and a time. When sorted, all the fields are
# used, regardless of what is displayed. Set this tweak to True to use only
# the fields that are being displayed.
sort_dates_using_visible_fields = False

#: Fuzz value for trimming covers
# The value used for the fuzz distance when trimming a cover.
# Colors within this distance are considered equal.
# The distance is in absolute intensity units.
cover_trim_fuzz_value = 10

#: Control behavior of the book list
# You can control the behavior of double clicks and pressing Enter on the books
# list. Choices: open_viewer, do_nothing, show_book_details,
# show_locked_book_details, edit_cell, edit_metadata. Selecting anything other
# than open_viewer, show_book_details, or show_locked_book_details has the side
# effect of disabling editing a field using a single click.
# Default: open_viewer.
# Example: doubleclick_on_library_view = 'do_nothing'
# You can also control whether the book list scrolls per item or
# per pixel. Default is per item.
doubleclick_on_library_view = 'open_viewer'
enter_key_behavior = 'do_nothing'
horizontal_scrolling_per_column = False
vertical_scrolling_per_row = False

#: Language to use when sorting
# Setting this tweak will force sorting to use the
# collating order for the specified language. This might be useful if you run
# calibre in English but want sorting to work in the language where you live.
# Set the tweak to the desired ISO 639-1 language code, in lower case.
# You can find the list of supported locales at
# https://en.wikipedia.org/wiki/List\_of\_ISO\_639-1\_codes
# Default: locale_for_sorting = '' -- use the language calibre displays in
# Example: locale_for_sorting = 'fr' -- sort using French rules.
# Example: locale_for_sorting = 'nb' -- sort using Norwegian rules.
locale_for_sorting = ''

#: The number of seconds to wait before sending emails
# The number of seconds to wait before sending emails when using a
# public email server like GMX/Hotmail/Gmail. Default is: 5 minutes
# Setting it to lower may cause the server's SPAM controls to kick in,
# making email sending fail. Changes will take effect only after a restart of
# calibre. You can also change the list of hosts that calibre considers
```

(continues on next page)

(continua dalla pagina precedente)

```

# to be public relays here. Any relay host ending with one of the suffixes
# in the list below will be considered a public email server.
public_smtp_relay_delay = 301
public_smtp_relay_host_suffixes = ['gmail.com', 'live.com', 'gmx.com', 'outlook.com']

#: The maximum width and height for covers saved in the calibre library
# All covers in the calibre library will be resized, preserving aspect ratio,
# to fit within this size. This is to prevent slowdowns caused by extremely
# large covers
maximum_cover_size = (1650, 2200)

#: Where to send downloaded news
# When automatically sending downloaded news to a connected device, calibre
# will by default send it to the main memory. By changing this tweak, you can
# control where it is sent. Valid values are "main", "carda", "cardb". Note
# that if there isn't enough free space available on the location you choose,
# the files will be sent to the location with the most free space.
send_news_to_device_location = 'main'

#: Unified toolbar on macOS
# If you enable this option and restart calibre, the toolbar will be 'unified'
# with the titlebar as is normal for macOS applications. However, doing this has
# various bugs, for instance the minimum width of the toolbar becomes twice
# what it should be and it causes other random bugs on some systems, so turn it
# on at your own risk!
unified_title_toolbar_on_osx = False

#: Save original file when converting/polishing from same format to same format
# When calibre does a conversion from the same format to the same format, for
# example, from EPUB to EPUB, the original file is saved, so that in case the
# conversion is poor, you can tweak the settings and run it again. By setting
# this to False you can prevent calibre from saving the original file.
# Similarly, by setting save_original_format_when_polishing to False you can
# prevent calibre from saving the original file when polishing.
save_original_format = True
save_original_format_when_polishing = True

#: Number of recently viewed books to show
# Right-clicking the "View" button shows a list of recently viewed books. Control
# how many should be shown, here.
gui_view_history_size = 15

#: Change the font size of the Book details panel in the interface
# Change the font size at which book details are rendered in the side panel and
# comments are rendered in the metadata edit dialog. Set it to a positive or
# negative number to increase or decrease the font size.
change_book_details_font_size_by = 0

#: What format to default to when using the "Unpack book" feature
# The "Unpack book" feature of calibre allows direct editing of a book format.
# If multiple formats are available, calibre will offer you a choice
# of formats, defaulting to your preferred output format if it is available.

```

(continues on next page)

(continua dalla pagina precedente)

```
# Set this tweak to a specific value of 'EPUB' or 'AZW3' to always default
# to that format rather than your output format preference.
# Set to a value of 'remember' to use whichever format you chose last time you
# used the "Unpack book" feature.
# Examples:
#   default_tweak_format = None          (Use output format)
#   default_tweak_format = 'EPUB'
#   default_tweak_format = 'remember'
default_tweak_format = None

#: Do not preselect a completion when editing authors/tags/series/etc.
# This means that you can make changes and press Enter and your changes will
# not be overwritten by a matching completion. However, if you wish to use the
# completions you will now have to press Tab to select one before pressing
# Enter. Which technique you prefer will depend on the state of metadata in
# your library and your personal editing style.
#
# If preselect_first_completion is False and you want Tab to accept what you
# typed instead of the first completion then set tab_accepts_uncompleted_text
# to True. If you do this then to select from the completions you must press
# the Down or Up arrow keys. The tweak tab_accepts_uncompleted_text is ignored
# if preselect_first_completion is True
preselect_first_completion = False
tab_accepts_uncompleted_text = False

#: Completion mode when editing authors/tags/series/etc.
# By default, when completing items, calibre will show you all the candidates
# that start with the text you have already typed. You can instead have it show
# all candidates that contain the text you have already typed. To do this, set
# completion_mode to 'contains'. For example, if you type asi it will match both
# Asimov and Quasimodo, whereas the default behavior would match only Asimov.
completion_mode = 'prefix'

#: Sort the list of libraries alphabetically
# The list of libraries in the Copy to library and Quick switch menus are
# normally sorted by most used. However, if there are more than a certain
# number of such libraries, the sorting becomes alphabetic. You can set that
# number here. The default is ten libraries.
many_libraries = 10

#: Choose available output formats for conversion
# Restrict the list of available output formats in the conversion dialogs.
# For example, if you only want to convert to EPUB and AZW3, change this to
# restrict_output_formats = ['EPUB', 'AZW3']. The default value of None causes
# all available output formats to be present.
restrict_output_formats = None

#: Set the thumbnail image quality used by the Content server
# The quality of a thumbnail is largely controlled by the compression quality
# used when creating it. Set this to a larger number to improve the quality.
# Note that the thumbnails get much larger with larger compression quality
# numbers.
```

(continues on next page)

(continua dalla pagina precedente)

```

# The value can be between 50 and 99
content_server_thumbnail_compression_quality = 75

#: Image file types to treat as e-books when dropping onto the "Book details" panel
# Normally, if you drop any image file in a format known to calibre onto the
# "Book details" panel, it will be used to set the cover. If you want to store
# some image types as e-books instead, you can set this tweak.
# Examples:
#     cover_drop_exclude = {'tiff', 'webp'}
cover_drop_exclude = ()

#: Exclude fields when copy/pasting metadata
# You can ask calibre to not paste some metadata fields when using the
# Edit metadata->Copy metadata/Paste metadata actions. For example,
# exclude_fields_on_paste = ['cover', 'timestamp', '#mycolumn']
# to prevent pasting of the cover, Date and custom column, mycolumn.
# You can also add a shortcut in Preferences->Shortcuts->Edit metadata
# to paste metadata ignoring this tweak.
exclude_fields_on_paste = []

#: Skip internet connected check
# Skip checking whether the internet is available before downloading news.
# Useful if for some reason your operating systems network checking
# facilities are not reliable (for example NetworkManager on Linux).
skip_network_check = False

#: Tab stop width in the template editor
# Sets the width of the tab stop in the template editor in "average characters".
# For example, a value of 1 results in a space with the width of one average_
# character.
template_editor_tab_stop_width = 4

#: Value for undefined numbers when sorting
# Sets the value to use for undefined numbers when sorting.
# For example, the value -10 sorts undefined numbers as if they were set to -10.
# Use 'maximum' for the largest possible number. Use 'minimum' for the smallest
# possible number. Quotes are optional if entering a number.
# Examples:
#     value_for_undefined_numbers_when_sorting = -100
#     value_for_undefined_numbers_when_sorting = '2'
#     value_for_undefined_numbers_when_sorting = -0.01
#     value_for_undefined_numbers_when_sorting = 'minimum'
#     value_for_undefined_numbers_when_sorting = 'maximum'
value_for_undefined_numbers_when_sorting = 0

#: Allow template database functions in composite columns
# If True then the template database functions book_values() and book_count()
# can be used in composite custom columns. Note: setting this tweak to True and
# using these functions in composites can be very slow.
# Default: False
allow_template_database_functions_in_composites = False

```

(continues on next page)

(continua dalla pagina precedente)

```
# : Change the programs that are run when opening files/URLs
# By default, calibre passes URLs to the operating system to open using
# whatever default programs are configured there. Here you can override
# that by specifying the program to use, per URL type. For local files,
# the type is "file" and for web links it is "http*". For example:
# openers_by_scheme = { "http*": "firefox %u" } will make calibre run Firefox
# for https://whatever URLs. %u is replaced by the URL to be opened. The scheme
# takes a glob pattern allowing a single entry to match multiple URL types.
openers_by_scheme = {}

#: Set the first day of the week for calendar popups
# It must be one of the values Default, Sunday, Monday, Tuesday, Wednesday,
# Thursday, Friday, or Saturday, all in English, spelled exactly as shown.
calendar_start_day_of_week = 'Default'

#: East Asian language to use for transliteration
# Setting this tweak will make calibre use the specified language as the "base"
# language when transliterating East Asian languages to English. This might be
# useful if you run calibre in English but want text transliterated to
# Japanese instead of Chinese. The valid values are:
#   'ja' for Japanese
#   'kr' for Korean
#   'vn' for Vietnamese
#   'zh' for Chinese
# Any other value will use the language set in calibre preferences as the base
# language. A base language other than those in the above list causes transliteration
# with a base language of Chinese.
# Example: east_asian_base_language = 'ja'
east_asian_base_language = ''
```

## 12.4 Sovrascrivere icone, modelli, eccetera

**Nota**

calibre supporta nativamente temi per le icone, ci sono molti temi disponibili per calibre che puoi utilizzare andando in *Preferenze → Interfaccia → Aspetto → Cambia il tema icone*. È preferibile usare i temi icone rispetto a sostituire le icone individualmente.

calibre ti permette di sostituire le risorse statiche come icone, JavaScript e modelli per la sovraccopertina dei metadati, cataloghi, ecc. con versioni personalizzate di tuo gusto. Tutte le risorse statiche sono conservate nella sottocartella resources nella posizione di installazione di calibre. Su Windows, questa è solitamente C:\Program Files\Calibre2\app\resources. Su Linux, se stai usando il file di installazione binario del sito web di calibre, sarà /opt/calibre/resources. Questi percorsi possono cambiare a seconda di dove scegli di installare calibre.

Dovresti evitare di cambiare i file della cartella risorse, perché i tuoi cambiamenti verranno sovrascritti la prossima volta che aggiorni calibre. Piuttosto, vai in *Preferenze → Avanzate → Varie* e fai clic su *Apri cartella di configurazione di calibre*. In questa cartella di configurazione, crea una sottocartella chiamata resources e mettici dentro i file che vuoi sostituire. Metti i file nelle sottocartelle appropriate, per esempio le immagini in resources/images, ecc. calibre preferirà automaticamente i tuoi file personalizzati ai file integrati al successivo avvio dell'applicazione.

Per esempio, se desiderassi cambiare l'icona per l'azione *Rimuovi libri*, guarderesti per prima cosa nella cartella resources integrata e vedresti che il file che ti interessa è `resources/images/remove_books.png`. Supponendo che tu abbia un'icona alternativa in formato PNG chiamata `mio_rimuovi_libri.png`, la dovresti salvare nella cartella di configurazione come `resources/images/remove_books.png`. Tutte le icone usate dall'interfaccia utente di calibre si trovano in `resources/images` e nelle sue sottocartelle. Un file messo in questa posizione ha una priorità ancora maggiore di quella di un tema icone personalizzato.

## 12.5 Creazione di un tema personale per le icone di calibre

Se hai creato una splendida collezione di icone e desideri condividerle con gli altri utenti di calibre attraverso il sistema dei temi icone integrato in calibre, puoi facilmente impacchettare le tue icone in un tema. Per fare ciò, vai in *Preferenze* → *Varie* → *Crea un tema icone* e seleziona la cartella in cui hai messo le icone. Quindi compila i metadati del tema e clicca su OK. Ciò creerà un file ZIP contenente le icone del tema. Puoi caricarlo nel forum dedicato a calibre su [Mobileread](#)<sup>113</sup>, dopodiché io renderò disponibile il tuo tema grazie al sistema dei temi icone integrato in calibre. Se vuoi collaudare il tuo tema, ricorda di rimuovere le immagini dalla cartella `resources/images`, in modo che vengano utilizzate le sue icone.

Con calibre 6, puoi avere icone personalizzate sia per il tema chiaro che per quello scuro. Basta creare due versioni dell'icona e aggiungere ai nomi del file il suffisso `-for-dark-theme` e `-for-light-theme`. Per esempio, `modified-for-dark-theme.png` e `modified-for-light-theme.png`. calibre userà automaticamente l'icona appropriata in base al tema in uso.

## 12.6 Personalizzazione di calibre con i plugin

calibre ha una struttura estremamente modulare. Quasi tutte le funzionalità di calibre agiscono sotto forma di plugin. Dei plugin sono usati per le conversioni, per scaricare le notizie (sebbene questi siano chiamati ricette), per molte componenti dell'interfaccia utente, per connettersi a svariati dispositivi, per elaborare i file aggiunti a calibre e così via. Puoi ottenere una lista completa dei plugin inclusi in calibre andando in *Preferenze* → *Avanzate* → *Plugin*.

Puoi scrivere i tuoi plugin per personalizzare ed estendere il comportamento di calibre. L'architettura dei plugin in calibre è molto semplice, vedi la guida [Scrivere i propri plugin per estendere le funzionalità di calibre](#) (pagina 223).

Una volta creato un plugin, puoi caricarlo nel forum dei plugin di calibre su [Mobileread](#)<sup>114</sup> e sarà reso disponibile attraverso il gestore degli aggiornamenti incluso in calibre.

<sup>113</sup> <https://www.mobileread.com/forums/forumdisplay.php?f=166>

<sup>114</sup> <https://www.mobileread.com/forums/forumdisplay.php?f=237>



# CAPITOLO 13

---

## Interfaccia a riga di comando

---

```
kovid giskard ~/work/libprs500/src/libprs500/manual $
```

### Nota

In macOS, gli strumenti da linea di comando si trovano dentro il bundle di calibre, per esempio, se hai installato calibre in /Applications gli strumenti si trovano in /Applications/calibre.app/Contents/MacOS/. Quindi, se volessi eseguire ebook-convert dovrresti usare /Applications/calibre.app/Contents/MacOS/ebook-convert.

## 13.1 Comandi documentati

### 13.1.1 **calibre**

```
calibre [opzioni] [percorso_dell_ebook o url di calibre ...]
```

Avvia l'interfaccia grafica principale di **calibre** e facoltativamente aggiunge l'e-book in percorso\_dell\_ebook al database. Puoi anche inserire degli URL di **calibre** per eseguire varie azioni differenti dalla semplice aggiunta di libri. Per esempio:

```
calibre://view-book/biblioteca_di_prova/1842 epub
```

Aprirà il libro con id 1842 nel formato EPUB dalla biblioteca «biblioteca\_di\_prova» nel Lettore e-book di **calibre**. I nomi delle biblioteche sono i nomi delle cartelle delle biblioteche in cui gli spazi sono sostituiti da trattini bassi. Una descrizione completa delle varie azioni basate su URL si trova nel manuale utente.

Ogni qualvolta vengono passati argomenti con degli spazi a **calibre**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### [opzioni]

#### --detach

Scollega dal terminale di controllo, se presente (solo su Linux)

#### --help, -h

mostra questo messaggio di aiuto ed esci

#### --ignore-plugins

Ignora i plugin personalizzati, utile se hai installato un plugin che impedisce l'avvio di calibre

#### --no-update-check

Non controllare gli aggiornamenti

#### --shutdown-running-calibre, -s

A causa di un'istanza calibre in esecuzione, se del caso, da arrestare. Nota che se ci sono lavori in esecuzione, essi saranno interrotti silenziosamente, perciò usala con attenzione.

#### --start-in-tray

Avvia minimizzato nella area di notifica

#### --verbose, -v

Ignorato, non utilizzare. Presente solo per motivi di eredità da versioni precedenti del software.

#### --version

mostra la versione del programma ed esci

#### --with-library

Usa la biblioteca collocata nel percorso specificato.

### 13.1.2 `calibre-customize`

opzioni `calibre-customize`

Personalizza calibre con l'utilizzo di plugin esterni

Ogni qualvolta vengono passati argomenti con degli spazi a `calibre-customize`, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### [opzioni]

#### --add-plugin, -a

Aggiungi un plugin specificando il percorso al file ZIP che lo contiene

#### --build-plugin, -b

Per gli sviluppatori di plugin: percorso della cartella dove state sviluppando il plugin. Questo comando creerà automaticamente un archivio ZIP del plugin e lo aggiornerà in calibre.

#### --customize-plugin

Configura plugin. Specifica il nome del plugin e la stringa di configurazione separati da una virgola. La stringa di configurazione è la stessa che inseriresti per configurare il plugin nell'interfaccia principale di calibre.

#### --disable-plugin

Disabilita il plugin nominato

#### --enable-plugin

Abilita il plugin nominato

```
--help, -h
mostra questo messaggio di aiuto ed esci

--list-plugins, -l
Elenca tutti i plugin installati

--remove-plugin, -r
Rimuovi un plugin scelto per nome. Non ha effetto sui plugin di sistema

--version
mostra la versione del programma ed esci
```

### 13.1.3 **calibre-debug**

```
calibre-debug [opzioni]
```

Diverse interfacce da linea di comando utili per il debug di calibre. Senza opzioni, questo comando avvia un interprete Python integrato. Puoi anche avviare l'interfaccia principale di calibre, il lettore di e-book di calibre e l'editor di calibre in modalità debug.

Contiene anche interfacce per diverse parti di calibre che non hanno strumenti da linea di comando specifici, come la riduzione dei caratteri, lo strumento di comparazione e-book, ecc.

Puoi anche usare **calibre-debug** per avviare script stand-alone. Per farlo segui queste istruzioni:

```
calibre-debug -e myscript.py --option1 --option2 file1 file2 ...
```

Tutto ciò che segue i `--` è passato allo script. Puoi anche usare **calibre-debug** come shabang negli script, in questo modo:

```
#!/usr/bin/env -S calibre-debug -e -- --
```

Ogni qualvolta vengono passati argomenti con degli spazi a **calibre-debug**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

#### [opzioni]

```
--add-simple-plugin
Aggiungi un plugin semplice (es. un plugin composto dal solo file .py), specificando il percorso del file py contenente il codice del plugin.

--command, -c
Esegui codice Python.

--debug-device-driver, -d
Debug riconoscimento dispositivi

--default-programs
Aggiungi/rimuovi calibre dai programmi predefiniti di Windows. --default-programs (pagina 303) = (register|unregister)

--diff
Esegui lo strumento diff di calibre. Ad esempio: calibre-debug --diff (pagina 303) file1 file2

--edit-book
Avvia lo strumento "Modifica libro" in modalità debug
```

**--exec-file, -e**

Esegui codice Python nel file.

**--explode-book, -x**

Frantuma il libro nella cartella specificata. Utilizzo: -x file.epub cartella\_di\_output Esporta il libro come collezione di file HTML e metadati, che puoi modificare usando strumenti pensati per l'HTML. Funziona con i file EPUB, AZW3, HTMLZ e DOCX.

**--export-all-calibre-data**

Esporta tutti i dati di calibre (libri/impostazioni/plugin). Normalmente, ti verrà chiesta la cartella di esportazione e le librerie da esportare. Puoi anche specificarli come argomenti della riga di comando per saltare le domande. Utilizza percorsi assoluti per la cartella di esportazione e le librerie. La parola chiave speciale "all" può essere utilizzata per esportare tutte le librerie. Esempi: calibre-debug [--export-all-calibre-data](#) (pagina 304) # per uso interattivo calibre-debug [--export-all-calibre-data](#) (pagina 304) /percorso/per/vuoto/esporta/cartella /percorso/per/libreria/cartella1 /percorso/per/libreria2 calibre-debug [--export-all-calibre-data](#) (pagina 304) /export/folder all # esporta tutte le librerie conosciute

**--gui, -g**

Avvia l'interfaccia con il debug abilitato. Il risultato del debug è stampato su stdout e stderr.

**--gui-debug**

Avvia l'interfaccia con una console di debug, registrando i log in un percorso specificato. Solo per uso interno, utilizza l'opzione -g per avviare l'interfaccia nella modalità debug

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--implode-book, -i**

Ricomponi un libro frantumato precedentemente. Utilizzo: -i cartella\_di\_output file.epub Importa il libro dai file in cartella\_di\_output che devono essere stati creati da una precedente chiamata a [--explode-book](#) (pagina 304). Assicurati di specificare lo stesso tipo di file utilizzato per la frantumazione.

**--import-calibre-data**

Importa i dati esportati in precedenza

**--inspect-mobi, -m**

Analizza i file MOBI nel percorso specifico

**--kepubify**

Convert the specified EPUB file to KEPUB without doing a full conversion. This is what the Kobo driver does when sending files to the device.

**--paths**

Fornisce i percorsi necessari per configurare l'ambiente di calibre

**--run-plugin, -r**

Esegui un plugin con un'interfaccia a linea di comando. Per esempio: calibre-debug -r "Nome plugin" -- file1 --opzione1 Tutto ciò che segue il -- sarà passato al plugin come argomento.

**--run-test, -t**

Esegui i(l) test nominato(i). Usa il valore speciale "all" per eseguirli tutti. Se il nome del test inizia con un punto, è interpretato come nome di un modulo. Se il nome del test inizia con @, è interpretato come nome di una categoria.

**--run-without-debug**

Non eseguire con il flag DEBUG attivato

**--shutdown-running-calibre, -s**

A causa di un'istanza calibre in esecuzione, se del caso, da arrestare. Nota che se ci sono lavori in esecuzione, essi saranno interrotti silenziosamente, perciò usala con attenzione.

**--subset-font, -f**

Crea un sottoinsieme del carattere specificato. Usa -- dopo questa opzione per passare opzione al programma di riduzione caratteri.

**--test-build**

Prova moduli binari in costruzione

**--un-kepubify**

Convert the specified KEPUB file to EPUB without doing a full conversion. This is what the Kobo driver does when importing files from the device.

**--version**

mostra la versione del programma ed esci

**--viewer, -w**

Esegui lettore di e-book in modalità debug

### 13.1.4 **calibre-server**

```
calibre-server [opzioni] [percorso cartella della biblioteca...]
```

Avvia il server dei contenuti di calibre. Il server dei contenuti di calibre rende visibili le tue biblioteche di calibre su internet. Puoi specificare il percorso delle cartelle della biblioteca come argomenti di **calibre-server**. Se non specifichi alcun percorso, verranno usate tutte le biblioteche che il programma principale di calibre conosce.

Ogni qualvolta vengono passati argomenti con degli spazi a **calibre-server**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

#### [opzioni]

**--access-log**

Percorso del file di registro degli accessi. Questo registro contiene informazioni sui client che si connettono al server e sulle loro richieste. Per impostazione predefinita non viene tenuto alcun registro degli accessi.

**--ajax-timeout**

Tempo (in secondi) di attesa di risposta dal server dopo una richiesta.

**--auth-mode**

Scegli il tipo di autenticazione adoperato. Imposta la modalità di autenticazione HTTP usata dal server. Imposta su "basic" se terrai questo server dietro un proxy SSL. Altrimenti lascia su "auto", che utilizzerà "basic" se SSL è configurato e "digest" altrimenti.

**--auto-reload**

Ricarica automaticamente il server quando il codice sorgente è cambiato. Utile per lo sviluppo. Occorre anche specificare un valore piccolo per il timeout di spegnimento.

**--ban-after**

Numero di login falliti necessari per il ban. Il numero di login falliti dopo i quali un indirizzo IP viene bloccato

**--ban-for**

Blocca gli indirizzi IP che hanno sbagliato più volte l'accesso. Blocca temporaneamente l'accesso agli indirizzi IP che hanno fallito ripetutamente il login per il numero di minuti specificato. Utile per prevenire tentativi di indovinare la password. Se impostato su zero non viene eseguito alcun ban.

**--book-list-mode**

Scegli la modalità predefinita per l'elenco dei libri. Imposta la modalità predefinita per l'elenco dei libri che sarà usata per i nuovi utenti. I singoli utenti possono cambiare l'impostazione predefinita nelle loro impostazioni personali. Come impostazione predefinita è usata la griglia delle copertine.

**--compress-min-size**

Dimensione minima per la quale le risposte utilizzano la compressione dei dati (in byte).

**--custom-list-template**

Percorso di un file JSON contenente un modello per la modalità di elenco personalizzato dei libri. Il modo più semplice per creare un modello del genere è andare in Preferenze-> Condivisione via rete-> Modello elenco dei libri in calibre, creare il modello ed esportarlo.

**--daemonize**

Esegui processo in background come daemon (solo Linux).

**--displayed-fields**

Limita i campi definiti dall'utente mostrati. Lista separata da virgolette di campi di metadati definiti dall'utente che saranno mostrati dal server dei contenuti nelle interfacce /opds e /mobile. Se questa opzione è specificata, ogni campo assente da questa lista non sarà mostrato. Per esempio: my\_rating,my\_tags

**--enable-allow-socket-preallocation, --disable-allow-socket-preallocation**

Preallocazione socket, per esempio, attraverso l'attivazione socket di systemd. Per impostazione predefinita, questa opzione è abilitata.

**--enable-auth, --disable-auth**

Autenticazione con password per accedere a questo server. Normalmente il server è privo di restrizioni e permette a tutti di accedervi. Con questa opzione puoi limitare l'accesso a utenti preimpostati. Per impostazione predefinita, questa opzione è disabilitata.

**--enable-fallback-to-detected-interface, --disable-fallback-to-detected-interface**

Ripiega su interfaccia rilevata automaticamente. Se per qualche ragione il server non è in grado di collegarsi all'interfaccia specificata nell'opzione listen\_on, proverà a rilevare un'interfaccia che si connette al mondo esterno e a collegarsi ad essa. Per impostazione predefinita, questa opzione è abilitata.

**--enable-local-write, --disable-local-write**

Consenti alle connessioni locali non autenticate di apportare modifiche. Di norma, se non abiliti l'autenticazione, il server opera in modalità di sola lettura, in modo da non permettere ad utenti anonimi di effettuare cambiamenti alle tue biblioteche di calibre. Questa opzione permette a tutti coloro che si connettono dallo stesso computer in cui si trova il server di effettuare modifiche. Utile se vuoi far operare il server senza autenticazione ma vuoi anche usare calibredb per effettuare cambiamenti alle tue biblioteche di calibre. Tieni presente che abilitando questa opzione tutti i programmi in esecuzione sul computer possono effettuare modifiche alle tue biblioteche di calibre. Per impostazione predefinita, questa opzione è disabilitata.

**--enable-log-not-found, --disable-log-not-found**

Registra le richieste HTTP 404 (Non Trovato). Di norma, il server registra tutte le richieste HTTP dirette a risorse non trovate. Questo può generare una quantità esagerata di avvisi se il tuo server è preso di mira da bot. Usa questa opzione per disattivarli. Per impostazione predefinita, questa opzione è abilitata.

**--enable-use-bonjour, --disable-use-bonjour**

Pubblicizza i feed OPDS con BonJour. Pubblicizza il feed OPDS attraverso il servizio BonJour, così da permettere alle app di lettura basate su OPDS di rilevare e di connettersi al server automaticamente. Per impostazione predefinita, questa opzione è abilitata.

**--enable-use-sendfile, --disable-use-sendfile**

Trasferimenti di file in zero copy per prestazioni migliorate. Questa opzione abilita i trasferimenti di file in zero copy nel kernel per inviare file via rete, migliorando le prestazioni. Questo, tuttavia, può essere causa di trasferimenti di

file corrotti in alcuni file system malfunzionanti. Se avvengono trasferimenti corrotti, disattiva questa opzione. Per impostazione predefinita, questa opzione è abilitata.

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--ignored-fields**

Campi di metadati dell'utente da ignorare. Lista separata da virgolette di campi di metadati definiti dall'utente che non saranno mostrati dal server dei contenuti nelle interfacce /opds e /mobile. Per esempio: my\_rating,my\_tags

**--listen-on**

L'interfaccia su cui ascoltare in attesa di connessioni. L'impostazione predefinita è l'ascolto su tutte le interfacce IPv6 e IPv4 disponibili. Puoi cambiare questa impostazione in, per esempio, "127.0.0.1" per ascoltare solo connessioni IPv4 dalla macchina locale, o in "0.0.0.0" per ascoltare tutte le connessioni IPv4 in ingresso.

**--log**

Percorso del file di registro del server. Questo registro contiene informazioni ed errori del server, non i registri di accesso. Per impostazione predefinita viene scritto in stdout.

**--manage-users**

Gestisci il database degli utenti abilitati a collegarsi a questo server. Puoi usarlo in modalità automatica aggiungendo un -. Vedi `calibre-server --manage-users` (pagina 307) -- help per dettagli. Vedi anche l'opzione `--userdb` (pagina 308).

**--max-header-line-size**

Dimensione massima del singolo header HTTP (in KB).

**--max-job-time**

Tempo massimo dei processi di lavoro. Tempo massimo di esecuzione per i processi di lavoro (in minuti). Imposta a 0 per non dare limiti.

**--max-jobs**

Numero massimo di processi di lavoro. I processi di lavoro vengono avviati in base alle necessità e utilizzati per lavori di grandi dimensioni come la preparazione di un libro per la visualizzazione, l'aggiunta di libri, la conversione, ecc. Normalmente, il numero massimo di tali processi si basa sul numero di core della CPU. È possibile controllarlo con questa impostazione.

**--max-log-size**

Dimensione massima file di log (in MB). La massima dimensione dei registri (log) generati dal server. Quando un file di registro supera questa dimensione, è automaticamente ruotato. Imposta a zero per disattivare la rotazione dei registri.

**--max-opds-items**

Numero massimo di libri nei feed OPDS. Il massimo numero di libri che restituirà il server in un singolo feed di acquisizione OPDS.

**--max-opds-ungrouped-items**

Numero massimo di elementi non raggruppati nei feed OPDS. Raggruppa gli elementi in categorie come autore/tag in base alla prima lettera quando il numero di elementi è maggiore di questo numero. Imposta a zero per disattivare.

**--max-request-body-size**

Dimensione massima consentita per file caricati sul server (in MB).

**--num-per-page**

Numero di libri da mostrare in una pagina singola. Il numero di libri da mostrare un una singola pagina del browser.

**--pidfile**

Scrivi il PID di processo nel file specificato

**--port**

La porta di ascolto per la connessione.

**--search-the-net-urls**

Percorso di un file JSON contenente degli URL per la funzione "Cerca in internet". Il modo più semplice per creare un file del genere è andare in Preferenze-> Condivisione via rete-> Cerca in internet in calibre, creare gli URL ed esportarli.

**--shutdown-timeout**

Tempo totale in secondi da aspettare per un arresto pulito.

**--ssl-certfile**

Percorso del file del certificato SSL.

**--ssl-keyfile**

Percorso del file della chiave privata SSL.

**--timeout**

Tempo (in secondi) dopo il quale una connessione inattiva viene chiusa.

**--trusted-ips**

Consenti a connessioni non autenticate da indirizzi IP specifici di apportare modifiche. Di norma, se non abiliti l'autenticazione, il server opera in modalità di sola lettura, in modo da non permettere ad utenti anonimi di effettuare cambiamenti alle tue biblioteche di calibre. Questa opzione permette a tutti coloro che si connettono dall'indirizzo IP specificato di effettuare modifiche. Deve essere un elenco separato da virgolette di reti o di indirizzi specifici. Utile se vuoi far operare il server senza autenticazione ma vuoi anche usare calibredb per effettuare cambiamenti alle tue biblioteche di calibre. Tieni presente che abilitando questa opzione tutti coloro che si connettono dagli indirizzi IP specificati possono effettuare modifiche alle tue biblioteche di calibre.

**--url-prefix**

Un prefisso da anteporre a tutti gli URL. Utile se desideri far operare questo server dietro un proxy inverso. Per esempio, usa /calibre come prefisso dell'URL.

**--userdb**

Percorso del database degli utenti da usare per l'autenticazione. Il database è un file SQL. Per crearlo usa [--manage-users](#) (pagina 307). Puoi saperne di più sulla gestione degli utenti qui: <https://manual.calibre-ebook.com/it/server.html#managing-user-accounts-from-the-command-line-only>

**--version**

mostra la versione del programma ed esci

**--worker-count**

Numero di thread di lavoro utilizzati per elaborare le richieste.

### 13.1.5 **calibre-smtp**

```
calibre-smtp [opzioni] [da a testo]
```

Invia posta usando il protocollo SMTP. **calibre-smtp** ha due modalità di funzionamento. Nella modalità componi vanno specificati da, a e testo, usati per costruire e inviare un messaggio email. Nella modalità filtra, **calibre-smtp** legge un messaggio email completo da STDIN e lo invia.

testo è il corpo del messaggio email. Se testo non viene specificato, un messaggio email completo è letto da STDIN. da è l'indirizzo email del mittente, a l'indirizzo email del destinatario. Quando un'email completa viene letta da STDIN, da e a sono usati solo durante la negoziazione SMTP, le intestazioni del messaggio non sono modificate.

Ogni qualvolta vengono passati argomenti con degli spazi a **calibre-smtp**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### [opzioni]

#### --fork, -f

Separa il processo e consegna il messaggio in background. Se usi questa opzione dovresti usare anche [--outbox](#) (pagina 309) per gestire le consegne fallite.

#### --help, -h

mostra questo messaggio di aiuto ed esci

#### --localhost, -l

Nome host di localhost. Utilizzato in caso di connessione a server SMTP.

#### --outbox, -o

Percorso della cartella di posta dove archiviare le mail fallite.

#### --timeout, -t

Tempo massimo per la connessione

#### --verbose, -v

Aumenta la verbosità

#### --version

mostra la versione del programma ed esci

## COMPOSE MAIL

Opzioni per comporre delle email. Ignorato se il testo non è specificato

#### --attachment, -a

File da allegare all'email

#### --subject, -s

Oggetto dell'email

## SMTP RELAY

Opzione di usare un server SMTP per mandare la mail. calibre proverà ad inviare la mail direttamente a meno che --relay non sia specificato

#### --cafile

Percorso di un file contenente certificati CA concatenati in formato PEM, usati per verificare il certificato del server quando viene usato TLS. Per impostazione predefinita, vengono usati i certificati CA del sistema.

#### --dont-verify-server-certificate

Non verificare il certificato del server quando ti connetti usando TLS. Questo era il comportamento predefinito nelle versioni di calibre precedenti alla 3.27. Se usi un relay con un certificato autofirmato o comunque invalido, puoi usare questa opzione per ripristinare il comportamento pre-3.27

#### --encryption-method, -e

Metodi crittografici da utilizzare per la connessione al server di inoltro. Le scelte possibili sono TLS, SSL e NONE. Il valore predefinito è TLS. ATTENZIONE: Scegliere NONE è decisamente non sicuro

#### --password, -p

Password per l'inoltro

### --port

Porta per collegarsi al server di inoltro. Il valore predefinito è 465, se il metodo di cifratura è SSL, altrimenti 25.

### --relay, -r

Un server SMTP di inoltro da utilizzare per inviare posta.

### --username, -u

Nome utente per l'inoltro

## 13.1.6 calibredb

```
calibredb command [opzioni] [argomenti]
```

**calibredb** è l'interfaccia da linea di comando che agisce sul database di calibre. Possiede molti sotto-comandi, descritti più sotto

**calibredb** può essere usato per manipolare un database di calibre identificato da un percorso oppure da un *Server dei contenuti* di calibre in esecuzione sulla macchina locale o su internet. Puoi avviare un *Server dei contenuti* di calibre con il comando **calibre-server** oppure facendo clic nell'interfaccia principale di calibre *Connetti/condividi* → *Avvia server dei contenuti*. Dato che **calibredb** può modificare le tue biblioteche di calibre, devi prima impostare un'autenticazione per il server. Ci sono due modi per farlo:

- Se intendi connetterti solamente a un server in esecuzione sul computer stesso,

puoi semplicemente usare l'opzione `--enable-local-write` del server dei contenuti, per permettere ad ogni programma, calibredb incluso, in esecuzione sul computer locale di modificare i tuoi dati di calibre. Se il server è avviato dall'interfaccia principale di calibre, questa opzione si trova in *Preferenze* → *Condivisione via rete* → *Avanzate*.

- Se vuoi invece abilitare l'accesso via internet, dovresti impostare

degli utenti per il server e usare le opzioni `--username` (pagina 311) e `--password` (pagina 311) con **calibredb** per permettergli di accedere. Puoi impostare l'autenticazione utente per **calibre-server** usando l'opzione `--enable-auth` e usando `--manage-users` per creare gli utenti. Se hai avviato il server dall'interfaccia principale di calibre, usa *Preferenze* → *Condivisione via rete* → *Richiedi nome utente/password*.

Per connetterti a un server dei contenuti in esecuzione, inserisci l'URL del server dopo l'opzione `--with-library` (pagina 311), vedi la documentazione dell'opzione per dettagli ed esempi.

- *OPZIONI GLOBALE* (pagina 311)
- *list* (pagina 312)
- *add* (pagina 313)
  - *AGGIUNTA DA CARTELLE* (pagina 313)
- *remove* (pagina 314)
- *add\_format* (pagina 314)
- *remove\_format* (pagina 314)
- *show\_metadata* (pagina 315)
- *set\_metadata* (pagina 315)
- *export* (pagina 315)
- *catalog* (pagina 316)

- EPUB OPZIONI (pagina 317)
- *saved\_searches* (pagina 318)
- *add\_custom\_column* (pagina 319)
- *custom\_columns* (pagina 319)
- *remove\_custom\_column* (pagina 319)
- *set\_custom* (pagina 319)
- *restore\_database* (pagina 320)
- *check\_library* (pagina 320)
- *list\_categories* (pagina 320)
- *backup\_metadata* (pagina 321)
- *clone* (pagina 321)
- *embed\_metadata* (pagina 321)
- *search* (pagina 322)
- *fts\_index* (pagina 322)
- *fts\_search* (pagina 322)

## OPZIONI GLOBALI

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--library-path, --with-library**

Percorso della biblioteca di calibre. Per impostazione predefinita viene usato il percorso salvato nelle impostazioni. Puoi anche connetterti a un server dei contenuti di calibre ed eseguire azioni su biblioteche remote. Per fare ciò usa un URL di formato: [http://nomehost:porta/#id\\_biblioteca](http://nomehost:porta/#id_biblioteca) per esempio <http://localhost:8080/#lamiabiblioteca>. id\_biblioteca è l' id della biblioteca a cui ti vuoi connettere nel server dei contenuti. Puoi usare il valore speciale di id\_biblioteca di - per ottenere un elenco di id biblioteca disponibili nel server. Per dettagli su come impostare l'accesso attraverso un server dei contenuti, vedi <https://manual.calibre-ebook.com/it/generated/it/calibredb.html>.

**--password**

La password per connettersi a un server dei contenuti di calibre. Per leggere la password dallo standard input, usa il valore speciale: <stdin>. Per leggere la password da un file, usa <f:/path/to/file> (ovvero <f: followed by the full path to the file and a trailing >). Le parentesi angolari di cui sopra sono richieste, ricordati di anteporre un carattere di escape o di usare le virgolette nel tuo terminale.

**--timeout**

Il timeout, in secondi, della connessione a una biblioteca di calibre in rete. Il tempo predefinito è di due minuti.

**--username**

Nome utente per connettersi a un server di contenuto calibre

**--version**

mostra la versione del programma ed esci

### list

```
calibredb list [opzioni]
```

Elenca i libri disponibili nel database di calibre.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

#### --ascending

Ordina i risultati in ordine crescente

#### --fields, -f

I campi da mostrare quando sono elencati i libri del database. Dovrebbe essere una lista separata da virgolette di campi. Campi disponibili: author\_sort, authors, comments, cover, formats, identifiers, isbn, languages, last\_modified, pubdate, publisher, rating, series, series\_index, size, tags, template, timestamp, title, uuid. Valore predefinito: %predefinito. Il campo speciale "all" può essere usato per selezionare tutti i campi. Oltre ai campi integrati di cui sopra, sono disponibili anche campi personalizzati scritti come \*nome\_campo; per esempio, per un campo personalizzato #valutazione, usa il nome: \*rating

#### --for-machine

Genera output in formato JSON, più adatto all'elaborazione automatica. Le opzioni di larghezza e separazione di linea verranno ignorate.

#### --limit

Il numero massimo di risultati da visualizzare. Predefinito: tutti

#### --line-width, -w

La larghezza massima di una singola riga nell'output. L'impostazione predefinita è quella di rilevare la dimensione dello schermo.

#### --prefix

Il prefisso per tutti i percorsi. L'impostazione predefinita è il percorso alla cartella della biblioteca.

#### --search, -s

Filtra i risultati con una ricerca. Per il formato della ricerca, vedere la documentazione relativa alla ricerca nel manuale utente. L'opzione predefinita è quella di non filtrare.

#### --separator

La stringa usata per separare i campi. Predefinita: uno spazio.

#### --sort-by

Il campo da usare per l'ordinamento dei risultati. Puoi specificare più campi usando la virgola come separatore. Campi disponibili: author\_sort, authors, comments, cover, formats, identifiers, isbn, languages, last\_modified, pubdate, publisher, rating, series, series\_index, size, tags, template, timestamp, title, uuid. Predefinito: id

#### --template

Il modello da eseguire se "template" si trova nell'elenco dei campi. Tieni presente che i modelli vengono ignorati durante la connessione a un server di calibre. Predefinito: Nessuno

#### --template\_file, -t

Percorso di un file contenente il modello da eseguire se "template" è nell'elenco dei campi. Predefinito: Nessuno

#### --template\_heading

Intestazione della colonna del modello. Predefinito: pre%definito. Questa opzione viene ignorata se l'opzione [--for-machine](#) (pagina 312) è impostata

**add**

```
calibredb add [opzioni] file1 file2 file3 ...
```

Aggiungi come libri i file specificati nel database. Puoi anche specificare delle cartelle, vedi le opzioni riferite alle cartelle qui sotto.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--authors, -a**

Imposta gli autori dei libri aggiunti

**--automerge, -m**

Se vengono trovati libri con titoli e autori simili, unisci automaticamente i formati (file) in arrivo con voci di libro già esistenti. Un valore di "ignore" significa che i formati duplicati vengono scartati. Un valore di "overwrite" significa che i formati duplicati nella biblioteca vengono sovrascritti dai nuovi file aggiunti. Un valore di "new\_record" significa che i formati duplicati sono inseriti in una nuova voce libro.

**--cover, -c**

Percorso della copertina da utilizzare per il libro aggiunto

**--duplicates, -d**

Aggiungi libri al database anche se esistono già. Il confronto è basato su titoli e autori dei libri. Nota che l'opzione [--automerge](#) (pagina 313) ha la precedenza.

**--empty, -e**

Aggiungi un libro vuoto (un libro senza formati)

**--identifier, -I**

Imposta gli identificatori per questo libro, ad esempio: -I asin:XXX -I isbn:YYY

**--isbn, -i**

Imposta l'ISBN dei libri aggiunti

**--languages, -l**

Un elenco separato da virgole di lingue (meglio utilizzare i codici di lingua ISO639 per evitare che alcuni nomi di lingue non siano riconosciuti)

**--series, -s**

Imposta le serie dei libri aggiunti

**--series-index, -S**

Imposta il numero della serie dei libri aggiunti

**--tags, -T**

Imposta i tag dei libri aggiunti

**--title, -t**

Imposta il titolo dei libri aggiunti

**AGGIUNTA DA CARTELLE**

Opzioni per controllare l'aggiunta di libri dalle cartelle. Per impostazione predefinita solo i file con estensioni di e-book note sono aggiunti.

### --add

Uno schema per il nome del file (glob pattern), i file che corrispondono a questo schema saranno aggiunti durante la scansione delle cartelle, anche se il loro tipo di file non è quello tipico di un e-book. Può essere specificato più volte per schemi multipli.

### --ignore

Uno schema per il nome del file (glob pattern), i file che corrispondono a questo schema saranno ignorati durante la scansione delle cartelle. Può essere specificato più volte per schemi multipli. Ad esempio: \*.pdf escluderà tutti i file PDF

### --one-book-per-directory, -1

Assumi che ogni cartella abbia un solo libro "logico" e che tutti i file in essa contenuti siano differenti formati e-book dello stesso libro

### --recurse, -r

Controlla cartelle ricorsivamente

## remove

```
calibredb remove id
```

Rimuove dal database i libri identificati dagli id. Gli id dovrebbero essere una lista separata da virgolette di numeri id (puoi ottenere i numeri id usando il comando search). Per esempio, 23,34,57-85 (quando si specifica un intervallo, l'ultimo numero dell'intervallo è escluso).

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --permanent

Non usare il Cestino

## add\_format

```
calibredb add_format [options] id ebook_file
```

Aggiungi l' e-book in ebook\_file ai formati disponibili per il libro identificato per id. Puoi trovare l'id usando il comando cerca, se il formato è già presente verrà sostituito a meno che l'opzione "non sostituire" non sia stata specificata.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --as-extra-data-file

Aggiungi il file come un file di dati aggiuntivo, non come formato di e-book

### --dont-replace

Non sostituire il formato se esiste già

## remove\_format

```
calibredb remove_format [opzioni] id fmt
```

Rimuovi il formato fmt identificato da id dal libro logico. Puoi ottenere l'id usando il comando search. fmt deve essere un'estensione di file come LRF, TXT o EPUB. Se il libro logico non ha un fmt disponibile, non fa niente.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**show\_metadata**

```
calibredb show_metadata [opzioni] id
```

Mostra i metadati salvati nel database di calibre per il libro identificato da id. id è un numero identificativo del comando di ricerca.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--as-opf**

Stampa i metadati in formato OPF (XML)

**set\_metadata**

```
calibredb set_metadata [opzioni] book_id [/path/to/metadata.opf]
```

Imposta i metadati memorizzati nel database di calibre per il libro identificato da book\_id dal file OPF metadata.opf. book\_id è un numero di identificazione del libro dal comando di ricerca. Puoi farti un'idea del formato OPF usando –as-opf passa al comando show\_metadata. Puoi anche impostare i metadati di singoli campi con l'opzione –field. Se usi l'opzione –field, lì non è necessario specificare un file OPF.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--field, -f**

Il campo da impostare. Il formato è nome\_campo:valore, per esempio: --field (pagina 315) tags:tag1,tag2. Usa --list-fields (pagina 315) per ottenere una lista di tutti i nomi dei campi. Puoi specificare questa opzione più volte per impostare più di un campo. Nota bene: per le lingue devi usare i codici lingua ISO639 (p. es. en per inglese, it per italiano e così via). Per gli identificatori, la sintassi è --field (pagina 315) identifiers:isbn:XXXXX,doi:YYYYYY. Per campi booleani (sì/no) usa true e false oppure yes e no.

**--list-fields, -l**

Elenca i nomi dei campi di metadati che possono essere utilizzati con l'opzione --field (pagina 315)

**export**

```
calibredb export [opzioni] id
```

Esporta i libri specificati con id (una lista separata da virgole) su disco. L'operazione di esportazione salva tutti i formati del libro, la copertina e i metadati (in un file OPF). Anche tutti i file di dati aggiuntivi associati al libro vengono salvati. Puoi ottenere i numeri di id con il comando search.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--all**

Esporta tutti i libri del database, ignorando la lista di id.

**--dont-asciilize**

Fai convertire a calibre tutti i caratteri non inglesi nei loro equivalenti inglesi nei nomi di file. Utile se si sta salvando in un vecchio filesystem che non ha il pieno supporto ai nomi di file Unicode. Selezionando questa opzione verrà disattivata questa funzione.

**--dont-save-cover**

Normalmente calibre salva le copertine in un file separato insieme ai file degli e-book. Selezionando questa opzione verrà disattivata questa funzione.

### --dont-save-extra-files

Salvare tutti i file di dati associati al libro quando si salva il libro. Selezionando questa opzione verrà disattivata questa funzione.

### --dont-update-metadata

Normalmente calibre aggiorna i metadati nei file salvati usando quelli che si trovano nella biblioteca di calibre. Questo rende il salvataggio più lento. Selezionando questa opzione verrà disattivata questa funzione.

### --dont-write-opf

Normalmente calibre scrive i metadati in documenti OPF separati assieme ai file contenenti i libri. Selezionando questa opzione verrà disattivata questa funzione.

### --formats

Elenco di formati separati da virgolette da salvare per ogni libro. In modo predefinito, saranno salvati tutti i formati disponibili.

### --progress

Avanzamento report

### --replace-whitespace

Sostituisci gli spazi con trattini bassi.

### --single-dir

Esporta tutti i libri in una singola cartella

### --template

Lo schema che controlla i nomi di file e l'albero delle cartelle dei file salvati. Il valore predefinito è "`{author_sort}/{title}/{title}` - {authors}" che salva i libri in una sottocartella per autore mentre i nomi di file contengono titolo e autore. I controlli disponibili sono: {author\_sort, authors, id, isbn, languages, last\_modified, pubdate, publisher, rating, series, series\_index, tags, timestamp, title}

### --timefmt

Il formato di visualizzazione delle date. %d - giorno, %b - mese, %m - numero mese, %Y - anno. Predefinito: %b, %Y

### --to-dir

Esporta i libri nella cartella specificata. Il valore predefinito è .

### --to-lowercase

Converti i percorsi in lettere minuscole.

## catalog

```
calibredb catalog /percorso/di/destinazione.(csv|epub|mobi|xml...) [opzioni]
```

Esporta un catalogo nel formato specificato dall'estensione di /percorso/di/destinazione. Le opzioni controllano come sono mostrate le voci nel catalogo generato in output. Nota che formati di catalogo differenti supportano diversi set di opzioni. Per vedere le varie opzioni, specifica il nome del file di output e poi l'opzione –help.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --ids, -i

Lista degli identificativi ID per il catalogo in campi separati da virgolette. Se dichiarati, [--search](#) (pagina 316) è ignorata. Valore predefinito: tutti

**--search, -s**

Filtra i risultati in base alla query di ricerca. Per il formato della query di ricerca fare riferimento alla documentazione sulla sintassi di ricerca nel manuale utente. Predefinito: nessun filtraggio

**--verbose, -v**

Mostra un output dettagliato. Utile per il debug

**EPUB OPZIONI****--catalog-title**

Titolo del catalogo generato usato come titolo nei metadati. Valore predefinito: 'My Books' Si applica a: formati di output AZW3, EPUB, MOBI

**--cross-reference-authors**

Crea riferimenti incrociati nella sezione Autori per libri con autori multipli. Predefinito: 'False' Si applica a: formati di output AZW3, EPUB, MOBI

**--debug-pipeline**

Salva l'output dei differenti stadi di conversione raggiunti nella cartella specificata. Utile se non si conosce in quale stadio del processo di conversione si verifica l'errore. Valore predefinito: 'None' Si applica a: formati di output AZW3, EPUB, MOBI

**--exclude-genre**

Regex che descrive i tag da escludere come generi. Valore predefinito: '[.+]|^+\$' esclude i tag tra parentesi quadre, p. es. '[Progetto Gutenberg]', e '+', il tag predefinito per i libri letti. Si applica a: formati di output AZW3, EPUB, MOBI

**--exclusion-rules**

Specifica le regole usate per escludere i libri dal catalogo generato. Il modello per una regola di esclusione è o ('<nome regola>', 'Tag', '<lista di tag separati da virgola>') o ('<nome regola>', '<colonna personalizzata>', '<pattern>'). Ad Esempio: (('Libri archiviati', '#stato', 'Archiviato')) escluderà un libro con valore 'Archiviato' nella colonna personalizzata 'stato'. Tutte le regole specificate verranno applicate. Valore predefinito: "((Catalogs', 'Tags', 'Catalog'))" Si applica a: formati di output AZW3, EPUB, MOBI

**--generate-authors**

Includi la sezione 'Autori' nel catalogo. Valore predefinito: 'False' Si applica a: formati di output AZW3, EPUB, MOBI

**--generate-descriptions**

Includi la sezione 'Descrizioni' nel catalogo. Valore predefinito: 'False' Si applica a: formati di output AZW3, EPUB, MOBI

**--generate-genres**

Includi la sezione 'Generi' nel catalogo. Valore predefinito: 'False' Si applica a: formati di output AZW3, EPUB, MOBI

**--generate-recently-added**

Includi la sezione 'Aggiunti di recente' nel catalogo. Valore predefinito: 'False' Si applica a: formati di output AZW3, EPUB, MOBI

**--generate-series**

Includi la sezione 'Serie' nel catalogo. Valore predefinito: 'False' Si applica a: formati di output AZW3, EPUB, MOBI

**--generate-titles**

Includi la sezione 'Titoli' nel catalogo. Valore predefinito: 'False' Si applica a: formati di output AZW3, EPUB, MOBI

### --genre-source-field

Campo sorgente per la sezione Generi. Valore predefinito: 'Tag' Si applica a: formati di output AZW3, EPUB, MOBI

### --header-note-source-field

Campo personalizzato che contiene una nota di testo da inserire nell'intestazione della Descrizione. Valore predefinito: '' Si applica a: formati di output AZW3, EPUB, MOBI

### --merge-comments-rule

#<custom field>:[before|after]:[True|False] specificando: <custom field> Campo personalizzato contenente note da unire ai commenti [before|after] Posizione delle note rispetto ai commenti (prima o dopo) [True|False] - Viene inserita una riga orizzontale tra le note e i commenti Valore predefinito: '::' Si applica a: formati di output AZW3, EPUB, MOBI

### --output-profile

Specifica il profilo di output. In alcuni casi un profilo di output è richiesto per ottimizzare il catalogo per il dispositivo. Ad esempio 'kindle' o 'kindle\_dx' creano un Indice strutturato con Sezioni e Articoli. Valore predefinito: 'None' Si applica a: formati di output AZW3, EPUB, MOBI

### --prefix-rules

Specifica le regole utilizzate per includere i prefissi che indicano i libri letti, gli elementi della lista dei desideri e altri prefissi specificati dall'utente. Il modello per una regola di prefisso è ('<nome regola>', '<campo sorgente>', '<pattern>', '<prefisso>'). Quando più regole sono definite viene applicata la prima regola che ha una corrispondenza basata sul pattern. Valore predefinito: '((('Read books','tags','+', '✓'), ('Wishlist item','tags','Wishlist','×')))' Si applica a: formati di output AZW3, EPUB, MOBI

### --preset

Usa un profilo con nome creato con l'interfaccia di costruzione catalogo. Un profilo specifica tutte le impostazioni necessarie per costruire un catalogo. Valore predefinito: 'None' Si applica a: formati di output AZW3, EPUB, MOBI

### --thumb-width

Suggerimento di dimensione (in pollici) per le copertine dei libri nel catalogo. Intervallo: 1.0 - 2.0 Valore predefinito: '1.0' Si applica a: formati di output AZW3, EPUB, MOBI

### --use-existing-cover

Sostituisce la copertina esistente quando generi il catalogo. Valore predefinito: 'False' Si applica a: formati di output AZW3, EPUB, MOBI

## saved\_searches

```
calibredb saved_searches [opzioni] (list|add|remove)
```

Gestisci le ricerche salvate conservative in questo database. Se provi ad aggiungere una ricerca con un nome già esistente, sarà sostituita.

Sintassi per aggiungere:

```
calibredb saved_searches add nome_ricerca espressione_di_ricerca
```

Sintassi per rimuovere:

```
calibredb saved_searches remove nome_ricerca
```

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: </some path/with spaces>

**add\_custom\_column**

```
calibredb add_custom_column [opzioni] etichetta nome tipo
```

Crea una colonna personalizzata. etichetta è il nome amichevole della macchina della colonna. Non deve contenere spazi o punteggiatura. nome è il nome amichevole della colonna. tipo è uno di: bool, comments, composite, datetime, enumeration, float, int, rating, series, text

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--display**

Un dizionario di opzioni per personalizzare l'interpretazione dei dati di questa colonna. Questa è una stringa JSON. Per le colonne di enumerazione, usare [--display](#) (pagina 319) " {\"enum\_values\":[\"val1\", \"val2\"]} ". Ci sono molte opzioni che possono entrare nella variabile di visualizzazione. Le opzioni per tipo di colonna sono: composite: composite\_template, composite\_sort, make\_category, contains\_html, use\_decorations data e ora: formato\_data enumerazione: enum\_valori, enum\_colori, uso\_decorazioni int, float: numero\_formato testo: is\_nomi, uso\_decorazioni Il modo migliore per trovare combinazioni ammesse è quello di creare una colonna personalizzata del tipo appropriato nella GUI e poi guardare l'OPF di backup per un libro (assicurarsi che sia stato creato un nuovo OPF da quando la colonna è stata aggiunta). Vedrete il JSON per il "display" per la nuova colonna nell'OPF.

**--is-multiple**

Questa colonna salva i tag come dati (es. valori separati da virgole). Applicato solo se il tipo di dato è testo.

**custom\_columns**

```
calibredb custom_columns [options]
```

Elenca le colonne personalizzate disponibili. Mostra le etichette delle colonne e gli ID.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--details, -d**

Mostra i dettagli per ogni colonna

**remove\_custom\_column**

```
calibredb remove_custom_column [opzioni] etichetta
```

Rimuove la colonna personalizzata identificata dall'etichetta. Puoi vedere le colonne disponibili con il comando `custom_columns`.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--force, -f**

Non chiedere conferma

**set\_custom**

```
calibredb set_custom [opzioni] colonna id valore
```

Imposta il valore di una colonna personalizzata per il libro identificato da id. Puoi ottenere una lista di id usando il comando `search`. Puoi ottenere una lista dei nomi delle colonne personalizzate usando il comando `custom_columns`.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --append, -a

Se la colonna salva più valori, aggiunge i valori specificati a quelli esistenti, altrimenti li sostituisce.

## restore\_database

```
calibredb restore_database [opzioni]
```

Ripristina il database a partire dai metadati conservati nei file OPF in ognuna delle cartelle della biblioteca di calibre. Utile se il tuo file metadata.db si è corrotto.

**ATTENZIONE:** Questo comando rigenera completamente il database. Perderai tutte le ricerche salvate, le categorie utente, i pannelli di controllo, le impostazioni di conversione per singolo libro e le ricette personalizzate. I metadati recuperati saranno accurati solo quanto lo erano i file OPF.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --really-do-it, -r

Effettua realmente il ripristino. Il comando non sarà eseguito a meno che questa opzione non sia specificata.

## check\_library

```
calibredb check_library [opzioni]
```

Esegue alcuni controlli sul filesystem che rappresenta la biblioteca. I resoconti sono invalid\_titles, extra\_titles, invalid\_authors, extra\_authors, missing\_formats, extra\_formats, extra\_files, missing\_covers, extra\_covers, failed\_folders

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --csv, -c

Output in CSV

### --ignore\_extensions, -e

Elenco separato da virgole delle estensioni che devono essere ignorate. Predefinito: tutte

### --ignore\_names, -n

Elenco separato da virgole dei nomi da ignorare. Predefinito: tutti

### --report, -r

Elenco separato da virgole dei resoconti. Predefinito: tutti

### --vacuum-fts-db

Svuota il database di ricerca del testo completo. Questo può risultare molto lento e richiedere molta memoria, a seconda delle dimensioni del database.

## list\_categories

```
calibredb list_categories [options]
```

Crea un rapporto delle informazione sulle categorie della base di dati. Le informazioni sono equivalenti a ciò che è mostrato nel navigatore delle etichette.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--categories, -r**

Elenco separato da virgolette di nomi di riferimento per categorie. Predefinito: tutti

**--csv, -c**

Output in CSV

**--dialect**

Tipo di file CSV da produrre. Alternative: excel, excel-tab, unix

**--item\_count, -i**

Visualizza solo il numero di oggetti nella categoria invece del totale per oggetto all'interno della categoria

**--width, -w**

La larghezza massima di una singola riga nell'output. L'impostazione predefinita è quella di rilevare la dimensione dello schermo.

**[backup\\_metadata](#)**

```
calibredb backup_metadata [opzioni]
```

Effettua il backup dei metadati presenti nel database in file OPF dedicati nella cartella di ogni libro. Normalmente questo avviene in maniera automatica ma puoi eseguire questo comando per forzare una nuova creazione dei file OPF, con l'opzione `-all`.

Nota che normalmente non è necessario farlo dato che il backup dei file OPF viene effettuato automaticamente ogni volta che i metadati cambiano.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--all**

Di solito, questo comando opera solo su libri che hanno file OPF datati. Questa opzione lo applica a tutti i libri.

**[clone](#)**

```
calibredb clone percorso/della/nuova/biblioteca
```

Crea un **clone** della biblioteca corrente. Questo crea una nuova biblioteca, vuota, che ha tutte le stesse colonne personalizzate, biblioteche virtuali e altre impostazioni della biblioteca corrente.

La biblioteca clonata non conterrà libri. Se desideri creare un duplicato completo, che includa tutti i libri, è sufficiente usare gli strumenti del filesystem per copiare la cartella della biblioteca.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**[embed\\_metadata](#)**

```
calibredb embed_metadata [opzioni] id_libro
```

Aggiorna i metadati dentro i file dei libri conservati nella biblioteca di calibre con i metadati del database di calibre. Normalmente i metadati sono aggiornati solo quando vengono esportati file da calibre, questo comando è utile se vuoi che i file siano aggiornati dove si trovano. Tieni presente che formati di file differenti supportano diversi livelli di metadati. Puoi usare il valore speciale “all” come `id_libro` per aggiornare i metadati in tutti i libri. Puoi anche specificare più `id_libro` separati da spazi e intervalli di `id` separati da trattini. Per esempio: `calibredb embed_metadata 1 2 10-15 23`

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --only-formats, -f

Aggiorna i metadati solamente nei file del formato specificato. Specificalo più volte per più formati. Per impostazione predefinita vengono aggiornati tutti i formati.

### search

```
calibredb search [opzioni] espressione di ricerca
```

Cerca nella biblioteca il termine di ricerca specificato, restituisce una lista separata da virgolette di id libro che risultano dall'espressione di ricerca. Il formato di uscita è comodo da usare in altri comandi che accettano una lista di id in ingresso.

L'espressione di ricerca può essere qualsiasi cosa che rispetti il potente linguaggio di ricerca di calibre, ad esempio: calibredb **search** author:asimov "title:>i robot>"

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --limit, -l

Il numero massimo di risultati da fornire. Il valore predefinito è tutti i risultati.

### fts\_index

```
calibredb fts_index [options] enable/disable/status/reindex
```

Controlla il processo di indicizzazione dei contenuti.

#### enable

Abilita l'indicizzazione per la Ricerca FT in questa biblioteca

#### disable

Disabilita l'indicizzazione per la Ricerca FT in questa biblioteca

#### status

Mostra lo stato di indicizzazione corrente

#### reindex

Può essere usato per reindividizzare libri specifici o anche l'intera biblioteca. Per reindividizzare libri specifici devi fornire i loro id come argomenti aggiuntivi dopo il comando reindex. Se non viene specificato alcun id, l'intera biblioteca verrà reindividizzata.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### --indexing-speed

La velocità di indicizzazione. Usa rapida per fare in modo che l'indicizzazione usi tutte le risorse disponibili del computer, lenta per un'indicizzazione con meno impatto sulle risorse. Tieni presente che la velocità è riportata a lenta dopo ogni utilizzo.

### --wait-for-completion

Aspetta che tutti i libri siano indicizzati, mostrando periodicamente il progresso dell'indicizzazione

### fts\_search

```
calibredb fts_search [options] search expression
```

Esegui una ricerca nei contenuti sull'intera biblioteca o su una sua parte.

Ogni qualvolta vengono passati argomenti con degli spazi a calibredb, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**--do-not-match-on-related-words**

Trova solo le parole esatte e non quelle derivate. Per esempio, correggere non troverà correzione.

**--include-snippets**

Includi estratti del testo nelle vicinanze dei risultati. Tieni presente che questo rende la ricerca molto più lenta.

**--indexing-threshold**

Quale percentuale della biblioteca deve essere indicizzata prima che la ricerca sia permessa. Il valore predefinito è 90

**--match-end-marker**

Il marcatore usato per indicare la fine di una parola corrispondente dentro un estratto

**--match-start-marker**

Il marcatore usato per indicare l'inizio di una parola corrispondente dentro un estratto

**--output-format**

Il formato da usare per i risultati. La scelta è tra "text" per testo semplice e "json" per il formato JSON.

**--restrict-to**

Limita la ricerca a libri specifici, usando un'espressione di ricerca oppure gli id. Per esempio: ids:1,2,3 limita usando gli id, mentre search:tag:qualcosa limita la ricerca ai libri con il tag "qualcosa".

### 13.1.7 ebook-convert

```
ebook-convert file_di_input file_di_output [opzioni]
```

Converti un e-book da un formato a un altro.

file\_di\_input è il file da convertire e file\_di\_output è il file convertito. Entrambi devono essere specificati come primi due argomenti del comando.

Il formato di output viene dedotto dall'estensione del file convertito file\_di\_output. file\_di\_output può anche essere del formato speciale .EXT dove EXT è l'estensione del file di output. In questo caso il nome del file di output è derivato dal nome del file di input. Nota che i nomi dei file non devono cominciare con un trattino. Infine, se file\_di\_output non ha estensione verrà trattato come cartella e un «open e-book» (OEB) formato da file HTML viene inserito nella cartella. Questi file HTML sono quelli che normalmente sarebbero stati passati al plugin atto a generare l'output.

Dopo aver specificato i file di input e output è possibile personalizzare la conversione specificando varie opzioni. Le opzioni disponibili dipendono dal tipo di file di input e output. Per avere maggiori informazioni sulle opzioni specifiche, indica i file di input e output e poi inserisci l'opzione -h.

Per la documentazione completa sul sistema di conversione, vedi [Conversione E-book](#) (pagina 61)

Ogni qualvolta vengono passati argomenti con degli spazi a **ebook-convert**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

Le opzioni e i valori predefiniti cambiano a seconda sia del formato di input che di output, quindi bisognerebbe sempre controllare:

ebook-convert myfile.input\_format myfile.output\_format -h

Sotto sono presentate le opzioni comuni per tutte le conversioni, seguite da opzioni specifiche per ogni formato di input e di output.

- [OPZIONI DI INPUT](#) (pagina 324)

- *OPZIONI DI OUTPUT* (pagina 324)
- *IMPRESSIONE VISIVA* (pagina 326)
- *ELABORAZIONE EURISTICA* (pagina 328)
- *CERCA E SOSTITUisci* (pagina 329)
- *RILEVAZIONE STRUTTURA* (pagina 329)
- *INDICE* (pagina 330)
- *METADATI* (pagina 331)
- *DEBUG* (pagina 332)

### **--help, -h**

mostra questo messaggio di aiuto ed esci

### **--input-profile**

Specifica il profilo di input. Il profilo di input fornisce informazioni al sistema di conversione su come interpretare i vari dati del documento di input. Per esempio le lunghezze dipendenti dalla risoluzione (es. lunghezze in pixel). Le scelte sono: cybookg3, cybook\_opus, default, hanlinv3, hanlinv5, illiad, irexdr1000, irexdr800, kindle, msreader, mobipocket, nook, sony, sony300, sony900

### **--list-recipes**

Elenca i nomi delle ricette integrate. Puoi creare un e-book da una ricetta integrata in questo modo: ebook-convert "Nome Ricetta.recipe" output.epub

### **--output-profile**

Specifica il profilo di output. Il profilo di output indica al sistema di conversione come ottimizzare il documento creato per il dispositivo indicato. In alcuni casi il profilo di output può essere usato per ottimizzare l'output per un particolare dispositivo, ma ciò è necessario raramente. Le scelte sono: cybookg3, cybook\_opus, default, generic\_eink, generic\_eink\_hd, generic\_eink\_large, hanlinv3, hanlinv5, illiad, ipad, ipad3, irexdr1000, irexdr800, jet-book5, kindle, kindle\_dx, kindle\_fire, kindle\_oasis, kindle\_pw, kindle\_pw3, kindle\_scribe, kindle\_voyage, kobo, msreader, mobipocket, nook, nook\_color, nook\_hd\_plus, pocketbook\_inkpad3, pocketbook\_lux, pocketbook\_hd, pocketbook\_900, pocketbook\_pro\_912, galaxy, sony, sony300, sony900, sony-landscape, sonyt3, tablet

### **--version**

mostra la versione del programma ed esci

## **OPZIONI DI INPUT**

Opzioni per controllare l'elaborazione dei file di input mobi

### **--input-encoding**

Specifica la codifica dei caratteri del documento di origine. Se impostata, questa opzione sovrascrive l'eventuale codifica indicata nel documento stesso. Particolarmente utile per documenti in cui la codifica non è esplicitamente indicata o che hanno dichiarazioni di codifica errate.

## **OPZIONI DI OUTPUT**

Opzioni per controllare l'elaborazione dell'output epub

### **--dont-split-on-page-breaks**

Disattiva la divisione dei file alle interruzioni di pagina. Normalmente i file di input sono automaticamente divisi a ogni interruzione di pagina in due file. Ciò dà in output un e-book che può essere decodificato più velocemente

e con minore uso di risorse. Tuttavia, la suddivisione è lenta e se il tuo file sorgente contiene un gran numero di interruzioni di pagina, è consigliabile disattivare la suddivisione alle interruzioni di pagina.

**--epub-flatten**

Questa opzione è necessaria solo se si intende usare l'epub con FBReaderJ. Verrà linearizzata la struttura all'interno dell'epub, tutti i file saranno spostati nella cartella principale.

**--epub-inline-toc**

Inserisci un indice che apparirà come parte del contenuto principale del libro

**--epub-max-image-size**

La massima dimensione dell'immagine (larghezza x altezza). Il valore none vuol dire che verrà usata la dimensione dello schermo del profilo di output. Il valore profile non applicherà alcuna limitazione alla dimensione. Per esempio, un valore di 100x200 ridimensionerà tutte le immagini in modo che la loro larghezza non sia più di 100 pixel, né la loro altezza più di 200 pixel. Tieni presente che questa opzione si riferisce solo alla dimensione effettiva dei file di immagine stessi. Un'immagine potrebbe apparire con una dimensione differente in base agli stili ad essa applicati nel documento.

**--epub-toc-at-end**

Metti l'indice nel testo creato alla fine del libro invece che all'inizio.

**--epub-version**

La versione del file EPUB da generare. EPUB 2 è quello largamente compatibile, usa EPUB 3 solo se ritieni sia necessario.

**--extract-to**

Extract the contents of the generated book to the specified folder. The contents of the folder are first deleted, so be careful.

**--flow-size**

Separa tutti i file HTML più grandi di questa dimensione (in KB). Ciò è necessario in quanto molti lettori EPUB non sono in grado di gestire file di dimensioni maggiori. La dimensione di 260KB è quella predefinita per le Edizioni Digitali di Adobe. Imposta a 0 per disabilitare la divisione basata sulla dimensione.

**--no-default-epub-cover**

In genere, se il file di input non ha una copertina e non ne viene specificata una, viene generata una copertina predefinita con il titolo, l'autore, etc. Questa opzione disabilita la generazione di questa copertina.

**--no-svg-cover**

Non utilizzare SVG per la copertina del libro. Usa questa opzione se l'EPUB verrà usato su un dispositivo che non supporta SVG, come l'iPhone o il JetBook Lite. Senza questa opzione, questi dispositivi visualizzeranno come copertina una pagina bianca.

**--preserve-cover-aspect-ratio**

Quando viene usata una copertina SVG, questa opzione ridimensiona la copertina per coprire l'area dello schermo, ma preservando le proporzioni. Questo significa che potrebbero esserci dei bordi bianchi intorno alla copertina, ma questa non verrà distorta. Senza questa opzione l'immagine potrebbe essere sproporzionata anche se non avrà bordi bianchi.

**--pretty-print**

Se specificato, il plugin tenta di creare un output il più leggibile possibile. Potrebbe non avere effetto per alcuni plugin.

**--toc-title**

Titolo da dare a ciascun indice nel testo generato.

## **IMPRESSIONE VISIVA**

Opzioni per controllare l'aspetto dell'output

### **--asciimize**

Converti i caratteri Unicode in una rappresentazione ASCII. Usa con attenzione perché sostituirà i caratteri Unicode con caratteri ASCII. Per esempio sostituirà "Pelé" con "Pele". In più, nota che nei casi in cui ci sia più di una rappresentazione per un carattere (caratteri presenti sia in cinese che in giapponese per esempio) la rappresentazione basata sul linguaggio corrente dell'interfaccia di calibre sarà usata.

### **--base-font-size**

La dimensione base dei caratteri in pt. Tutte le dimensioni dei caratteri nel libro prodotto saranno scalate in base a questa dimensione. Scegliendo una dimensione maggiore si possono ottenere caratteri più grandi nell'output e viceversa. In modo predefinito, quando il valore è zero, la dimensione base dei caratteri è scelta in base al profilo di output scelto.

### **--change-justification**

Cambia allineamento del testo. Impostato a "sinistra" il testo della sorgente sarà convertito con un allineamento a sinistra. Impostato a "giustificato" il testo verrà distribuito per larghezza della pagina. Impostato a "originale" (predefinito) l'allineamento non verrà cambiato. Notare che solo alcuni formati di output supportano il testo giustificato.

### **--disable-font-rescaling**

Disabilita ogni ridimensionamento delle dimensioni dei caratteri.

### **--embed-all-fonts**

Incorpora qualsiasi carattere che sia referenziato ma non ancora incorporato nel documento di input. Verranno cercati i caratteri nel sistema e, se trovati, verranno incorporati. L'incorporamento funziona solo se il formato di destinazione, come EPUB, AZW3, DOCX o PDF, supporta l'incorporamento dei caratteri. Assicurati di avere una licenza valida per l'incorporamento dei caratteri usati nel documento.

### **--embed-font-family**

Incorpora la famiglia caratteri specificata nel libro. Permette di specificare il carattere di "base" utilizzato per il libro. Se il documento di input specifica i propri caratteri, potrebbero sovrascrivere il carattere di base. Nota che l'incorporamento dei caratteri funziona solo con alcuni formati di output, tra cui EPUB, AZW3 e DOCX.

### **--expand-css**

Per impostazione predefinita, calibre utilizza la forma abbreviata per varie proprietà CSS come margin, padding, border, ecc. Questa opzione farà usare invece la loro forma completa. Tieni presente che il CSS è sempre espanso quando si generano file EPUB con il profilo di output impostato su uno dei profili Nook, in quanto il Nook non può gestire un CSS abbreviato.

### **--extra-css**

Questo può essere il percorso di un foglio di stile CSS o semplice codice CSS. Il CSS verrà unito alle regole di stile del file sorgente e pertanto può essere usato per prevalere su di esse.

### **--filter-css**

Un elenco separato da virgole delle proprietà CSS che saranno rimosse da tutte le regole di stile CSS. Ciò è utile se la presenza di alcune informazioni di stile impedisce l'applicazione delle regole del dispositivo. Ad esempio: font-family,color,margin-left,margin-right

### **--font-size-mapping**

Correla le dimensioni relative dei caratteri CSS a valori di dimensione in pt. Un esempio di valori è 10,12,14,16,18,20,22,24. Questi sono i valori per le dimensioni che vanno da xx-small a xx-large, con l'ultima dimensione usata per caratteri enormi. L'algoritmo di ridimensionamento usa questi riferimenti per ridimensionare i caratteri. L'impostazione predefinita è l'utilizzo di valori basati sul profilo di output scelto.

**--insert-blank-line**

Inserisci una riga vuota tra i paragrafi. Non funzionerà se il file sorgente non usa i paragrafi (tag `<p>` o `<div>`).

**--insert-blank-line-size**

Imposta l'altezza delle righe vuote inserite (in em). L'altezza delle righe tra i paragrafi sarà doppia del valore impostato qui.

**--keep-ligatures**

Mantieni le legature presenti nel documento di ingresso. Una legatura è un carattere combinato dato dall'unione di una coppia di caratteri, come ff, fi, fl, eccetera. La maggior parte dei lettori non supporta le legature nei loro caratteri predefiniti, perciò probabilmente queste non verranno mostrate correttamente. Per impostazione predefinita calibre divide le legature nei due caratteri normali corrispondenti. Tieni presente che qui per legature si intendono solo le legature unicode, e non le legature create con CSS o stili di carattere. Questa opzione invece le manterrà.

**--line-height**

Altezza della riga, espressa in punti. Gestisce la spaziatura tra righe consecutive di testo. Si applica solo ad elementi che non definiscono la propria altezza di riga. Nella maggior parte dei casi, l'opzione che definisce l'altezza minima della riga è più utile. Per impostazione predefinita non viene applicata alcuna manipolazione di altezza di riga.

**--linearize-tables**

Alcuni documenti mal costruiti usano tabelle per controllare la struttura del testo nella pagina. Questi documenti, una volta convertiti, spesso presentano testi non allineati nella pagina ed altri difetti grafici. Questa opzione estrae il contenuto dalle tabelle e lo presenta in maniera lineare.

**--margin-bottom**

Imposta il margine inferiore in pt. Il valore predefinito è 5.0. L'impostazione a un valore minore di zero non produrrà alcuna variazione del margine (rimarrà impostato il valore originale). Nota: formati basati sulle pagine come PDF e DOCX hanno impostazioni interne sui margini, che prevalgono.

**--margin-left**

Imposta il margine sinistro in pt. Il valore predefinito è 5.0. L'impostazione a un valore minore di zero non produrrà alcuna variazione del margine (rimarrà impostato il valore originale). Nota: formati basati sulle pagine come PDF e DOCX hanno impostazioni interne sui margini, che prevalgono.

**--margin-right**

Imposta il margine destro in pt. Il valore predefinito è 5.0. L'impostazione a un valore minore di zero non produrrà alcuna variazione del margine (rimarrà impostato il valore originale). Nota: formati basati sulle pagine come PDF e DOCX hanno impostazioni interne sui margini, che prevalgono.

**--margin-top**

Imposta il margine superiore in pt. Il valore predefinito è 5.0. L'impostazione a un valore minore di zero non produrrà alcuna variazione del margine (rimarrà impostato il valore originale). Nota: formati basati sulle pagine come PDF e DOCX hanno impostazioni interne sui margini, che prevalgono.

**--minimum-line-height**

L'altezza minima della riga, come percentuale della dimensione carattere calcolata dell'elemento. calibre farà in modo che ogni elemento abbia un'altezza di riga di almeno questo valore, senza tenere conto di quanto specifica il documento sorgente. Per disabilitare, imposta il valore a zero. Il valore predefinito è 120%. Usa questa impostazione come prima scelta rispetto all'impostazione diretta dell'altezza della riga, a meno di non sapere esattamente cosa stai facendo. Ad esempio, puoi ottenere impostare una "spaziatura doppia" utilizzando come valore 240.

**--remove-paragraph-spacing**

Rimuovi gli spazi fra i paragrafi. Imposta anche un rientro dei paragrafi di 1.5em. La rimozione degli spazi non funzionerà se il documento sorgente non usa la notazione per i paragrafi del tipo `<p>` o `<div>`.

### --remove-paragraph-spacing-indent-size

Quando calibre rimuove le righe vuote tra paragrafi, imposta automaticamente un rientro di paragrafo, per assicurare che i paragrafi siano facilmente distinguibili. Questa opzione controlla l'ampiezza di questo rientro (in em). Se imposti un valore negativo, viene utilizzato il rientro specificato nel documento in ingresso, in altre parole, calibre non cambierà il rientro.

### --smart-en-punctuation

Converti gli apici semplici, i trattini e i puntini di sospensione nei loro equivalenti tipografici corretti. Per i dettagli, vedi <https://daringfireball.net/projects/smartypants>.

### --subset-embedded-fonts

Crea un sottoinsieme di tutti i caratteri integrati. Ogni carattere integrato è ridotto per contenere solo i glifi utilizzati in questo documento. Ciò riduce la dimensione dei file dei caratteri. Utile se stai incorporando un carattere particolarmente grande con molti glifi non utilizzati.

### --transform-css-rules

Percorso a un file che contiene regole per trasformare gli stili CSS di questo libro. Il modo più semplice per creare questo file è quello di usare la procedura guidata per la creazione di regole nell'interfaccia utente di calibre. Avvialo dalla sezione della finestra di conversione "Aspetto->Trasforma stili". Dopo aver creato queste regole, puoi usare il pulsante "Esporta" per salvarle in un file.

### --transform-html-rules

Percorso a un file che contiene regole per trasformare il codice HTML di questo libro. Il modo più semplice per creare questo file è quello di usare la procedura guidata per la creazione di regole nell'interfaccia utente di calibre. Avvialo dalla sezione della finestra di conversione "Aspetto->Trasforma HTML". Dopo aver creato queste regole, puoi usare il pulsante "Esporta" per salvarle in un file.

### --unsmart-en-punctuation

Converti virgolette eleganti, trattini e punti di sospensione nel loro equivalente semplice.

## ELABORAZIONE EURISTICA

Modifica il testo e la struttura del documento utilizzando schemi comuni. Disabilitata in modo predefinito. Usa --enable-heuristics per abilitarla. Azioni singole possono essere disabilitate con le opzioni --disable-\*.

### --disable-dehyphenate

Analizza nel documento le parole che contengono un trattino. Lo stesso documento è utilizzato come un dizionario per determinare quando i trattini devono essere rimossi o mantenuti.

### --disable-delete-blank-paragraphs

Rimuovi i paragrafi vuoti dal documento quando sono presenti tra gli altri paragrafi

### --disable-fix-indents

Cambia il rientro ottenuto con spazi multipli in un rientro CSS.

### --disable-format-scene-breaks

I marcatori di interruzione di scena allineati a sinistra sono centrati. Sostituisci le interruzioni di scena leggere, che usano più paragrafi vuoti, con un tratteggio orizzontale.

### --disable-italicize-common-cases

Cerca parole e segni che indicano l'uso del corsivo e rendili in corsivo.

### --disable-markup-chapter-headings

Rileva i titoli e i sottotitoli di paragrafo non formattati. Cambia i tag in h2 e h3. Questa impostazione non creerà un indice, ma può essere utilizzata con la funzione di rilevamento della struttura crearne uno.

**--disable-renumber-headings**

Cerca occorrenze di sequenze di tag <h1> o <h2>. I tag sono rinumerati per prevenire la divisione a metà del titolo di capitolo.

**--disable-unwrap-lines**

Unisci le righe utilizzando la punteggiatura o altri metodi di formattazione.

**--enable-heuristics**

Abilita l'elaborazione euristica. Questa opzione deve essere impostata per attivare l'elaborazione euristica.

**--html-unwrap-factor**

Scala usata per determinare la posizione alla quale una riga dovrebbe essere ricongiunta. I valori ammessi sono i decimali compresi tra 0 e 1. Il valore predefinito è 0.4, appena inferiore al valore mediano della lunghezza. Se solo alcune righe del documento richiedono il ricongiungimento questo valore dovrebbe essere ridotto.

**--replace-scene-breaks**

Sostituisci i marcatori di interruzione scena con un testo specifico. In modo predefinito, viene usato il testo del documento.

**CERCA E SOSTITUISCI**

Modifica il testo e la struttura del documento usando pattern definiti.

**--search-replace**

Percorso a un file che contiene espressioni regolari di ricerca e sostituzione. Il file deve contenere linee alternate di espressione regolare seguita da un modello di sostituzione (anche una riga vuota). L'espressione regolare deve seguire la sintassi regex di Python e il file deve utilizzare la codifica UTF-8.

**--sr1-replace**

Elemento sostitutivo del testo trovato con sr1-search.

**--sr1-search**

Pattern di ricerca (espressione regolare) da sostituire con sr1-replace.

**--sr2-replace**

Elemento sostitutivo del testo trovato con sr2-search.

**--sr2-search**

Pattern di ricerca (espressione regolare) da sostituire con sr2-replace.

**--sr3-replace**

Elemento sostitutivo del testo trovato con sr3-search.

**--sr3-search**

Pattern di ricerca (espressione regolare) da sostituire con sr3-replace.

**RILEVAZIONE STRUTTURA**

Controlla il rilevamento automatico della struttura del documento.

**--add-alt-text-to-img**

When an <img> tag has no alt attribute, check the associated image file for metadata that specifies alternate text, and use it to fill in the alt attribute. The alt attribute improves accessibility by providing text descriptions for users who cannot see or fully interpret visual content.

### --chapter

Un'espressione XPath per rilevare i titoli dei capitoli. Per impostazione predefinita si considerano come titoli di capitolo i tag `<h1>` o `<h2>` che contengono le parole "chapter", "book", "section", "prologue", "epilogue" o "part", così come ogni tag che contenga `class="chapter"`. L'espressione usata deve restituire un elenco di elementi. Per disabilitare la rilevazione dei capitoli, usa l'espressione `/`. Vedi la Guida XPath nel manuale utente di calibre per ulteriore aiuto nell'usare questa funzione.

### --chapter-mark

Specificare come marcare i capitoli rilevati. Il valore "pagebreak" inserirà un'interruzione di pagina prima del capitolo. Il valore "rule" inserirà una linea prima del capitolo. Il valore "none" disabiliterà la marcatura dei capitoli e il valore "both" userà sia l'interruzione di pagina che la linea per marcare i capitoli.

### --disable-remove-fake-margins

Alcuni documenti specificano i margini destro e sinistro per ogni singolo paragrafo. calibre cercherà di trovare ed eliminare questi margini. Qualche volta questo meccanismo elimina però dei margini che non dovrebbero essere rimossi. In questo caso disabilita la funzione.

### --insert-metadata

Inserisci i metadati del libro all'inizio. Utile se il dispositivo non supporta la visualizzazione/ricerca di metadati direttamente.

### --page-breaks-before

Un'espressione XPath. Le interruzioni di pagina sono inserite prima degli elementi specificati. Per disabilitarla, usa l'espressione: /

### --prefer-metadata-cover

Usa la copertina rilevata dal file di origine al posto di quella specificata.

### --remove-first-image

Rimuovi la prima immagine dall'e-book in ingresso. Utile se il documento in ingresso ha un'immagine di copertina che non è identificata come tale. In questo caso, se imposta una copertina tramite calibre, il documento si troverà con due immagini di copertina se non specifichi questa opzione.

### --start-reading-at

Un'espressione XPath per rilevare la posizione nel documento da cui cominciare la lettura. Alcuni programmi di lettura e-book (in particolare Kindle) usano questa posizione come quella in cui il libro viene aperto. Vedi la guida XPath nel manuale utente di calibre per maggiori informazioni sull'utilizzo di questa funzione.

## INDICE

Gestisce la generazione automatica dell'indice. In modo predefinito, se il file sorgente ha un indice, questo sarà preferito a quello generato automaticamente.

### --duplicate-links-in-toc

Quando crei un indice dai collegamenti nel documento in ingresso, consenti la duplicazione delle voci, ovvero permetti più di una voce con lo stesso testo, a condizione che si riferiscano a una posizione diversa.

### --level1-toc

L'espressione XPath che specifica tutti i tag che devono essere aggiunti al primo livello dell'indice. Se è specificato, ha la precedenza su altre forme di rilevamento automatico. Vedi la guida a XPath del manuale utente di calibre per gli esempi.

### --level2-toc

L'espressione XPath che specifica tutti i tag che devono essere aggiunti al secondo livello dell'indice. Ogni voce è aggiunta sotto la precedente voce di primo livello. Vedi la guida a XPath del manuale utente di calibre per gli esempi.

**--level3-toc**

L'espressione XPath che specifica tutti i tag che devono essere aggiunti al terzo livello dell'indice. Ogni voce è aggiunta sotto la precedente voce di secondo livello. Vedi la guida a XPath del manuale utente di calibre per gli esempi.

**--max-toc-links**

Massimo numero di collegamenti da inserire nell'indice. Inserisci 0 per disabilitare. Il valore predefinito è 50. I collegamenti sono aggiunti all'indice soltanto se non viene raggiunto il valore soglia dei capitoli.

**--no-chapters-in-toc**

Non aggiungere i capitoli rilevati automaticamente all'indice.

**--toc-filter**

Rimuovi dall'indice le voci il cui titolo corrisponde alla espressione specificata. Le voci che corrispondono saranno rimosse insieme alle voci "figlie".

**--toc-threshold**

Se viene rilevato un numero di capitoli inferiore a questo numero, i collegamenti interni al libro saranno aggiunti all'indice. Predefinito: 6

**--use-auto-toc**

Normalmente, se il file sorgente possiede già un indice, esso è usato di preferenza rispetto a quello auto-generato. Con questa opzione, verrà sempre usato l'indice auto-generato.

## METADATI

Opzioni per impostare i metadati in output

**--author-sort**

Stringa da utilizzare quando si ordina per autore.

**--authors**

Imposta gli autori. Autori multipli devono essere separati dal carattere &.

**--book-producer**

Imposta il produttore del libro.

**--comments**

Imposta la descrizione dell'e-book.

**--cover**

Seleziona la copertina da un file o da un URL

**--isbn**

Imposta il codice ISBN del libro.

**--language**

Imposta la lingua.

**--pubdate**

Imposta la data di pubblicazione (viene usata l'ora locale, a meno che il fuso orario non sia specificato esplicitamente)

**--publisher**

Imposta l'editore dell'e-book.

**--rating**

Imposta la valutazione. Deve essere un numero compreso tra 1 e 5.

**--read-metadata-from-opf, --from-opf, -m**

Leggi i metadati dal file OPF specificato. I metadati letti da questo file sovrascrivono qualunque altro metadato presente nel file sorgente.

**--series**

Imposta la serie alla quale questo e-book appartiene.

**--series-index**

Imposta la numerazione del libro in questa serie.

**--tags**

Imposta i tag per il libro. Deve essere un elenco separato da virgole.

**--timestamp**

Imposta la marca temporale del libro (non più utilizzata ovunque)

**--title**

Imposta il titolo.

**--title-sort**

La versione del titolo da usare per l'ordinamento.

## DEBUG

Opzioni per aiutare a individuare problemi con la conversione

**--debug-pipeline, -d**

Salva l'output dei differenti stadi di conversione raggiunti nella cartella specificata. Utile se non si conosce in quale stadio del processo di conversione si verifica l'errore.

**--verbose, -v**

Livello di verbosità. Specificare più volte per maggiore verbosità. Due volte verbosità massima, una volta per verbosità media e zero per quella più bassa.

### 13.1.8 ebook-edit

```
%p [opts] [percorso_dell_ebook] [nome_del_file_nel_libro ...]
```

Lancia lo strumento di calibre Modifica libro. Volendo puoi anche specificare i nomi dei file dentro il libro che saranno aperti automaticamente per la modifica.

Ogni qualvolta vengono passati argomenti con degli spazi a **ebook-edit**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

## [opzioni]

**--detach**

Scollega dal terminale di controllo, se presente (solo su Linux)

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--select-text**

Il testo da selezionare nel libro quando viene aperto per la modifica

**--version**

mostra la versione del programma ed esci

### 13.1.9 ebook-meta

```
ebook-meta ebook_file [opzioni]
```

Leggi/Scrivi metadati da/su file e-book.

Formati supportati per la lettura dei metadati: azw, azw1, azw3, azw4, cb7, cbc, cbr, cbz, chm, docx, epub, fb2, fbz, html, htmlz, imp, kepub, lit, lrf, lrz, mobi, odt, oebzip, opf, pdb, pdf, pml, pmlz, pobi, prc, rar, rb, rtf, snb, tpz, txt, txtz, updb, zip

Formati supportati per la scrittura dei metadati: azw, azw1, azw3, azw4, docx, epub, fb2, fbz, htmlz, kepub, lrf, mobi, odt, pdb, pdf, prc, rtf, tpz, txtz

Tipi di file differenti supportano differenti tipi di metadati. Se imposti alcuni metadati in un tipo di file che non li supporta, i metadati saranno ignorati silenziosamente.

Ogni qualvolta vengono passati argomenti con degli spazi a **ebook-meta**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

#### [opzioni]

##### --author-sort

La stringa che verrà usata nell'ordinamento per autore. Se non specificata, essa verrà generata automaticamente dal nome dell'autore.

##### --authors, -a

Imposta gli autori. Multipli autori devono essere divisi dal carattere &. I nomi degli autori devono essere nell'ordine Nome Cognome.

##### --book-producer, -k

Imposta il produttore del libro.

##### --category

Imposta la categoria del libro.

##### --comments, -c

Imposta la descrizione dell'e-book.

##### --cover

Imposta la copertina per il file specificato.

##### --date, -d

Imposta la data di pubblicazione.

##### --disallow-rendered-cover

Per formati come l'EPUB, che usano come "copertina predefinita" la prima pagina caricata, non permettere questo tipo di copertina

##### --from-opf

Leggi i metadati dal file OPF specificato e usalo per impostare i metadati nell'ebook. I metadati specificati da linea di comando sovrascriveranno quelli letti dal file OPF

##### --get-cover

Estrai la copertina dall'e-book e salvala in un file specificato.

##### --help, -h

mostra questo messaggio di aiuto ed esci

### --identifier

Imposta gli identificatori del libro, possono essere specificati più volte. Per esempio: `--identifier` (pagina 333) `uri:https://acme.com --identifier` (pagina 333) `isbn:12345` Per rimuovere un identificatore non specificare alcun valore `--identifier` (pagina 333) `isbn:` Nota che per i file EPUB, un identificatore impostato come identificatore del pacchetto non può essere rimosso.

### --index, -i

Imposta la numerazione del libro in questa serie.

### --isbn

Imposta il codice ISBN del libro.

### --language, -l

Imposta la lingua.

### --lrf-bookid

Imposta il BookID nei file LRF

### --publisher, -p

Imposta l'editore dell'e-book.

### --rating, -r

Imposta la valutazione. Deve essere un numero compreso tra 1 e 5.

### --series, -s

Imposta la serie alla quale questo e-book appartiene.

### --tags

Imposta i tag per il libro. Deve essere un elenco separato da virgolette.

### --title, -t

Imposta il titolo.

### --title-sort

La versione del titolo da usare per l'ordinamento. Se non specificata, la versione verrà generata automaticamente dal titolo.

### --to-opf

Specifica il nome di un file OPF. I metadati saranno scritti in questo file.

### --version

mostra la versione del programma ed esci

## 13.1.10 ebook-polish

```
ebook-polish [opzioni] file_di_input [file_di_output]
```

La rifinitura dei libri è ciò che ti serve per raggiungere il non plus ultra negli e-book che con cura hai costruito.

La rifinitura prova a minimizzare i cambiamenti al codice interno del tuo e-book. Diversamente dalla conversione, non appiattisce il CSS, rinomina file, cambia la dimensione dei caratteri, modifica i margini, ecc. Ogni azione effettua solo i minimi cambiamenti necessari ad ottenere l'effetto desiderato.

Dovresti usare questo strumento come ultimo passo nel processo di creazione del tuo e-book.

Nota che la rifinitura funziona solo sui file nei formati AZW3 oppure EPUB oppure KEPUB.

Ogni qualvolta vengono passati argomenti con degli spazi a `ebook-polish`, è necessario mettere l'argomento fra virgolette. Ad esempio: `"/some path/with spaces"`

**[opzioni]****--add-soft-hyphens, -H**

Aggiungi trattini morbidi a tutte le parole nel libro. Questo permette al libro di essere impaginato meglio quando il testo è giustificato, nei lettori che non supportano la divisione in sillabe.

**--compress-images, -i**

Comprimi le immagini nel libro per ridurre le dimensioni del file senza alcuna perdita di qualità.

**--cover, -c**

Percorso di un'immagine di copertina. Cambia la copertina specificata nell'e-book. Se nessuna copertina è presente, o se la copertina non è identificata correttamente, viene inserita una nuova copertina.

**--download-external-resources, -d**

Scarica le risorse esterne come immagini, fogli di stile, ecc. che puntano a URL invece che a file nel libro. Tutte queste risorse verranno scaricate e aggiunte al libro, così che esso non faccia più riferimento ad alcuna risorsa esterna.

**--embed-fonts, -e**

Incorpora tutti i caratteri che sono referenziati nel documento ma non ancora incorporati. Verranno cercati i caratteri nel computer e, se trovati, verranno incorporati nel documento. Assicurati di avere una licenza valida per l'incorporamento dei caratteri usati nel documento.

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--jacket, -j**

Inserisci una pagina di "sovracopertina" all'inizio del libro che contiene tutti i metadati del libro come titolo, tag, autori, serie, commenti, ecc. Ogni sovracopertina precedente sarà rimpiazzata.

**--opf, -o**

Percorso a un file OPF. I metadati nel libro sono aggiornati dal file OPF.

**--remove-jacket**

Rimuovi una sovracopertina inserita precedentemente.

**--remove-soft-hyphens**

Rimuovi i trattini morbidi da tutto il testo del libro.

**--remove-unused-css, -u**

Rimuovi tutte le regole CSS non utilizzate dai fogli di stile e i tag <style>. Alcuni libri creati da modelli professionali possono avere un gran numero di regole CSS che non corrispondono ad alcun contenuto effettivo. Le regole aggiuntive tendono a diminuire le prestazioni dei dispositivi di lettura.

**--smarten-punctuation, -p**

Converti trattini, parentesi, apici, apostrofi, ecc. nelle loro rispettive forme tipografiche corrette. L'algoritmo potrebbe generare a volte risultati indesiderati, specialmente quando si presentano apici singoli all'inizio di contrazioni.

**--subset-fonts, -f**

Creare un sottoinsieme dei caratteri significa fare in modo che un carattere integrato contenga solo i simboli utilizzati da quel carattere nel libro. Ciò riduce di molto la dimensione dei file dei caratteri (è comune dimezzarne la dimensione). Ad esempio, se il libro usa un carattere specifico per i titoli, la riduzione farà sì che quel carattere contenga solo i simboli presenti attualmente nei titoli del libro. Oppure se il libro contiene la versione in corsivo e in grassetto di un carattere, ma il testo in grassetto o in corsivo è relativamente raro, oppure completamente assente, allora i caratteri in corsivo e grassetto possono essere ridotti a solamente alcuni simboli, oppure completamente eliminati. L'unico svantaggio del ridurre i caratteri è che, se in seguito vuoi aggiungere altro testo al tuo libro, per il testo aggiunto potrebbero non essere sufficienti i caratteri integrati

### --upgrade-book, -U

Aggiorna la struttura interna del libro, se possibile. Per esempio, aggiorna libri in formato EPUB 2 a EPUB3.

### --verbose

Genera un risultato più prolisso, utile per debug.

### --version

mostra la versione del programma ed esci

## 13.1.11 ebook-viewer

```
ebook-viewer [opzioni] file
```

Vedi un e-book.

Ogni qualvolta vengono passati argomenti con degli spazi a **ebook-viewer**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### [opzioni]

#### --continue

Proseguì la lettura dell'ultimo libro aperto

#### --detach

Scollega dal terminale di controllo, se presente (solo su Linux)

#### --force-reload

Ricarica forzatamente tutti i libri aperti

#### --full-screen, --fullscreen, -f

Se selezionato, la finestra del lettore e-book proverà ad aprirsi a schermo intero all'avvio.

#### --help, -h

mostra questo messaggio di aiuto ed esci

#### --new-instance

Apri una nuova finestra del lettore anche quando è attiva l'opzione di usare una singola finestra lettore

#### --open-at

La posizione alla quale aprire il libro specificato. La posizione è una collocazione o posizione a cui puoi recarti usando l'azione Vai a->Collocazione nei controlli del lettore. In alternativa puoi usare lo schema toc:qualcosa e il libro si aprirà alla collocazione della prima voce dell'indice che contenga la stringa "qualcosa". Lo schema toc-href:qualcosa cercherà nello href (la destinazione interna del collegamento) degli elementi dell'indice. La corrispondenza è di tipo esatto. Per cercare una sottostringa, usa lo schema toc-href-contains:qualcosa. Lo schema ref:qualcosa userà i riferimenti della Modalità Riferimento. Lo schema search:qualcosa cercherà "qualcosa" dopo aver aperto il libro. Lo schema regex:qualcosa cercherà con l'espressione regolare "qualcosa" dopo aver aperto il libro.

#### --raise-window

Se selezionato, la finestra del lettore e-book proverà a portarsi in primo piano all'avvio.

#### --version

mostra la versione del programma ed esci

### 13.1.12 fetch-ebook-metadata

```
fetch-ebook-metadata [options]
```

Recupera i metadati del libro dalle fonti online. È necessario specificare almeno uno tra titolo, autori o ISBN.

Ogni qualvolta vengono passati argomenti con degli spazi a **fetch-ebook-metadata**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

#### [opzioni]

**--allowed-plugin, -p**

Specifica il nome di un plugin di download dei metadati da usare. Per impostazione predefinita, tutti i plugin dei metadati verranno utilizzati. Può essere specificato più volte per più plugin. Tutti i nomi dei plugin: Google, Google Images, Amazon.com, Edelweiss, Open Library, Big Book Search

**--authors, -a**

Autore/i del libro

**--cover, -c**

Specifica un nome file. La copertina, se disponibile, sarà salvata all'interno di esso. Senza quest'opzione, non sarà scaricata nessuna copertina.

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--identifier, -I**

Identifieri come ASIN/Id Goodreads ecc. Può essere specificato più volte per più identifieri. Per esempio: **--identifier** (pagina 337) asin:B0082BAJA0

**--isbn, -i**

ISBN del libro

**--opf, -o**

Restituisce i metadati in formato OPF invece di testo leggibile.

**--timeout, -d**

Tempo massimo in secondi. Predefinito è 30

**--title, -t**

Titolo del libro

**--verbose, -v**

Stampa il log sulla console (stderr)

**--version**

mostra la versione del programma ed esci

### 13.1.13 lrf2lrs

```
lrf2lrs libro.lrf
```

Converti un file LRF in un file LRS (XML codificato UTF-8)

Ogni qualvolta vengono passati argomenti con degli spazi a **lrf2lrs**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### [opzioni]

**--dont-output-resources**

Non salvare le immagini incorporate e i caratteri sul disco

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--output, -o**

Restituisce un file LRS

**--verbose**

Aumenta la verbosità

**--version**

mostra la versione del programma ed esci

### 13.1.14 lrfviewer

```
lrfviewer [opzioni] libro.lrf
```

Leggi l'e-book LRF libro.lrf

Ogni qualvolta vengono passati argomenti con degli spazi a **lrfviewer**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

### [opzioni]

**--disable-hyphenation**

Disabilita Sillabazione. Dovrebbe velocizzare il rendering in maniera significativa.

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--profile**

Profilo il renderer LRF

**--verbose**

Stampa altre informazioni sul processo di resa

**--version**

mostra la versione del programma ed esci

**--visual-debug**

Attiva un aiuto visuale per il debug del motore di rendering

**--white-background**

Per impostazione predefinita, lo sfondo è bianco sporco in quanto meno stancante per gli occhi. Utilizzare questa opzione per rendere lo sfondo bianco assoluto.

### 13.1.15 lrs2lrf

```
lrs2lrf [opzioni] file.lrs
```

Compila un file LRS dentro un file LRF

Ogni qualvolta vengono passati argomenti con degli spazi a **lrs2lrf**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»

**[opzioni]****--help, -h**

mostra questo messaggio di aiuto ed esci

**--lrs**

Converti LRS in LRS, utile per il debug

**--output, -o**

Percorso del file in uscita

**--verbose**

Elaborazione dettagliata

**--version**

mostra la versione del programma ed esci

**13.1.16 web2disk**

web2disk URL

Dove URL è per esempio <https://google.it>Ogni qualvolta vengono passati argomenti con degli spazi a **web2disk**, è necessario mettere l'argomento fra virgolette. Ad esempio: «/some path/with spaces»**[opzioni]****--base-dir, -d**

Cartella base in cui l'URL è salvato. Il valore predefinito è: .

**--delay**

Intervallo minimo in secondi tra due scaricamenti consecutivi. Predefinito: 0 s

**--dont-download-styleheets**

Non scaricare i fogli di stile CSS

**--encoding**

La codifica caratteri del sito web che si sta cercando di scaricare. L'impostazione predefinita è quella di provare e indovinare la codifica.

**--filter-regexp**

Tutti i link che corrispondono a questa espressione regolare saranno ignorati. Questa opzione può essere usata più di una volta, nel qual caso fintantoché almeno un link corrisponde a una delle regex, sarà ignorato. Per impostazione predefinita, nessun link è ignorato. Se entrambe le regex filter e match sono specificate, la regex filter viene applicata per prima.

**--help, -h**

mostra questo messaggio di aiuto ed esci

**--match-regexp**

Saranno seguiti solamente i collegamenti che corrispondono a questa espressione regolare. Questa opzione può essere specificata più volte, in questo modo se un collegamento corrisponde a una delle espressioni regolari sarà seguito. Per impostazione predefinita i collegamenti non vengono seguiti

**--max-files, -n**

Il numero massimo di file da scaricare. Questo si applica solo ai file con tag <a href>. Il valore predefinito è 9223372036854775807

**--max-recursions, -r**

Numero massimo di livelli ricorsivi, cioè profondità dei link da seguire. Predefinito: 1

**--timeout, -t**

Timeout in secondi da aspettare per una risposta dal server. Predefinito: 10.0 s

**--verbose**

Mostra un output dettagliato. Utile per il debug

**--version**

mostra la versione del programma ed esci

## 13.2 Comandi non documentati

- ebook-device
- markdown-calibre

Puoi vedere le istruzioni per i comandi non documentati eseguendoli nel terminale senza argomenti.

# CAPITOLO 14

## Creazione di un ambiente di sviluppo di calibre

calibre is completely open source, licensed under the [GNU GPL v3<sup>115</sup>](#). This means that you are free to download and modify the program to your heart's content. In this section, you will learn how to get a calibre development environment set up on the operating system of your choice. calibre is written primarily in [Python<sup>116</sup>](#) with some C/C++ code for speed and system interfacing. Note that calibre requires at least Python 3.8.

### Contenuti

- [\*Filosofia di progettazione\* \(pagina 342\)](#)
  - [\*Vista codice\* \(pagina 342\)](#)
- [\*Ottenere il codice\* \(pagina 343\)](#)
  - [\*Inviare le proprie modifiche affinché siano incluse\* \(pagina 343\)](#)
- [\*Ambiente di sviluppo Windows\* \(pagina 344\)](#)
- [\*Ambiente di sviluppo macOS\* \(pagina 345\)](#)
- [\*Ambiente di sviluppo Linux\* \(pagina 346\)](#)
- [\*Convivenza tra due installazioni di calibre, «normale» e «di sviluppo», sullo stesso computer\* \(pagina 346\)](#)
- [\*Consigli per il debug\* \(pagina 347\)](#)
  - [\*Using print statements\* \(pagina 347\)](#)
  - [\*Using an interactive Python interpreter\* \(pagina 347\)](#)
  - [\*Using the Python debugger as a remote debugger\* \(pagina 347\)](#)
  - [\*Using the debugger in your favorite Python IDE\* \(pagina 348\)](#)
  - [\*Executing arbitrary scripts in the calibre Python environment\* \(pagina 348\)](#)

<sup>115</sup> <https://www.gnu.org/licenses/gpl.html>

<sup>116</sup> <https://www.python.org>

- *Usare calibre nei tuoi progetti* (pagina 348)
  - *Binary install of calibre* (pagina 349)
  - *Installazione da sorgenti su Linux* (pagina 349)
- *Documentazione delle API di varie componenti di calibre* (pagina 349)

## 14.1 Filosofia di progettazione

calibre has its roots in the Unix world, which means that its design is highly modular. The modules interact with each other via well defined interfaces. This makes adding new features and fixing bugs in calibre very easy, resulting in a frenetic pace of development. Because of its roots, calibre has a comprehensive command line interface for all its functions, documented in generated/en/cli-index.

The modular design of calibre is expressed via Plugins. There is a *tutorial* (pagina 253) on writing calibre plugins. For example, adding support for a new device to calibre typically involves writing less than a 100 lines of code in the form of a device driver plugin. You can browse the [built-in drivers](#)<sup>117</sup>. Similarly, adding support for new conversion formats involves writing input/output format plugins. Another example of the modular design is the *recipe system* (pagina 33) for fetching news. For more examples of plugins designed to add features to calibre, see the [Index of plugins](#)<sup>118</sup>.

### 14.1.1 Vista codice

All the calibre Python code is in the `calibre` package. This package contains the following main sub-packages

- devices - All the device drivers. Just look through some of the built-in drivers to get an idea for how they work.
  - For details, see: `devices.interface` which defines the interface supported by device drivers and `devices.usbms` which defines a generic driver that connects to a USBMS device. All USBMS based drivers in calibre inherit from it.
- e-books - All the e-book conversion/metadata code. A good starting point is `calibre.ebooks.conversion.cli` which is the module powering the `ebook-convert` command. The conversion process is controlled via `conversion.plumber`. The format independent code is all in `ebooks.oeb` and the format dependent code is in `ebooks.format_name`.
  - Metadata reading, writing, and downloading is all in `ebooks.metadata`
  - Conversion happens in a pipeline, for the structure of the pipeline, see *Introduzione* (pagina 63). The pipeline consists of an input plugin, various transforms and an output plugin. The code that constructs and drives the pipeline is in `plumber.py`. The pipeline works on a representation of an e-book that is like an unzipped epub, with manifest, spine, toc, guide, html content, etc. The class that manages this representation is OEBBook in `ebooks.oeb.base`. The various transformations that are applied to the book during conversions live in `oeb/transforms/*.py`. And the input and output plugins live in `conversion/plugins/*.py`.
  - E-book editing happens using a different container object. It is documented in *Documentazione API per gli strumenti di modifica di un ebook* (pagina 359).
- db - The database back-end. See *Documentazione API per l'interfaccia del database* (pagina 349) for the interface to the calibre library.
- Content server: `srv` is the calibre Content server.
- gui2 - The Graphical User Interface. GUI initialization happens in `gui2.main` and `gui2.ui`. The e-book-viewer is in `gui2.viewer`. The e-book editor is in `gui2.tweak_book`.

<sup>117</sup> <https://github.com/kovidgoyal/calibre/tree/master/src/calibre/devices>

<sup>118</sup> <https://www.mobileread.com/forums/showthread.php?p=1362767#post1362767>

If you want to locate the entry points for all the various calibre executables, look at the `entry_points` structure in `linux.py`<sup>119</sup>.

If you need help understanding the code, post in the [development forum](#)<sup>120</sup> and you will most likely get help from one of calibre's many developers.

## 14.2 Ottenerne il codice

You can get the calibre source code in two ways, using a version control system or directly downloading a [tarball](#)<sup>121</sup>.

calibre uses [Git](#)<sup>122</sup>, a distributed version control system. Git is available on all the platforms calibre supports. After installing Git, you can get the calibre source code with the command:

```
git clone https://github.com/kovidgoyal/calibre.git
```

On Windows you will need the complete path name, that will be something like `C:\Program Files\Git\git.exe`. calibre is a very large project with a very long source control history, so the above can take a while (10 mins to an hour depending on your internet speed).

If you want to get the code faster, the source code for the latest release is always available as an [archive](#)<sup>123</sup>.

To update a branch to the latest code, use the command:

```
git pull --no-edit
```

You can also browse the code at [GitHub](#)<sup>124</sup>.

### 14.2.1 Inviare le proprie modifiche affinché siano incluse

If you only plan to make a few small changes, you can make your changes and create a «merge directive» which you can then attach to a ticket in the calibre bug tracker<sup>125</sup>. To do this, make your changes, then run:

```
git commit -am "Comment describing your changes"
git format-patch origin/master --stdout > my-changes
```

This will create a `my-changes` file in the current folder, simply attach that to a ticket on the calibre [bug tracker](#)<sup>126</sup>. Note that this will include *all* the commits you have made. If you only want to send some commits, you have to change `origin/master` above. To send only the last commit, use:

```
git format-patch HEAD~1 --stdout > my-changes
```

To send the last *n* commits, replace *1* with *n*, for example, for the last 3 commits:

```
git format-patch HEAD~3 --stdout > my-changes
```

Be careful to not include merges when using `HEAD~n`.

<sup>119</sup> <https://github.com/kovidgoyal/calibre/blob/master/src/calibre/linux.py>

<sup>120</sup> <https://www.mobileread.com/forums/forumdisplay.php?f=240>

<sup>121</sup> <https://calibre-ebook.com/dist/src>

<sup>122</sup> <https://www.git-scm.com/>

<sup>123</sup> <https://calibre-ebook.com/dist/src>

<sup>124</sup> <https://github.com/kovidgoyal/calibre>

<sup>125</sup> <https://bugs.launchpad.net/calibre>

<sup>126</sup> <https://bugs.launchpad.net/calibre>

If you plan to do a lot of development on calibre, then the best method is to create a GitHub<sup>127</sup> account. Below is a basic guide to setting up your own fork of calibre in a way that will allow you to submit pull requests for inclusion into the main calibre repository:

- Setup git on your machine as described in this article: [Setup Git](#)<sup>128</sup>
- Setup ssh keys for authentication to GitHub, as described here: [Generating SSH keys](#)<sup>129</sup>
- Go to <https://github.com/kovidgoyal/calibre> and click the *Fork* button.
- In un terminale, eseguire:

```
git clone git@github.com:<username>/calibre.git  
git remote add upstream https://github.com/kovidgoyal/calibre.git
```

Replace <username> above with your GitHub username. That will get your fork checked out locally.

- You can make changes and commit them whenever you like. When you are ready to have your work merged, do a:

```
git push
```

and go to <https://github.com/<username>/calibre> and click the *Pull Request* button to generate a pull request that can be merged.

- You can update your local copy with code from the main repo at any time by doing:

```
git pull upstream
```

You should also keep an eye on the calibre [development forum](#)<sup>130</sup>. Before making major changes, you should discuss them in the forum or contact Kovid directly (his email address is all over the source code).

### 14.3 Ambiente di sviluppo Windows

#### Nota

You must also get the calibre source code separately as described above.

Install calibre normally, using the [Windows installer](#)<sup>131</sup>. Then open a Command Prompt and change to the previously checked out calibre code folder. For example:

```
cd C:\Users\kovid\work\calibre
```

calibre is the folder that contains the src and resources sub-folders.

The next step is to set the environment variable `CALIBRE_DEVELOP_FROM` to the absolute path of the src folder. So, following the example above, it would be `C:\Users\kovid\work\calibre\src`. [Here is a short guide](#)<sup>132</sup> to setting environment variables on Windows.

Once you have set the environment variable, open a new command prompt and check that it was correctly set by using the command:

<sup>127</sup> <https://github.com>

<sup>128</sup> <https://help.github.com/articles/set-up-git>

<sup>129</sup> <https://help.github.com/articles/generating-ssh-keys>

<sup>130</sup> <https://www.moblivread.com/forums/forumdisplay.php?f=240>

<sup>131</sup> [https://calibre-ebook.com/download\\_windows](https://calibre-ebook.com/download_windows)

<sup>132</sup> <https://docs.python.org/using/windows.html#excursus-setting-environment-variables>

```
echo %CALIBRE DEVELOP_FROM%
```

Setting this environment variable means that calibre will now load all its Python code from the specified location.

That's it! You are now ready to start hacking on the calibre code. For example, open the file `src\calibre\__init__.py` in your favorite editor and add the line:

```
print("Hello, world!")
```

near the top of the file. Now run the command `calibredb`. The very first line of output should be `Hello, world!`.

You can also setup a calibre development environment inside the free Microsoft Visual Studio, if you like, following the instructions [here](#)<sup>133</sup>.

## 14.4 Ambiente di sviluppo macOS

### Nota

You must also get the calibre source code separately as described above.

Install calibre normally using the [provided .dmg](#)<sup>134</sup>. Then open a Terminal and change to the previously checked out calibre code folder, for example:

```
cd /Users/kovid/work/calibre
```

calibre is the folder that contains the `src` and `resources` sub-folders. The calibre command line tools are found inside the calibre app bundle, in `/Applications/calibre.app/Contents/MacOS` you should add this folder to your PATH environment variable, if you want to run the command line tools easily.

The next step is to create a bash script that will set the environment variable `CALIBRE DEVELOP_FROM` to the absolute path of the `src` folder when running calibre in debug mode.

Crea un file di testo semplice:

```
#!/bin/sh
export CALIBRE DEVELOP_FROM="/Users/kovid/work/calibre/src"
calibre-debug -g
```

Salva questo file come `/usr/local/bin/calibre-develop`, quindi imposta i suoi permessi in modo da renderlo eseguibile:

```
chmod +x /usr/local/bin/calibre-develop
```

Once you have done this, run:

```
calibre-develop
```

You should see some diagnostic information in the Terminal window as calibre starts up, and you should see an asterisk after the version number in the GUI window, indicating that you are running from source.

<sup>133</sup> <https://www.mobileread.com/forums/showthread.php?t=251201>

<sup>134</sup> [https://calibre-ebook.com/download\\_osx](https://calibre-ebook.com/download_osx)

## 14.5 Ambiente di sviluppo Linux

### Nota

You must also get the calibre source code separately as described above.

calibre is primarily developed on Linux. You have two choices in setting up the development environment. You can install the calibre binary as normal and use that as a runtime environment to do your development. This approach is similar to that used in Windows and macOS. Alternatively, you can install calibre from source. Instructions for setting up a development environment from source are in the INSTALL file in the source tree. Here we will address using the binary as a runtime, which is the recommended method.

Install calibre using the [binary installer](#)<sup>135</sup>. Then open a terminal and change to the previously checked out calibre code folder, for example:

```
cd /home/kovid/work/calibre
```

calibre is the folder that contains the src and resources sub-folders.

The next step is to set the environment variable CALIBRE\_DEVELOP\_FROM to the absolute path of the src folder. So, following the example above, it would be /home/kovid/work/calibre/src. How to set environment variables depends on your Linux distribution and what shell you are using.

### Nota

It is recommended to use the binary installer provided from upstream. Should you insist on using a package provided by your distribution, use the CALIBRE\_PYTHON\_PATH and CALIBRE\_RESOURCES\_PATH variables instead. You can get these by running `calibre-debug --paths`. But note that distribution calibre packages are often terminally broken and are completely unsupported.

Once you have set the environment variable, open a new terminal and check that it was correctly set by using the command:

```
echo $CALIBRE_DEVELOP_FROM
```

Setting this environment variable means that calibre will now load all its Python code from the specified location.

That's it! You are now ready to start hacking on the calibre code. For example, open the file `src/calibre/__init__.py` in your favorite editor and add the line:

```
print("Hello, world!")
```

near the top of the file. Now run the command `calibredb`. The very first line of output should be `Hello, world!`.

## 14.6 Convivenza tra due installazioni di calibre, «normale» e «di sviluppo», sullo stesso computer

The calibre source tree is very stable and rarely breaks, but if you feel the need to run from source on a separate test library and run the released calibre version with your everyday library, you can achieve this easily using .bat files or shell scripts to launch calibre. The example below shows how to do this on Windows using .bat files (the instructions for other platforms are the same, just use a shell script instead of a .bat file)

<sup>135</sup> [https://calibre-ebook.com/download\\_linux](https://calibre-ebook.com/download_linux)

To launch the release version of calibre with your everyday library:

calibre-normal.bat:

```
calibre.exe "--with-library=C:\path\to\everyday\library folder"
```

calibre-dev.bat:

```
set CALIBRE DEVELOP_FROM=C:\path\to\calibre\checkout\src
calibre.exe "--with-library=C:\path\to\test\library folder"
```

## 14.7 Consigli per il debug

Python is a dynamically typed language with excellent facilities for introspection. Kovid wrote the core calibre code without once using a debugger. There are many strategies to debug calibre code:

### 14.7.1 Using print statements

This is Kovid's favorite way to debug. Simply insert print statements at points of interest and run your program in the terminal. For example, you can start the GUI from the terminal as:

```
calibre-debug -g
```

Similarly, you can start the E-book viewer as:

```
calibre-debug -w /path/to/file/to/be/viewed
```

The e-book editor can be started as:

```
calibre-debug --edit-book /path/to/be/edited
```

### 14.7.2 Using an interactive Python interpreter

You can insert the following two lines of code to start an interactive Python session at that point:

```
from calibre import ipython
ipython(locals())
```

When running from the command line, this will start an interactive Python interpreter with access to all locally defined variables (variables in the local scope). The interactive prompt even has Tab completion for object properties and you can use the various Python facilities for introspection, such as `dir()`, `type()`, `repr()`, etc.

### 14.7.3 Using the Python debugger as a remote debugger

You can use the builtin Python debugger (`pdb`) as a remote debugger from the command line. First, start the remote debugger at the point in the calibre code you are interested in, like this:

```
from calibre.rpdb import set_trace
set_trace()
```

Then run calibre, either as normal, or using one of the calibre-debug commands described in the previous section. Once the above point in the code is reached, calibre will freeze, waiting for the debugger to connect.

Now open a terminal or command prompt and use the following command to start the debugging session:

```
calibre-debug -c "from calibre.rpdb import cli; cli()"
```

You can read about how to use the Python debugger in the Python stdlib docs for the pdb module<sup>136</sup>.

### Nota

By default, the remote debugger will try to connect on port 4444. You can change it, by passing the port parameter to both the `set_trace()` and the `cli()` functions above, like this: `set_trace(port=1234)` and `cli(port=1234)`.

### Nota

The Python debugger cannot handle multiple threads, so you have to call `set_trace` once per thread, each time with a different port number.

### 14.7.4 Using the debugger in your favorite Python IDE

It is possible to use the builtin debugger in your favorite Python IDE, if it supports remote debugging. The first step is to add the `calibre` src checkout to the `PYTHONPATH` in your IDE. In other words, the folder you set as `CALIBRE_DEVELOP_FROM` above, must also be in the `PYTHONPATH` of your IDE.

Then place the IDE's remote debugger module into the `src` sub-folder of the `calibre` source code checkout. Add whatever code is needed to launch the remote debugger to `calibre` at the point of interest, for example in the main function. Then run `calibre` as normal. Your IDE should now be able to connect to the remote debugger running inside `calibre`.

### 14.7.5 Executing arbitrary scripts in the calibre Python environment

The `calibre-debug` command provides a couple of handy switches to execute your own code, with access to the `calibre` modules:

```
calibre-debug -c "some Python code"
```

is great for testing a little snippet of code on the command line. It works in the same way as the `-c` switch to the Python interpreter:

```
calibre-debug myscript.py
```

can be used to execute your own Python script. It works in the same way as passing the script to the Python interpreter, except that the `calibre` environment is fully initialized, so you can use all the `calibre` code in your script. To use command line arguments with your script, use the form:

```
calibre-debug myscript.py -- --option1 arg1
```

The `--` causes all subsequent arguments to be passed to your script.

## 14.8 Usare calibre nei tuoi progetti

It is possible to directly use `calibre` functions/code in your Python project. Two ways exist to do this:

<sup>136</sup> <https://docs.python.org/library/pdb.html#debugger-commands>

### 14.8.1 Binary install of calibre

If you have a binary install of calibre, you can use the Python interpreter bundled with calibre, like this:

```
calibre-debug /path/to/your/python/script.py -- arguments to your script
```

### 14.8.2 Installazione da sorgenti su Linux

In addition to using the above technique, if you do a source install on Linux, you can also directly import calibre, as follows:

```
import init_calibre
import calibre

print(calibre.__version__)
```

It is essential that you import the init\_calibre module before any other calibre modules/packages as it sets up the interpreter to run calibre code.

## 14.9 Documentazione delle API di varie componenti di calibre

### 14.9.1 Documentazione API per l'interfaccia del database

Questa API è thread-safe (utilizza un lettore multiplo, con schema di blocco per singolo scrittore). Puoi accedere a questa API in questo modo

```
from calibre.library import db
db = db('Path to calibre library folder').new_api
```

Se sei in un plugin di Calibre che è parte della GUI principale, puoi accedervi in questo modo alternativo:

```
db = self.gui.current_db.new_api
```

```
class calibre.db.cache.Cache(backend, library_database_instance=None)
```

Una cache in-memory del file metadata.db da una libreria calibre. Questa classe serve anche da API thread-safe per l'accesso al database. La cache in-memory è mantenuta in forma normale per le massime prestazioni.

SQLITE viene semplicemente utilizzato come modo per leggere e scrivere in modo affidabile da metadata.db. Tutta la logica di lettura/ordinamento/ricerca/cache della tabella viene nuovamente implementata. Ciò era necessario per la massima prestazione e flessibilità.

```
class EventType(*values)
```

```
book_created = 4
```

Quando un nuovo libro è creato nel database, con un id libro come unico argomento

```
book_edited = 8
```

Quando il formato di un libro è modificato, con argomenti: (book\_id,fmt)

```
books_removed = 5
```

Quando i libri sono rimossi dal database avendo la lista di id come unico argomento

```
format_added = 2
```

Quando un formato è aggiunto ad un libro, con argomenti: (book\_id, format)

**formats\_removed = 3**

Quando dei formati sono rimossi da un libro, con argomenti: (mappatura dell'ID di un libro per impostare i formati rimossi dal libro)

**indexing\_progress\_changed = 9**

Quando cambia l'avanzamento dell'indicizzazione

**items\_removed = 7**

When items such as tags or authors are removed from some books. Arguments: (field\_name, affected book IDs, IDs of removed items)

**items\_renamed = 6**

When items such as tags or authors are renamed in some or all books. Arguments: (field\_name, affected book IDs, map of old item ID to new item ID)

**links\_changed = 11**

When the links associated with items(s) are changed, with arguments: (field\_name, item\_ids)

**metadata\_changed = 1**

When some metadata is changed for some books, with arguments: (name of changed field, set of affected book IDs)

**notes\_changed = 10**

When the notes associated with item(s) are changed, with arguments: (field\_name, item\_ids)

**add\_books** (*books*, *add\_duplicates=True*, *apply\_import\_tags=True*, *preserve\_uuid=False*, *run\_hooks=True*, *dbapi=None*)

Aggiunge i libri specificati alla biblioteca. I libri dovrebbero essere un iterabile di 2-tuples, ogni 2-tuple del modulo (*mi*, *format\_map*) dove *mi* è un oggetto Metadata e *format\_map* è un dizionario del modulo {*fmt*: *path\_or\_stream*} , ad esempio :code:`{'EPUB': '/path/to/file.epub'}`.

Restituisce una coppia di elenchi: *ids*, *duplicates.ids* '' contiene gli ID libro per tutti i libri appena creati nel database. ``*duplicates* contiene il (*mi*, *format\_map*) per tutti i libri che già esistono nel database secondo la semplice euristica di rilevamento dei duplicati usata da *has\_book()* (pagina 355).

**add\_custom\_book\_data** (*name*, *val\_map*, *delete\_first=False*)

Aggiunge i dati per nome dove *val\_map* è una mappa di *book\_ids* ai valori. Se *delete\_first* è True, tutti i dati precedentemente memorizzati per il nome verranno rimossi.

**add\_extra\_files** (*book\_id*, *map\_of\_relpah\_to\_stream\_or\_path*, *replace=True*, *auto\_rename=False*)

Add extra data files

**add\_format** (*book\_id*, *fmt*, *stream\_or\_path*, *replace=True*, *run\_hooks=True*, *dbapi=None*)

Aggiunge un formato al libro specificato. Restituisce True se il formato è stato aggiunto correttamente.

### Parametri

- **replace** – Se True sostituisce il formato esistente, altrimenti se il formato esiste già, restituisce False.
- **run\_hooks** – Se True, i plug-in di tipo file vengono eseguiti nel formato prima e dopo l'aggiunta.
- **dbapi** – Solo per uso interno.

**add\_listener** (*event\_callback\_function*, *check\_already\_added=False*)

Register a callback function that will be called after certain actions are taken on this database. The function must take three arguments: (*EventType* (pagina 349), *library\_id*, *event\_type\_specific\_data*)

**add\_notes\_resource** (*path\_or\_stream\_or\_data, name: str, mtime: float = None*) → int

Add the specified resource so it can be referenced by notes and return its content hash

**all\_annotation\_types()**

Return a tuple of all annotation types in the database.

**all\_annotation\_users()**

Return a tuple of all (user\_type, user name) that have annotations.

**all\_annotations** (*restrict\_to\_user=None, limit=None, annotation\_type=None, ignore\_removed=False, restrict\_to\_book\_ids=None*)

Return a tuple of all annotations matching the specified criteria. *ignore\_removed* controls whether removed (deleted) annotations are also returned. Removed annotations are just a skeleton used for merging of annotations.

**all\_annotations\_for\_book** (*book\_id*)

Return a tuple containing all annotations for the specified book\_id as a dict with keys: *format, user\_type, user, annotation*. Here, annotation is the annotation data.

**all\_book\_ids** (*type=<class 'frozenset'>*)

Insieme congelato di tutti gli ID libro conosciuti.

**all\_field\_for** (*field, book\_ids, default\_value=None*)

Come per field\_for, tranne per il fatto che opera su più libri contemporaneamente

**all\_field\_ids** (*name*)

Insieme di ID congelati per tutti i valori nel campo *name*.

**all\_field\_names** (*field*)

Insieme congelato di tutti i nomi dei campi (deve essere utilizzato solo per i campi many-one e many-many )

**annotation\_count\_for\_book** (*book\_id*)

Return the number of annotations for the specified book available in the database.

**annotations\_map\_for\_book** (*book\_id, fmt, user\_type='local', user='viewer'*)

Return a map of annotation type -> annotation data for the specified book\_id, format, user and user\_type.

**author\_data** (*author\_ids=None*)

Restituisce i dati dell'autore come un dizionario con le chiavi: nome, ordinamento, collegamento

Se non viene trovato alcun autore con gli ID specificati, viene restituito un dizionario vuoto. Se author\_ids è None, vengono restituiti i dati per tutti gli autori.

**author\_sort\_from\_authors** (*authors, key\_func=<function make\_change\_case\_func.<locals>.change\_case>*)

Dato un elenco di autori, restituisce la stringa author\_sort per gli autori, preferendo l'ordinamento per autore associato all'autore rispetto alla stringa calcolata.

**books\_for\_field** (*name, item\_id*)

Restituisce tutti i libri associati all'elemento identificato da *item\_id*, dove l'articolo appartiene al campo ``name``.

Returned value is a set of book ids, or the empty set if the item or the field does not exist.

**books\_in\_virtual\_library** (*vl, search\_restriction=None, virtual\_fields=None*)

Return the set of books in the specified virtual library

**compress\_covers (book\_ids, jpeg\_quality=100, progress\_callback=None)**

Compress the cover images for the specified books. A compression quality of 100 will perform lossless compression, otherwise lossy compression.

The progress callback will be called with the book\_id and the old and new sizes for each book that has been processed. If an error occurs, the new size will be a string with the error details.

**copy\_cover\_to (book\_id, dest, use\_hardlink=False, report\_file\_size=None)**

Copy the cover to the file like object dest. Returns False if no cover exists or dest is the same file as the current cover. dest can also be a path in which case the cover is copied to it if and only if the path is different from the current path (taking case sensitivity into account).

**copy\_format\_to (book\_id, fmt, dest, use\_hardlink=False, report\_file\_size=None)**

Copy the format fmt to the file like object dest. If the specified format does not exist, raises `NoSuchFormat` error. dest can also be a path (to a file), in which case the format is copied to it, iff the path is different from the current path (taking case sensitivity into account).

**cover (book\_id, as\_file=False, as\_image=False, as\_path=False, as\_pixmap=False)**

Return the cover image or None. By default, returns the cover as a bytestring.

**WARNING:** Using as\_path will copy the cover to a temp file and return the path to the temp file. You should delete the temp file when you are done with it.

**Parametri**

- **as\_file** – If True return the image as an open file object (a `SpoiledTemporaryFile`)
- **as\_image** – Se True restituisce l'immagine come oggetto `QImage`
- **as\_pixmap** – Se True restituisce l'immagine come oggetto `QPixmap`
- **as\_path** – Se True restituisce l'immagine come un percorso che punta a un file temporaneo

**data\_for\_find\_identical\_books ()**

Return data that can be used to implement `find_identical_books ()` (pagina 353) in a worker process without access to the db. See db.utils for an implementation.

**data\_for\_has\_book ()**

Return data suitable for use in `has_book ()` (pagina 355). This can be used for an implementation of `has_book ()` (pagina 355) in a worker process without access to the db.

**delete\_annotations (annot\_ids)**

Delete annotations with the specified ids.

**delete\_custom\_book\_data (name, book\_ids=())**

Delete data for name. By default deletes all data, if you only want to delete data for some book ids, pass in a list of book ids.

**delete\_trash\_entry (book\_id, category)**

Delete an entry from the trash. Here category is “b” for books and “f” for formats.

**embed\_metadata (book\_ids, only\_fmts=None, report\_error=None, report\_progress=None)**

Update metadata in all formats of the specified book\_ids to current metadata in the database.

**expire\_old\_trash ()**

Expire entries from the trash that are too old

**export\_note (field, item\_id) → str**

Export the note as a single HTML document with embedded images as data: URLs

**fast\_field\_for**(*field\_obj*, *book\_id*, *default\_value=None*)

Same as `field_for`, except that it avoids the extra lookup to get the field object

**field\_for**(*name*, *book\_id*, *default\_value=None*)

Return the value of the field `name` for the book identified by `book_id`. If no such book exists or it has no defined value for the field `name` or no such field exists, then `default_value` is returned.

`default_value` is not used for title, title\_sort, authors, author\_sort and series\_index. This is because these always have values in the db. `default_value` is used for all custom columns.

The returned value for `is_multiple` fields are always tuples, even when no values are found (in other words, `default_value` is ignored). The exception is identifiers for which the returned value is always a dictionary. The returned tuples are always in link order, that is, the order in which they were created.

**field\_ids\_for**(*name*, *book\_id*)

Return the ids (as a tuple) for the values that the field `name` has on the book identified by `book_id`. If there are no values, or no such book, or no such field, an empty tuple is returned.

**field\_supports\_notes**(*field=None*) → bool

Return True iff the specified field supports notes. If field is None return frozenset of all fields that support notes.

**find\_identical\_books**(*mi*, *search\_restriction=''*, *book\_ids=None*)

Finds books that have a superset of the authors in `mi` and the same title (title is fuzzy matched). See also [data\\_for\\_find\\_identical\\_books\(\)](#) (pagina 352).

**format**(*book\_id*, *fmt*, *as\_file=False*, *as\_path=False*, *preserve\_filename=False*)

Return the e-book format as a bytestring or `None` if the format doesn't exist, or we don't have permission to write to the e-book file.

**Parametri**

- **as\_file** – If True the e-book format is returned as a file object. Note that the file object is a `SpoiledTemporaryFile`, so if what you want to do is copy the format to another file, use [copy\\_format\\_to\(\)](#) (pagina 352) instead for performance.
- **as\_path** – Copies the format file to a temp file and returns the path to the temp file
- **preserve\_filename** – If True and returning a path the filename is the same as that used in the library. Note that using this means that repeated calls yield the same temp file (which is re-created each time)

**format\_abspath**(*book\_id*, *fmt*)

Return absolute path to the e-book file of format `format`. You should almost never use this, as it breaks the threadsafe promise of this API. Instead use, [copy\\_format\\_to\(\)](#) (pagina 352).

Currently used only in `calibredb` list, the viewer, edit book, compare\_format to original format, open with, bulk metadata edit and the catalogs (via `get_data_as_dict()`).

Apart from the viewer, open with and edit book, I don't believe any of the others do any file write I/O with the results of this call.

**format\_hash**(*book\_id*, *fmt*)

Return the hash of the specified format for the specified book. The kind of hash is backend dependent, but is usually SHA-256.

**format\_metadata**(*book\_id*, *fmt*, *allow\_cache=True*, *update\_db=False*)

Return the path, size and mtime for the specified format for the specified book. You should not use path unless you absolutely have to, since accessing it directly breaks the threadsafe guarantees of this API. Instead use the [copy\\_format\\_to\(\)](#) (pagina 352) method.

### Parametri

- **allow\_cache** – If `True` cached values are used, otherwise a slow filesystem access is done. The cache values could be out of date if access was performed to the filesystem outside of this API.
- **update\_db** – If `True` The `max_size` field of the database is updated for this book.

**formats** (`book_id`, `verify_formats=True`)

Return tuple of all formats for the specified book. If `verify_formats` is `True`, verifies that the files exist on disk.

**get\_all\_items\_that\_have\_notes** (`field_name=None`) → `set[int] | dict[str, set[int]]`

Return all item\_ids for items that have notes in the specified field or all fields if `field_name` is `None`

**get\_all\_link\_maps\_for\_book** (`book_id`)

Returns all links for all fields referenced by book identified by `book_id`. If `book_id` doesn't exist then the method returns `{}`.

Example: Assume author A has link X, author B has link Y, tag S has link F, and tag T has link G. If book 1 has author A and tag T, this method returns `{"authors": {"A": "X"}, "tags": {"T", "G"}}`. If book 2's author is neither A nor B and has no tags, this method returns `{}`.

### Parametri

**book\_id** – the book id in question.

### Ritorna

`{field: {field_value, link_value}, ... for all fields with a field_value having a non-empty link value for that book}`

**get\_categories** (`sort='name'`, `book_ids=None`, `already_fixed=None`, `first_letter_sort=False`, `uncollapsed_categories=None`)

Used internally to implement the Tag Browser

**get\_custom\_book\_data** (`name`, `book_ids=()`, `default=None`)

Get data for name. By default returns data for all book\_ids, pass in a list of book ids if you only want some data. Returns a map of book\_id to values. If a particular value could not be decoded, uses default for it.

**get\_id\_map** (`field`)

Return a mapping of id numbers to values for the specified field. The field must be a many-one or many-many field, otherwise a `ValueError` is raised.

**get\_ids\_for\_custom\_book\_data** (`name`)

Return the set of book ids for which name has data.

**get\_item\_id** (`field`, `item_name`, `case_sensitive=False`)

Return the item id for item\_name or `None` if not found. This function is very slow if doing lookups for multiple names use either `get_item_ids()` or `get_item_name_map()`. Similarly, case sensitive lookups are faster than case insensitive ones.

**get\_item\_ids** (`field`, `item_names`, `case_sensitive=False`)

Return a dict mapping item\_name to the item id or `None`

**get\_item\_name** (`field`, `item_id`)

Return the item name for the item specified by `item_id` in the specified field. See also `get_id_map()` (pagina 354).

**get\_item\_name\_map** (`field`, `normalize_func=None`)

Return mapping of item values to ids

**get\_link\_map (for\_field)**

Return a dictionary of links for the supplied field.

**Parametri**

- for\_field** – the lookup name of the field for which the link map is desired

**Ritorna**

{field\_value:link\_value, ...} for non-empty links

**get\_metadata (book\_id, get\_cover=False, get\_user\_categories=True, cover\_as\_data=False)**

Return metadata for the book identified by book\_id as a `calibre.ebooks.metadata.book.base.Metadata` (pagina 208) object. Note that the list of formats is not verified. If get\_cover is True, the cover is returned, either a path to temp file as mi.cover or if cover\_as\_data is True then as mi.cover\_data.

**get\_next\_series\_num\_for (series, field='series', current\_indices=False)**

Return the next series index for the specified series, taking into account the various preferences that control next series number generation.

**Parametri**

- **field** – The series-like field (defaults to the builtin series column)
- **current\_indices** – If True, returns a mapping of book\_id to current series\_index value instead.

**get\_notes\_resource (resource\_hash) → dict | None**

Return a dict containing the resource data and name or None if no resource with the specified hash is found

**get\_proxy\_metadata (book\_id)**

Like `get_metadata()` (pagina 355) except that it returns a ProxyMetadata object that only reads values from the database on demand. This is much faster than get\_metadata when only a small number of fields need to be accessed from the returned metadata object.

**get\_usage\_count\_by\_id (field)**

Return a mapping of id to usage count for all values of the specified field, which must be a many-one or many-many field.

**has\_book (mi)**

Return True iff the database contains an entry with the same title as the passed in Metadata object. The comparison is case-insensitive. See also `data_for_has_book()` (pagina 352).

**has\_format (book\_id, fmt)**

Restituisce True se il formato esiste sul disco

**has\_id (book\_id)**

Return True iff the specified book\_id exists in the db

**import\_note (field, item\_id, path\_to\_html\_file, path\_is\_data=False)**

Import a previously exported note or an arbitrary HTML file as the note for the specified item

**init ()**

Inizializza questa cache con i dati del motore.

**items\_with\_notes\_in\_book (book\_id: int) → dict[str, dict[int, str]]**

Return a dict of field to items that have associated notes for that field for the specified book

**link\_for (field, item\_id)**

Return the link, if any, for the specified item or None if no link is found

**list\_extra\_files** (*book\_id*, *use\_cache=False*, *pattern=''*) → tuple[ExtraFile, ...]

Get information about extra files in the book's directory.

### Parametri

- **book\_id** – the database book id for the book
- **pattern** – the pattern of filenames to search for. Empty pattern matches all extra files. Patterns must use / as separator. Use the DATA\_FILE\_PATTERN constant to match files inside the data directory.

### Ritorna

A tuple of all extra files matching the specified pattern. Each element of the tuple is ExtraFile(*relpath*, *file\_path*, *stat\_result*). Where *relpath* is the relative path of the file to the book directory using / as a separator. *stat\_result* is the result of calling os.stat() on the file.

**merge\_annotations\_for\_book** (*book\_id*, *fmt*, *annots\_list*, *user\_type='local'*, *user='viewer'*)

Merge the specified annotations into the existing annotations for *book\_id*, *fm*, *user\_type*, and *user*.

**merge\_extra\_files** (*dest\_id*, *src\_ids*, *replace=False*)

Merge the extra files from *src\_ids* into *dest\_id*. Conflicting files are auto-renamed unless *replace=True* in which case they are replaced.

**move\_book\_from\_trash** (*book\_id*)

Undelete a book from the trash directory

**move\_format\_from\_trash** (*book\_id*, *fmt*)

Undelete a format from the trash directory

**multisort** (*fields*, *ids\_to\_sort=None*, *virtual\_fields=None*)

Return a list of sorted book ids. If *ids\_to\_sort* is None, all book ids are returned.

*fields* must be a list of 2-tuples of the form (*field\_name*, *ascending=True* or False). The most significant field is the first 2-tuple.

**notes\_data\_for** (*field*, *item\_id*) → str

Return all notes data as a dict or None if note does not exist

**notes\_for** (*field*, *item\_id*) → str

Return the notes document or an empty string if not found

**notes\_resources\_used\_by** (*field*, *item\_id*)

Return the set of resource hashes of all resources used by the note for the specified item

**pref** (*name*, *default=None*, *namespace=None*)

Return the value for the specified preference or the value specified as *default* if the preference is not set.

**read\_backup** (*book\_id*)

Return the OPF metadata backup for the book as a bytestring or None if no such backup exists.

**remove\_books** (*book\_ids*, *permanent=False*)

Remove the books specified by the *book\_ids* from the database and delete their format files. If *permanent* is False, then the format files are placed in the per-library trash directory.

**remove\_extra\_files** (*book\_id: int*, *relpaths: Iterable[str]*, *permanent=False*) → dict[str, Exception | None]

Delete the specified extra files, either to Recycle Bin or permanently.

**`remove_formats (formats_map, db_only=False)`**

Remove the specified formats from the specified books.

**Parametri**

- **formats\_map** – A mapping of book\_id to a list of formats to be removed from the book.
- **db\_only** – If True, only remove the record for the format from the db, do not delete the actual format file from the filesystem.

**Ritorna**

A map of book id to set of formats actually deleted from the filesystem for that book

**`remove_items (field, item_ids, restrict_to_book_ids=None)`**

Delete all items in the specified field with the specified ids. Returns the set of affected book ids. `restrict_to_book_ids` is an optional set of books ids. If specified the items will only be removed from those books.

**`rename_extra_files (book_id, map_of_relpAth_to_new_relpAth, replace=False)`**

Rename extra data files

**`rename_items (field, item_id_to_new_name_map, change_index=True, restrict_to_book_ids=None)`**

Rename items from a many-one or many-many field such as tags or series.

**Parametri**

- **change\_index** – When renaming in a series-like field also change the series\_index values.
- **restrict\_to\_book\_ids** – An optional set of book ids for which the rename is to be performed, defaults to all books.

**`restore_book (book_id, mi, last_modified, path, formats, annotations=())`**

Ripristina la voce del libro nel database per un libro che esiste già nel filesystem

**`restore_original_format (book_id, original_fmt)`**

Restore the specified format from the previously saved ORIGINAL\_FORMAT, if any. Return True on success. The ORIGINAL\_FORMAT is deleted after a successful restore.

**`property safe_read_lock`**

A safe read lock is a lock that does nothing if the thread already has a write lock, otherwise it acquires a read lock. This is necessary to prevent DowngradeLockErrors, which can happen when updating the search cache in the presence of composite columns. Updating the search cache holds an exclusive lock, but searching a composite column involves reading field values via ProxyMetadata which tries to get a shared lock. There may be other scenarios that trigger this as well.

This property returns a new lock object on every access. This lock object is not recursive (for performance) and must only be used in a with statement as with `cache.safe_read_lock`: otherwise bad things will happen.

**`save_original_format (book_id, fmt)`**

Save a copy of the specified format as ORIGINAL\_FORMAT, overwriting any existing ORIGINAL\_FORMAT.

**`search (query, restriction='', virtual_fields=None, book_ids=None)`**

Search the database for the specified query, returning a set of matched book ids.

**Parametri**

- **restriction** – A restriction that is ANDed to the specified query. Note that restrictions are cached, therefore the search for a AND b will be slower than a with restriction b.

- **virtual\_fields** – Used internally (virtual fields such as on\_device to search over).
- **book\_ids** – If not None, a set of book ids for which books will be searched instead of searching all books.

**search\_annotations** (*fts\_engine\_query*, *use\_stemming=True*, *highlight\_start=None*, *highlight\_end=None*,  
*snippet\_size=None*, *annotation\_type=None*, *restrict\_to\_book\_ids=None*,  
*restrict\_to\_user=None*, *ignore\_removed=False*)

Return of a tuple of annotations matching the specified Full-text query.

**search\_notes** (*fts\_engine\_query=None*, *use\_stemming=True*, *highlight\_start=None*, *highlight\_end=None*,  
*snippet\_size=None*, *restrict\_to\_fields=()*, *return\_text=True*, *result\_type=<class 'tuple'>*,  
*process\_each\_result=None*, *limit=None*)

Search the text of notes using an FTS index. If the query is empty return all notes.

**set\_annotations\_for\_book** (*book\_id*, *fmt*, *annots\_list*, *user\_type='local'*, *user='viewer'*)

Set all annotations for the specified book\_id, fmt, user\_type and user.

**set\_conversion\_options** (*options*, *fmt='PIPE'*)

options must be a map of the form {book\_id:conversion\_options}

**set\_cover** (*book\_id\_data\_map*)

Imposta la copertina per questo libro. Il dato può essere QImage, QPixmap, un oggetto file o una stringa di byte. Può anche essere None, nel qual caso ogni copertina esistente viene rimossa.

**set\_field** (*name*, *book\_id\_to\_val\_map*, *allow\_case\_change=True*, *do\_path\_update=True*)

Set the values of the field specified by name. Returns the set of all book ids that were affected by the change.

### Parametri

- **book\_id\_to\_val\_map** – Mapping of book\_ids to values that should be applied.
- **allow\_case\_change** – If True, the case of many-one or many-many fields will be changed. For example, if a book has the tag tag1 and you set the tag for another book to Tag1 then the both books will have the tag Tag1 if allow\_case\_change is True, otherwise they will both have the tag tag1.
- **do\_path\_update** – Utilizzato internamente, non dovresti mai modificarlo.

**set\_link\_map** (*field*, *value\_to\_link\_map*, *only\_set\_if\_no\_existing\_link=False*)

Sets links for item values in field. Note: this method doesn't change values not in the value\_to\_link\_map

### Parametri

- **field** – the lookup name
- **value\_to\_link\_map** – dict(field\_value:link, ...). Note that these are values, not field ids.

### Ritorna

books changed by setting the link

**set\_metadata** (*book\_id*, *mi*, *ignore\_errors=False*, *force\_changes=False*, *set\_title=True*, *set\_authors=True*,  
*allow\_case\_change=False*)

Set metadata for the book id from the *Metadata* object mi

Setting force\_changes=True will force set\_metadata to update fields even if mi contains empty values. In this case, “None” is distinguished from “empty”. If mi.XXX is None, the XXX is not replaced, otherwise it is. The tags, identifiers, and cover attributes are special cases. Tags and identifiers cannot be set to None so they will always be replaced if force\_changes is true. You must ensure that mi contains the values you want the book to have. Covers are always changed if a new cover is provided, but are never deleted. Also note that force\_changes has no effect on setting title or authors.

```
set_notes_for(field, item_id, doc: str, searchable_text: str = "", resource_hashes=(),  
    remove_unused_resources=False) → int
```

Set the notes document. If the searchable text is different from the document, specify it as searchable\_text. If the document references resources their hashes must be present in resource\_hashes. Set remove\_unused\_resources to True to cleanup unused resources, note that updating a note automatically cleans up resources pertaining to that note anyway.

```
set_pref(name, val, namespace=None)
```

Set the specified preference to the specified value. See also [pref\(\)](#) (pagina 356).

```
split_if_is_multiple_composite(f, val)
```

If *f* is a composite column lookup key and the column is is\_multiple then split *v* into unique non-empty values. The comparison is case sensitive. Order is not preserved. Return a list() for compatibility with proxy metadata field getters, for example tags.

```
tags_older_than(tag, delta=None, must_have_tag=None, must_have_authors=None)
```

Return the ids of all books having the tag *tag* that are older than the specified time. tag comparison is case insensitive.

#### Parametri

- **delta** – A timedelta object or None. If None, then all ids with the tag are returned.
- **must\_have\_tag** – If not None the list of matches will be restricted to books that have this tag
- **must\_have\_authors** – A list of authors. If not None the list of matches will be restricted to books that have these authors (case insensitive).

```
unretire_note_for(field, item_id) → int
```

Unretire a previously retired note for the specified item. Notes are retired when an item is removed from the database

```
update_annotations(annot_id_map)
```

Update annotations.

```
user_categories_for_books(book_ids, proxy_metadata_map=None)
```

Return the user categories for the specified books. proxy\_metadata\_map is optional and is useful for a performance boost, in contexts where a ProxyMetadata object for the books already exists. It should be a mapping of book\_ids to their corresponding ProxyMetadata objects.

## 14.9.2 Documentazione API per gli strumenti di modifica di un ebook

Gli strumenti di modifica dell'e-book sono costituiti da un oggetto `calibre.ebooks.oeb.polish.container.Container` (pagina 360) che rappresenta un libro come una raccolta di HTML + file di risorse e vari strumenti che possono essere utilizzati per eseguire operazioni sul container. Tutti gli strumenti sono sotto forma di funzioni a livello di modulo nei vari moduli `calibre.ebooks.oeb.polish.*`. Ottieni un oggetto contenitore per un libro in un percorso come questo:

```
from calibre.ebooks.oeb.polish.container import get_container
container = get_container('Path to book file', tweak_mode=True)
```

Se stai scrivendo un plugin per l'editor di e-book, ottieni il contenitore corrente per il libro che viene modificato in questo modo:

```
from calibre.gui2.tweak_book import current_container
container = current_container()
if container is None:
    report_error # No book has been opened yet
```

### L'oggetto Contenitore

```
class calibre.ebooks.oeb.polish.container.Container(rootpath=None, opfpath=None,
                                                     log=<calibre.utils.logging.Log object>,
                                                     clone_data=None)
```

A container represents an open e-book as a folder full of files and an OPF file. There are two important concepts:

- The root folder. This is the base of the e-book. All the e-books files are inside this folder or in its sub-folders.
- Names: These are paths to the books’ files relative to the root folder. They always contain POSIX separators and are unquoted. They can be thought of as canonical identifiers for files in the book. Most methods on the container object work with names. Names are always in the NFC Unicode normal form.
- Clones: the container object supports efficient on-disk cloning, which is used to implement checkpoints in the e-book editor. In order to make this work, you should never access files on the filesystem directly. Instead, use `raw_data()` (pagina 362) or `open()` (pagina 362) to read/write to component files in the book.

When converting between hrefs and names use the methods provided by this class, they assume all hrefs are quoted.

**abspath\_to\_name** (*fullpath, root=None*)

Convert an absolute path to a canonical name relative to *root*

#### Parametri

**root** – The base folder. By default the root for this container object is used.

**add\_file** (*name, data=b'', media\_type=None, spine\_index=None, modify\_name\_if\_needed=False, process\_manifest\_item=None, suggested\_id=''*)

Add a file to this container. Entries for the file are automatically created in the OPF manifest and spine (if the file is a text document)

**add\_name\_to\_manifest** (*name, process\_manifest\_item=None, suggested\_id=''*)

Add an entry to the manifest for a file with the specified name. Returns the manifest id.

**add\_properties** (*name, \*properties*)

Add the specified properties to the manifest item identified by name.

**apply\_unique\_properties** (*name, \*properties*)

Ensure that the specified properties are set on only the manifest item identified by name. You can pass None as the name to remove the property from all items.

**book\_type = 'oeb'**

Il tipo di libro (epub per i file EPUB e azw3 per i file AZW3)

**commit** (*outpath=None, keep\_parsed=False*)

Commit all dirtied parsed objects to the filesystem and write out the e-book file at *outpath*.

#### Parametri

- **output** – The path to write the saved e-book file to. If None, the path of the original book file is used.
- **keep\_parsed** – If True the parsed representations of committed items are kept in the cache.

**commit\_item**(*name*, *keep\_parsed=False*)

Commit a parsed object to disk (it is serialized and written to the underlying file). If *keep\_parsed* is True the parsed representation is retained in the cache. See also: [parsed\(\)](#) (pagina 362)

**dirty**(*name*)

Mark the parsed object corresponding to name as dirty. See also: [parsed\(\)](#) (pagina 362).

**exists**(*name*)

True iff a file/folder corresponding to the canonical name exists. Note that this function suffers from the limitations of the underlying OS filesystem, in particular case (in)sensitivity. So on a case insensitive filesystem this will return True even if the case of name is different from the case of the underlying filesystem file. See also [has\\_name\(\)](#) (pagina 361)

**filesize**(*name*)

Return the size in bytes of the file represented by the specified canonical name. Automatically handles dirtied parsed objects. See also: [parsed\(\)](#) (pagina 362)

**generate\_item**(*name*, *id\_prefix=None*, *media\_type=None*, *unique\_href=True*)

Add an item to the manifest with href derived from the given name. Ensures uniqueness of href and id automatically. Returns generated item.

**get\_file\_path\_for\_processing**(*name*, *allow\_modification=True*)

Similar to open() except that it returns a file path, instead of an open file object.

**property guide\_type\_map**

Mapping of guide type to canonical name

**has\_name**(*name*)

Return True iff a file with the same canonical name as that specified exists. Unlike [exists\(\)](#) (pagina 361) this method is always case-sensitive.

**href\_to\_name**(*href*, *base=None*)

Convert an href (relative to base) to a name. base must be a name or None, in which case self.root is used.

**insert\_into\_xml**(*parent*, *item*, *index=None*)

Insert item into parent (or append if index is None), fixing indentation. Only works with self closing items.

**is\_dir = False**

Se questo contenitore rappresenta un libro estratto (una cartella)

**iterlinks**(*name*, *get\_line\_numbers=True*)

Iterate over all links in name. If *get\_line\_numbers* is True the yields results of the form (link, line\_number, offset). Where line\_number is the line\_number at which the link occurs and offset is the number of characters from the start of the line. Note that offset could actually encompass several lines if not zero.

**make\_name\_unique**(*name*)

Ensure that *name* does not already exist in this book. If it does, return a modified version that does not exist.

**manifest\_has\_name**(*name*)

Return True if the manifest has an entry corresponding to name

**property manifest\_id\_map**

Mapping of manifest id to canonical names

**manifest\_items\_of\_type**(*predicate*)

The names of all manifest items whose media-type matches predicate. *predicate* can be a set, a list, a string or a function taking a single argument, which will be called with the media-type.

**manifest\_items\_with\_property** (*property\_name*)

All manifest items that have the specified property

**property manifest\_type\_map**

Mapping of manifest media-type to list of canonical names of that media-type

**property mi**

The metadata of this book as a Metadata object. Note that this object is constructed on the fly every time this property is requested, so use it sparingly.

**name\_to\_abspath** (*name*)

Convert a canonical name to an absolute OS dependent path

**name\_to\_href** (*name, base=None*)

Convert a name to a href relative to base, which must be a name or None in which case self.root is used as the base

**property names\_that\_must\_not\_be\_changed**

Set of names that must never be renamed. Depends on the e-book file format.

**property names\_that\_must\_not\_be\_removed**

Set of names that must never be deleted from the container. Depends on the e-book file format.

**property names\_that\_need\_not\_be\_manifested**

Set of names that are allowed to be missing from the manifest. Depends on the e-book file format.

**open** (*name, mode='rb'*)

Open the file pointed to by name for direct read/write. Note that this will commit the file if it is dirtied and remove it from the parse cache. You must finish with this file before accessing the parsed version of it again, or bad things will happen.

**property opf**

Il file OPF elaborato

**opf\_get\_or\_create** (*name*)

Convenience method to either return the first XML element with the specified name or create it under the opf:package element and then return it, if it does not already exist.

**property opf\_version**

The version set on the OPF's <package> element

**property opf\_version\_parsed**

The version set on the OPF's <package> element as a tuple of integers

**opf\_xpath** (*expr*)

Convenience method to evaluate an XPath expression on the OPF file, has the opf: and dc: namespace prefixes pre-defined.

**parsed** (*name*)

Return a parsed representation of the file specified by name. For HTML and XML files an lxml tree is returned. For CSS files a css\_parser stylesheet is returned. Note that parsed objects are cached for performance. If you make any changes to the parsed object, you must call [dirty\(\)](#) (pagina 361) so that the container knows to update the cache. See also [replace\(\)](#) (pagina 363).

**raw\_data** (*name, decode=True, normalize\_to\_nfc=True*)

Return the raw data corresponding to the file specified by name

### Parametri

- **decode** – If True and the file has a text based MIME type, decode it and return a unicode object instead of raw bytes.
- **normalize\_to\_nfc** – If True the returned unicode object is normalized to the NFC normal form as is required for the EPUB and AZW3 file formats.

**`relpath(path, base=None)`**

Convert an absolute path (with os separators) to a path relative to base (defaults to self.root). The relative path is *not* a name. Use [`abspath\_to\_name\(\)`](#) (pagina 360) for that.

**`remove_from_spine(spine_items, remove_if_no_longer_in_spine=True)`**

Remove the specified items (by canonical name) from the spine. If `remove_if_no_longer_in_spine` is True, the items are also deleted from the book, not just from the spine.

**`remove_from_xml(item)`**

Removes item from parent, fixing indentation (works only with self closing items)

**`remove_item(name, remove_from_guide=True)`**

Remove the item identified by name from this container. This removes all references to the item in the OPF manifest, guide and spine as well as from any internal caches.

**`rename(current_name, new_name)`**

Renames a file from current\_name to new\_name. It automatically rebases all links inside the file if the folder the file is in changes. Note however, that links are not updated in the other files that could reference this file. This is for performance, such updates should be done once, in bulk.

**`replace(name, obj)`**

Replace the parsed object corresponding to name with obj, which must be a similar object, i.e. an lxml tree for HTML/XML or a css\_parser stylesheet for a CSS file.

**`replace_links(name, replace_func)`**

Replace all links in name using replace\_func, which must be a callable that accepts a URL and returns the replaced URL. It must also have a “replaced” attribute that is set to True if any actual replacement is done. Convenient ways of creating such callables are using the `LinkReplacer` and `LinkRebaser` classes.

**`serialize_item(name)`**

Convert a parsed object (identified by canonical name) into a bytestring. See [`parsed\(\)`](#) (pagina 362).

**`set_spine(spine_items)`**

Set the spine to be spine\_items where spine\_items is an iterable of the form (name, linear). Will raise an error if one of the names is not present in the manifest.

**`property spine_items`**

An iterator yielding the path for every item in the books’ spine. See also: [`spine\_iter`](#) (pagina 363) and [`spine\_items`](#) (pagina 363).

**`property spine_iter`**

An iterator that yields item, name is\_linear for every item in the books’ spine. item is the lxml element, name is the canonical file name and is\_linear is True if the item is linear. See also: [`spine\_names`](#) (pagina 363) and [`spine\_items`](#) (pagina 363).

**`property spine_names`**

An iterator yielding name and is\_linear for every item in the books’ spine. See also: [`spine\_iter`](#) (pagina 363) and [`spine\_items`](#) (pagina 363).

### Gestione dei file dei componenti in un contenitore

```
calibre.ebooks.oeb.polish.replace.replace_links(container, link_map, frag_map=<function  
<lambda>>, replace_in_opf=False)
```

Replace links to files in the container. Will iterate over all files in the container and change the specified links in them.

#### Parametri

- **link\_map** – A mapping of old canonical name to new canonical name. For example:  
`{'images/old.png': 'images/new.png'}`
- **frag\_map** – A callable that takes two arguments (name, anchor) and returns a new anchor. This is useful if you need to change the anchors in HTML files. By default, it does nothing.
- **replace\_in\_opf** – If False, links are not replaced in the OPF file.

```
calibre.ebooks.oeb.polish.replace.rename_files(container, file_map)
```

Rename files in the container, automatically updating all links to them.

#### Parametri

**file\_map** – A mapping of old canonical name to new canonical name, for example: `{'text/chapter1.html': 'chapter1.html'}`.

```
calibre.ebooks.oeb.polish.replace.get_recommended_folders(container, names)
```

Return the folders that are recommended for the given filenames. The recommendation is based on where the majority of files of the same type are located in the container. If no files of a particular type are present, the recommended folder is assumed to be the folder containing the OPF file.

### Errori di formattazione e correzione automatica

```
calibre.ebooks.oeb.polish.pretty.fix_html(container, raw)
```

Fix any parsing errors in the HTML represented as a string in raw. Fixing is done using the HTML5 parsing algorithm.

```
calibre.ebooks.oeb.polish.pretty.fix_all_html(container)
```

Fix any parsing errors in all HTML files in the container. Fixing is done using the HTML5 parsing algorithm.

```
calibre.ebooks.oeb.polish.pretty.pretty_html(container, name, raw)
```

Pretty print the HTML represented as a string in raw

```
calibre.ebooks.oeb.polish.pretty.pretty_css(container, name, raw)
```

Pretty print the CSS represented as a string in raw

```
calibre.ebooks.oeb.polish.pretty.pretty_xml(container, name, raw)
```

Pretty print the XML represented as a string in raw. If name is the name of the OPF, extra OPF-specific prettying is performed.

```
calibre.ebooks.oeb.polish.pretty.pretty_all(container)
```

Pretty print all HTML/CSS/XML files in the container

### Gestione delle copertine dei libri

```
calibre.ebooks.oeb.polish.jacket.remove_jacket(container)
```

Remove an existing jacket, if any. Returns False if no existing jacket was found.

```
calibre.ebooks.oeb.polish.jacket.add_or_replace_jacket(container)
```

Either create a new jacket from the book's metadata or replace an existing jacket. Returns True if an existing jacket was replaced.

## Divisione e unione dei file

`calibre.ebooks.oeb.polish.split.split(container, name, loc_or_xpath, before=True, totals=None)`

Split the file specified by name at the position specified by loc\_or\_xpath. Splitting automatically migrates all links and references to the affected files.

### Parametri

- **loc\_or\_xpath** – Should be an XPath expression such as `//h:div[@id=>split_here]`. Can also be a *loc* which is used internally to implement splitting in the preview panel.
- **before** – If True the split occurs before the identified element otherwise after it.
- **totals** – Utilizzato internamente

`calibre.ebooks.oeb.polish.split.multisplit(container, name, xpath, before=True)`

Split the specified file at multiple locations (all tags that match the specified XPath expression). See also: [split\(\)](#) (pagina 365). Splitting automatically migrates all links and references to the affected files.

### Parametri

**before** – If True the splits occur before the identified element otherwise after it.

`calibre.ebooks.oeb.polish.split.merge(container, category, names, master)`

Merge the specified files into a single file, automatically migrating all links and references to the affected files. The file must all either be HTML or CSS files.

### Parametri

- **category** – Must be either 'text' for HTML files or 'styles' for CSS files
- **names** – L'elenco dei file da unire
- **master** – Which of the merged files is the *master* file, that is, the file that will remain after merging.

## Gestione delle copertine

`calibre.ebooks.oeb.polish.cover.set_cover(container, cover_path, report=None, options=None)`

Set the cover of the book to the image pointed to by cover\_path.

### Parametri

- **cover\_path** – Either the absolute path to an image file or the canonical name of an image in the book. When using an image in the book, you must also set options, see below.
- **report** – An optional callable that takes a single argument. It will be called with information about the tasks being processed.
- **options** – None or a dictionary that controls how the cover is set. The dictionary can have entries: **keep\_aspect**: True or False (Preserve aspect ratio of covers in EPUB) **no\_svg**: True or False (Use an SVG cover wrapper in the EPUB titlepage) **existing**: True or False (cover\_path refers to an existing image in the book)

`calibre.ebooks.oeb.polish.cover.mark_as_cover(container, name)`

Mark the specified image as the cover image.

`calibre.ebooks.oeb.polish.cover.mark_as_titlepage(container, name, move_to_start=True)`

Mark the specified HTML file as the titlepage of the EPUB.

### Parametri

**move\_to\_start** – If True the HTML file is moved to the start of the spine

### Lavorare con i CSS

```
calibre.ebooks.oeb.polish.fonts.change_font(container, old_name, new_name=None)
```

Change a font family from old\_name to new\_name. Changes all occurrences of the font family in stylesheets, style tags and style attributes. If the old\_name refers to an embedded font, it is removed. You can set new\_name to None to remove the font family instead of changing it.

```
calibre.ebooks.oeb.polish.css.remove_unused_css(container, report=None,  
                                remove_unused_classes=False, merge_rules=False,  
                                merge_rules_with_identical_properties=False,  
                                remove_unreferenced_sheets=False)
```

Remove all unused CSS rules from the book. An unused CSS rule is one that does not match any actual content.

#### Parametri

- **report** – An optional callable that takes a single argument. It is called with information about the operations being performed.
- **remove\_unused\_classes** – If True, class attributes in the HTML that do not match any CSS rules are also removed.
- **merge\_rules** – If True, rules with identical selectors are merged.
- **merge\_rules\_with\_identical\_properties** – If True, rules with identical properties are merged.
- **remove\_unreferenced\_sheets** – If True, stylesheets that are not referenced by any content are removed

```
calibre.ebooks.oeb.polish.css.filter_css(container, properties, names=())
```

Remove the specified CSS properties from all CSS rules in the book.

#### Parametri

- **properties** – Set of properties to remove. For example: {'font-family', 'color'}.
- **names** – The files from which to remove the properties. Defaults to all HTML and CSS files in the book.

### Al lavoro con la tabella dei contenuti

```
calibre.ebooks.oeb.polish.toc.from_xpaths(container, xpaths, prefer_title=False)
```

Generate a Table of Contents from a list of XPath expressions. Each expression in the list corresponds to a level of the generate ToC. For example: ['/h:h1', '/h:h2', '/h:h3'] will generate a three level Table of Contents from the <h1>, <h2> and <h3> tags.

```
calibre.ebooks.oeb.polish.toc.from_links(container)
```

Generate a Table of Contents from links in the book.

```
calibre.ebooks.oeb.polish.toc.from_files(container)
```

Generate a Table of Contents from files in the book.

```
calibre.ebooks.oeb.polish.toc.create_inline_toc(container, title=None)
```

Create an inline (HTML) Table of Contents from an existing NCX Table of Contents.

#### Parametri

**title** – The title for this table of contents.

## Strumento modifica libro

```
class calibre.gui2.tweak_book.plugin.Tool
```

Basi: object

The base class for individual tools in an Edit Book plugin. Useful members include:

- `self.plugin`: A reference to the `calibre.customize.Plugin` (pagina 254) object to which this tool belongs.
- `self.boss` (pagina 367)
- `self.gui` (pagina 367)

Methods that must be overridden in sub classes:

- `create_action()` (pagina 368)
- `register_shortcut()` (pagina 367)

`name = None`

Set this to a unique name it will be used as a key

`allowed_in_toolbar = True`

If True the user can choose to place this tool in the plugins toolbar

`allowed_in_menu = True`

If True the user can choose to place this tool in the plugins menu

`toolbar_button_popup_mode = 'delayed'`

The popup mode for the menu (if any) of the toolbar button. Possible values are “delayed”, “instant”, “button”

`property boss`

The `calibre.gui2.tweak_book.boss.Boss` (pagina 368) object. Used to control the user interface.

`property gui`

La finestra principale dell’interfaccia utente

`property current_container`

Return the current `calibre.ebooks.oeb.polish.container.Container` (pagina 360) object that represents the book being edited.

`register_shortcut(qaction, unique_name, default_keys=(), short_text=None, description=None, **extra_data)`

Register a keyboard shortcut that will trigger the specified `qaction`. This keyboard shortcut will become automatically customizable by the user in the Keyboard shortcuts section of the editor preferences.

### Parametri

- `qaction` – A QAction object, it will be triggered when the configured key combination is pressed by the user.
- `unique_name` – A unique name for this shortcut/action. It will be used internally, it must not be shared by any other actions in this plugin.
- `default_keys` – A list of the default keyboard shortcuts. If not specified no default shortcuts will be set. If the shortcuts specified here conflict with either builtin shortcuts or shortcuts from user configuration/other plugins, they will be ignored. In that case, users will have to configure the shortcuts manually via Preferences. For example: `default_keys=('Ctrl+J', 'F9')`.

- **short\_text** – An optional short description of this action. If not specified the text from the QAction will be used.
- **description** – An optional longer description of this action, it will be used in the preferences entry for this shortcut.

### `create_action(for_toolbar=True)`

Create a QAction that will be added to either the plugins toolbar or the plugins menu depending on `for_toolbar`. For example:

```
def create_action(self, for_toolbar=True):  
    ac = QAction(get_icons('myicon.png'), 'Do something')  
    if for_toolbar:  
        # We want the toolbar button to have a popup menu  
        menu = QMenu()  
        ac.setMenu(menu)  
        menu.addAction('Do something else')  
        subaction = menu.addAction('And another')  
  
        # Register a keyboard shortcut for this toolbar action be  
        # careful to do this for only one of the toolbar action or  
        # the menu action, not both.  
        self.register_shortcut(ac, 'some-unique-name', default_keys='Ctrl+K',  
                           ↵))  
    return ac
```

### ↳ Vedi anche

Method `register_shortcut()` (pagina 367).

## Controllare l'interfaccia dell'editor

L'interfaccia utente dell'editor di e-book è controllata da un singolo oggetto globale `Boss`. Questo ha molti metodi utili che possono essere utilizzati nel codice del plugin per eseguire attività comuni.

```
class calibre.gui2.tweak_book.boss.Boss(parent, notify=None)
```

### `add_savepoint(msg)`

Create a restore checkpoint with the name specified as `msg`

### `apply_container_update_to_gui(mark_as_modified=True)`

Update all the components of the user interface to reflect the latest data in the current book container.

#### Parametri

`mark_as_modified` – If True, the book will be marked as modified, so the user will be prompted to save it when quitting.

### `close_editor(name)`

Close the editor that is editing the file specified by `name`

### `commit_allEditors_to_container()`

Commit any changes that the user has made to files open in editors to the container. You should call this method before performing any actions on the current container

**property currently\_editing**

Return the name of the file being edited currently or None if no file is being edited

**edit\_file (name, syntax=None, use\_template=None)**

Open the file specified by name in an editor

**Parametri**

- **syntax** – The media type of the file, for example, 'text/html'. If not specified it is guessed from the file extension.
- **use\_template** – A template to initialize the opened editor with

**open\_book (path=None, edit\_file=None, clear\_notify\_data=True, open\_folder=False, search\_text=None)**

Open the e-book at `path` for editing. Will show an error if the e-book is not in a supported format or the current book has unsaved changes.

**Parametri**

- edit\_file** – The name of a file inside the newly opened book to start editing. Can also be a list of names.

**rewind\_savepoint ()**

Undo the previous creation of a restore checkpoint, useful if you create a checkpoint, then abort the operation with no changes

**save\_book ()**

Salvare il libro. Il salvataggio è eseguito sullo sfondo

**set\_modified ()**

Segna il libro come Modificato

**show\_current\_diff (allow\_revert=True, to\_container=None)**

Show the changes to the book from its last checkpointed state

**Parametri**

- **allow\_revert** – If True the diff dialog will have a button to allow the user to revert all changes
- **to\_container** – A container object to compare the current container to. If None, the previously checkpointed container is used

**show\_editor (name)**

Mostra l'editor che sta modificando il file specificato per `nome`

**sync\_preview\_to\_editor ()**

Sync the position of the preview panel to the current cursor position in the current editor



# CAPITOLO 15

---

## Gestione dei Diritti Digitali (DRM)

---

La gestione dei diritti digitali (DRM) è un termine generico per le tecnologie di controllo degli accessi che possono essere utilizzate da produttori di hardware, editori, detentori del copyright e privati per tentare di impostare limiti all'uso di contenuti e dispositivi digitali. A volte è anche denigrata con l'espressione Gestione delle Restrizioni Digitali. Il termine è usato per descrivere qualsiasi tecnologia che inibisca gli usi (legittimi o meno) di contenuti digitali che non siano stati desiderati o previsti dal fornitore di contenuti. Il termine generalmente non si riferisce ad altre forme di protezione dalla copia che possono essere eluse senza modificare il file o il dispositivo, come numeri di serie o file di chiave. Può anche fare riferimento a restrizioni associate a casi specifici di opere o dispositivi digitali. Le tecnologie DRM tentano di controllare l'uso dei media digitali impedendo l'accesso, la copia o la conversione in altri formati da parte degli utenti finali. Vedi *Wikipedia <[https://it.wikipedia.org/wiki/Digital\\_rights\\_management](https://it.wikipedia.org/wiki/Digital_rights_management)>*.

### 15.1 Cosa implica DRM per me personalmente?

Quando acquisti un e-book con DRM non lo possiedi davvero, ma hai acquistato l'autorizzazione per usarlo in un modo dettato dal venditore. DRM limita ciò che puoi fare con gli e-book che hai «acquistato». Spesso le persone che acquistano libri con DRM non sono consapevoli della portata di queste restrizioni. Queste restrizioni ti impediscono di riformattare l'e-book a tuo piacimento, anche apportando modifiche stilistiche come la regolazione delle dimensioni dei caratteri, anche se esiste un software che ti consente di fare tali cose per i libri non DRM. Le persone sono spesso sorprese che un e-book che hanno acquistato in un particolare formato non possa essere convertito in un altro formato se l'e-book ha il DRM. Quindi, se hai un Kindle di Amazon e acquisti un libro venduto da Barnes and Nobles, dovresti sapere che se quell'e-book ha il DRM non sarai in grado di leggerlo sul tuo Kindle. Si noti che si parla di un libro che hai acquistato, non rubato o piratato ma ACQUISTATO.

### 15.2 Cosa fa DRM per gli autori?

Gli editori di e-book con DRM sostengono che il DRM è tutto per il bene degli autori e per proteggere la loro integrità artistica e prevenire la pirateria. Ma il DRM NON impedisce la pirateria. Le persone che vogliono piratare contenuti o utilizzare contenuti piratati lo fanno ancora e hanno successo. I tre principali schemi DRM per e-book oggi sono gestiti da Amazon, Adobe e Barnes e Noble e tutti e tre gli schemi DRM sono stati decifrati. Tutto ciò che DRM fa è complicare la vita agli utenti legittimi. Si può supporre che in realtà danneggia gli autori, in quanto le persone che avrebbero acquistato il libro scelgono di cercare una versione pirata in quanto non sono disposti a sopportare il DRM. Coloro che piraterebbero

in assenza di DRM lo fanno anche in sua presenza. Per ribadire, il punto chiave è che DRM *non impedisce la pirateria*. Quindi il DRM non è solo inutile e dannoso per gli acquirenti di e-book, ma anche uno spreco di denaro.

## **15.3 DRM e libertà**

Sebbene i contenuti digitali possano essere utilizzati per rendere le informazioni e le opere creative facilmente accessibili a tutti ed emancipare l'umanità, ciò non è nell'interesse di alcuni editori che vogliono allontanare le persone da questa possibilità di libertà, semplicemente per mantenere la loro rilevanza in un mondo in un'evoluzione così rapida che non riescono a tenere il passo.

## **15.4 Perché calibre non supporta DRM?**

calibre è un software a sorgente aperta mentre il DRM è, per sua stessa natura, chiuso. Se calibre dovesse supportare l'apertura o la visualizzazione di file con DRM, potrebbe essere facilmente modificato per essere utilizzato come strumento di rimozione del DRM, il che è illegale secondo le leggi odierne. Il software open source e il DRM seguono principi opposti. Mentre il DRM si basa sul controllo dell'utente, il software open source vuole lasciare il potere all'utente. Le due cose semplicemente non possono coesistere.

## **15.5 Qual è l'opinione di Calibre sui fornitori di contenuti?**

Crediamo fermamente che gli autori e gli altri fornitori di contenuti debbano essere compensati per i loro sforzi, ma il DRM non è la strada da percorrere. Stiamo sviluppando questo database di e-book senza DRM da varie fonti per aiutarti a trovare alternative prive di DRM e per aiutare autori ed editori indipendenti di e-book senza DRM a pubblicizzare i loro contenuti. Ci auguriamo che lo troverai utile e ti chiediamo di non piratare i contenuti messi a tua disposizione qui.

## **15.6 Come posso aiutare a combattere il DRM?**

Come persona che legge e acquista e-book puoi aiutare a combattere il DRM. Non acquistare e-book con DRM. Ci sono alcuni editori che pubblicano e-book senza DRM. Fai uno sforzo per vedere se vendono l'e-book che stai cercando. Se ti piacciono i libri di alcuni autori indipendenti che vendono e-book senza DRM e ne hai la possibilità, fai loro delle donazioni. Si tratta di soldi ben spesi in quanto i loro e-book tendono ad essere più economici (potrebbero esserci delle eccezioni) rispetto a quelli che compreresti dagli editori di libri con DRM e probabilmente funzioneranno su tutti i dispositivi che possiederai in futuro, permettendoti di risparmiare il costo del riacquisto dello stesso e-book. Non scoraggiare editori e autori di e-book privi di DRM piratandone il contenuto. I fornitori di contenuti meritano di essere ricompensati per i loro sforzi. Non punirli per aver cercato di migliorare la tua esperienza di lettura rendendo disponibili libri elettronici senza DRM. A lungo termine, questo è dannoso per te. Se hai acquistato libri da vendori che dispongono sia di libri con DRM sia di libri privi di DRM, non sapendo se erano dotati di DRM o meno, fai in modo di lasciare un commento o una recensione sul sito Web per informare i futuri acquirenti dello stato del DRM. Molti vendori non ritengono importante indicare chiaramente ai propri acquirenti se un e-book rechi o meno un DRM. Qui<sup>137</sup> troverai una guida per vivere senza DRM.

---

<sup>137</sup> <https://www.defectivebydesign.org/guide/ebooks>

# CAPITOLO 16

---

## Glossario

---

### RSS

**RSS** (*Really Simple Syndication*) è un formato di feed web usato per pubblicare contenuti aggiornati frequentemente, come notizie, post sui blog, ecc. E' un formato studiato per essere letto sui computer ed è quindi il sistema migliore per ricevere in ebook i contenuti del web. Ci sono molti altri formati di feed usati su internet e calibre è compatibile con la maggior parte di essi. In particolare ha un buon supporto per il formato *ATOM*, spesso usato per i blog.

### Ricetta

Una ricetta è un set di istruzioni che insegna a calibre come convertire una sorgente di notizie online, come un magazine o un blog, in e-book. Una ricetta è, in sostanza, codice [Python<sup>138</sup>](#). Pertanto è possibile convertire arbitrariamente delle sorgenti complesse in e-book. Semplificando, è un insieme di variabili, come gli URL, che forniscono a calibre informazioni sufficienti per andare in internet e scaricare le notizie.

### HTML

**HTML** (*Hyper Text Mark-Up Language*), è un sottoinsieme dello Standard Generalized Mark-Up Language (SGML) per la pubblicazione elettronica. E' lo standard specifico usato nel World Wide Web.

### CSS

**CSS** (*Cascading Style Sheets*) è un linguaggio usato per descrivere come un documento [HTML](#) deve essere renderizzato (stile di visualizzazione).

### API

**API** (*Application Programming Interface*) è un'interfaccia del codice sorgente che viene fornita da una libreria per permettere ad altri programmi di eseguire richieste di servizio.

### LRF

**LRF** Il formato di e-book usato dai lettori di e-book SONY.

### URL

**URL** (*Uniform Resource Locator*) ad esempio: <http://example.com>

### regex

Le **espressioni regolari** forniscono un metodo rapido e flessibile per identificare stringhe di testo di interesse, come ad esempio caratteri, parole o sequenze di caratteri particolari. Vedi [la guida](#) (pagina 212) per un'introduzione alle espressioni regolari.

---

<sup>138</sup> <https://www.python.org>



---

## Indice del modulo Python

---

### C

calibre.customize, 254  
calibre.customize.conversion, 263  
calibre.db.cache, 349  
calibre.devices.interface, 266  
calibre.ebooks.metadata.book.base, 208  
calibre.ebooks.metadata.sources.base, 260  
calibre.ebooks.oeb.polish.container, 359  
calibre.ebooks.oeb.polish.cover, 365  
calibre.ebooks.oeb.polish.css, 366  
calibre.ebooks.oeb.polish.jacket, 364  
calibre.ebooks.oeb.polish.pretty, 364  
calibre.ebooks.oeb.polish.replace, 364  
calibre.ebooks.oeb.polish.split, 365  
calibre.ebooks.oeb.polish.toc, 366  
calibre.gui2.tweak\_book.boss, 368  
calibre.utils.formatter\_functions, 182  
calibre.web.feeds.news, 41



## Simboli

```
-1           calibredb-set_custom command line option, 320
-H           --as-extra-data-file
             calibredb-add_format command line option, 314
-I           --as-opf
             calibredb-show_metadata command line option, 315
-S           --ascending
             calibredb-list command line option, 312
-T           --asciize
             ebook-convert command line option, 326
-U           --attachment
             calibre-smtp command line option, 309
--access-log
             calibre-server command line option, 305
--add
             calibredb-add command line option, 313
--add-alt-text-to-img
             ebook-convert command line option, 329
--add-plugin
             calibre-customize command line option,
                 302
--add-simple-plugin
             calibre-debug command line option, 303
--add-soft-hyphens
             ebook-polish command line option, 335
--ajax-timeout
             calibre-server command line option, 305
--all
             calibredb-backup_metadata command line
                 option, 321
             calibredb-export command line option, 315
--allowed-plugin
             fetch-ebook-metadata command line op-
                 tion, 337
--append
             calibredb-set_custom command line option, 320
             --as-extra-data-file
             calibredb-add_format command line option, 314
             --as-opf
             calibredb-show_metadata command line option, 315
             --ascending
             calibredb-list command line option, 312
             --asciize
             ebook-convert command line option, 326
             --attachment
             calibre-smtp command line option, 309
             --auth-mode
             calibre-server command line option, 305
             --author-sort
             ebook-convert command line option, 331
             ebook-meta command line option, 333
             --authors
             calibredb-add command line option, 313
             ebook-convert command line option, 331
             ebook-meta command line option, 333
             fetch-ebook-metadata command line op-
                 tion, 337
             --auto-reload
             calibre-server command line option, 305
             --automerge
             calibredb-add command line option, 313
             --ban-after
             calibre-server command line option, 305
             --ban-for
             calibre-server command line option, 305
             --base-dir
             web2disk command line option, 339
             --base-font-size
             ebook-convert command line option, 326
             --book-list-mode
             calibre-server command line option, 305
             --book-producer
```

ebook-convert command line option, 331  
ebook-meta command line option, 333  
--build-plugin  
    calibre-customize command line option, 302  
--cafile  
    calibre-smtp command line option, 309  
--catalog-title  
    calibredb-catalog command line option, 317  
--categories  
    calibredb-list\_categories command line option, 320  
--category  
    ebook-meta command line option, 333  
--change-justification  
    ebook-convert command line option, 326  
--chapter  
    ebook-convert command line option, 329  
--chapter-mark  
    ebook-convert command line option, 330  
--command  
    calibre-debug command line option, 303  
--comments  
    ebook-convert command line option, 331  
    ebook-meta command line option, 333  
--compress-images  
    ebook-polish command line option, 335  
--compress-min-size  
    calibre-server command line option, 306  
--continue  
    ebook-viewer command line option, 336  
--cover  
    calibredb-add command line option, 313  
    ebook-convert command line option, 331  
    ebook-meta command line option, 333  
    ebook-polish command line option, 335  
    fetch-ebook-metadata command line option, 337  
--cross-reference-authors  
    calibredb-catalog command line option, 317  
--csv  
    calibredb-check\_library command line option, 320  
    calibredb-list\_categories command line option, 321  
--custom-list-template  
    calibre-server command line option, 306  
--customize-plugin  
    calibre-customize command line option, 302  
--daemonize  
    calibre-server command line option, 306  
--date  
    ebook-meta command line option, 333  
--debug-device-driver  
    calibre-debug command line option, 303  
--debug-pipeline  
    calibredb-catalog command line option, 317  
    ebook-convert command line option, 332  
--default-programs  
    calibre-debug command line option, 303  
--delay  
    web2disk command line option, 339  
--detach  
    calibre command line option, 302  
    ebook-edit command line option, 332  
    ebook-viewer command line option, 336  
--details  
    calibredb-custom\_columns command line option, 319  
--dialect  
    calibredb-list\_categories command line option, 321  
--diff  
    calibre-debug command line option, 303  
--disable-allow-socket-preallocation  
    calibre-server command line option, 306  
--disable-auth  
    calibre-server command line option, 306  
--disable-dehyphenate  
    ebook-convert command line option, 328  
--disable-delete-blank-paragraphs  
    ebook-convert command line option, 328  
--disable-fallback-to-detected-interface  
    calibre-server command line option, 306  
--disable-fix-indents  
    ebook-convert command line option, 328  
--disable-font-rescaling  
    ebook-convert command line option, 326  
--disable-format-scene-breaks  
    ebook-convert command line option, 328  
--disable-hyphenation  
    lrfviewer command line option, 338  
--disable-italicize-common-cases  
    ebook-convert command line option, 328  
--disable-local-write  
    calibre-server command line option, 306  
--disable-log-not-found  
    calibre-server command line option, 306  
--disable-markup-chapter-headings  
    ebook-convert command line option, 328  
--disable-plugin  
    calibre-customize command line option, 302  
--disable-remove-fake-margins

```

ebook-convert command line option, 330
--disable-renumber-headings
    ebook-convert command line option, 328
--disable-unwrap-lines
    ebook-convert command line option, 329
--disable-use-bonjour
    calibre-server command line option, 306
--disable-use-sendfile
    calibre-server command line option, 306
--disallow-rendered-cover
    ebook-meta command line option, 333
--display
    calibredb-add_custom_column command li-
        ne option, 319
--displayed-fields
    calibre-server command line option, 306
--do-not-match-on-related-words
    calibredb-fts_search command line op-
        tion, 322
--dont-asciiize
    calibredb-export command line option, 315
--dont-download-stylesheets
    web2disk command line option, 339
--dont-output-resources
    lrf2lrs command line option, 338
--dont-replace
    calibredb-add_format command line op-
        tion, 314
--dont-save-cover
    calibredb-export command line option, 315
--dont-save-extra-files
    calibredb-export command line option, 315
--dont-split-on-page-breaks
    ebook-convert command line option, 324
--dont-update-metadata
    calibredb-export command line option, 316
--dont-verify-server-certificate
    calibre-smtp command line option, 309
--dont-write-opf
    calibredb-export command line option, 316
--download-external-resources
    ebook-polish command line option, 335
--duplicate-links-in-toc
    ebook-convert command line option, 330
--duplicates
    calibredb-add command line option, 313
--edit-book
    calibre-debug command line option, 303
--embed-all-fonts
    ebook-convert command line option, 326
--embed-font-family
    ebook-convert command line option, 326
--embed-fonts
    ebook-polish command line option, 335
--empty
    calibredb-add command line option, 313
--enable-allow-socket-preallocation
    calibre-server command line option, 306
--enable-auth
    calibre-server command line option, 306
--enable-fallback-to-detected-interface
    calibre-server command line option, 306
--enable-heuristics
    ebook-convert command line option, 329
--enable-local-write
    calibre-server command line option, 306
--enable-log-not-found
    calibre-server command line option, 306
--enable-plugin
    calibre-customize command line option,
        302
--enable-use-bonjour
    calibre-server command line option, 306
--enable-use-sendfile
    calibre-server command line option, 306
--encoding
    web2disk command line option, 339
--encryption-method
    calibre-smtp command line option, 309
--epub-flatten
    ebook-convert command line option, 325
--epub-inline-toc
    ebook-convert command line option, 325
--epub-max-image-size
    ebook-convert command line option, 325
--epub-toc-at-end
    ebook-convert command line option, 325
--epub-version
    ebook-convert command line option, 325
--exclude-genre
    calibredb-catalog command line option,
        317
--exclusion-rules
    calibredb-catalog command line option,
        317
--exec-file
    calibre-debug command line option, 303
--expand-css
    ebook-convert command line option, 326
--explode-book
    calibre-debug command line option, 304
--export-all-calibre-data
    calibre-debug command line option, 304
--extra-css
    ebook-convert command line option, 326
--extract-to
    ebook-convert command line option, 325
--field

```

```
calibredb-set_metadata command line
option, 315
--fields
    calibredb-list command line option, 312
--filter-css
    ebook-convert command line option, 326
--filter-regexp
    web2disk command line option, 339
--flow-size
    ebook-convert command line option, 325
--font-size-mapping
    ebook-convert command line option, 326
--for-machine
    calibredb-list command line option, 312
--force
    calibredb-remove_custom_column command
    line option, 319
--force-reload
    ebook-viewer command line option, 336
--fork
    calibre-smtp command line option, 309
--formats
    calibredb-export command line option, 316
--from-opf
    ebook-convert command line option, 331
    ebook-meta command line option, 333
--full-screen
    ebook-viewer command line option, 336
--fullscreen
    ebook-viewer command line option, 336
--generate-authors
    calibredb-catalog command line option,
    317
--generate-descriptions
    calibredb-catalog command line option,
    317
--generate-genres
    calibredb-catalog command line option,
    317
--generate-recently-added
    calibredb-catalog command line option,
    317
--generate-series
    calibredb-catalog command line option,
    317
--generate-titles
    calibredb-catalog command line option,
    317
--genre-source-field
    calibredb-catalog command line option,
    317
--get-cover
    ebook-meta command line option, 333
--gui
    calibre-debug command line option, 304
--gui-debug
    calibre-debug command line option, 304
--header-note-source-field
    calibredb-catalog command line option,
    318
--help
    calibre command line option, 302
    calibre-customize command line option,
    302
    calibre-debug command line option, 304
    calibre-server command line option, 307
    calibre-smtp command line option, 309
    command line option, 311
    ebook-convert command line option, 324
    ebook-edit command line option, 332
    ebook-meta command line option, 333
    ebook-polish command line option, 335
    ebook-viewer command line option, 336
    fetch-ebook-metadata command line op-
    tion, 337
    lrf2lrs command line option, 338
    lrfviewer command line option, 338
    lrs2lrf command line option, 339
    web2disk command line option, 339
--html-unwrap-factor
    ebook-convert command line option, 329
--identifier
    calibredb-add command line option, 313
    ebook-meta command line option, 333
    fetch-ebook-metadata command line op-
    tion, 337
--ids
    calibredb-catalog command line option,
    316
--ignore
    calibredb-add command line option, 314
--ignore_extensions
    calibredb-check_library command line
    option, 320
--ignore_names
    calibredb-check_library command line
    option, 320
--ignore_plugins
    calibre command line option, 302
--ignored-fields
    calibre-server command line option, 307
--implode-book
    calibre-debug command line option, 304
--import-calibre-data
    calibre-debug command line option, 304
--include-snippets
    calibredb-fts_search command line op-
    tion, 323
```

```
--index
    ebook-meta command line option, 334
--indexing-speed
    calibredb-fts_index command line option,
        322
--indexing-threshold
    calibredb-fts_search command line op-
        tion, 323
--input-encoding
    ebook-convert command line option, 324
--input-profile
    ebook-convert command line option, 324
--insert-blank-line
    ebook-convert command line option, 326
--insert-blank-line-size
    ebook-convert command line option, 327
--insert-metadata
    ebook-convert command line option, 330
--inspect-mobi
    calibre-debug command line option, 304
--is-multiple
    calibredb-add_custom_column command li-
        ne option, 319
--isbn
    calibredb-add command line option, 313
    ebook-convert command line option, 331
    ebook-meta command line option, 334
    fetch-ebook-metadata command line op-
        tion, 337
--item_count
    calibredb-list_categories command line
        option, 321
--jacket
    ebook-polish command line option, 335
--keep-ligatures
    ebook-convert command line option, 327
--kepubify
    calibre-debug command line option, 304
--language
    ebook-convert command line option, 331
    ebook-meta command line option, 334
--languages
    calibredb-add command line option, 313
--level1-toc
    ebook-convert command line option, 330
--level2-toc
    ebook-convert command line option, 330
--level3-toc
    ebook-convert command line option, 330
--library-path
    command line option, 311
--limit
    calibredb-list command line option, 312
    calibredb-search command line option, 322
--line-height
    ebook-convert command line option, 327
--line-width
    calibredb-list command line option, 312
--linearize-tables
    ebook-convert command line option, 327
--list-fields
    calibredb-set_metadata command line
        option, 315
--list-plugins
    calibre-customize command line option,
        303
--list-recipes
    ebook-convert command line option, 324
--listen-on
    calibre-server command line option, 307
--localhost
    calibre-smtp command line option, 309
--log
    calibre-server command line option, 307
--lrf-bookid
    ebook-meta command line option, 334
--lrs
    lrs2lrf command line option, 339
--manage-users
    calibre-server command line option, 307
--margin-bottom
    ebook-convert command line option, 327
--margin-left
    ebook-convert command line option, 327
--margin-right
    ebook-convert command line option, 327
--margin-top
    ebook-convert command line option, 327
--match-end-marker
    calibredb-fts_search command line op-
        tion, 323
--match-regexp
    web2disk command line option, 339
--match-start-marker
    calibredb-fts_search command line op-
        tion, 323
--max-files
    web2disk command line option, 339
--max-header-line-size
    calibre-server command line option, 307
--max-job-time
    calibre-server command line option, 307
--max-jobs
    calibre-server command line option, 307
--max-log-size
    calibre-server command line option, 307
--max-opds-items
    calibre-server command line option, 307
```

```
--max-opds-ungrouped-items
    calibre-server command line option, 307
--max-recursions
    web2disk command line option, 340
--max-request-body-size
    calibre-server command line option, 307
--max-toc-links
    ebook-convert command line option, 331
--merge-comments-rule
    calibredb-catalog command line option,
        318
--minimum-line-height
    ebook-convert command line option, 327
--new-instance
    ebook-viewer command line option, 336
--no-chapters-in-toc
    ebook-convert command line option, 331
--no-default epub-cover
    ebook-convert command line option, 325
--no-svg-cover
    ebook-convert command line option, 325
--no-update-check
    calibre command line option, 302
--num-per-page
    calibre-server command line option, 307
--one-book-per-directory
    calibredb-add command line option, 314
--only-formats
    calibredb-embed_metadata command line
        option, 321
--open-at
    ebook-viewer command line option, 336
--opf
    ebook-polish command line option, 335
    fetch-ebook-metadata command line op-
        tion, 337
--outbox
    calibre-smtp command line option, 309
--output
    lrf2lrs command line option, 338
    lrs2lrf command line option, 339
--output-format
    calibredb-fts_search command line op-
        tion, 323
--output-profile
    calibredb-catalog command line option,
        318
    ebook-convert command line option, 324
--page-breaks-before
    ebook-convert command line option, 330
--password
    calibre-smtp command line option, 309
    command line option, 311
--paths
    calibre-debug command line option, 304
--permanent
    calibredb-remove command line option, 314
--pidfile
    calibre-server command line option, 307
--port
    calibre-server command line option, 308
    calibre-smtp command line option, 309
--prefer-metadata-cover
    ebook-convert command line option, 330
--prefix
    calibredb-list command line option, 312
--prefix-rules
    calibredb-catalog command line option,
        318
--preserve-cover-aspect-ratio
    ebook-convert command line option, 325
--preset
    calibredb-catalog command line option,
        318
--pretty-print
    ebook-convert command line option, 325
--profile
    lrfviewer command line option, 338
--progress
    calibredb-export command line option, 316
--pubdate
    ebook-convert command line option, 331
--publisher
    ebook-convert command line option, 331
    ebook-meta command line option, 334
--raise-window
    ebook-viewer command line option, 336
--rating
    ebook-convert command line option, 331
    ebook-meta command line option, 334
--read-metadata-from-opf
    ebook-convert command line option, 331
--really-do-it
    calibredb-restore_database command line
        option, 320
--recurse
    calibredb-add command line option, 314
--relay
    calibre-smtp command line option, 310
--remove-first-image
    ebook-convert command line option, 330
--remove-jacket
    ebook-polish command line option, 335
--remove-paragraph-spacing
    ebook-convert command line option, 327
--remove-paragraph-spacing-indent-size
    ebook-convert command line option, 327
--remove-plugin
```

```

calibre-customize command line option, 303
--remove-soft-hyphens
    ebook-polish command line option, 335
--remove-unused-css
    ebook-polish command line option, 335
--replace-scene-breaks
    ebook-convert command line option, 329
--replace-whitespace
    calibredb-export command line option, 316
--report
    calibredb-check_library command line option, 320
--restrict-to
    calibredb-fts_search command line option, 323
--run-plugin
    calibre-debug command line option, 304
--run-test
    calibre-debug command line option, 304
--run-without-debug
    calibre-debug command line option, 304
--search
    calibredb-catalog command line option, 316
    calibredb-list command line option, 312
--search-replace
    ebook-convert command line option, 329
--search-the-net-urls
    calibre-server command line option, 308
--select-text
    ebook-edit command line option, 332
--separator
    calibredb-list command line option, 312
--series
    calibredb-add command line option, 313
    ebook-convert command line option, 332
    ebook-meta command line option, 334
--series-index
    calibredb-add command line option, 313
    ebook-convert command line option, 332
--shutdown-running-calibre
    calibre command line option, 302
    calibre-debug command line option, 304
--shutdown-timeout
    calibre-server command line option, 308
--single-dir
    calibredb-export command line option, 316
--smarten-punctuation
    ebook-convert command line option, 328
    ebook-polish command line option, 335
--sort-by
    calibredb-list command line option, 312
--sr1-replace
    ebook-convert command line option, 329
--sr1-search
    ebook-convert command line option, 329
--sr2-replace
    ebook-convert command line option, 329
--sr2-search
    ebook-convert command line option, 329
--sr3-replace
    ebook-convert command line option, 329
--sr3-search
    ebook-convert command line option, 329
--ssl-certfile
    calibre-server command line option, 308
--ssl-keyfile
    calibre-server command line option, 308
--start-in-tray
    calibre command line option, 302
--start-reading-at
    ebook-convert command line option, 330
--subject
    calibre-smtp command line option, 309
--subset-embedded-fonts
    ebook-convert command line option, 328
--subset-font
    calibre-debug command line option, 305
--subset-fonts
    ebook-polish command line option, 335
--tags
    calibredb-add command line option, 313
    ebook-convert command line option, 332
    ebook-meta command line option, 334
--template
    calibredb-export command line option, 316
    calibredb-list command line option, 312
--template_file
    calibredb-list command line option, 312
--template_heading
    calibredb-list command line option, 312
--test-build
    calibre-debug command line option, 305
--thumb-width
    calibredb-catalog command line option, 318
--timefmt
    calibredb-export command line option, 316
--timeout
    calibre-server command line option, 308
    calibre-smtp command line option, 309
    command line option, 311
    fetch-ebook-metadata command line option, 337
    web2disk command line option, 340
--timestamp
    ebook-convert command line option, 332

```

--title  
    calibredb-add command line option, 313  
    ebook-convert command line option, 332  
    ebook-meta command line option, 334  
    fetch-ebook-metadata command line option, 337  
--title-sort  
    ebook-convert command line option, 332  
    ebook-meta command line option, 334  
--to-dir  
    calibredb-export command line option, 316  
--to-lowercase  
    calibredb-export command line option, 316  
--to-opf  
    ebook-meta command line option, 334  
--toc-filter  
    ebook-convert command line option, 331  
--toc-threshold  
    ebook-convert command line option, 331  
--toc-title  
    ebook-convert command line option, 325  
--transform-css-rules  
    ebook-convert command line option, 328  
--transform-html-rules  
    ebook-convert command line option, 328  
--trusted-ips  
    calibre-server command line option, 308  
--un-kepubify  
    calibre-debug command line option, 305  
--unsmarten-punctuation  
    ebook-convert command line option, 328  
--upgrade-book  
    ebook-polish command line option, 336  
--url-prefix  
    calibre-server command line option, 308  
--use-auto-toc  
    ebook-convert command line option, 331  
--use-existing-cover  
    calibredb-catalog command line option, 318  
--userdb  
    calibre-server command line option, 308  
--username  
    calibre-smtp command line option, 310  
        command line option, 311  
--vacuum-fts-db  
    calibredb-check\_library command line option, 320  
--verbose  
    calibre command line option, 302  
    calibre-smtp command line option, 309  
    calibredb-catalog command line option, 317  
        ebook-convert command line option, 332  
            ebook-polish command line option, 336  
            fetch-ebook-metadata command line option, 337  
                lrf2lrs command line option, 338  
                lrfviewer command line option, 338  
                lrs2lrf command line option, 339  
                web2disk command line option, 340  
--version  
    calibre command line option, 302  
    calibre-customize command line option, 303  
    calibre-debug command line option, 305  
    calibre-server command line option, 308  
    calibre-smtp command line option, 309  
        command line option, 311  
    ebook-convert command line option, 324  
    ebook-edit command line option, 332  
    ebook-meta command line option, 334  
    ebook-polish command line option, 336  
    ebook-viewer command line option, 336  
    fetch-ebook-metadata command line option, 337  
        lrf2lrs command line option, 338  
        lrfviewer command line option, 338  
        lrs2lrf command line option, 339  
        web2disk command line option, 340  
--viewer  
    calibre-debug command line option, 305  
--visual-debug  
    lrfviewer command line option, 338  
--wait-for-completion  
    calibredb-fts\_index command line option, 322  
--white-background  
    lrfviewer command line option, 338  
--width  
    calibredb-list\_categories command line option, 321  
--with-library  
    calibre command line option, 302  
        command line option, 311  
--worker-count  
    calibre-server command line option, 308  
-a  
    calibre-customize command line option, 302  
    calibre-smtp command line option, 309  
    calibredb-add command line option, 313  
    calibredb-set\_custom command line option, 320  
        ebook-meta command line option, 333  
        fetch-ebook-metadata command line option, 337  
-b

```

calibre-customize command line option, 302
-c
    calibre-debug command line option, 303
    calibredb-add command line option, 313
    calibredb-check_library command line
        option, 320
    calibredb-list_categories command line
        option, 321
    ebook-meta command line option, 333
    ebook-polish command line option, 335
    fetch-ebook-metadata command line op-
        tion, 337
-d
    calibre-debug command line option, 303
    calibredb-add command line option, 313
    calibredb-custom_columns command line
        option, 319
    ebook-convert command line option, 332
    ebook-meta command line option, 333
    ebook-polish command line option, 335
    fetch-ebook-metadata command line op-
        tion, 337
    web2disk command line option, 339
-e
    calibre-debug command line option, 303
    calibre-smtp command line option, 309
    calibredb-add command line option, 313
    calibredb-check_library command line
        option, 320
    ebook-polish command line option, 335
-f
    calibre-debug command line option, 305
    calibre-smtp command line option, 309
    calibredb-embed_metadata command line
        option, 321
    calibredb-list command line option, 312
    calibredb-remove_custom_column command
        line option, 319
    calibredb-set_metadata command line
        option, 315
    ebook-polish command line option, 335
    ebook-viewer command line option, 336
-g
    calibre-debug command line option, 304
-h
    calibre command line option, 302
    calibre-customize command line option,
        302
    calibre-debug command line option, 304
    calibre-server command line option, 307
    calibre-smtp command line option, 309
    command line option, 311
    ebook-convert command line option, 324
-i
    ebook-edit command line option, 332
    ebook-meta command line option, 333
    ebook-polish command line option, 335
    ebook-viewer command line option, 336
    fetch-ebook-metadata command line op-
        tion, 337
    lrf2lrs command line option, 338
    lrfviewer command line option, 338
    lrs2lrf command line option, 339
    web2disk command line option, 339
-j
    ebook-polish command line option, 335
-k
    ebook-meta command line option, 333
-l
    calibre-customize command line option,
        303
    calibre-smtp command line option, 309
    calibredb-add command line option, 313
    calibredb-search command line option, 322
    calibredb-set_metadata command line
        option, 315
    ebook-meta command line option, 334
-m
    calibre-debug command line option, 304
    calibredb-add command line option, 313
    ebook-convert command line option, 331
-n
    calibredb-check_library command line
        option, 320
    web2disk command line option, 339
-o
    calibre-smtp command line option, 309
    ebook-polish command line option, 335
    fetch-ebook-metadata command line op-
        tion, 337
    lrf2lrs command line option, 338
    lrs2lrf command line option, 339
-p
    calibre-smtp command line option, 309
    ebook-meta command line option, 334
    ebook-polish command line option, 335

```

```

fetch-ebook-metadata command line option, 337
-r
calibre-customize command line option, 303
calibre-debug command line option, 304
calibre-smtp command line option, 310
calibredb-add command line option, 314
calibredb-check_library command line option, 320
calibredb-list_categories command line option, 320
calibredb-restore_database command line option, 320
ebook-meta command line option, 334
web2disk command line option, 340
-s
calibre command line option, 302
calibre-debug command line option, 304
calibre-smtp command line option, 309
calibredb-add command line option, 313
calibredb-catalog command line option, 316
calibredb-list command line option, 312
ebook-meta command line option, 334
-t
calibre-debug command line option, 304
calibre-smtp command line option, 309
calibredb-add command line option, 313
calibredb-list command line option, 312
ebook-meta command line option, 334
fetch-ebook-metadata command line option, 337
web2disk command line option, 340
-u
calibre-smtp command line option, 310
ebook-polish command line option, 335
-v
calibre command line option, 302
calibre-smtp command line option, 309
calibredb-catalog command line option, 317
ebook-convert command line option, 332
fetch-ebook-metadata command line option, 337
-w
calibre-debug command line option, 305
calibredb-list command line option, 312
calibredb-list_categories command line option, 321
-x
calibre-debug command line option, 304

```

## A

```

abort_article() (calibre.web.feeds.news.BasicNewsRecipe metodo), 42
abort_recipe_processing() (calibre.web.feeds.news.BasicNewsRecipe metodo), 42
abspath_to_name() (calibre.ebooks.oeb.polish.container.Container metodo), 360
accept_drag_move_event() (calibre.gui2.actions.InterfaceAction metodo), 281
accept_enter_event() (calibre.gui2.actions.InterfaceAction metodo), 281
accepts_drops (calibre.gui2.actions.InterfaceAction attributo), 280
action_add_menu (calibre.gui2.actions.InterfaceAction attributo), 280
action_menu_clone_qaction (calibre.gui2.actions.InterfaceAction attributo), 280
action_shortcut_name (calibre.gui2.actions.InterfaceAction attributo), 280
action_spec (calibre.gui2.actions.InterfaceAction attributo), 280
action_type (calibre.gui2.actions.InterfaceAction attributo), 280
add_annotation_to_library() (calibre.devices.usbms.device.Device metodo), 277
add_book() (calibre.devices.interface.BookList metodo), 274
add_books() (calibre.db.cache.Cache metodo), 350
add_books_to_metadata() (calibre.devices.interface.DevicePlugin della classe), 270
add_books_to_metadata() (calibre.devices.usbms.driver.USBMS metodo), 279
add_custom_book_data() (calibre.db.cache.Cache metodo), 350
add_extra_files() (calibre.db.cache.Cache metodo), 350
add_file() (calibre.ebooks.oeb.polish.container.Container metodo), 360
add_format() (calibre.db.cache.Cache metodo), 350
add_listener() (calibre.db.cache.Cache metodo), 350
add_name_to_manifest() (calibre.ebooks.oeb.polish.container.Container metodo), 360

```

|  |  |
|--|--|
| add_notes_resource() ( <i>calibre.db.cache.Cache metodo</i> ), 350                             | <i>(calibre.web.feeds.news.BasicNewsRecipe attributo)</i> , 46                               |
| add_or_replace_jacket() ( <i>nel modulo</i> <i>calibre.ebooks.oeb.polish.jacket</i> ), 364     | <i>ASK_TO_ALLOW_CONNECT</i> ( <i>calibre.devices.interface.DevicePlugin attributo</i> ), 267 |
| add_properties() ( <i>calibre.ebooks.oeb.polish.container.Container metodo</i> ), 360          | author ( <i>calibre.customize.InterfaceActionBase attributo</i> ), 283                       |
| add_savepoint() ( <i>calibre.gui2.tweak_book.boss.Boss metodo</i> ), 368                       | author ( <i>calibre.customize.MetadataReaderPlugin attributo</i> ), 258                      |
| add_toc_thumbnail() ( <i>calibre.web.feeds.news.BasicNewsRecipe metodo</i> ), 42               | author ( <i>calibre.customize.MetadataWriterPlugin attributo</i> ), 259                      |
| adeify_images() ( <i>calibre.web.feeds.news.BasicNewsRecipe della classe</i> ), 41             | author ( <i>calibre.customize.Plugin attributo</i> ), 254                                    |
| all_annotation_types() ( <i>calibre.db.cache.Cache metodo</i> ), 351                           | author ( <i>calibre.customize.PreferencesPlugin attributo</i> ), 283                         |
| all_annotation_users() ( <i>calibre.db.cache.Cache metodo</i> ), 351                           | author ( <i>calibre.devices.usbms.driver.USBMS attributo</i> ), 277                          |
| all_annotations() ( <i>calibre.db.cache.Cache metodo</i> ), 351                                | author ( <i>calibre.ebooks.metadata.sources.base.Source attributo</i> ), 260                 |
| all_annotations_for_book() ( <i>calibre.db.cache.Cache metodo</i> ), 351                       | author_data () ( <i>calibre.db.cache.Cache metodo</i> ), 351                                 |
| all_book_ids() ( <i>calibre.db.cache.Cache metodo</i> ), 351                                   | author_sort_from_authors() ( <i>calibre.db.cache.Cache metodo</i> ), 351                     |
| all_field_for() ( <i>calibre.db.cache.Cache metodo</i> ), 351                                  | auto_cleanup ( <i>calibre.web.feeds.news.BasicNewsRecipe attributo</i> ), 46                 |
| all_field_ids() ( <i>calibre.db.cache.Cache metodo</i> ), 351                                  | auto_cleanup_keep ( <i>calibre.web.feeds.news.BasicNewsRecipe attributo</i> ), 46            |
| all_field_keys() ( <i>calibre.ebooks.metadata.book.base.Metadata metodo</i> ), 209             | auto_repeat ( <i>calibre.gui2.actions.InterfaceAction attributo</i> ), 280                   |
| all_field_names() ( <i>calibre.db.cache.Cache metodo</i> ), 351                                | auto_trim_covers ( <i>calibre.ebooks.metadata.sources.base.Source attributo</i> ), 260       |
| all_non_none_fields() ( <i>calibre.ebooks.metadata.book.base.Metadata metodo</i> ), 209        |  |
| allowed_in_menu ( <i>calibre.gui2.tweak_book.plugin.Tool attributo</i> ), 367                  |  |
| allowed_in_toolbar ( <i>calibre.gui2.tweak_book.plugin.Tool attributo</i> ), 367               |  |
| annotation_count_for_book() ( <i>calibre.db.cache.Cache metodo</i> ), 351                      |  |
| annotations_map_for_book() ( <i>calibre.db.cache.Cache metodo</i> ), 351                       |  |
| API, 373   |  |
| apply_container_update_to_gui() ( <i>bre.gui2.tweak_book.boss.Boss metodo</i> ), 368           |  |
| apply_unique_properties() ( <i>calibre.ebooks.oeb.polish.container.Container metodo</i> ), 360 |  |
| articles_are_obfuscated ( <i>calibre.web.feeds.news.BasicNewsRecipe attributo</i> ), 46        |  |
| BCD ( <i>calibre.devices.interface.DevicePlugin attributo</i> ), 266                           |  |
| BCD ( <i>calibre.devices.usbms.device.Device attributo</i> ), 275                              |  |
| book_class ( <i>calibre.devices.usbms.driver.USBMS attributo</i> ), 278                        |  |
| book_created ( <i>calibre.db.cache.Cache.EventType attributo</i> ), 349                        |  |
| book_edited ( <i>calibre.db.cache.Cache.EventType attributo</i> ), 349                         |  |
| book_type ( <i>calibre.ebooks.oeb.polish.container.Container attributo</i> ), 360              |  |
| BookList ( <i>classe in calibre.devices.interface</i> ), 273                                   |  |
| booklist_class ( <i>calibre.devices.usbms.driver.USBMS attributo</i> ), 278                    |  |
| books() ( <i>calibre.devices.interface.DevicePlugin metodo</i> ), 270                          |  |
| books() ( <i>calibre.devices.usbms.driver.USBMS metodo</i> ), 278                              |  |

## B

|   |
|---|
| BasicNewsRecipe ( <i>classe in calibre.web.feeds.news</i> ), 41                   |
| BCD ( <i>calibre.devices.interface.DevicePlugin attributo</i> ), 266              |
| BCD ( <i>calibre.devices.usbms.device.Device attributo</i> ), 275                 |
| book_class ( <i>calibre.devices.usbms.driver.USBMS attributo</i> ), 278           |
| book_created ( <i>calibre.db.cache.Cache.EventType attributo</i> ), 349           |
| book_edited ( <i>calibre.db.cache.Cache.EventType attributo</i> ), 349            |
| book_type ( <i>calibre.ebooks.oeb.polish.container.Container attributo</i> ), 360 |
| BookList ( <i>classe in calibre.devices.interface</i> ), 273                      |
| booklist_class ( <i>calibre.devices.usbms.driver.USBMS attributo</i> ), 278       |
| books() ( <i>calibre.devices.interface.DevicePlugin metodo</i> ), 270             |
| books() ( <i>calibre.devices.usbms.driver.USBMS metodo</i> ), 278                 |

|   |   |
|---|---|
| books_for_field() ( <i>calibre.db.cache.Cache</i> metodo),<br>351                               | BuiltinConnectedDeviceName ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 187    |
| books_in_virtual_library() ( <i>calibre.db.cache.Cache</i> metodo),<br>351                      | BuiltinConnectedDeviceUUID ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 187    |
| books_removed ( <i>calibre.db.cache.Cache.EventType</i> attributo), 349                         | BuiltinContains ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>202               |
| boss ( <i>calibre.gui2.tweak_book.plugin.Tool</i> property), 367                                | BuiltinCount ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>198                  |
| Boss ( <i>classe</i> in <i>calibre.gui2.tweak_book.boss</i> ), 368                              | BuiltinCurrentLibraryName ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 187     |
| browser_type ( <i>calibre.web.feeds.news.BasicNewsRecipe</i> attributo), 46                     | BuiltinCurrentLibraryPath ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 188     |
| BuiltinAdd ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>183                | BuiltinCurrentVirtualLibraryName ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ), 188 |
| BuiltinAnd ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>184                | BuiltinDateArithmetic ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>194         |
| BuiltinAnnotationCount ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 186    | BuiltinDaysBetween ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>194            |
| BuiltinApproximateFormats ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 186 | BuiltinDivide ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>183                 |
| BuiltinArguments ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>182          | BuiltinEncodeForURL ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>206           |
| BuiltinAssign ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>182             | BuiltinEval ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>205                   |
| BuiltinAuthorLinks ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>187     | BuiltinExtraFileModtime ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 196       |
| BuiltinAuthorSorts ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>187     | BuiltinExtraFileNames ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>196         |
| BuiltinBookCount ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>195       | BuiltinExtraFileSize ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>196          |
| BuiltinBooksize ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>187        | BuiltinField ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>188                  |
| BuiltinBookValues ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>195      | BuiltinFieldExists ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>202            |
| BuiltinCapitalize ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>185      | BuiltinFieldListCount ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>198         |
| BuiltinCeiling ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>183         | BuiltinFinishFormatting ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 191       |
| BuiltinCharacter ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>202       | BuiltinFirstMatchingCmp ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ), 205       |
| BuiltinCheckYesNo ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>202      | BuiltinFirstNonEmpty ( <i>classe</i> in<br><i>calibre.utils.formatter_functions</i> ),<br>198       |
| BuiltinCmp ( <i>classe</i> in <i>calibre.utils.formatter_functions</i> ),<br>205                |   |

|                              |   |           |       |                             |   |           |       |
|------------------------------|---|-----------|-------|-----------------------------|---|-----------|-------|
| BuiltinFloor                 | (classe<br><i>bre.utils.formatter_functions</i> ),<br>184   | <i>in</i> | cali- | BuiltinInList               | (classe<br><i>bre.utils.formatter_functions</i> ),<br>185   | <i>in</i> | cali- |
| BuiltinFormatDate            | (classe<br><i>bre.utils.formatter_functions</i> ),<br>191   | <i>in</i> | cali- | BuiltinIsDarkMode           | (classe<br><i>bre.utils.formatter_functions</i> ),<br>183   | <i>in</i> | cali- |
| BuiltinFormatDateFormatField | (classe<br><i>calibre.utils.formatter_functions</i> ), 192  | <i>in</i> |       | BuiltinIsMarked             | (classe<br><i>bre.utils.formatter_functions</i> ),<br>189   | <i>in</i> | cali- |
| BuiltinFormatDuration        | (classe<br><i>libre.utils.formatter_functions</i> ),<br>192 | <i>in</i> | ca-   | BuiltinLanguageCodes        | (classe<br><i>libre.utils.formatter_functions</i> ),<br>189 | <i>in</i> | ca-   |
| BuiltinFormatNumber          | (classe<br><i>libre.utils.formatter_functions</i> ),<br>193 | <i>in</i> | ca-   | BuiltinLanguageStrings      | (classe<br><i>calibre.utils.formatter_functions</i> ), 190  | <i>in</i> |       |
| BuiltinFormatsModtimes       | (classe<br><i>calibre.utils.formatter_functions</i> ), 188  | <i>in</i> |       | BuiltinListCountMatching    | (classe<br><i>calibre.utils.formatter_functions</i> ), 199  | <i>in</i> |       |
| BuiltinFormatsPaths          | (classe<br><i>libre.utils.formatter_functions</i> ),<br>189 | <i>in</i> | ca-   | BuiltinListDifference       | (classe<br><i>libre.utils.formatter_functions</i> ),<br>199 | <i>in</i> | ca-   |
| BuiltinFormatsPathSegments   | (classe<br><i>calibre.utils.formatter_functions</i> ), 188  | <i>in</i> |       | BuiltinListEquals           | (classe<br><i>bre.utils.formatter_functions</i> ),<br>199   | <i>in</i> | cali- |
| BuiltinFormatsSizes          | (classe<br><i>libre.utils.formatter_functions</i> ),<br>189 | <i>in</i> | ca-   | BuiltinListIntersection     | (classe<br><i>calibre.utils.formatter_functions</i> ), 199  | <i>in</i> |       |
| BuiltinFractionalPart        | (classe<br><i>libre.utils.formatter_functions</i> ),<br>184 | <i>in</i> | ca-   | BuiltinListitem             | (classe<br><i>bre.utils.formatter_functions</i> ),<br>186   | <i>in</i> | cali- |
| BuiltinGetLink               | (classe<br><i>bre.utils.formatter_functions</i> ),<br>196   | <i>in</i> | cali- | BuiltinListJoin             | (classe<br><i>bre.utils.formatter_functions</i> ),<br>199   | <i>in</i> | cali- |
| BuiltinGetNote               | (classe<br><i>bre.utils.formatter_functions</i> ),<br>197   | <i>in</i> | cali- | BuiltinListRe               | (classe<br><i>bre.utils.formatter_functions</i> ),<br>200   | <i>in</i> | cali- |
| BuiltinGlobals               | (classe<br><i>bre.utils.formatter_functions</i> ),<br>183   | <i>in</i> | cali- | BuiltinListReGroup          | (classe<br><i>libre.utils.formatter_functions</i> ),<br>200 | <i>in</i> | ca-   |
| BuiltinHasCover              | (classe<br><i>bre.utils.formatter_functions</i> ),<br>189   | <i>in</i> | cali- | BuiltinListRemoveDuplicates | (classe<br><i>calibre.utils.formatter_functions</i> ), 200  | <i>in</i> |       |
| BuiltinHasExtraFiles         | (classe<br><i>libre.utils.formatter_functions</i> ),<br>197 | <i>in</i> | ca-   | BuiltinListSort             | (classe<br><i>bre.utils.formatter_functions</i> ),<br>200   | <i>in</i> | cali- |
| BuiltinHasNote               | (classe<br><i>bre.utils.formatter_functions</i> ),<br>197   | <i>in</i> | cali- | BuiltinListSplit            | (classe<br><i>bre.utils.formatter_functions</i> ),<br>200   | <i>in</i> | cali- |
| BuiltinHumanReadable         | (classe<br><i>libre.utils.formatter_functions</i> ),<br>194 | <i>in</i> | ca-   | BuiltinListUnion            | (classe<br><i>bre.utils.formatter_functions</i> ),<br>201   | <i>in</i> | cali- |
| BuiltinIdentifierInList      | (classe<br><i>calibre.utils.formatter_functions</i> ), 185  | <i>in</i> |       | BuiltinLookup               | (classe<br><i>bre.utils.formatter_functions</i> ),<br>198   | <i>in</i> | cali- |
| BuiltinIfempty               | (classe<br><i>bre.utils.formatter_functions</i> ),<br>203   | <i>in</i> | cali- | BuiltinLowercase            | (classe<br><i>bre.utils.formatter_functions</i> ),<br>185   | <i>in</i> | cali- |

|                        |   |    |       |     |                           |   |    |       |
|------------------------|---|----|-------|-----|---------------------------|---|----|-------|
| BuiltinMakeUrl         | (classe<br>bre.utils.formatter_functions),<br>206     | in | cali- | 203 | BuiltinStrcat             | (classe<br>bre.utils.formatter_functions),<br>203     | in | cali- |
| BuiltinMakeUrlExtended | (classe<br>calibre.utils.formatter_functions), 207    | in |       |     | BuiltinStrcatMax          | (classe<br>bre.utils.formatter_functions),<br>203     | in | cali- |
| BuiltinMod             | (classe in calibre.utils.formatter_functions),<br>184 |    |       |     | Builtinstrcmp             | (classe<br>bre.utils.formatter_functions),<br>205     | in | cali- |
| BuiltinMultiply        | (classe<br>bre.utils.formatter_functions),<br>184     | in | cali- |     | Builtinstrcmpcase         | (classe<br>bre.utils.formatter_functions),<br>205     | in | cali- |
| BuiltinNot             | (classe in calibre.utils.formatter_functions),<br>184 |    |       |     | BuiltinStrInList          | (classe<br>bre.utils.formatter_functions),<br>186     | in | cali- |
| BuiltinOndevice        | (classe<br>bre.utils.formatter_functions),<br>190     | in | cali- |     | BuiltinStrlen             | (classe<br>bre.utils.formatter_functions),<br>204     | in | cali- |
| BuiltinOr              | (classe in calibre.utils.formatter_functions),<br>185 |    |       |     | BuiltinSubitems           | (classe<br>bre.utils.formatter_functions),<br>201     | in | cali- |
| BuiltinPrint           | (classe<br>bre.utils.formatter_functions),<br>183     | in | cali- |     | BuiltinSublist            | (classe<br>bre.utils.formatter_functions),<br>202     | in | cali- |
| BuiltinQueryString     | (classe<br>libre.utils.formatter_functions),<br>207   |    | ca-   |     | BuiltinSubstr             | (classe<br>bre.utils.formatter_functions),<br>204     | in | cali- |
| BuiltinRange           | (classe<br>bre.utils.formatter_functions),<br>201     | in | cali- |     | BuiltinSubtract           | (classe<br>bre.utils.formatter_functions),<br>184     | in | cali- |
| BuiltinRatingToStars   | (classe<br>libre.utils.formatter_functions),<br>194   |    | ca-   |     | BuiltinSwapAroundArticles | (classe<br>calibre.utils.formatter_functions), 204    | in |       |
| BuiltinRawField        | (classe<br>bre.utils.formatter_functions),<br>190     | in | cali- |     | BuiltinSwapAroundComma    | (classe<br>calibre.utils.formatter_functions), 204    | in |       |
| BuiltinRawList         | (classe<br>bre.utils.formatter_functions),<br>190     |    | cali- |     | BuiltinSwitch             | (classe<br>bre.utils.formatter_functions),<br>198     | in | cali- |
| BuiltinRe              | (classe in calibre.utils.formatter_functions),<br>203 |    |       |     | BuiltinSwitchIf           | (classe<br>bre.utils.formatter_functions),<br>198     | in | cali- |
| BuiltinReGroup         | (classe<br>bre.utils.formatter_functions),<br>203     | in | cali- |     | BuiltinTemplate           | (classe<br>bre.utils.formatter_functions),<br>206     | in | cali- |
| BuiltinRound           | (classe<br>bre.utils.formatter_functions),<br>184     |    | cali- |     | BuiltinTest               | (classe in calibre.utils.formatter_functions),<br>204 |    |       |
| BuiltinSelect          | (classe<br>bre.utils.formatter_functions),<br>186     | in | cali- |     | BuiltinTitlecase          | (classe<br>bre.utils.formatter_functions),<br>185     | in | cali- |
| BuiltinSeriesSort      | (classe<br>bre.utils.formatter_functions),<br>190     |    | cali- |     | BuiltinToday              | (classe<br>bre.utils.formatter_functions),<br>194     | in | cali- |
| BuiltinSetGlobals      | (classe<br>bre.utils.formatter_functions),<br>183     | in | cali- |     | BuiltinToHex              | (classe<br>bre.utils.formatter_functions),            | in | cali- |
| BuiltinShorten         | (classe<br>bre.utils.formatter_functions),            |    | cali- |     |                           |   |    |       |

208  
**BuiltinTransliterate**      (*classe*      *in*      *ca-*  
*libre.utils.formatter\_functions*),  
204  
**BuiltinUppercase**      (*classe*      *in*      *cali-*  
*bre.utils.formatter\_functions*),  
185  
**BuiltinUrlsFromIdentifiers**      (*classe*      *in*      *cali-*  
*calibre.utils.formatter\_functions*), 208  
**BuiltinUserCategories**      (*classe*      *in*      *ca-*  
*libre.utils.formatter\_functions*),  
190  
**BuiltinVirtualLibraries**      (*classe*      *in*  
*calibre.utils.formatter\_functions*), 190

**C**

**Cache** (*classe in calibre.db.cache*), 349  
**Cache.EventType** (*classe in calibre.db.cache*), 349  
**cached\_cover\_url\_is\_reliable**      (*cali-*  
*bre.ebooks.metadata.sources.base.Source*  
*attributo*), 260  
**calibre** command line option  
--detach, 302  
--help, 302  
--ignore-plugins, 302  
--no-update-check, 302  
--shutdown-running-calibre, 302  
--start-in-tray, 302  
--verbose, 302  
--version, 302  
--with-library, 302  
-h, 302  
-s, 302  
-v, 302  
**calibre.customize**  
module, 254  
**calibre.customize.conversion**  
module, 263  
**calibre.db.cache**  
module, 349  
**calibre.devices.interface**  
module, 266  
**calibre.ebooks.metadata.book.base**  
module, 208  
**calibre.ebooks.metadata.sources.base**  
module, 260  
**calibre.ebooks.oeb.polish.container**  
module, 359  
**calibre.ebooks.oeb.polish.cover**  
module, 365  
**calibre.ebooks.oeb.polish.css**  
module, 366  
**calibre.ebooks.oeb.polish.jacket**  
module, 364

**calibre.ebooks.oeb.polish.pretty**  
module, 364  
**calibre.ebooks.oeb.polish.replace**  
module, 364  
**calibre.ebooks.oeb.polish.split**  
module, 365  
**calibre.ebooks.oeb.polish.toc**  
module, 366  
**calibre.gui2.tweak\_book.boss**  
module, 368  
**calibre.utils.formatter\_functions**  
module, 182  
**calibre.web.feeds.news**  
module, 41  
**calibre-customize** command line option  
--add-plugin, 302  
--build-plugin, 302  
--customize-plugin, 302  
--disable-plugin, 302  
--enable-plugin, 302  
--help, 302  
--list-plugins, 303  
--remove-plugin, 303  
--version, 303  
-a, 302  
-b, 302  
-h, 302  
-l, 303  
-r, 303  
**calibre-debug** command line option  
--add-simple-plugin, 303  
--command, 303  
--debug-device-driver, 303  
--default-programs, 303  
--diff, 303  
--edit-book, 303  
--exec-file, 303  
--explode-book, 304  
--export-all-calibre-data, 304  
--gui, 304  
--gui-debug, 304  
--help, 304  
--implode-book, 304  
--import-calibre-data, 304  
--inspect-mobi, 304  
--kepubify, 304  
--paths, 304  
--run-plugin, 304  
--run-test, 304  
--run-without-debug, 304  
--shutdown-running-calibre, 304  
--subset-font, 305  
--test-build, 305  
--un-kepubify, 305

```
--version, 305  
--viewer, 305  
-c, 303  
-d, 303  
-e, 303  
-f, 305  
-g, 304  
-h, 304  
-i, 304  
-m, 304  
-r, 304  
-s, 304  
-t, 304  
-w, 305  
-x, 304  
  
calibre-server command line option  
--access-log, 305  
--ajax-timeout, 305  
--auth-mode, 305  
--auto-reload, 305  
--ban-after, 305  
--ban-for, 305  
--book-list-mode, 305  
--compress-min-size, 306  
--custom-list-template, 306  
--daemonize, 306  
--disable-allow-socket-preallocation,  
    306  
--disable-auth, 306  
--disable-fallback-to-  
    detected-interface,  
    306  
--disable-local-write, 306  
--disable-log-not-found, 306  
--disable-use-bonjour, 306  
--disable-use-sendfile, 306  
--displayed-fields, 306  
--enable-allow-socket-preallocation, 306  
--enable-auth, 306  
--enable-fallback-to-  
    detected-interface,  
    306  
--enable-local-write, 306  
--enable-log-not-found, 306  
--enable-use-bonjour, 306  
--enable-use-sendfile, 306  
--help, 307  
--ignored-fields, 307  
--listen-on, 307  
--log, 307  
--manage-users, 307  
--max-header-line-size, 307  
--max-job-time, 307  
--max-jobs, 307  
  
--max-log-size, 307  
--max-opds-items, 307  
--max-opds-ungrouped-items, 307  
--max-request-body-size, 307  
--num-per-page, 307  
--pidfile, 307  
--port, 308  
--search-the-net-urls, 308  
--shutdown-timeout, 308  
--ssl-certfile, 308  
--ssl-keyfile, 308  
--timeout, 308  
--trusted-ips, 308  
--url-prefix, 308  
--userdb, 308  
--version, 308  
--worker-count, 308  
-h, 307  
  
calibre-smtp command line option  
--attachment, 309  
--cafile, 309  
--dont-verify-server-certificate, 309  
--encryption-method, 309  
--fork, 309  
--help, 309  
--localhost, 309  
--outbox, 309  
--password, 309  
--port, 309  
--relay, 310  
--subject, 309  
--timeout, 309  
--username, 310  
--verbose, 309  
--version, 309  
-a, 309  
-e, 309  
-f, 309  
-h, 309  
-l, 309  
-o, 309  
-p, 309  
-r, 310  
-s, 309  
-t, 309  
-u, 310  
-v, 309  
  
calibredb-add command line option  
-1, 314  
-I, 313  
-S, 313  
-T, 313  
--add, 313  
--authors, 313
```

```

--automerge, 313
--cover, 313
--duplicates, 313
--empty, 313
--identifier, 313
--ignore, 314
--isbn, 313
--languages, 313
--one-book-per-directory, 314
--recurse, 314
--series, 313
--series-index, 313
--tags, 313
--title, 313
-a, 313
-c, 313
-d, 313
-e, 313
-i, 313
-l, 313
-m, 313
-r, 314
-s, 313
-t, 313
calibredb-add_custom_column command line
option
--display, 319
--is-multiple, 319
calibredb-add_format command line option
--as-extra-data-file, 314
--dont-replace, 314
calibredb-backup_metadata command line op-
tion
--all, 321
calibredb-catalog command line option
--catalog-title, 317
--cross-reference-authors, 317
--debug-pipeline, 317
--exclude-genre, 317
--exclusion-rules, 317
--generate-authors, 317
--generate-descriptions, 317
--generate-genres, 317
--generate-recently-added, 317
--generate-series, 317
--generate-titles, 317
--genre-source-field, 317
--header-note-source-field, 318
--ids, 316
--merge-comments-rule, 318
--output-profile, 318
--prefix-rules, 318
--preset, 318
--search, 316
--thumb-width, 318
--use-existing-cover, 318
--verbose, 317
-i, 316
-s, 316
-v, 317
calibredb-check_library command line option
--csv, 320
--ignore_extensions, 320
--ignore_names, 320
--report, 320
--vacuum_fts_db, 320
-c, 320
-e, 320
-n, 320
-r, 320
calibredb-custom_columns command line op-
tion
--details, 319
-d, 319
calibredb-embed_metadata command line op-
tion
--only-formats, 321
-f, 321
calibredb-export command line option
--all, 315
--dont-asciiize, 315
--dont-save-cover, 315
--dont-save-extra-files, 315
--dont-update-metadata, 316
--dont-write-opf, 316
--formats, 316
--progress, 316
--replace-whitespace, 316
--single-dir, 316
--template, 316
--timefmt, 316
--to-dir, 316
--to-lowercase, 316
calibredb-fts_index command line option
--indexing-speed, 322
--wait-for-completion, 322
calibredb-fts_search command line option
--do-not-match-on-related-words, 322
--include-snippets, 323
--indexing-threshold, 323
--match-end-marker, 323
--match-start-marker, 323
--output-format, 323
--restrict-to, 323
calibredb-list command line option
--ascending, 312
--fields, 312
--for-machine, 312

```

```
--limit, 312
--line-width, 312
--prefix, 312
--search, 312
--separator, 312
--sort-by, 312
--template, 312
--template_file, 312
--template_heading, 312
-f, 312
-s, 312
-t, 312
-w, 312
calibredb-list_categories command line option
--categories, 320
--csv, 321
--dialect, 321
--item_count, 321
--width, 321
-c, 321
-i, 321
-r, 320
-w, 321
calibredb-remove command line option
--permanent, 314
calibredb-remove_custom_column command line option
--force, 319
-f, 319
calibredb-restore_database command line option
--really-do-it, 320
-r, 320
calibredb-search command line option
--limit, 322
-l, 322
calibredb-set_custom command line option
--append, 320
-a, 320
calibredb-set_metadata command line option
--field, 315
--list-fields, 315
-f, 315
-l, 315
calibredb-show_metadata command line option
--as-opf, 315
can_be_disabled (calibre.customize.conversion.InputFormatPlugin attributo), 263
can_be_disabled (calibre.customize.conversion.OutputFormatPlugin attributo), 265
can_be_disabled (calibre.customize.InterfaceActionBase attributo), 283
can_be_disabled (calibre.customize.Plugin attributo), 255
can_be_disabled (calibre.customize.PreferencesPlugin attributo), 283
CAN_DO_DEVICE_DB_PLUGBOARD (calibre.devices.interface.DevicePlugin attributo), 267
can_get_multiple_covers (calibre.ebooks.metadata.sources.base.Source attributo), 260
can_handle() (calibre.devices.interface.DevicePlugin metodo), 268
can_handle_windows () (calibre.devices.interface.DevicePlugin metodo), 268
can_handle_windows () (calibre.devices.usbms.device.Device metodo), 276
CAN_SET_METADATA (calibre.devices.interface.DevicePlugin attributo), 266
CAN_SET_METADATA (calibre.devices.usbms.driver.USBMS attributo), 278
canonicalize_internal_url() (calibre.web.feeds.news.BasicNewsRecipe metodo), 42
capabilities (calibre.ebooks.metadata.sources.base.Source attributo), 260
card_prefix() (calibre.devices.interface.DevicePlugin metodo), 269
card_prefix() (calibre.devices.usbms.device.Device metodo), 276
CatalogPlugin (classe in calibre.customize), 259
category (calibre.customize.PreferencesPlugin attributo), 283
category_order (calibre.customize.PreferencesPlugin attributo), 283
center_navbar (calibre.web.feeds.news.BasicNewsRecipe attributo), 46
change_font() (nel modulo calibre.ebooks.oeb.polish.fonts), 366
changed_signal (calibre.gui2.preferences.ConfigWidgetBase attributo), 285
changed_signal (calibre.gui2.preferences.ConfigWidgetInterface attributo), 284
clean_downloaded_metadata() (calibre.ebooks.metadata.sources.base.Source
```

*metodo), 261*  
*cleanup () (calibre.web.feeds.news.BasicNewsRecipe metodo), 42*  
*CLI (classe in calibre.devices.usbms.cli), 277*  
*cli\_main () (calibre.customize.Plugin metodo), 256*  
*cli\_options (calibre.customize.CatalogPlugin attributo), 259*  
*clone\_browser () (calibre.web.feeds.news.BasicNewsRecipe metodo), 42*  
*close\_editor () (calibre.gui2.tweak\_book.boss.Boss metodo), 368*  
 command line option  
   --help, 311  
   --library-path, 311  
   --password, 311  
   --timeout, 311  
   --username, 311  
   --version, 311  
   --with-library, 311  
   -h, 311  
*commit () (calibre.ebooks.oeb.polish.container.Container metodo), 360*  
*commit () (calibre.gui2.preferences.ConfigWidgetBase metodo), 285*  
*commit () (calibre.gui2.preferences.ConfigWidgetInterface metodo), 284*  
*commit\_all\_editors\_to\_container () (calibre.gui2.tweak\_book.boss.Boss metodo), 368*  
*commit\_item () (calibre.ebooks.oeb.polish.container.Container metodo), 360*  
*common\_options (calibre.customize.conversion.InputFormatPlugin attributo), 264*  
*common\_options (calibre.customize.conversion.OutputFormatPlugin attributo), 265*  
*compress\_covers () (calibre.db.cache.Cache metodo), 351*  
*compress\_news\_images (calibre.web.feeds.news.BasicNewsRecipe attributo), 46*  
*compress\_news\_images\_auto\_size (calibre.web.feeds.news.BasicNewsRecipe attributo), 46*  
*compress\_news\_images\_max\_size (calibre.web.feeds.news.BasicNewsRecipe attributo), 47*  
*config\_help\_message (calibre.ebooks.metadata.sources.base.Source attributo), 260*  
*config\_widget (calibre.customize.PreferencesPlugin attributo), 283*  
*config\_widget () (calibre.customize.Plugin metodo), 255*  
*config\_widget () (calibre.devices.interface.DevicePlugin della classe), 271*  
*config\_widget () (calibre.ebooks.metadata.sources.base.Source metodo), 261*  
*ConfigWidgetBase (classe in calibre.gui2.preferences), 284*  
*ConfigWidgetInterface (classe in calibre.gui2.preferences), 284*  
*Container (classe in calibre.ebooks.oeb.polish.container), 360*  
**contains (), 158**  
*conversion\_options (calibre.web.feeds.news.BasicNewsRecipe attributo), 47*  
*convert () (calibre.customize.conversion.InputFormatPlugin metodo), 264*  
*convert () (calibre.customize.conversion.OutputFormatPlugin metodo), 265*  
*copy\_cover\_to () (calibre.db.cache.Cache metodo), 352*  
*copy\_format\_to () (calibre.db.cache.Cache metodo), 352*  
*core\_usage (calibre.customize.conversion.InputFormatPlugin attributo), 263*  
*cover () (calibre.db.cache.Cache metodo), 352*  
*cover\_margins (calibre.web.feeds.news.BasicNewsRecipe attributo), 47*  
*create\_action () (calibre.gui2.tweak\_book.plugin.Tool metodo), 368*  
*create\_inline\_toc () (nel modulo calibre.ebooks.oeb.polish.toc), 366*  
*create\_menu\_action () (calibre.gui2.actions.InterfaceAction metodo), 281*  
*create\_widget () (calibre.customize.PreferencesPlugin metodo), 284*  
**CSS, 373**  
*current\_container (calibre.gui2.tweak\_book.plugin.Tool property), 367*  
*currently\_editing (calibre.gui2.tweak\_book.boss.Boss property), 368*  
*custom\_field\_keys () (calibre.ebooks.metadata.book.base.Metadata metodo), 209*  
*customization\_help () (calibre.customize.Plugin metodo), 256*  
*customization\_help () (calibre.ebooks.metadata.sources.base.Source metodo), 260*

**D**

data\_for\_find\_identical\_books() (*calibre.db.cache.Cache metodo*), 352  
data\_for\_has\_book() (*calibre.db.cache.Cache metodo*), 352  
debug\_managed\_device\_detection() (*calibre.devices.interface.DevicePlugin metodo*), 268  
deepcopy() (*calibre.ebooks.metadata.book.base.Metadata metodo*), 209  
default\_cover() (*calibre.web.feeds.news.BasicNewsRecipe metodo*), 42  
delay (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 47  
delete\_annotations() (*calibre.db.cache.Cache metodo*), 352  
delete\_books() (*calibre.devices.interface.DevicePlugin metodo*), 271  
delete\_books() (*calibre.devices.usbms.driver.USBMS metodo*), 279  
delete\_custom\_book\_data() (*calibre.db.cache.Cache metodo*), 352  
delete\_trash\_entry() (*calibre.db.cache.Cache metodo*), 352  
description (*calibre.customize.conversion.OutputFormatPlugin property*), 265  
description (*calibre.customize.Plugin attributo*), 254  
description (*calibre.customize.PreferencesPlugin attributo*), 283  
description (*calibre.devices.usbms.driver.USBMS attributo*), 277  
description (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 47  
detect\_managed\_devices() (*calibre.devices.interface.DevicePlugin metodo*), 268  
Device (*classe in calibre.devices.usbms.device*), 274  
DevicePlugin (*classe in calibre.devices.interface*), 266  
dirty() (*calibre.ebooks.oeb.polish.container.Container metodo*), 361  
do\_user\_config() (*calibre.customize.Plugin metodo*), 255  
dont\_add\_to (*calibre.gui2.actions.InterfaceAction attributo*), 280  
dont\_remove\_from (*calibre.gui2.actions.InterfaceAction attributo*), 280  
download() (*calibre.web.feeds.news.BasicNewsRecipe metodo*), 42  
download\_cover() (*calibre.ebooks.metadata.sources.base.Source metodo*), 262  
drop\_event() (*calibre.gui2.actions.InterfaceAction metodo*), 281

**E**

ebook-convert command line option  
--add-alt-text-to-img, 329  
--asciimize, 326  
--author-sort, 331  
--authors, 331  
--base-font-size, 326  
--book-producer, 331  
--change-justification, 326  
--chapter, 329  
--chapter-mark, 330  
--comments, 331  
--cover, 331  
--debug-pipeline, 332  
--disable-dehyphenate, 328  
--disable-delete-blank-paragraphs, 328  
--disable-fix-indents, 328  
--disable-font-rescaling, 326  
--disable-format-scene-breaks, 328  
--disable-italicize-common-cases, 328  
--disable-markup-chapter-headings, 328  
--disable-remove-fake-margins, 330  
--disable-renumber-headings, 328  
--disable-unwrap-lines, 329  
--dont-split-on-page-breaks, 324  
--duplicate-links-in-toc, 330  
--embed-all-fonts, 326  
--embed-font-family, 326  
--enable-heuristics, 329  
--epub-flatten, 325  
--epub-inline-toc, 325  
--epub-max-image-size, 325  
--epub-toc-at-end, 325  
--epub-version, 325  
--expand-css, 326  
--extra-css, 326  
--extract-to, 325  
--filter-css, 326  
--flow-size, 325  
--font-size-mapping, 326  
--from-opf, 331  
--help, 324  
--html-unwrap-factor, 329  
--input-encoding, 324  
--input-profile, 324  
--insert-blank-line, 326  
--insert-blank-line-size, 327  
--insert-metadata, 330  
--isbn, 331  
--keep-ligatures, 327  
--language, 331  
--level1-toc, 330  
--level2-toc, 330  
--level3-toc, 330

```
--line-height, 327
--linearize-tables, 327
--list-recipes, 324
--margin-bottom, 327
--margin-left, 327
--margin-right, 327
--margin-top, 327
--max-toc-links, 331
--minimum-line-height, 327
--no-chapters-in-toc, 331
--no-default-epub-cover, 325
--no-svg-cover, 325
--output-profile, 324
--page-breaks-before, 330
--prefer-metadata-cover, 330
--preserve-cover-aspect-ratio, 325
--pretty-print, 325
--pubdate, 331
--publisher, 331
--rating, 331
--read-metadata-from-opf, 331
--remove-first-image, 330
--remove-paragraph-spacing, 327
--remove-paragraph-spacing-indent-size,
  327
--replace-scene-breaks, 329
--search-replace, 329
--series, 332
--series-index, 332
--smarten-punctuation, 328
--sr1-replace, 329
--sr1-search, 329
--sr2-replace, 329
--sr2-search, 329
--sr3-replace, 329
--sr3-search, 329
--start-reading-at, 330
--subset-embedded-fonts, 328
--tags, 332
--timestamp, 332
--title, 332
--title-sort, 332
--toc-filter, 331
--toc-threshold, 331
--toc-title, 325
--transform-css-rules, 328
--transform-html-rules, 328
--unsmarten-punctuation, 328
--use-auto-toc, 331
--verbose, 332
--version, 324
-d, 332
-h, 324
-m, 331
-v, 332
ebook-edit command line option
--detach, 332
--help, 332
--select-text, 332
--version, 332
-h, 332
ebook-meta command line option
--author-sort, 333
--authors, 333
--book-producer, 333
--category, 333
--comments, 333
--cover, 333
--date, 333
--disallow-rendered-cover, 333
--from-opf, 333
--get-cover, 333
--help, 333
--identifier, 333
--index, 334
--isbn, 334
--language, 334
--lrf-bookid, 334
--publisher, 334
--rating, 334
--series, 334
--tags, 334
--title, 334
--title-sort, 334
--to-opf, 334
--version, 334
-a, 333
-c, 333
-d, 333
-h, 333
-i, 334
-k, 333
-l, 334
-p, 334
-r, 334
-s, 334
-t, 334
ebook-polish command line option
-H, 335
-U, 336
--add-soft-hyphens, 335
--compress-images, 335
--cover, 335
--download-external-resources, 335
--embed-fonts, 335
--help, 335
--jacket, 335
--opf, 335
```

--remove-jacket, 335  
--remove-soft-hyphens, 335  
--remove-unused-css, 335  
--smarten-punctuation, 335  
--subset-fonts, 335  
--upgrade-book, 336  
--verbose, 336  
--version, 336  
-c, 335  
-d, 335  
-e, 335  
-f, 335  
-h, 335  
-i, 335  
-j, 335  
-o, 335  
-p, 335  
-u, 335

ebook-viewer command line option  
--continue, 336  
--detach, 336  
--force-reload, 336  
--full-screen, 336  
--fullscreen, 336  
--help, 336  
--new-instance, 336  
--open-at, 336  
--raise-window, 336  
--version, 336  
-f, 336  
-h, 336

edit\_file() (*calibre.gui2.tweak\_book.boss.Boss metodo*), 369

eject() (*calibre.devices.interface.DevicePlugin metodo*), 269

eject() (*calibre.devices.usbms.device.Device metodo*), 277

embed\_metadata() (*calibre.db.cache.Cache metodo*), 352

encoding (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 47

exists() (*calibre.ebooks.oeb.polish.container.Container metodo*), 361

expire\_old\_trash() (*calibre.db.cache.Cache metodo*), 352

export\_note() (*calibre.db.cache.Cache metodo*), 352

extra\_css (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 47

extract\_readable\_article() (*calibre.web.feeds.news.BasicNewsRecipe metodo*), 42

fast\_field\_for() (*calibre.db.cache.Cache metodo*), 352

feeds (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 47

fetch-ebook-metadata command line option  
-I, 337  
--allowed-plugin, 337  
--authors, 337  
--cover, 337  
--help, 337  
--identifier, 337  
--isbn, 337  
--opf, 337  
--timeout, 337  
--title, 337  
--verbose, 337  
--version, 337  
-a, 337  
-c, 337  
-d, 337  
-h, 337  
-i, 337  
-o, 337  
-p, 337  
-t, 337  
-v, 337

field\_for() (*calibre.db.cache.Cache metodo*), 353

field\_ids\_for() (*calibre.db.cache.Cache metodo*), 353

field\_supports\_notes() (*calibre.db.cache.Cache metodo*), 353

file\_type (*calibre.customize.conversion.OutputFormatPlugin attributo*), 265

file\_types (*calibre.customize.CatalogPlugin attributo*), 259

file\_types (*calibre.customize.conversion.InputFormatPlugin attributo*), 263

file\_types (*calibre.customize.FileTypePlugin attributo*), 256

file\_types (*calibre.customize.MetadataReaderPlugin attributo*), 258

file\_types (*calibre.customize.MetadataWriterPlugin attributo*), 258

filename\_callback() (*calibre.devices.usbms.device.Device metodo*), 277

filesize() (*calibre.ebooks.oeb.polish.container.Container metodo*), 361

FileTypePlugin (*classe in calibre.customize*), 256

filter\_css() (*nel modulo calibre.ebooks.oeb.polish.css*), 366

filter\_regexps (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 48

|  |   |
|--|---|
| find_identical_books() ( <i>calibre.db.cache.Cache metodo</i> ), 353                 | get_all_standard_metadata() ( <i>calibre.ebooks.metadata.book.base.Metadata metodo</i> ), 209 |
| fix_all_html() ( <i>nel modulo calibre.ebooks.oeb.polish.pretty</i> ), 364           | get_all_user_metadata() ( <i>calibre.ebooks.metadata.book.base.Metadata metodo</i> ), 209     |
| fix_html() ( <i>nel modulo calibre.ebooks.oeb.polish.pretty</i> ), 364               | get_annotations() ( <i>calibre.devices.usbms.device.Device metodo</i> ), 277                  |
| for_viewer ( <i>calibre.customize.conversion.InputFormatPlugin attributo</i> ), 264  | get_article_url() ( <i>calibre.web.feeds.news.BasicNewsRecipe metodo</i> ), 42                |
| format() ( <i>calibre.db.cache.Cache metodo</i> ), 353                               | get_author_tokens() ( <i>calibre.ebooks.metadata.sources.base.Source metodo</i> ), 261        |
| format_abspath() ( <i>calibre.db.cache.Cache metodo</i> ), 353                       | get_book_url() ( <i>calibre.ebooks.metadata.sources.base.Source metodo</i> ), 261             |
| format_added ( <i>calibre.db.cache.Cache.EventType attributo</i> ), 349              | get_book_url_name() ( <i>calibre.ebooks.metadata.sources.base.Source metodo</i> ), 261        |
| format_field() ( <i>calibre.ebooks.metadata.book.base.Metadata metodo</i> ), 210     | get_book_urls() ( <i>calibre.ebooks.metadata.sources.base.Source metodo</i> ), 261            |
| format_hash() ( <i>calibre.db.cache.Cache metodo</i> ), 353                          | get_browser() ( <i>calibre.web.feeds.news.BasicNewsRecipe metodo</i> ), 43                    |
| format_metadata() ( <i>calibre.db.cache.Cache metodo</i> ), 353                      | get_cached_cover_url() ( <i>calibre.ebooks.metadata.sources.base.Source metodo</i> ), 262     |
| FORMATS ( <i>calibre.devices.interface.DevicePlugin attributo</i> ), 266             | get_categories() ( <i>calibre.db.cache.Cache metodo</i> ), 354                                |
| FORMATS ( <i>calibre.devices.usbms.driver.USBMS attributo</i> ), 278                 | get_collections() ( <i>calibre.devices.interface.BookList metodo</i> ), 274                   |
| formats() ( <i>calibre.db.cache.Cache metodo</i> ), 354                              | get_cover_url() ( <i>calibre.web.feeds.news.BasicNewsRecipe metodo</i> ), 43                  |
| formats_removed ( <i>calibre.db.cache.Cache.EventType attributo</i> ), 349           | get_custom_book_data() ( <i>calibre.db.cache.Cache metodo</i> ), 354                          |
| free_space() ( <i>calibre.devices.interface.DevicePlugin metodo</i> ), 270           | get_device_information() ( <i>calibre.devices.interface.DevicePlugin metodo</i> ), 269        |
| free_space() ( <i>calibre.devices.usbms.device.Device metodo</i> ), 276              | get_device_information() ( <i>calibre.devices.usbms.driver.USBMS metodo</i> ), 278            |
| from_files() ( <i>nel modulo calibre.ebooks.oeb.polish.toc</i> ), 366                | get_device_uid() ( <i>calibre.devices.interface.DevicePlugin metodo</i> ), 272                |
| from_links() ( <i>nel modulo calibre.ebooks.oeb.polish.toc</i> ), 366                | get_driveinfo() ( <i>calibre.devices.interface.DevicePlugin metodo</i> ), 269                 |
| from_xpaths() ( <i>nel modulo calibre.ebooks.oeb.polish.toc</i> ), 366               | get_extra_css() ( <i>calibre.web.feeds.news.BasicNewsRecipe metodo</i> ), 43                  |
| <b>G</b>   |   |
| generate_item() ( <i>calibre.ebooks.oeb.polish.container.Container metodo</i> ), 361 |   |
| genesis() ( <i>calibre.gui2.actions.InterfaceAction metodo</i> ), 282                |   |
| genesis() ( <i>calibre.gui2.preferences.ConfigWidgetInterface metodo</i> ), 284      |   |
| get_all_items_that_have_notes() ( <i>calibre.db.cache.Cache metodo</i> ), 354        |   |
| get_all_link_maps_for_book() ( <i>calibre.db.cache.Cache metodo</i> ), 354           |   |

get\_feeds() (*calibre.web.feeds.news.BasicNewsRecipe metodo*), 43  
get\_file() (*calibre.devices.interface.DevicePlugin metodo*), 271  
get\_file\_path\_for\_processing() (*calibre.ebooks.oeb.polish.container.Container metodo*), 361  
get\_id\_map() (*calibre.db.cache.Cache metodo*), 354  
get\_identifiers() (*calibre.ebooks.metadata.book.base.Metadata metodo*), 209  
get\_ids\_for\_custom\_book\_data() (*calibre.db.cache.Cache metodo*), 354  
get\_images() (*calibre.customize.conversion.InputFormatPlugin metodo*), 264  
get\_item\_id() (*calibre.db.cache.Cache metodo*), 354  
get\_item\_ids() (*calibre.db.cache.Cache metodo*), 354  
get\_item\_name() (*calibre.db.cache.Cache metodo*), 354  
get\_item\_name\_map() (*calibre.db.cache.Cache metodo*), 354  
get\_link\_map() (*calibre.db.cache.Cache metodo*), 354  
get\_masthead\_title() (*calibre.web.feeds.news.BasicNewsRecipe metodo*), 43  
get\_masthead\_url() (*calibre.web.feeds.news.BasicNewsRecipe metodo*), 43  
get\_metadata() (*calibre.customize.MetadataReaderPlugin metodo*), 258  
get\_metadata() (*calibre.db.cache.Cache metodo*), 355  
get\_next\_series\_num\_for() (*calibre.db.cache.Cache metodo*), 355  
get\_notes\_resource() (*calibre.db.cache.Cache metodo*), 355  
get\_obfuscated\_article() (*calibre.web.feeds.news.BasicNewsRecipe metodo*), 44  
get\_open\_popup\_message() (*calibre.devices.interface.DevicePlugin della classe*), 267  
get\_option() (*calibre.devices.interface.DevicePlugin metodo*), 273  
get\_proxy\_metadata() (*calibre.db.cache.Cache metodo*), 355  
get\_recommended\_folders() (*nel modulo calibre.ebooks.oeb.polish.replace*), 364  
get\_standard\_metadata() (*calibre.ebooks.metadata.book.base.Metadata metodo*), 209  
get\_title\_tokens() (*calibre.ebooks.metadata.sources.base.Source metodo*), 261  
get\_url\_specific\_delay() (*calibre.web.feeds.news.BasicNewsRecipe metodo*), 44  
get\_usage\_count\_by\_id() (*calibre.db.cache.Cache metodo*), 355  
get\_user\_blacklisted\_devices() (*calibre.devices.interface.DevicePlugin metodo*), 272  
get\_user\_metadata() (*calibre.ebooks.metadata.book.base.Metadata metodo*), 209  
gui (*calibre.gui2.tweak\_book.plugin.Tool property*), 367  
gui\_category (*calibre.customize.PreferencesPlugin attributo*), 283  
gui\_configuration\_widget() (*calibre.customize.conversion.InputFormatPlugin metodo*), 264  
gui\_configuration\_widget() (*calibre.customize.conversion.OutputFormatPlugin metodo*), 266  
gui\_layout\_complete() (*calibre.gui2.actions.InterfaceAction metodo*), 282  
gui\_name (*calibre.customize.PreferencesPlugin attributo*), 283  
guide\_type\_map (*calibre.ebooks.oeb.polish.container.Container property*), 361

## H

handle\_gzip (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 48  
has\_book() (*calibre.db.cache.Cache metodo*), 355  
has\_format() (*calibre.db.cache.Cache metodo*), 355  
has\_html\_comments (*calibre.ebooks.metadata.sources.base.Source attributo*), 260  
has\_id() (*calibre.db.cache.Cache metodo*), 355  
has\_name() (*calibre.ebooks.oeb.polish.container.Container metodo*), 361  
href\_to\_name() (*calibre.ebooks.oeb.polish.container.Container metodo*), 361  
HTML, **373**

## I

icon (*calibre.customize.PreferencesPlugin attributo*), 283  
icon (*calibre.devices.interface.DevicePlugin attributo*), 267  
id\_from\_url() (*calibre.ebooks.metadata.sources.base.Source metodo*), 262  
identify() (*calibre.ebooks.metadata.sources.base.Source metodo*), 262

|                               |  |                               |   |
|-------------------------------|--|-------------------------------|---|
| identify_results_keygen()     | (calibre.ebooks.metadata.sources.base.Source metodo), 262      | is_dynamically_controllable() | (calibre.devices.interface.DevicePlugin metodo), 272            |
| ignore_connected_device()     | (calibre.devices.interface.DevicePlugin metodo), 272           | is_image_collection           | (calibre.customize.conversion.InputFormatPlugin attributo), 263 |
| ignore_duplicate_articles     | (calibre.web.feeds.news.BasicNewsRecipe attributo), 48         | is_link_wanted()              | (calibre.web.feeds.news.BasicNewsRecipe metodo), 44             |
| ignore_ssl_errors             | (calibre.ebooks.metadata.sources.base.Source attributo), 260   | is_null()                     | (calibre.ebooks.metadata.book.base.Metadata metodo), 208        |
| image_url_processor()         | (calibre.web.feeds.news.BasicNewsRecipe della classe), 41      | is_running()                  | (calibre.devices.interface.DevicePlugin metodo), 273            |
| import_note()                 | (calibre.db.cache.Cache metodo), 355                           | is_usb_connected()            | (calibre.devices.interface.DevicePlugin metodo), 268            |
| index_to_soup()               | (calibre.web.feeds.news.BasicNewsRecipe metodo), 44            | items_removed                 | (calibre.db.cache.Cache.EventType attributo), 350               |
| indexing_progress_changed     | (calibre.db.cache.Cache.EventType attributo), 350              | items_renamed                 | (calibre.db.cache.Cache.EventType attributo), 350               |
| init()                        | (calibre.db.cache.Cache metodo), 355                           | items_with_notes_in_book()    | (calibre.db.cache.Cache metodo), 355                            |
| initial_tab_changed()         | (calibre.gui2.preferences.ConfigWidgetInterface metodo), 284   | iterlinks()                   | (calibre.ebooks.oeb.polish.container.Container metodo), 361     |
| initialization_complete()     | (calibre.gui2.actions.InterfaceAction metodo), 282             | K                             |   |
| initialize()                  | (calibre.customize.CatalogPlugin metodo), 259                  | keep_only_tags                | (calibre.web.feeds.news.BasicNewsRecipe attributo), 48          |
| initialize()                  | (calibre.customize.Plugin metodo), 255                         | L                             |   |
| initialize()                  | (calibre.gui2.preferences.ConfigWidgetBase metodo), 285        | language                      | (calibre.web.feeds.news.BasicNewsRecipe attributo), 48          |
| initialize()                  | (calibre.gui2.preferences.ConfigWidgetInterface metodo), 284   | library_about_to_change()     | (calibre.gui2.actions.InterfaceAction metodo), 282              |
| InputFormatPlugin             | (classe in libre.customize.conversion), 263                    | library_changed()             | (calibre.gui2.actions.InterfaceAction metodo), 282              |
| insert_into_xml()             | (calibre.ebooks.oeb.polish.container.Container metodo), 361    | link_for()                    | (calibre.db.cache.Cache metodo), 355                            |
| installation_type             | (calibre.customize.Plugin attributo), 255                      | links_changed                 | (calibre.db.cache.Cache.EventType attributo), 350               |
| InterfaceAction               | (classe in calibre.gui2.actions), 279                          | list_extra_files()            | (calibre.db.cache.Cache metodo), 355                            |
| InterfaceActionBase           | (classe in calibre.customize), 282                             | load_actual_plugin()          | (calibre.customize.InterfaceActionBase metodo), 283             |
| InternalMetadataCompareKeyGen | (classe in calibre.ebooks.metadata.sources.base), 263          | load_resources()              | (calibre.customize.Plugin metodo), 255                          |
| is_configured()               | (calibre.ebooks.metadata.sources.base.Source metodo), 260      | load_resources()              | (calibre.gui2.actions.InterfaceAction metodo), 281              |
| is_dir                        | (calibre.ebooks.oeb.polish.container.Container attributo), 361 |                               |   |

```

location_selected()
    bre.gui2.actions.InterfaceAction      (cali-
                                         metodo), mark_as_cover()      (nel     modulo     ca-
                                         libre.ebooks.oeb.polish.cover),
                                         365

LRF, 373
lrf2lrs command line option
    --dont-output-resources, 338
    --help, 338
    --output, 338
    --verbose, 338
    --version, 338
    -h, 338
    -o, 338

lrfviewer command line option
    --disable-hyphenation, 338
    --help, 338
    --profile, 338
    --verbose, 338
    --version, 338
    --visual-debug, 338
    --white-background, 338
    -h, 338

lrs2lrf command line option
    --help, 339
    --lrs, 339
    --output, 339
    --verbose, 339
    --version, 339
    -h, 339
    -o, 339

M

make_name_unique()
    bre.ebooks.oeb.polish.container.Container      (cali-
                                         metodo), 361

MANAGES_DEVICE_PRESENCE
    bre.devices.interface.DevicePlugin      (cali-
                                         attributo), minimum_calibre_version (calibre.customize.Plugin
                                         attributo), 255

manifest_has_name()
    bre.ebooks.oeb.polish.container.Container      (cali-
                                         metodo), 361

manifest_id_map
    bre.ebooks.oeb.polish.container.Container      (cali-
                                         property), 361

manifest_items_of_type()
    bre.ebooks.oeb.polish.container.Container      (cali-
                                         metodo), 361

manifest_items_with_property()
    bre.ebooks.oeb.polish.container.Container      (cali-
                                         metodo), 361

manifest_type_map
    bre.ebooks.oeb.polish.container.Container      (cali-
                                         property), 362

mark_as_cover()      (nel     modulo     ca-
                                         libre.ebooks.oeb.polish.cover),
                                         365

mark_as_titlepage()      (nel     modulo     ca-
                                         libre.ebooks.oeb.polish.cover), 365

masthead_url (calibre.web.feeds.news.BasicNewsRecipe
                                         attributo), 48

match_regexps (calibre.web.feeds.news.BasicNewsRecipe
                                         attributo), 48

max_articles_per_feed (calibre.web.feeds.news.BasicNewsRecipe
                                         attributo), 48

MAX_PATH_LEN (calibre.devices.usbms.device.Device attrib-
                                         uto), 275

merge() (nel modulo calibre.ebooks.oeb.polish.split), 365

merge_annotations_for_book() (cali-
                                         libre.db.cache.Cache      metodo),
                                         356

merge_extra_files() (calibre.db.cache.Cache metodo),
                                         356

Metadata (classe in calibre.ebooks.metadata.book.base),
                                         208

metadata_changed (calibre.db.cache.Cache.EventType
                                         attributo), 350

metadata_for_field() (cali-
                                         bre.ebooks.metadata.book.base.Metadata
                                         metodo), 209

MetadataReaderPlugin (classe in calibre.customize),
                                         258

MetadataWriterPlugin (classe in calibre.customize),
                                         258

mi (calibre.ebooks.oeb.polish.container.Container proper-
                                         ty), 362

model_metadata() (calibre.devices.interface.DevicePlugin
                                         metodo della classe), 267

model_metadata() (calibre.devices.usbms.device.Device
                                         metodo della classe), 275

module
    calibre.customize, 254
    calibre.customize.conversion, 263
    calibre.db.cache, 349
    calibre.devices.interface, 266
    calibre.ebooks.metadata.book.base, 208
    calibre.ebooks.metadata.sources.base,
                                         260
    calibre.ebooks.oeb.polish.container, 359
    calibre.ebooks.oeb.polish.cover, 365
    calibre.ebooks.oeb.polish.css, 366
    calibre.ebooks.oeb.polish.jacket, 364
    calibre.ebooks.oeb.polish.pretty, 364
    calibre.ebooks.oeb.polish.replace, 364

```

calibre.ebooks.oeb.polish.split, 365  
 calibre.ebooks.oeb.polish.toc, 366  
 calibre.gui2.tweak\_book.boss, 368  
 calibre.utils.formatter\_functions, 182  
 calibre.web.feeds.news, 41  
 move\_book\_from\_trash() (*calibre.db.cache.Cache metodo*), 356  
 move\_format\_from\_trash() (*calibre.db.cache.Cache metodo*), 356  
 multisort() (*calibre.db.cache.Cache metodo*), 356  
 multisplit() (nel modulo *calibre.ebooks.oeb.polish.split*), 365

## N

name (*calibre.customize.Plugin attributo*), 254  
 name (*calibre.gui2.actions.InterfaceAction attributo*), 280  
 name (*calibre.gui2.tweak\_book.plugin.Tool attributo*), 367  
 name(), 158  
 name\_order (*calibre.customize.PreferencesPlugin attributo*), 283  
 name\_to\_abspath() (*calibre.ebooks.oeb.polish.container.Container metodo*), 362  
 name\_to\_href() (*calibre.ebooks.oeb.polish.container.Container metodo*), 362  
 names\_that\_must\_not\_be\_changed (*calibre.ebooks.oeb.polish.container.Container property*), 362  
 names\_that\_must\_not\_be\_removed (*calibre.ebooks.oeb.polish.container.Container property*), 362  
 names\_that\_need\_not\_be\_manifested (*calibre.ebooks.oeb.polish.container.Container property*), 362  
 needs\_subscription (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 49  
 NEWS\_IN\_FOLDER (*calibre.devices.usbms.device.Device attributo*), 275  
 no\_stylesheets (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 49  
 normalize\_path() (*calibre.devices.usbms.driver.USBMS metodo della classe*), 279  
 notes\_changed (*calibre.db.cache.Cache.EventType attributo*), 350  
 notes\_data\_for() (*calibre.db.cache.Cache metodo*), 356  
 notes\_for() (*calibre.db.cache.Cache metodo*), 356  
 notes\_resources\_used\_by() (*calibre.db.cache.Cache metodo*), 356

NUKE\_COMMENTS (*calibre.devices.interface.DevicePlugin attributo*), 267

## O

oldest\_article (*calibre.web.feeds.news.BasicNewsRecipe attributo*), 49  
 on\_import (*calibre.customize.FileTypePlugin attributo*), 256  
 on\_postconvert (*calibre.customize.FileTypePlugin attributo*), 256  
 on\_postdelete (*calibre.customize.FileTypePlugin attributo*), 256  
 on\_postimport (*calibre.customize.FileTypePlugin attributo*), 256  
 on\_postprocess (*calibre.customize.FileTypePlugin attributo*), 256  
 on\_preprocess (*calibre.customize.FileTypePlugin attributo*), 256  
 open() (*calibre.devices.interface.DevicePlugin metodo*), 269  
 open() (*calibre.devices.usbms.device.Device metodo*), 276  
 open() (*calibre.ebooks.oeb.polish.container.Container metodo*), 362  
 open\_book() (*calibre.gui2.tweak\_book.boss.Boss metodo*), 369  
 OPEN\_FEEDBACK\_MESSAGE (*calibre.devices.interface.DevicePlugin attributo*), 267  
 opf (*calibre.ebooks.oeb.polish.container.Container property*), 362  
 opf\_get\_or\_create() (*calibre.ebooks.oeb.polish.container.Container metodo*), 362  
 opf\_version (*calibre.ebooks.oeb.polish.container.Container property*), 362  
 opf\_version\_parsed (*calibre.ebooks.oeb.polish.container.Container property*), 362  
 opf\_xpath() (*calibre.ebooks.oeb.polish.container.Container metodo*), 362  
 options (*calibre.customize.conversion.InputFormatPlugin attributo*), 264  
 options (*calibre.customize.conversion.OutputFormatPlugin attributo*), 265  
 options (*calibre.ebooks.metadata.sources.base.Source attributo*), 260  
 OSX\_MAIN\_MEM\_VOL\_PAT (*calibre.devices.usbms.device.Device attributo*), 275  
 output\_encoding (*calibre.customize.conversion.InputFormatPlugin attributo*), 264

|                             |   |    |                         |  |
|-----------------------------|---|----|-------------------------|--|
| OutputFormatPlugin          | (classe<br><i>calibre.customize.conversion</i> ), 264             | in | preprocess_image()      | (cali-<br>bre.web.feeds.news.BasicNewsRecipe metodo),<br>45              |
| P                           |   |    | preprocess_raw_html()   | (cali-<br>bre.web.feeds.news.BasicNewsRecipe metodo),<br>45              |
| parse_feeds()               | (calibre.web.feeds.news.BasicNewsRecipe metodo), 44               |    | preprocess_regexps      | (cali-<br>bre.web.feeds.news.BasicNewsRecipe attributo),<br>49           |
| parse_index()               | (calibre.web.feeds.news.BasicNewsRecipe metodo), 44               |    | pretty_all()            | (nel modulo<br>cali-<br>bre.ebooks.oeb.polish.pretty),<br>364            |
| parsed()                    | (calibre.ebooks.oeb.polish.container.Container metodo), 362       |    | pretty_css()            | (nel modulo<br>cali-<br>bre.ebooks.oeb.polish.pretty),<br>364            |
| path_sep                    | (calibre.devices.interface.DevicePlugin attribu-<br>to), 267      |    | pretty_html()           | (nel modulo<br>cali-<br>bre.ebooks.oeb.polish.pretty),<br>364            |
| Plugin                      | (classe in <i>calibre.customize</i> ), 254                        |    | pretty_xml()            | (nel modulo<br>cali-<br>bre.ebooks.oeb.polish.pretty),<br>364            |
| populate_article_metadata() | (cali-<br>bre.web.feeds.news.BasicNewsRecipe metodo),<br>45       |    | print_version()         | (cali-<br>bre.web.feeds.news.BasicNewsRecipe metodo<br>della classe), 41 |
| popup_type                  | (calibre.gui2.actions.InterfaceAction attribu-<br>to), 280        |    | priority                | (calibre.customize.Plugin attributo), 255                                |
| post_yank_cleanup()         | (cali-<br>bre.devices.interface.DevicePlugin metodo),<br>269      |    | priority                | (calibre.gui2.actions.InterfaceAction attributo),<br>280                 |
| post_yank_cleanup()         | (cali-<br>bre.devices.usbms.device.Device metodo),<br>277         |    | PRODUCT_ID              | (calibre.devices.interface.DevicePlugin attribu-<br>to), 266             |
| postadd()                   | (calibre.customize.FileTypePlugin metodo),<br>257                 |    | PRODUCT_ID              | (calibre.devices.usbms.device.Device attribu-<br>to), 275                |
| postconvert()               | (calibre.customize.FileTypePlugin metodo), 257                    |    | publication_date()      | (cali-<br>bre.web.feeds.news.BasicNewsRecipe metodo),<br>45              |
| postdelete()                | (calibre.customize.FileTypePlugin metodo), 257                    |    | publication_type        | (cali-<br>bre.web.feeds.news.BasicNewsRecipe attributo),<br>49           |
| postimport()                | (calibre.customize.FileTypePlugin metodo), 257                    |    | R                       |  |
| postprocess_book()          | (cali-<br>bre.customize.conversion.InputFormatPlugin metodo), 264 |    | raw_data()              | (calibre.ebooks.oeb.polish.container.Container<br>metodo), 362           |
| postprocess_book()          | (cali-<br>bre.web.feeds.news.BasicNewsRecipe metodo),<br>45       |    | re:test(), 158          |  |
| postprocess_html()          | (cali-<br>bre.web.feeds.news.BasicNewsRecipe metodo),<br>45       |    | read_backup()           | (calibre.db.cache.Cache metodo), 356                                     |
| pref()                      | (calibre.db.cache.Cache metodo), 356                              |    | recipe_disabled         | (cali-<br>bre.web.feeds.news.BasicNewsRecipe attributo),<br>49           |
| prefer_results_with_isbn    | (cali-<br>bre.ebooks.metadata.sources.base.Source attributo), 260 |    | recipe_specific_options | (cali-<br>bre.web.feeds.news.BasicNewsRecipe attributo),<br>49           |
| PreferencesPlugin           | (classe in <i>calibre.customize</i> ), 283                        |    | recommendations         | (cali-<br>bre.customize.conversion.InputFormatPlugin attributo), 264     |
| prepare_addable_books()     | (cali-<br>bre.devices.interface.DevicePlugin metodo),<br>272      |    |                         |  |
| preprocess_html()           | (cali-<br>bre.web.feeds.news.BasicNewsRecipe metodo),<br>45       |    |                         |  |

|                              |   |                           |  |
|------------------------------|---|---------------------------|--|
| recommendations              | (calibre. <i>bre.customize.conversion.OutputFormatPlugin attributo</i> ), 265 | remove_tags_after         | (calibre. <i>bre.web.feeds.news.BasicNewsRecipe attributo</i> ), 50      |
| recursions                   | (calibre. <i>web.feeds.news.BasicNewsRecipe attributo</i> ), 49               | remove_tags_before        | (calibre. <i>web.feeds.news.BasicNewsRecipe attributo</i> ), 50          |
| refresh_gui()                | (calibre. <i>gui2.preferences.ConfigWidgetInterface metodo</i> ), 284         | remove_unused_css()       | (nel modulo calibre. <i>ebooks.oeb.polish.css</i> ), 366                 |
| regex, 373                   |   | rename()                  | (calibre. <i>ebooks.oeb.polish.container.Container metodo</i> ), 363     |
| register()                   | (calibre. <i>gui2.preferences.ConfigWidgetBase metodo</i> ), 285              | rename_extra_files()      | (calibre. <i>db.cache.Cache metodo</i> ), 357                            |
| register_shortcut()          | (calibre. <i>gui2.tweak_book.plugin.Tool metodo</i> ), 367                    | rename_files()            | (nel modulo calibre. <i>ebooks.oeb.polish.replace</i> ), 364             |
| relpath()                    | (calibre. <i>ebooks.oeb.polish.container.Container metodo</i> ), 363          | rename_items()            | (calibre. <i>db.cache.Cache metodo</i> ), 357                            |
| remove_attributes            | (calibre. <i>bre.web.feeds.news.BasicNewsRecipe attributo</i> ), 49           | replace()                 | (calibre. <i>ebooks.oeb.polish.container.Container metodo</i> ), 363     |
| remove_book()                | (calibre. <i>devices.interface.BookList metodo</i> ), 274                     | replace_links()           | (calibre. <i>ebooks.oeb.polish.container.Container metodo</i> ), 363     |
| remove_books()               | (calibre. <i>db.cache.Cache metodo</i> ), 356                                 | replace_links()           | (nel modulo calibre. <i>ebooks.oeb.polish.replace</i> ), 364             |
| remove_books_from_metadata() | (calibre. <i>bre.devices.interface.DevicePlugin della classe</i> ), 271       | requires_version          | (calibre. <i>bre.web.feeds.news.BasicNewsRecipe attributo</i> ), 50      |
| remove_books_from_metadata() | (calibre. <i>bre.devices.usbms.driver.USBMS metodo</i> ), 279                 | reset()                   | (calibre. <i>devices.interface.DevicePlugin metodo</i> ), 268            |
| remove_empty_feeds           | (calibre. <i>bre.web.feeds.news.BasicNewsRecipe attributo</i> ), 50           | reset()                   | (calibre. <i>devices.usbms.device.Device metodo</i> ), 275               |
| remove_extra_files()         | (calibre. <i>db.cache.Cache metodo</i> ), 356                                 | resolve_internal_links    | (calibre. <i>bre.web.feeds.news.BasicNewsRecipe attributo</i> ), 50      |
| remove_formats()             | (calibre. <i>db.cache.Cache metodo</i> ), 356                                 | restart_critical          | (calibre. <i>gui2.preferences.ConfigWidgetBase attributo</i> ), 285      |
| remove_from_spine()          | (calibre. <i>bre.ebooks.oeb.polish.container.Container metodo</i> ), 363      | restart_critical          | (calibre. <i>gui2.preferences.ConfigWidgetInterface attributo</i> ), 284 |
| remove_from_xml()            | (calibre. <i>bre.ebooks.oeb.polish.container.Container metodo</i> ), 363      | restore_book()            | (calibre. <i>db.cache.Cache metodo</i> ), 357                            |
| remove_item()                | (calibre. <i>ebooks.oeb.polish.container.Container metodo</i> ), 363          | restore_defaults()        | (calibre. <i>gui2.preferences.ConfigWidgetBase metodo</i> ), 285         |
| remove_items()               | (calibre. <i>db.cache.Cache metodo</i> ), 357                                 | restore_defaults()        | (calibre. <i>gui2.preferences.ConfigWidgetInterface metodo</i> ), 284    |
| remove_jacket()              | (nel modulo calibre. <i>ebooks.oeb.polish.jacket</i> ), 364                   | restore_defaults_desc     | (calibre. <i>gui2.preferences.ConfigWidgetInterface attributo</i> ), 284 |
| remove_javascript            | (calibre. <i>bre.web.feeds.news.BasicNewsRecipe attributo</i> ), 50           | restore_original_format() | (calibre. <i>db.cache.Cache metodo</i> ), 357                            |
| remove_stale_user_metadata() | (calibre. <i>ebooks.metadata.book.base.Metadata metodo</i> ), 209             | reverse_article_order     | (calibre. <i>bre.web.feeds.news.BasicNewsRecipe attributo</i> ),         |
| remove_tags                  | (calibre. <i>bre.web.feeds.news.BasicNewsRecipe attributo</i> ), 50           |                           |  |

|  |          |   |
|--|----------|---|
| 50   |          |   |
| rewind_savepoint ()  | (cali-   | set_driveinfo_name () (cali-  |
| <i>bre.gui2.tweak_book.boss.Boss</i>                           | metodo), | <i>bre.devices.interface.DevicePlugin</i> metodo),                            |
| 369  |          | 271   |
| Ricetta, 373   |          | set_driveinfo_name () (cali-  |
| RSS, 373   |          | <i>bre.devices.usbms.driver.USBMS</i> metodo),                                |
| run () (calibre.customize.CatalogPlugin metodo), 259           |          | 278   |
| run () (calibre.customize.FileTypePlugin metodo), 257          |          | set_field () (calibre.db.cache.Cache metodo), 358                             |
| <b>S</b>   |          | set_identifier () (cali-  |
| safe_read_lock (calibre.db.cache.Cache property), 357          |          | <i>bre.ebooks.metadata.book.base.Metadata</i> metodo), 209                    |
| sanitize_callback ()   | (cali-   | set_identifiers () (cali-   |
| <i>bre.devices.usbms.device.Device</i>                         | metodo), | <i>bre.ebooks.metadata.book.base.Metadata</i> metodo), 209                    |
| 277  |          | set_library_info () (cali-  |
| sanitize_path_components ()                                    | (cali-   | <i>bre.devices.interface.DevicePlugin</i> metodo),                            |
| <i>bre.devices.usbms.device.Device</i>                         | metodo), | 272   |
| 277  |          | set_link_map () (calibre.db.cache.Cache metodo), 358                          |
| save_book () (calibre.gui2.tweak_book.boss.Boss metodo), 369   |          | set_metadata () (cali-  |
| save_original_format () (calibre.db.cache.Cache metodo), 357   |          | <i>bre.customize.MetadataWriterPlugin</i> metodo),                            |
| save_settings () (calibre.customize.Plugin metodo), 255        |          | 259   |
| save_settings ()   | (cali-   | set_metadata () (calibre.db.cache.Cache metodo), 358                          |
| <i>bre.devices.interface.DevicePlugin</i>                      | metodo   | set_modified () (calibre.gui2.tweak_book.boss.Boss metodo), 369               |
| della classe), 271   |          | set_notes_for () (calibre.db.cache.Cache metodo), 358                         |
| save_settings ()   | (cali-   | set_option () (calibre.devices.interface.DevicePlugin metodo), 273            |
| <i>bre.ebooks.metadata.sources.base.Source</i>                 | metodo), | set_plugboards () (cali-  |
| metodo), 261   |          | <i>bre.devices.interface.DevicePlugin</i> metodo),                            |
| scale_news_images  | (cali-   | 271   |
| <i>bre.web.feeds.news.BasicNewsRecipe</i> attributo),          | metodo)  | set_pref () (calibre.db.cache.Cache metodo), 359                              |
| 50   |          | set_progress_reporter () (cali-   |
| scale_news_images_to_device                                    | (cali-   | <i>bre.devices.interface.DevicePlugin</i> metodo),                            |
| <i>bre.web.feeds.news.BasicNewsRecipe</i> attributo),          | metodo), | 269   |
| 51   |          | set_progress_reporter () (cali-   |
| search () (calibre.db.cache.Cache metodo), 357                 |          | <i>bre.devices.usbms.device.Device</i> metodo),                               |
| search_annotations () (calibre.db.cache.Cache metodo), 358     |          | 275   |
| search_notes () (calibre.db.cache.Cache metodo), 358           |          | set_spine () (calibre.ebooks.oeb.polish.container.Container metodo), 363      |
| serialize_item ()  | (cali-   | set_user_blacklisted_devices () (cali-  |
| <i>bre.ebooks.oeb.polish.container.Container</i>               | metodo), | <i>bre.devices.interface.DevicePlugin</i> metodo),                            |
| metodo), 363   |          | 272   |
| set_all_user_metadata ()                                       | (cali-   | set_user_metadata () (cali-   |
| <i>bre.ebooks.metadata.book.base.Metadata</i>                  | metodo), | <i>bre.ebooks.metadata.book.base.Metadata</i> metodo), 209                    |
| metodo), 209   |          | settings () (calibre.devices.interface.DevicePlugin metodo della classe), 271 |
| set_annotations_for_book ()                                    | (ca-     | show_current_diff () (cali-   |
| <i>libre.db.cache.Cache</i>                                    | metodo), | <i>bre.gui2.tweak_book.boss.Boss</i> metodo),                                 |
| 358  |          | 369   |
| set_conversion_options () (calibre.db.cache.Cache metodo), 358 |          | show_editor () (calibre.gui2.tweak_book.boss.Boss metodo), 369                |
| set_cover () (calibre.db.cache.Cache metodo), 358              |          | shutdown () (calibre.devices.interface.DevicePlugin metodo), 272              |
| set_cover () (nel modulo <i>cali-</i>                          |          |   |
| <i>bre.ebooks.oeb.polish.cover</i> ),                          |          |   |
| 365  |          |   |

|  |  |
|--|--|
| shutting_down () (calibre.gui2.actions.InterfaceAction metodo), 282                        | supported_platforms (calibre.customize.conversion.InputFormatPlugin attributo), 263            |
| simultaneous_downloads (calibre.web.feeds.news.BasicNewsRecipe attributo), 51              | supported_platforms (calibre.customize.conversion.OutputFormatPlugin attributo), 265           |
| skip_ad_pages () (calibre.web.feeds.news.BasicNewsRecipe metodo), 46                       | supported_platforms (calibre.customize.InterfaceActionBase attributo), 282                     |
| SLOW_DRIVEINFO (calibre.devices.interface.DevicePlugin attributo), 267                     | supported_platforms (calibre.customize.MetadataReaderPlugin attributo), 258                    |
| smart_update () (calibre.ebooks.metadata.book.base.Metadata metodo), 210                   | supported_platforms (calibre.customize.MetadataWriterPlugin attributo), 258                    |
| sort_index_by () (calibre.web.feeds.news.BasicNewsRecipe metodo), 46                       | supported_platforms (calibre.customize.Plugin attributo), 254                                  |
| Source (classe in calibre.ebooks.metadata.sources.base), 260                               | supported_platforms (calibre.customize.PreferencesPlugin attributo), 283                       |
| specialize () (calibre.customize.conversion.InputFormatPlugin metodo), 264                 | supported_platforms (calibre.devices.usbms.driver.USBMS attributo), 277                        |
| specialize_css_for_output () (calibre.customize.conversion.OutputFormatPlugin metodo), 265 | supported_platforms (calibre.ebooks.metadata.sources.base.Source attributo), 260               |
| specialize_global_preferences () (calibre.devices.interface.DevicePlugin metodo), 272      | supports_collections () (calibre.devices.interface.BookList metodo), 274                       |
| specialize_options () (calibre.customize.conversion.OutputFormatPlugin metodo), 265        | supports_gzip_transfer_encoding (calibre.ebooks.metadata.sources.base.Source attributo), 260   |
| spine_items (calibre.ebooks.oeb.polish.container.Container property), 363                  | supports_restoring_to_defaults (calibre.gui2.preferences.ConfigWidgetBase attributo), 285      |
| spine_iter (calibre.ebooks.oeb.polish.container.Container property), 363                   | supports_restoring_to_defaults (calibre.gui2.preferences.ConfigWidgetInterface attributo), 284 |
| split () (nel modulo calibre.ebooks.oeb.polish.split), 365                                 | sync_booklists () (calibre.devices.interface.DevicePlugin metodo), 271                         |
| split_if_is_multiple_composite () (calibre.db.cache.Cache metodo), 359                     | sync_booklists () (calibre.devices.usbms.driver.USBMS attributo), 279                          |
| split_jobs () (calibre.ebooks.metadata.sources.base.Source metodo), 261                    | sync_preview_to_editor () (calibre.gui2.tweak_book.boss.Boss metodo), 369                      |
| standard_field_keys () (calibre.ebooks.metadata.book.base.Metadata metodo), 209            | synchronize_with_db () (calibre.devices.interface.DevicePlugin metodo), 273                    |
| STANDARD_METADATA_FIELDS (nel modulo calibre.ebooks.metadata.book.base), 210               |  |
| start_plugin () (calibre.devices.interface.DevicePlugin metodo), 272                       | T  |
| startup () (calibre.devices.interface.DevicePlugin metodo), 272                            | tag_browser_context_action () (calibre.gui2.actions.InterfaceAction metodo),                   |
| stop_plugin () (calibre.devices.interface.DevicePlugin metodo), 272                        |  |
| summary_length (calibre.web.feeds.news.BasicNewsRecipe attributo), 51                      |  |

282  
tag\_to\_string() (calibre.web.feeds.news.BasicNewsRecipe metodo della classe), 42  
tags\_older\_than() (calibre.db.cache.Cache metodo), 359  
template\_css (calibre.web.feeds.news.BasicNewsRecipe attributo), 51  
template\_to\_attribute() (calibre.ebooks.metadata.book.base.Metadata metodo), 210  
temporary\_file() (calibre.customize.Plugin metodo), 256  
test\_fields() (calibre.ebooks.metadata.sources.base.Source metodo), 261  
THUMBNAIL\_COMPRESSION\_QUALITY (calibre.devices.interface.DevicePlugin attributo), 266  
THUMBNAIL\_HEIGHT (calibre.devices.interface.DevicePlugin attributo), 266  
timefmt (calibre.web.feeds.news.BasicNewsRecipe attributo), 51  
timeout (calibre.web.feeds.news.BasicNewsRecipe attributo), 51  
title (calibre.web.feeds.news.BasicNewsRecipe attributo), 51  
to\_html() (calibre.ebooks.metadata.book.base.Metadata metodo), 210  
Tool (classe in calibre.gui2.tweak\_book.plugin), 367  
toolbar\_button\_popup\_mode (calibre.gui2.tweak\_book.plugin.Tool attributo), 367  
total\_space() (calibre.devices.interface.DevicePlugin metodo), 269  
total\_space() (calibre.devices.usbms.device.Device metodo), 276  
touched\_fields (calibre.ebooks.metadata.sources.base.Source attributo), 260  
type (calibre.customize.CatalogPlugin attributo), 259  
type (calibre.customize.conversion.InputFormatPlugin attributo), 263  
type (calibre.customize.conversion.OutputFormatPlugin attributo), 265  
type (calibre.customize.FileTypePlugin attributo), 257  
type (calibre.customize.InterfaceActionBase attributo), 283  
type (calibre.customize.MetadataReaderPlugin attributo), 258  
type (calibre.customize.MetadataWriterPlugin attributo), 259  
type (calibre.customize.Plugin attributo), 255  
type (calibre.customize.PreferencesPlugin attributo), 283  
type (calibre.devices.interface.DevicePlugin attributo), 266

type (calibre.ebooks.metadata.sources.base.Source attributo), 260

**U**

unretire\_note\_for() (calibre.db.cache.Cache metodo), 359  
update\_annotations() (calibre.db.cache.Cache metodo), 359  
upload\_books() (calibre.devices.interface.DevicePlugin metodo), 270  
upload\_books() (calibre.devices.usbms.driver.USBMS metodo), 278  
upload\_cover() (calibre.devices.usbms.driver.USBMS metodo), 279  
URL, 373  
USBMS (classe in calibre.devices.usbms.driver), 277  
use\_embedded\_content (calibre.web.feeds.news.BasicNewsRecipe attributo), 51  
user\_categories\_for\_books() (calibre.db.cache.Cache metodo), 359  
user\_feedback\_after\_callback (calibre.devices.interface.DevicePlugin attributo), 267  
UserAnnotation (calibre.devices.interface.DevicePlugin attributo), 267

**V**

VENDOR\_ID (calibre.devices.interface.DevicePlugin attributo), 266  
VENDOR\_ID (calibre.devices.usbms.device.Device attributo), 275  
version (calibre.customize.MetadataReaderPlugin attributo), 258  
version (calibre.customize.MetadataWriterPlugin attributo), 258  
version (calibre.customize.Plugin attributo), 254  
VIRTUAL\_BOOK\_EXTENSION\_MESSAGE (calibre.devices.interface.DevicePlugin attributo), 267  
VIRTUAL\_BOOK\_EXTENSIONS (calibre.devices.interface.DevicePlugin attributo), 267

**W**

WANTS\_UPDATED\_THUMBNAILS (calibre.devices.interface.DevicePlugin attributo), 266  
web2disk command line option  
--base-dir, 339  
--delay, 339  
--dont-download-stylesheets, 339  
--encoding, 339

--filter-regexp, 339  
--help, 339  
--match-regexp, 339  
--max-files, 339  
--max-recursions, 340  
--timeout, 340  
--verbose, 340  
--version, 340  
-d, 339  
-h, 339  
-n, 339  
-r, 340  
-t, 340

**WINDOWS\_CARD\_A\_MEM** (*calibra-*  
*bre.devices.usbms.device.Device* attributo), 275

**WINDOWS\_CARD\_B\_MEM** (*calibra-*  
*bre.devices.usbms.device.Device* attributo), 275

**WINDOWS\_MAIN\_MEM** (*calibre.devices.usbms.device.Device* attributo), 275

**windows\_sort\_drives()** (*cali-*  
*bre.devices.usbms.device.Device* metodo), 276